

(System Info - 127399 TULL LORI 04/29/2010 09:59:31 TULL)

From: Benton, Kimberly  
Sent: Thursday, April 29, 2010 9:48 AM  
To: 'Kim, Helen'  
Cc: Tull, Lori  
Subject: RE: SPL

Helen,

The appropriate units have not been entered into the SPL system as of 9 am EDT. We have been assured that this is in progress but I do not have a definitive date of completion. In the interim you should enter information for sipuleucel-T but be aware that it will not pass validation. Not passing validation is not a show-stopper. FDA is aware that this will be entered and will not pass validation until the system has updated applicable units of measure. CBER's lead on SPL is CDR Vada Perkins and you may contact him at <[vada.perkins@fda.hhs.gov](mailto:vada.perkins@fda.hhs.gov)>.

As we discussed in our previous telecon, please use as unit of measure "50 million CD54+ cells in 250 mL".

Kimberly Benton, PhD  
Deputy Director, Division of Cellular and Gene Therapies  
Office of Cellular, Tissue, and Gene Therapies  
CBER/FDA  
1401 Rockville Pike, HFM-720  
Rockville, MD 20852  
phone: 301-827-5102  
fax: 301-827-9796  
email: [kimberly.benton@fda.hhs.gov](mailto:kimberly.benton@fda.hhs.gov)

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE PARTY TO WHOM IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, AND PROTECTED FROM DISCLOSURE UNDER LAW. If you are not the addressee, or a person authorized to deliver the document to the addressee, you are hereby notified that any review, disclosure, dissemination, copying, or other action based on the content of this communication is not authorized. If you have received this document in error, please immediately notify the sender immediately by e-mail or phone."

---

From: Kim, Helen [<mailto:hkim@Dendreon.com>]  
Sent: Wednesday, April 28, 2010 6:44 PM  
To: Tull, Lori; Benton, Kimberly  
Cc: Gaynor, Jonathan  
Subject: SPL

Importance: High

Hi Lori and Kim ?

I was just checking on the status of the unit of measure for sipuleucel-T? Has this been finalized yet with FDA? We have been checking on our end and have not seen it yet on the FDA web site.

Helen Kim

Director, Regulatory Affairs

Dendreon Corporation

(W) 206.829.1464

(C) 206.227.8893

(F) 206.441.4070

hkim@dendreon.com

---

This email message including any attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message. If you are the intended recipient, please be advised that the content of this message is subject to access, review and disclosure by the sender's Email System Administrator.