

From: [Valenti, Elizabeth](#)
To: [Kim M. Sullivan \(SULLIVAN@smarthealth.com\)](#)
Cc: [Valenti, Elizabeth](#); [Houck, Christina M](#)
Subject: Rubber Panel T.R.U.E. TEST Proprietary Name Review
Date: Friday, February 26, 2016 10:57:17 AM

Dear Kim,

In consultation with CBER's Advertising and Promotional Labeling Branch (APLB), we conclude that under the Federal Food, Drug, and Cosmetic Act and applicable regulations, your proposed proprietary name, RUBBER PANEL T.R.U.E. TEST, is acceptable.

Betsy

Elizabeth J. Valenti, MPH, RAC (U.S.), REHS/RS
CDR, USPHS
Regulatory Project Manager
Food and Drug Administration
Center for Biologics Evaluation and Research
Office of Vaccine Research and Review
Division of Vaccine Research and Review
10903 New Hampshire Ave.
Building 71, Room 3210
Silver Spring, MD 20993-0002
(301) 796-2640
Main Fax # (301) 595-1124
eFax (301) 402-0004
elizabeth.valenti@fda.hhs.gov

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE PARTY TO WHOM IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, AND PROTECTED FROM DISCLOSURE UNDER LAW. If you are not the addressee, or a person authorized to deliver the document to the addressee, you are hereby notified that any review, disclosure, dissemination, copying, or other action based on the content of this communication is not authorized. If you have received this document in error, please immediately notify the sender immediately by e-mail or phone.