

From: Do, Yu
To: Joan.robertson@grifols.com
Subject: Information Request (Response Due by Tuesday, December 6, 2016): Original BLA, BL 125640/0, Fibrin Sealant (Human), Instituto Grifols, S.A.
Date: Thursday, December 01, 2016 12:28:00 PM
Attachments: [image001.png](#)
Importance: High

Dear Ms. Robertson:

We are reviewing your original November 3, 2016, submission to BLA 125640 for Fibrin Sealant (Human). We determined that the following information is necessary to continue our review:

1. Please provide the following information on recently manufactured Fibrin Sealant Grifols lots which are within the shelf-life period and are available for in-support testing by FDA: code, date of manufacture, fill size, Certificate of Analysis, and lot size.

The review of this submission is ongoing and issues may be added, expanded upon, or modified as we continue to review this submission. Please submit your response as an amendment to this file by December 6, 2016, referencing the date of this request. If you anticipate you will not be able to respond by this date, please contact the Agency immediately so a new response date can be identified.

If we determine that your response to this information request constitutes a major amendment, we will notify you in writing.

The action due date for this file is November 3, 2017.

Please acknowledge receipt of this request and contact me at (240) 402-8343 or Yu.Do@fda.hhs.gov if you have any questions.

Sincerely,

Yu Do, M.S.
Regulatory Project Manager
Office of Tissues and Advanced Therapies
Center for Biologics Evaluation and Research
Office of Medical Products and Tobacco
Food and Drug Administration
(240) 402-8343
Yu.Do@fda.hhs.gov



"THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE PARTY TO WHOM IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, AND PROTECTED FROM DISCLOSURE UNDER LAW. If you are not the addressee, or a person authorized to deliver the document to the addressee, you are hereby notified that any review, disclosure, dissemination, copying, or other action based on the content of this communication is not authorized. If you have received this document in error, please immediately notify the sender by e-mail or phone."