

**NATIONAL MILK DRUG RESIDUE DATA BASE  
FISCAL YEAR 2017 ANNUAL REPORT  
October 1, 2016 - September 30, 2017**

**Submitted by:**

**GLH, Incorporated  
501 V.E.S. Road, Suite B510  
Lynchburg, VA 24503  
434-386-3702**

**Contract Number: HHSF 223 2013 10019C**

**February 14, 2018**

## TABLE OF CONTENTS

SECTION	PAGE
INTRODUCTION .....	1
BACKGROUND .....	1
SUMMARY.....	2
SAMPLE RESULTS .....	2
TABLE 1 Sample Results .....	3
TABLE 2 Industry and Regulatory Samples .....	5
TESTS CONDUCTED	
TABLE 3 Tests Conducted by Sample Sources .....	6
TABLE 3A Validated Tests Conducted .....	7
TABLE 3B Non-Validated Tests Conducted .....	7
TABLE 4 Tests Conducted by Industry and Regulatory Agencies.....	8
TABLE 4A Validated Tests Conducted by Industry and Regulatory Agencies.....	9
TABLE 4B Non-Validated Tests Conducted by Industry and Regulatory Agencies....	10
TABLE 5 Number of Tests Conducted by Family/Drug .....	11
TABLE 5A Number of Validated Tests Conducted by Family/Drug .....	11
TABLE 5B Number of Non-Validated Tests Conducted by Family/Drug .....	11
TABLE 6 Number of Tests by Method by Family/Drug.....	12
TABLE 6A Comparison of Validated and Non-Validated Tests.....	13
TABLE 7-1 Grade “A” Bulk Milk Pickup Tanker Testing .....	14
TABLE 7-2 Grade “A” Pasteurized Fluid Milk and Milk Products Testing.....	14
TABLE 7-3 Grade “A” Producer Testing .....	14
TABLE 7-4 Grade “A” Other Testing (Milk from Milk plant tanks/silos, milk transport tankers, etc.) .....	15
TABLE 7-5 Non-Grade “A” Bulk Milk Pickup Tanker Testing .....	15

## TABLE OF CONTENTS

SECTION	PAGE
TABLE 7-6 Non-Grade “A” Pasteurized Fluid Milk and Milk Products Test.....	15
TABLE 7-7 Non-Grade “A” Producer Testing .....	16
TABLE 7-8 Non-Grade “A” Other Testing (Milk from Milk plant tanks/silos, milk transport tankers, etc.) .....	16
TABLE 8-1 Number of Tests by Method by Family/Drug for Grade “A” Bulk Milk Pickup Tanker Testing .....	17
TABLE 8-2 Number of Tests by Method by Family/Drug for Grade “A” Pasteurized Fluid Milk and Milk Products Testing.....	18
TABLE 8-3 Number of Tests by Method by Family/Drug for Grade “A” Producer Testing .....	19
TABLE 8-4 Number of Tests by Method by Family/Drug for Grade “A” Other Testing (Milk from Milk plant tanks/silos, milk transport tankers, etc.) .....	20
TABLE 8-5 Number of Tests by Method by Family/Drug for Non-Grade “A” Bulk Milk Pickup Tanker Testing .....	21
TABLE 8-6 Number of Tests by Method by Family/Drug for Non-Grade “A” Pasteurized Fluid Milk and Milk Products Testing.....	22
TABLE 8-7 Number of Tests by Method by Family/Drug for Non-Grade “A” Producer Testing .....	22
TABLE 8-8 Number of Tests by Method by Family/Drug for Non-Grade “A” Other Testing (Milk from Milk plant tanks/silos, milk transport tankers, etc.) .....	23

**NATIONAL MILK DRUG RESIDUE DATA BASE  
FISCAL YEAR 2017 ANNUAL REPORT  
October 1, 2016 - September 30, 2017**

**INTRODUCTION**

The National Milk Drug Residue Data Base (NMDRD) is a voluntary industry reporting program. Mandatory reporting is required by Regulatory Agencies under the National Conference on Interstate Milk Shipments (NCIMS). Data are reported on the extent of the national testing activities, the analytical methods used, the kind and extent of the animal drug residues identified, and the amount of contaminated milk that was removed from the human food supply. The system includes all milk, Grade "A" and non-Grade "A", commonly known as manufacturing grade. Grade "A" milk represents approximately 99% of the milk supply in the United States and is regulated through the NCIMS by the Regulatory Agencies. Manufacturing grade milk is under the direction of the Regulatory Agencies in the States where it is produced and may be subject to the standards recommended by the United States Department of Agriculture (USDA). Data reported to the NMDRD are for educational and analytical purposes and are not intended or suitable for regulatory action or follow up.

**BACKGROUND**

The NCIMS is a voluntary organization directed and controlled by member States to promote the availability of a high quality milk supply. The Food and Drug Administration (FDA) and the NCIMS through their collaborative efforts have developed a cooperative, federal-state program (the Grade "A" Interstate Milk Shippers Program) to ensure the sanitary quality of Grade "A" milk and milk products shipped in interstate commerce. During the 1991 meeting of the NCIMS, the Conference authorized a national program to compile the results of milk drug residue testing by industry and State Regulatory Agencies.

Subsequently, FDA awarded a contract to develop a NMDRD. The data base is operated by an independent third party, under contract to the FDA. The data base design was developed in consultation with a project advisory group with members from the FDA and a NCIMS committee representing dairy producers, dairy processors, USDA, State Regulatory Agencies, and academia. The data base was designed to promote maximum participation by the dairy industry to report on a voluntary basis all of their testing results, without compromising any confidential data. Information regarding individual firm's data is not submitted to the data base contractor.

It is important to recognize that the samples and tests reported do not necessarily represent one hundred percent (100%) of the milk supply from every State. However, as State and industry participation in the data base increased, reporting of the number of samples and tests similarly increased.

Continuing efforts are being made to ensure that there is uniform reporting among all the States and the industry and to ensure that the drugs and test methods reported are correct. Through collaboration with test kit manufacturers and FDA, the contractor is attempting to update the drug code list utilized with the reporting application at least every six months to assure that outdated codes are removed and new test codes have been created for new test kits. The most recent drug code list can be found on the data base contractor's web site at: <https://www.kandc-sbcc.com/nmdrd/>.

During FY 2006, a web-based version of the reporting software was developed, field evaluated, and then made available to all data reporters on September 1, 2006. Instructions for registering and using the software are posted on the contractor's web site at: <https://www.kandc-sbcc.com/nmdrd/>. Fifty-three (53) data reporters utilized the web-based software to submit all or part of their data for the FY 2017 Annual Report.

On May 14, 2017, contractor staff made a presentation to thirty-five (35) attendees of the NCIMS meeting in Grand Rapids, Michigan, addressing the Annual Reports for FY 2015 and 2016, and the web-based reporting application. This included a demonstration of the software and "real-time" opportunity for participants to use the application.

On July 1, 2017, a pilot project began to test a percentage of bulk milk tankers for tetracyclines. This pilot project is scheduled to continue for eighteen (18) months. The FY 2017 Annual Report includes the results of the first three months of testing. Further details regarding the pilot can be found at: <http://ncims.org/programs/appendix-n-pilot-program/>.

At the request of one of the attendees at a meeting of the NCIMS, the contractor converted all of the tabular information from previous Annual Reports into Microsoft Excel format and posted them on the contractor's web site at: <https://www.kandc-sbcc.com/nmdrd/>. All of the Annual Reports are now available in portable document file (pdf), Microsoft Excel and Open Document Spreadsheet (ods) formats.

## **SUMMARY**

This report presents summary data on samples and tests conducted during Fiscal Year 2017 (October 1, 2016 to September 30, 2017). Fifty (50) States and Puerto Rico and two (2) Third Party Certifiers (TPCs) authorized under the International Certification Program (ICP) submitted data for this report. Puerto Rico submitted partial data for this report. The contractor appreciates the cooperation of all the data reporters for this fiscal year's report.

The Grade "A" Pasteurized Milk Ordinance (PMO), the regulations which govern Regulatory Agencies in the implementation and enforcement of their Grade "A" milk safety program, requires that all bulk milk tankers and/or all raw milk supplies that have not been transported in bulk milk tankers regardless of final use be sampled and analyzed for animal drug residues before the milk is processed. Any bulk milk tanker and/or raw milk supply that has not been transported in a bulk milk pickup tanker, found positive is rejected for human consumption.

During this period **3,817,326** samples were analyzed for animal drug residues. Of these samples **605** were positive for a drug residue. A total of **3,859,853** tests were reported on the samples for five (5) different groups of families or individual drugs. Eighteen (18) testing methods were used to analyze the samples for drug residues. Details are presented in the Tables in this report.

## **SAMPLE RESULTS**

A SAMPLE is defined as representing a load or lot of milk sampled and analyzed, for example, a bulk milk pickup tanker, or raw milk supply that has not been transported in a bulk milk pickup tanker, producer, milk transport tankers, a silo, etc.

Table 1 shows the results of the samples tested by source.

Data are reported by four (4) SOURCES OF SAMPLES:

1. Bulk Milk Pickup Tanker and/or Raw Milk Supply that has not been transported in a Bulk Milk Pickup Tanker - bulk raw milk from a dairy farm.
2. Pasteurized Fluid Milk and Milk Products - after pasteurization; finished product in package form or bulk. This term includes milk products such as milk and cream.
3. Producer - raw milk obtained from the bulk tank/silo from a dairy farm. Samples are reported by the permitting State, rather than by the analyzing State.
4. Other - milk from milk plant tank/silos, milk transport tankers, etc.

A POSITIVE result, as used in this report, means that the sample was found to be positive for a drug residue by a test acceptable for taking regulatory action in an accredited laboratory by a certified analyst or the milk was rejected on the basis of an initial screening presumptive positive test by the milk processor.

The DISPOSITION per PMO column represents the amount of milk contained in the tanker, raw milk supply that has not been transported in a bulk milk pickup tanker, tank/silo or lot found to be positive and disposed of in accordance with the PMO and/or applicable State regulations.

<b>TABLE 1 -- Sample Results October 1, 2016 to September 30, 2017</b>				
<b>Source of Sample</b>	<b>Total Samples</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Disposition per PMO (Pounds)</b>
<b>Bulk Milk Pickup Tanker</b>	3,388,093	356	0.011%	15,926,000
<b>Pasteurized Fluid Milk and Milk Products</b>	33,511	0	0.000%	0
<b>Producer</b>	346,496	243	0.070%	88,000
<b>Other</b>	49,226	6	0.012%	183,000
<b>TOTALS</b>	3,817,326	605	*	16,197,000

The asterisk (\*) notes that a summary of the percent positive cannot be provided because there is no uniformity in terms of sampling in the four (4) categories. For example, the PMO sets forth specific sampling requirements for Beta lactams testing as follows:

1. Bulk Milk Pickup Tanker Samples and/or Raw Milk Supplies That Have Not Been Transported In A Bulk Milk Pickup Tanker -- samples are taken on receipt of every tanker load and/or raw milk supply that has not been transported in a bulk milk pickup tanker at a milk receiving facility;
2. Pasteurized Fluid Milk and Milk Products -- a minimum of four (4) samples in at least four (4) separate months, except when three (3) months show a month containing two (2) sampling dates separated by at least twenty (20) days, shall be tested for each finished milk or milk product from each milk plant during any consecutive six (6) months;
3. Producer -- each producer shall be tested at least four (4) times in at least four (4) separate months, except when three (3) months show a month containing two (2) sampling dates separated by at least twenty (20) days, during any consecutive six (6) months; and
4. Other -- samples are conducted on a random basis.

Table 2 presents these results in greater detail and indicates the number of samples conducted by industry and by Regulatory Agencies. Industry samples are taken by milk plants, receiving and transfer stations, and marketing groups or cooperatives. Industry sampling and testing may be conducted to meet the industry requirements of Appendix N of the PMO, which sets forth testing and reporting requirements for animal drug residues or for quality control purposes. Regulatory samples are taken by Regulatory Agencies.

**TABLE 2 -- Industry and Regulatory Samples  
October 1, 2016 to September 30, 2017**

Source of Sample	Number of Industry Samples	Number of Positive Industry Samples	Number of Regulatory Samples	Number of Positive Regulatory Samples	Total Samples	Total Positive Samples	Total Percent Positive	Disposition Per PMO (Pounds)
<b>GRADE "A"</b>								
Bulk Milk Pickup Tanker	3,178,531	331	52,344	6	3,230,875	337	0.010%	15,019,000
Pasteurized Fluid Milk and Milk Products	2,011	0	30,382	0	32,393	0	0.000%	0
Producer	238,551	185	86,483	35	325,034	220	0.068%	88,000
Other	36,054	3	8,619	1	44,673	4	0.009%	134,000
<b>NON-GRADE "A"</b>								
Bulk Milk Pickup Tanker <sup>1</sup>	149,318	18	7,900	1	157,218	19	0.012%	907,000
Pasteurized Fluid Milk and Milk Products	969	0	149	0	1,118	0	0.000%	0
Producer	20,095	22	1,367	1	21,462	23	0.107%	0
Other	4,433	2	120	0	4,553	2	0.044%	49,000
<b>TOTALS</b>	<b>3,629,962</b>	<b>561</b>	<b>187,364</b>	<b>44</b>	<b>3,817,326</b>	<b>605</b>	<b>*</b>	<b>16,197,000<sup>2</sup></b>

<sup>1</sup> It is a common practice in some States, including two large milk production States, that bulk milk pickup tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A".

<sup>2</sup> Note that this represents 0.01% of the total milk supply of the United States with an annual production of 215 billion pounds.

\* See Table 1 for explanation



## TESTS CONDUCTED

An objective of the NMDRD is to record every test run on each sample analyzed. Since some samples are analyzed for more than one (1) drug residue, the number of tests conducted (3,859,853) is greater than the number of samples (3,817,326). To avoid duplicate reporting of samples, the number of samples analyzed is reported separately from the number of tests run in the data base.

Table 3 presents summary results of the number of tests which were conducted during October 1, 2016 to September 30, 2017. The term, "validated test", as used in this report, is a test used for the screening of raw milk for drug residue, which has been evaluated by FDA in accordance with the standards established for the evaluation of these types of tests and found acceptable by the NCIMS in accordance with Appendix N of the PMO. In addition, FDA validated drug residue detection procedures for screening and quantification of drug residues in milk may be used. Table 3A presents summary results using validated tests and Table 3B presents summary results using non-validated tests.

<b>TABLE 3 -- Tests Conducted October 1, 2016 to September 30, 2017</b>			
<b>Source of Sample</b>	<b>Total Tests</b>	<b>Number of Positive Tests</b>	<b>Percent Positive</b>
<b>Bulk Milk Pickup Tanker</b>	3,429,242	356	0.010%
<b>Pasteurized Fluid Milk and Milk Products</b>	33,513	0	0.000%
<b>Producer</b>	347,871	248	0.071%
<b>Other</b>	49,227	6	0.012%
<b>TOTALS</b>	<b>3,859,853</b>	<b>610</b>	<b>*</b>

\* See Table 1 for explanation

<b>TABLE 3A -- Validated Tests Conducted October 1, 2016 to September 30, 2017</b>			
<b>Source of Sample</b>	<b>Total Tests</b>	<b>Number of Positive Tests</b>	<b>Percent Positive</b>
<b>Bulk Milk Pickup Tanker</b>	3,264,737	352	0.011%
<b>Pasteurized Fluid Milk and Milk Products</b>	33,513	0	0.000%
<b>Producer</b>	347,242	248	0.071%
<b>Other</b>	45,904	5	0.011%
<b>TOTALS</b>	3,691,396	605	*

\* See Table 1 for explanation

<b>TABLE 3B -- Non-Validated Tests Conducted October 1, 2016 to September 30, 2017</b>			
<b>Source of Sample</b>	<b>Total Tests</b>	<b>Number of Positive Tests</b>	<b>Percent Positive</b>
<b>Bulk Milk Pickup Tanker</b>	164,505	4	0.002%
<b>Pasteurized Fluid Milk and Milk Products</b>	0	0	0.000%
<b>Producer</b>	629	0	0.000%
<b>Other</b>	3,323	1	0.030%
<b>TOTALS</b>	168,457	5	*

\* See Table 1 for explanation

Table 4 presents additional details in terms of the tests conducted by industry and by Regulatory Agencies. Tables 4A and 4B present these data by validated and non-validated tests.

<b>TABLE 4 -- Tests Conducted by Industry and Regulatory Agencies October 1, 2016 to September 30, 2017</b>							
<b>Source of Sample</b>	<b>Number of Industry Tests</b>	<b>Number of Positive Industry Tests</b>	<b>Number of Regulatory Tests</b>	<b>Number of Positive Regulatory Tests</b>	<b>Total Tests</b>	<b>Total Positive Tests</b>	<b>Total Percent Positive</b>
<b>GRADE "A"</b>							
<b>Bulk Milk Pickup Tanker</b>	<b>3,211,874</b>	<b>331</b>	<b>55,352</b>	<b>6</b>	<b>3,267,226</b>	<b>337</b>	<b>0.010%</b>
<b>Pasteurized Fluid Milk and Milk Products</b>	<b>2,011</b>	<b>0</b>	<b>30,384</b>	<b>0</b>	<b>32,395</b>	<b>0</b>	<b>0.000%</b>
<b>Producer</b>	<b>239,140</b>	<b>188</b>	<b>86,669</b>	<b>37</b>	<b>325,809</b>	<b>225</b>	<b>0.069%</b>
<b>Other</b>	<b>36,054</b>	<b>3</b>	<b>8,620</b>	<b>1</b>	<b>44,674</b>	<b>4</b>	<b>0.009%</b>
<b>NON-GRADE "A"</b>							
<b>Bulk Milk Pickup Tanker<sup>1</sup></b>	<b>153,988</b>	<b>18</b>	<b>8,028</b>	<b>1</b>	<b>162,016</b>	<b>19</b>	<b>0.012%</b>
<b>Pasteurized Fluid Milk and Milk Products</b>	<b>969</b>	<b>0</b>	<b>149</b>	<b>0</b>	<b>1,118</b>	<b>0</b>	<b>0.000%</b>
<b>Producer</b>	<b>20,695</b>	<b>22</b>	<b>1,367</b>	<b>1</b>	<b>22,062</b>	<b>23</b>	<b>0.104%</b>
<b>Other</b>	<b>4,433</b>	<b>2</b>	<b>120</b>	<b>0</b>	<b>4,553</b>	<b>2</b>	<b>0.044%</b>
<b>TOTALS</b>	<b>3,669,164</b>	<b>564</b>	<b>190,689</b>	<b>46</b>	<b>3,859,853</b>	<b>610</b>	<b>*</b>

<sup>1</sup> It is a common practice in some States, including two large milk production States, that bulk milk pickup tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A".

See Table 1 for explanation

**TABLE 4A -- Validated Tests Conducted by Industry and Regulatory Agencies  
October 1, 2016 to September 30, 2017**

Source of Sample	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Total Percent Positive
<b>GRADE "A"</b>							
Bulk Milk Pickup Tanker	3,055,052	327	48,228	6	3,103,280	333	0.011%
Pasteurized Fluid Milk and Milk Products	2,011	0	30,384	0	32,395	0	0.000%
Producer	238,960	188	86,220	37	325,180	225	0.069%
Other	34,026	3	8,545	1	42,571	4	0.009%
<b>NON-GRADE "A"</b>							
Bulk Milk Pickup Tanker <sup>1</sup>	153,429	18	8,028	1	161,457	19	0.012%
Pasteurized Fluid Milk and Milk Products	969	0	149	0	1,118	0	0.000%
Producer	20,695	22	1,367	1	22,062	23	0.104%
Other	3,213	1	120	0	3,333	1	0.030%
<b>TOTALS</b>	<b>3,508,355</b>	<b>559</b>	<b>183,041</b>	<b>46</b>	<b>3,691,396</b>	<b>605</b>	<b>*</b>

<sup>1</sup> It is a common practice in some States, including two large milk production States, that bulk milk pickup tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A".

See Table 1 for explanation

**TABLE 4B -- Non-Validated Tests Conducted by Industry and Regulatory Agencies  
October 1, 2016 to September 30, 2017**

Source of Sample	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Total Percent Positive
<b>GRADE "A"</b>							
Bulk Milk Pickup Tanker	156,822	4	7,124	0	163,946	4	0.002%
Pasteurized Fluid Milk and Milk Products	0	0	0	0	0	0	0.000%
Producer	180	0	449	0	629	0	0.000%
Other	2,028	0	75	0	2,103	0	0.000%
<b>NON-GRADE "A"</b>							
Bulk Milk Pickup Tanker <sup>1</sup>	559	0	0	0	559	0	0.000%
Pasteurized Fluid Milk and Milk Products	0	0	0	0	0	0	0.000%
Producer	0	0	0	0	0	0	0.000%
Other	1,220	1	0	0	1,220	1	0.082%
<b>TOTALS</b>	<b>160,809</b>	<b>5</b>	<b>7,648</b>	<b>0</b>	<b>168,457</b>	<b>5</b>	<b>*</b>

<sup>1</sup> It is a common practice in some States, including two large milk production States, that bulk milk pickup tankers pickup milk from both Grade "A" and non-Grade "A" milk producers on the same tanker. Then, these loads are delivered to non-Grade "A" processing facilities. Because of this commingling of the two grades of milk, all data related to these loads are reported under non-Grade "A".

\* See Table 1 for explanation

Table 5 shows the number of tests conducted by the family of drugs and by individual drug. Tables 5A and 5B present these data by validated and non-validated tests.

<b>TABLE 5 -- Number of Tests Conducted by Family/Drug October 1, 2016 to September 30, 2017</b>		
<b>Family/Drug</b>	<b>Total Tests</b>	<b>Total Positive</b>
<b>BETA lactams</b>	3,687,959	604
CLOXACILLIN	84	0
<b>SULFONAMIDES</b>	59,173	3
SULFAMETHAZINE	5,703	2
<b>TETRACYCLINES</b>	106,934	1
<b>TOTALS</b>	<b>3,859,853</b>	<b>610</b>

<b>TABLE 5A -- Number of Validated Tests Conducted by Family/Drug October 1, 2016 to September 30, 2017</b>		
<b>Family/Drug</b>	<b>Total Tests</b>	<b>Total Positive</b>
<b>BETA lactams</b>	3,687,959	604
CLOXACILLIN	84	0
<b>SULFONAMIDES</b>	1,769	1
<b>TETRACYCLINES</b>	1,584	0
<b>TOTALS</b>	<b>3,691,396</b>	<b>605</b>

<b>TABLE 5B -- Number of Non-Validated Tests Conducted by Family/Drug October 1, 2016 to September 30, 2017</b>		
<b>Family/Drug</b>	<b>Total Tests</b>	<b>Total Positive</b>
<b>SULFONAMIDES</b>	57,404	2
SULFAMETHAZINE	5,703	2
<b>TETRACYCLINES</b>	105,350	1
<b>TOTALS</b>	<b>168,457</b>	<b>5</b>

Table 6 presents details on the tests used. The data in this table are comparable to Table 5, but the data are arranged by tests within each family/drug. Therefore, the Totals are the same in both tables. The testing methods with the largest use were: Charm SL - Beta lactams, which was used more than 2 million times, Charm 3 SL-3, which was used more than 1 million times, Delvotest P 5 Pack - Beta lactams, which was used more than 358 thousand times, and IDEXX New SNAP, which was used for more than 96 thousand tests. Table 6A shows a comparison of tests conducted using Validated and Non-Validated test methods for Sulfonamides and Tetracyclines.

<b>TABLE 6 -- Number of Tests by Method by Family/Drug October 1, 2016 to September 30, 2017</b>			
<b>Tests Used by Family/Drug</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
<b>BETA lactams</b>			
Charm 3 SL-3	1,035,528	124	0.012%
Charm BSDA Tablet - Beta lactams <sup>++</sup>	29,281	13	0.044%
Charm II Tablet Competitive	27,321	2	0.007%
Charm II Tablet Quantitative	94	0	0.000%
Charm II Tablet Sequential	17,570	1	0.006%
Charm SL Beta lactams	2,094,116	209	0.010%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	358,186	229	0.064%
Delvotest P/Delvotest P Mini <sup>++</sup>	29,331	0	0.000%
IDEXX New SNAP	96,532	26	0.027%
<b>CLOXACILLIN</b>			
Charm II Test for Cloxacillin	84	0	0.000%
<b>SULFONAMIDES</b>			
Charm II Tablet Competitive	1,769	1	0.057%
Charm II Tablet Sequential <sup>***</sup>	5,228	0	0.000%
Charm SL Sulfa Test <sup>**</sup>	52,176	2	0.004%
<b>SULFAMETHAZINE</b>			
IDEXX SNAP Sulfa(SMZ) <sup>**</sup>	5,703	2	0.035%
<b>TETRACYCLINES</b>			
Charm II Tablet Competitive	1,584	0	0.000%
Charm ROSA Tetracycline-SL(Dilution Confirmation) <sup>**</sup>	21,647	0	0.000%

**TABLE 6 -- Number of Tests by Method by Family/Drug  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Tests	Number Positive	Percent Positive
Charm SL - Tetracyclines**	75,882	0	0.000%
SNAP - Tetracycline**	7,821	1	0.013%
<b>TOTALS</b>	3,859,853	610	*

\* See Table 1 for explanation

\*\* Non-Validated Test Method

++ NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**TABLE 6A -- Comparison of Validated and Non-Validated  
Tests for Sulfonamides and Tetracyclines  
October 1, 2016 to September 30, 2017**

Tests By Method by Family/Drug	Number of Tests	Number Positive	Percent Positive
<b>VALIDATED FOR SULFONAMIDES</b>			
Charm II Tablet Competitive	1,769	1	0.057%
<b>NON-VALIDATED FOR SULFONAMIDES</b>			
Charm II Tablet Sequential**	5,228	0	0.000%
Charm SL Sulfa Test**	52,176	2	0.004%
<b>NON-VALIDATED FOR SULFAMETHAZINE</b>			
IDEXX SNAP Sulfa(SMZ)**	5,703	2	0.035%
<b>VALIDATED FOR TETRACYCLINES</b>			
Charm II Tablet Competitive	1,584	0	0.000%
<b>NON-VALIDATED FOR TETRACYCLINES</b>			
Charm ROSA Tetracycline-SL(Dilution Confirmation)**	21,647	0	0.000%
Charm SL - Tetracyclines**	75,882	0	0.000%
SNAP - Tetracycline**	7,821	1	0.013%
<b>TOTALS</b>	171,810	6	*

\* See Table 1 for explanation

\*\* Non-Validated Test Method



Tables 7-1 to 7-8 present additional details of the testing conducted. These Tables show the testing by the family of drugs and by individual drugs and present results in terms of Grade “A” and Non-Grade “A” testing. Data on individual drugs listed in these Tables, e.g., Cloxacillin, Sulfamethazine, etc., are not included in the Totals for the family of drugs, e.g, Beta lactams, Sulfonamides, etc.

<b>TABLE 7-1 -- Grade “A” Bulk Milk Pickup Tanker Testing October 1, 2016 to September 30, 2017</b>						
<b>Family/Drug</b>	<b>Number of Industry Tests</b>	<b>Number of Positive Industry Tests</b>	<b>Number of Regulatory Tests</b>	<b>Number of Positive Regulatory Tests</b>	<b>Total Tests</b>	<b>Total Positive Tests</b>
<b>BETA lactams</b>	3,051,721	326	48,173	6	3,099,894	332
Cloxacillin	0	0	55	0	55	0
<b>SULFONAMIDES</b>	56,011	3	1,916	0	57,927	3
Sulfamethazine	5,371	2	0	0	5,371	2
<b>TETRACYCLINES</b>	98,771	0	5,208	0	103,979	0
<b>TOTALS</b>	<b>3,211,874</b>	<b>331</b>	<b>55,352</b>	<b>6</b>	<b>3,267,226</b>	<b>337</b>

<b>TABLE 7-2 -- Grade “A” Pasteurized Fluid Milk and Milk Products Testing October 1, 2016 to September 30, 2017</b>						
<b>Family/Drug</b>	<b>Number of Industry Tests</b>	<b>Number of Positive Industry Tests</b>	<b>Number of Regulatory Tests</b>	<b>Number of Positive Regulatory Tests</b>	<b>Total Tests</b>	<b>Total Positive Tests</b>
<b>BETA lactams</b>	2,011	0	30,384	0	32,395	0
<b>TOTALS</b>	<b>2,011</b>	<b>0</b>	<b>30,384</b>	<b>0</b>	<b>32,395</b>	<b>0</b>

<b>TABLE 7-3 – Grade “A” Producer Testing October 1, 2016 to September 30, 2017</b>						
<b>Family/Drug</b>	<b>Number of Industry Tests</b>	<b>Number of Positive Industry Tests</b>	<b>Number of Regulatory Tests</b>	<b>Number of Positive Regulatory Tests</b>	<b>Total Tests</b>	<b>Total Positive Tests</b>
<b>BETA lactams</b>	238,954	188	86,204	37	325,158	225
<b>SULFONAMIDES</b>	6	0	16	0	22	0
Sulfamethazine	134	0	0	0	134	0
<b>TETRACYCLINES</b>	46	0	449	0	495	0
<b>TOTALS</b>	<b>239,140</b>	<b>188</b>	<b>86,669</b>	<b>37</b>	<b>325,809</b>	<b>225</b>

**TABLE 7-4 -- Grade "A" Other Testing (Milk from Milk plant tanks/silos, milk transport tankers, etc.)  
October 1, 2016 to September 30, 2017**

Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
<b>BETA lactams</b>	34,026	3	8,516	1	42,542	4
Cloxacillin	0	0	29	0	29	0
<b>SULFONAMIDES</b>	948	0	0	0	948	0
Sulfamethazine	198	0	0	0	198	0
<b>TETRACYCLINES</b>	882	0	75	0	957	0
<b>TOTALS</b>	36,054	3	8,620	1	44,674	4

**TABLE 7-5 -- Non-Grade "A" Bulk Milk Pickup Tanker Testing  
October 1, 2016 to September 30, 2017**

Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
<b>BETA lactams</b>	153,429	18	8,028	1	161,457	19
<b>SULFONAMIDES</b>	276	0	0	0	276	0
<b>TETRACYCLINES</b>	283	0	0	0	283	0
<b>TOTALS</b>	153,988	18	8,028	1	162,016	19

**TABLE 7-6 -- Non-Grade "A" Pasteurized Fluid Milk and Milk Products Testing  
October 1, 2016 to September 30, 2017**

Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
<b>BETA lactams</b>	969	0	149	0	1,118	0
<b>TOTALS</b>	969	0	149	0	1,118	0

**TABLE 7-7 -- Non-Grade "A" Producer Testing  
October 1, 2016 to September 30, 2017**

Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
<b>BETA lactams</b>	20,695	22	1,367	1	22,062	23
<b>TOTALS</b>	20,695	22	1,367	1	22,062	23

**TABLE 7-8 -- Non-Grade "A" Other Testing (Milk from Milk plant tanks/silos,  
milk transport tankers, etc.)  
October 1, 2016 to September 30, 2017**

Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests
<b>BETA lactams</b>	3,213	1	120	0	3,333	1
<b>TETRACYCLINES</b>	1,220	1	0	0	1,220	1
<b>TOTALS</b>	4,433	2	120	0	4,553	2

Tables 8-1 to 8-8 present details on the number of tests conducted by industry and by Regulatory Agencies. The data are arranged by test within each family/drug and present results in terms of sample type and Grade “A” and Non-Grade “A” testing.

**Table 8-1 -- Number of Tests by Method by Family/Drug  
Grade “A” Bulk Milk Pickup Tanker  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	948,991	112	18,428	1	967,419	113	0.012%
Charm BSDA Tablet - Beta lactams <sup>++</sup>	20,108	3	0	0	20,108	3	0.015%
Charm II Tablet Competitive	26,693	2	302	0	26,995	2	0.007%
Charm II Tablet Quantitative	0	0	94	0	94	0	0.000%
Charm II Tablet Sequential	17,164	1	375	0	17,539	1	0.006%
Charm SL Beta lactams	1,941,072	184	22,912	4	1,963,984	188	0.010%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	7,316	0	3,419	1	10,735	1	0.009%
Delvotest P/Delvotest P Mini <sup>++</sup>	4,118	0	971	0	5,089	0	0.000%
IDEXX New SNAP	86,259	24	1,672	0	87,931	24	0.027%
<b>Cloxacillin</b>							
Charm II Test for Cloxacillin	0	0	55	0	55	0	0.000%
<b>Sulfonamides</b>							
Charm II Tablet Competitive	1,747	1	0	0	1,747	1	0.057%
Charm II Tablet Sequential <sup>**</sup>	5,228	0	0	0	5,228	0	0.000%
Charm SL Sulfa Test <sup>**</sup>	49,036	2	1,916	0	50,952	2	0.004%
<b>Sulfamethazine</b>							
IDEXX SNAP Sulfa(SMZ) <sup>**</sup>	5,371	2	0	0	5,371	2	0.037%
<b>Tetracyclines</b>							
Charm II Tablet Competitive	1,584	0	0	0	1,584	0	0.000%

**Table 8-1 -- Number of Tests by Method by Family/Drug  
Grade "A" Bulk Milk Pickup Tanker  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
Charm ROSA Tetracycline-SL(Dilution Confirmation)**	20,738	0	707	0	21,445	0	0.000%
Charm SL - Tetracyclines **	73,706	0	741	0	74,447	0	0.000%
SNAP - Tetracycline **	2,743	0	3,760	0	6,503	0	0.000%
<b>TOTALS</b>	3,211,874	331	55,352	6	3,267,226	337	0.010%

\*\* Non-Validated Test Method

++ NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**Table 8-2 -- Number of Tests by Method by Family/Drug  
Grade "A" Pasteurized Fluid Milk and Milk Products  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	1,266	0	342	0	1,608	0	0.000%
Charm BSDA Tablet - Beta lactams**	162	0	1,011	0	1,173	0	0.000%
Charm SL Beta lactams	45	0	737	0	782	0	0.000%
Delvotest P 5 Pack - Beta lactams**	483	0	23,249	0	23,732	0	0.000%
Delvotest P/Delvotest P Mini**	34	0	4,528	0	4,562	0	0.000%
IDEXX New SNAP	21	0	517	0	538	0	0.000%
<b>TOTALS</b>	2,011	0	30,384	0	32,395	0	0.000%

++ NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**Table 8-3 -- Number of Tests by Method by Family/Drug  
Grade "A" Producer Testing  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	5,391	4	1,645	1	7,036	5	0.071%
Charm BSDA Tablet - Beta lactams <sup>++</sup>	5,121	10	1,372	0	6,493	10	0.154%
Charm II Tablet Sequential	0	0	1	0	1	0	0.000%
Charm SL Beta lactams	5,041	4	2,767	3	7,808	7	0.090%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	214,214	170	68,360	33	282,574	203	0.072%
Delvotest P/Delvotest P Mini <sup>++</sup>	5,710	0	11,969	0	17,679	0	0.000%
IDEXX New SNAP	3,477	0	90	0	3,567	0	0.000%
<b>Sulfonamides</b>							
Charm II Tablet Competitive	6	0	16	0	22	0	0.000%
<b>Sulfamethazine</b>							
IDEXX SNAP Sulfa(SMZ) <sup>**</sup>	134	0	0	0	134	0	0.000%
<b>Tetracyclines</b>							
Charm ROSA Tetracycline-SL(Dilution Confirmation) <sup>**</sup>	24	0	15	0	39	0	0.000%
Charm SL - Tetracyclines <sup>**</sup>	0	0	434	0	434	0	0.000%
SNAP - Tetracycline <sup>**</sup>	22	0	0	0	22	0	0.000%
<b>TOTALS</b>	<b>239,140</b>	<b>188</b>	<b>86,669</b>	<b>37</b>	<b>325,809</b>	<b>225</b>	<b>0.069%</b>

\*\* Non-Validated Test Method

<sup>++</sup> NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**Table 8-4 -- Number of Tests by Method by Family/Drug  
Grade "A" Other Testing (Milk from Milk plant tanks/silos, milk transport tankers,  
etc.)  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	4,088	0	108	0	4,196	0	0.000%
Charm BSDA Tablet - Beta lactams <sup>++</sup>	29	0	52	0	81	0	0.000%
Charm II Tablet Competitive	326	0	0	0	326	0	0.000%
Charm II Tablet Sequential	0	0	30	0	30	0	0.000%
Charm SL Beta lactams	26,763	3	1,657	0	28,420	3	0.011%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	1,741	0	5,313	0	7,054	0	0.000%
Delvotest P/Delvotest P Mini <sup>++</sup>	70	0	1,228	0	1,298	0	0.000%
IDEXX New SNAP	1,009	0	128	1	1,137	1	0.088%
<b>Cloxacillin</b>							
Charm II Test for Cloxacillin	0	0	29	0	29	0	0.000%
<b>Sulfonamides</b>							
Charm SL Sulfa Test <sup>**</sup>	948	0	0	0	948	0	0.000%
<b>Sulfamethazine</b>							
IDEXX SNAP Sulfa(SMZ) <sup>**</sup>	198	0	0	0	198	0	0.000%
<b>Tetracyclines</b>							
Charm ROSA Tetracycline-SL(Dilution Confirmation) <sup>**</sup>	160	0	3	0	163	0	0.000%
Charm SL - Tetracyclines <sup>**</sup>	653	0	72	0	725	0	0.000%
SNAP - Tetracycline <sup>**</sup>	69	0	0	0	69	0	0.000%
<b>TOTALS</b>	<b>36,054</b>	<b>3</b>	<b>8,620</b>	<b>1</b>	<b>44,674</b>	<b>4</b>	<b>0.009%</b>

\*\* Non-Validated Test Method

<sup>++</sup> NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**Table 8-5 -- Number of Tests by Method by Family/Drug  
Non-Grade "A" Bulk Milk Pickup Tanker  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	47,483	5	7,731	1	55,214	6	0.011%
Charm SL Beta lactams	92,099	11	103	0	92,202	11	0.012%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	10,657	1	1	0	10,658	1	0.009%
Delvotest P/Delvotest P Mini <sup>++</sup>	638	0	0	0	638	0	0.000%
IDEXX New SNAP	2,552	1	193	0	2,745	1	0.036%
<b>Sulfonamides</b>							
Charm SL Sulfa Test <sup>**</sup>	276	0	0	0	276	0	0.000%
<b>Tetracyclines</b>							
Charm SL - Tetracyclines <sup>**</sup>	276	0	0	0	276	0	0.000%
SNAP - Tetracycline <sup>**</sup>	7	0	0	0	7	0	0.000%
<b>TOTALS</b>	<b>153,988</b>	<b>18</b>	<b>8,028</b>	<b>1</b>	<b>162,016</b>	<b>19</b>	<b>0.012%</b>

<sup>\*\*</sup> Non-Validated Test Method

<sup>++</sup> NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).



**Table 8-6 -- Number of Tests by Method by Family/Drug  
Non-Grade "A" Pasteurized Fluid Milk and Milk Products  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	0	0	41	0	41	0	0.000%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	969	0	25	0	994	0	0.000%
IDEXX New SNAP	0	0	83	0	83	0	0.000%
<b>TOTALS</b>	969	0	149	0	1,118	0	0.000%

<sup>++</sup> NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**Table 8-7 -- Number of Tests by Method by Family/Drug  
Non-Grade "A" Producer Testing  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm BSDA Tablet - Beta lactams <sup>++</sup>	1,426	0	0	0	1,426	0	0.000%
Charm SL Beta lactams	72	0	0	0	72	0	0.000%
Delvotest P 5 Pack - Beta lactams <sup>++</sup>	19,145	22	1,354	1	20,499	23	0.112%
Delvotest P/Delvotest P Mini <sup>++</sup>	52	0	13	0	65	0	0.000%
<b>TOTALS</b>	20,695	22	1,367	1	22,062	23	0.104%

<sup>++</sup> NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmdrd/](http://www.kandc-sbcc.com/nmdrd/).

**Table 8-8 -- Number of Tests by Method by Family/Drug  
Non-Grade "A" Other Testing (Milk from Milk plant tanks/silos, milk transport  
tankers, etc.)  
October 1, 2016 to September 30, 2017**

Tests Used by Family/Drug	Number of Industry Tests	Number of Positive Industry Tests	Number of Regulatory Tests	Number of Positive Regulatory Tests	Total Tests	Total Positive Tests	Percent Positive
<b>BETA lactams</b>							
Charm 3 SL-3	12	0	2	0	14	0	0.000%
Charm SL Beta lactams	742	0	106	0	848	0	0.000%
Delvotest P 5 Pack - Beta lactams**	1,928	1	12	0	1,940	1	0.052%
IDEXX New SNAP	531	0	0	0	531	0	0.000%
<b>Tetracyclines</b>							
SNAP - Tetracycline **	1,220	1	0	0	1,220	1	0.082%
<b>TOTALS</b>	4,433	2	120	0	4,553	2	0.044%

\*\* Non-Validated Test Method

\*\* NCIMS evaluated these kits for detection of Beta lactams; however, unless the kits are used with Beta lactamase, they do not specifically identify the presence of Beta lactams. The reporting of these tests does not make it possible to separate the use/nonuse of Beta lactamase. A finding of "Not Found" would indicate the test did not detect any inhibitor for which it is sensitive, including, but not limited to, antibiotics or non-specific inhibitors such as sanitizers. See technical bulletin on the contractor's website at: [www.kandc-sbcc.com/nmrd/](http://www.kandc-sbcc.com/nmrd/).