

**CLINICAL CHEMISTRY AND CLINICAL TOXICOLOGY DEVICES PANEL  
OF THE  
MEDICAL DEVICES ADVISORY COMMITTEE**

**Measuring Blood Glucose Using Capillary Blood with Blood Glucose Meters  
in all Hospitalized Patients  
March 30,2018**

**Panel Chairperson**

Andrew A. Bremer, M.D., Ph.D.

**Designated Federal Officer**

Patricio G. Garcia, M.P.H.  
CDR, USPHS

- 8:00 a.m. Call to Order**
- **Conflict of Interest**
  - **Panel Introductions**
- 8:15 a.m. FDA Presentation**
- **Welcome**
  - **Background**
  - **Data**
- Questions to FDA**
- 9:30 a.m. Break**
- 9:40 a.m. FDA Questions/Panel Deliberations**
- 12:00 p.m. Lunch**
- 1:00 p.m. Open Public Hearing\***
- 2:00 p.m. FDA Questions/Panel Deliberations Continued**
- 3:45 p.m. Break**
- 3:55 p.m. Summary of Panel Recommendations**
- 4:15 p.m. Adjourn**

**\* Open Public Hearing** – Interested persons may present data, information, or views, orally or in writing, on the issue pending before the panel. Scheduled speakers who have requested time to address the panel will speak at this time. After they have spoken, the Chair may ask them to remain if the panel wishes to question them. Then the Chair will recognize unscheduled speakers as time allows. Only the panel may question speakers during the open public hearing.