



Product Name	Specie	Breed	Age	Age UON	Gender	Weight	Weight	Description
Waggin Train Yam Good Wholesome Chicken wrapped yams	Dog	Other Canine/dog	8		Male	75		Within 1 to 2 hours after eating one dog treat, he became ill, vomiting. Was lathargic the rest of the day.
Canyon Creek Ranch Brand Chicken Tenders	Dog	Collie - Rough-haired	8	Years	Male	158	Pound	My dog, (b) (6) vomited on March 27,2010. That morning he did not eat his dog food for breakfast, so I put it into the refrigerator to save for his dinner, which he still did not eat. That next morning, my other dog vomited also. He refused food also. I kept trying to figure out what was in common. They ate different crunchies but the same canned food and I also give them salmon oil for hairballs. That day was when I heard on Good Morning America about the Milo's chicken treats and Waggin' Train chicken treats. I knew we had bought those treats within the past 3 weeks. I had been giving them the chicken jerky ones and alternating with other beef treats for a week or two. But when I checked, the chicken ones were a company called Canyon Creek Ranch. However, upon looking closer at the package, I found out they are made by Waggin' Train and also in China. A light went off in my head: (b) (6) had about 3 or 4 days over the 3 week period where he refused to eat and was a little lethargic. I remember the last time when we gave him one of those treats he refused to eat his next 2 meals. I called the vet and they told me to discontinue feeding the treats and call for an appointment if either dog showed worsening symptoms. So far they have both been better and no other issues have arose. I have not had to actually make a vet appointment for either dog. I was also in our backyard and noticed the dogs had diarrhea also. Both dogs had been drinking water a little more excessively than normal and the other dog, (b) (6), the day of vomiting, needed to use the restroom more than often.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Boxer (German Boxer)	6	Years	Male	66	Pound	(b) (6) was very active and playful until one day after eating 3 chicken jerky strips (and two strips the two days prior). He became ill overnight. In the morning he was barely walking and he did not react when it was time for his meal. He sniffed it and walked away. He looked sick and depressed. I tried to take him for a walk later in the day and had to go back home as I almost had to pull him (vs him pulling me as usual!). He barely ate for three or four days and lost a few pounds. He also had some diarrhea and one episode (that I know of) or vomit. On day 3 I read an article about chicken jerly strips and I connected the dots. It has been a week since he became ill, and he is still not eating his entire meal. He seems to sleep more, but his personality is almost back to normal.
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Terrier - Jack Russell	7	Months	Male	10	Pound	About two months ago we purchased our first bag of "Waggin Train Wholesome Western Grill" dog treats. Although they were purchased at a Meijer store in Michigan, this product is widely sold across Canada as well through Walmart, Costco, Petco dollar stores etc. They are all distributed from different areas but their point of origin and manufacture is China. We started noticing subtle changes and thought he had the flu. He was lethargic, vomiting, had difficulty climbing stairs, would walk like he was intoxicated and began having accidents urinating on the floor. Unknown what it was we cut off everything but his regular organic Canadian made food and started pushing fluids on him. It took about two weeks but he finally came back around. We thought he just went through a virus. When he began to feel better, when offered one of these treats to him but he turned his nose up to them and never ate one again. We went back to giving him carrots etc. He seems to be much improved now... onto our next dog.... (b) (6) which is who became extremely ill. Since (b) (6) was no longer eating them (b) (6) was getting the rest of the bag as a daily treat. Approx March 17th, 2012 we noticed that he was not drinking very much, was not eating well, began to vomit and sway his head like he was extremely dizzy. He was having lots of urination accidents so remembering what happened with (b) (6) I took him to the vet right away. Up admission he was hypothermic, had an elevated BUN, elevated creatinine, dehydrated and was in acute renal failure. The vet gave him a few liters of fluid boluses as well antibiotics and steroids I believe to restart his kidney function. He almost died. I have since come across hundreds and hundreds of complaints about these products online and the Lake County Animal Shelter in Indiana put out a warning not to feed these to pets. I think both sides of the border need to be made aware because dogs ARE CLEARLY DYING from these treats.
wagon train jerky tenders chicken dog treats	Dog	Other Canine/dog	13	Years	Male	6	Pound	I feed both of my dogs wagon train chicken strip and wagon train sweet potato dog treats for the past several months. I began to notice severe weight loss and increased urination and water consumption over the last month. This week, after several days of vomiting once a day I took them both to the vet. The are both in renal failure and after reading about similar stories associated with these treats, I believe they are the most probable cause of my dogs sudden kidney failures.

Milo Chicken Jerky	Dog	Terrier - Rat	6	Years	Male	26	Pound	I purchased the Milo Chicken Jerky on 11/23/2011 and through the night and the very next day on Thanksgiving day 11/24/2011 my dog was vomiting constantly, drinking water and vomiting it right back up, staggering and disoriented. The vet was closed so I took him to the vet Friday morning 11/25/2011 and he asked me if he could have been poisoned and I told him "no" because he stays in the house and we have a fenced in back yard when he goes out. The vet did a blood test and gave me meds to stop him from vomiting. The vet called me later on that afternoon 11/25/2011 and told me that my dogs kidneys were shutting down and that I needed to think about putting him down if he did not get any better. (b) (6) my dog continued to be sick through the night and on Saturday afternoon 11/26/2011 at 3:00PM my dog died at home. I was unaware of any recall of the Milo chicken jerky until I saw it posted on Facebook on March 26th 2012!!! FOUR MONTHS LATER!!! I had fed him the Milo Chicken Jerkey that was bought on November 23rd 2011. I want to be informed of any decisions, court decisions, law suits etc. made in this matter. I have paid out of pocket and gladly I might add, a lot of money to get my baby better. But the money is NOT my loss! He was a member of our family and this was un called for, it should NEVER have happened. He was a healthy YOUNG Rat Terrier with not health problems at all. He has been killed by the neglect of these manufacturers of POISON. I no longer have my baby, only a grave to remind me of what happened those 3 days in November 2011. Please do what you can so that these dogs and their owners can receive justice that they deserve.
Milo's Kitchen Chicken Jerky - home-style dog treats	Dog	Bichon Frise	5		Female	7	Kilogram	My friend took (b) (6) to his house over the weekend because I was out of town. When I came back, my friend told me that (b) (6) couldn't get enough of the "Milo's Kitchen Chicken Jerkys" so he brough me an extra container for her to have. The following day I noticed (b) (6) pooping and throwing up in the house which was very weird to me and immediately I was worried. The next day I started to find blood in her stool. I immediately suspected the new treats, since that was the only change which could have caused this problem. After a week she recovered.
Milos Kitchen Chicken Jerky Treats	Dog	Sheepdog - Shetland	9	Years	Male	30	Pound	(b) (6) consumed Milo's kitchen chicken treats the few days proceeding illness. (b) (6) presented with lethargy, vomiting, diarrhea, excessive water intake, anorexia, lab resusts indicate elevated kidney & liver values.
Doctors Foster and Smith Health Snax Dog Snacks Sweer Potatoes Fries	Dog	Spaniel - King Charles Cavalier	5	Years	Female	14	Pound	about 6 weekspost surgey (b) (6) started to eat less and drink/pee =more. About 8 weeks post-op, she stopped eating completely (even her favorite treats) and was drinking and peeing much more than usual. She was getting lethargic and lost 3.5 pounds. We took her back to the vet who checked her thouroughly and he found low kidney BUN levels, normal blood sugar, but high glucose in her urine. Thinking it might have been bacterial, he put her on anther round of antibiotics. After two weeks, she still was not eating much, still drinking/peeing alot - on re-check still had high urine glucose, so diagnosis of Fanconi Disease was made On checking the FDA site, I found the warning about the Chinese Chicken jerky treats and Fanconi - I have been feeding my dog sweet potato treats from Fosters/Smith for 3-4 years, and when I checked the container I found they were made in China! My concern is that is not just chicken jerky made in China, but perhaps other treats made there that could be affecting the kidneys of our dog friends!!!
Milo's Kitchen home-style dog treats	Dog	Poodle - Miniature	12	Years	Female	11	Pound	I bought the Milo's kitchen jerky treats the week of February 27th 2012. I gave them to (b) (6) once or twice a day starting February 28th. On the evening of March 1, she had a couple of episodes of vomiting. This continued on March 2nd with diarrhea. On March 3rd, she had to be taken to the animal hospitial since she was still vomiting and began to have bloody diarrhea. She also defecated a large amount of bloody liquid. She needed to be kept overnight since her abdomen was distended and she was dehydrated
Wagon Train Turkey Jerkey	Dog	Terrier - Fox Smooth	14	Years	Female	19	Pound	Started to have the runs, throwing up, not eating or drinking, took them both to the vet and test showed an increase levels for kidney and pancreas, After a week they had to be put down. They were both put down 2 weeks apart. After this all happened I saw a news report about a dog illness related to Chicken Jerky for Dogs, made in CHINA. We looked a our bag and it was the brand that we have been giving to our dogs. I looked it on line and found that the symptoms were the same as listed above. It also indicted that the FDA issued a warning but did not recall the items. There was not enough evidence to recall it. I am not sure why how many family pets must die, loved one must die before it is enough. Since then I have heard 2 other pets that have been put down for the same reasons. If the vets are aware, not asking about, and knowing then they are not reported and it may seem that there are not a lot of pets dying from this but in reality there are. The United States have standards that they must as here to for these products (I hope) but I know China doesn't. We need to RECALL the Item, and stop buying from a CHINA who has no standards. If this is happening to our loved ones think about what is happening to us.
Waggin Train Chicken Jerky	Dog	Collie - Border	11	Years	Female	72	Pound	Our formally healthy 11 year old border collie was given these treats for approx 3 days before onset of sympotms which were the following: bloody diahrrea, bloody vomiting, and lethargy, drooling and slight elevated temperature. We took her to the animal hospital on 3/28/12 as she was becoming more ill by the minute. They immediatly admitted her and started her on iv fluids and antibiotics. she was given an ultrasound today and it found abnormalities in the liver but no other organs. The doctor is assuming the worst at this point. We consented to having a liver biopsy done today and we are currently waiting on the results of this test. I had no idea why she had become so ill but a friend suggested the jerky treats and so we started reasearching and were astounded at the number of cases so similar to our pets that had also consumed the treats. I called back down to the animal hospital to let the Vet know of our findings and immediatly filed a complaint with the manufacturer of the treats and they were very familiar with the issues but stated FDA couldn't find any issues as their website states as well. They took our informaiton and then i decided i really needed to file a report with your agency. We are hopeful our pet will recover but she is still very ill and in the hospital accumulating thousands of dollars in vet bills.

Wagon Train Jerky Tenders	Dog	Mixed (Dog)	11	Years	Female	9	Pound	<p>My dog has always been healthy. I have given her the Wagon Train Chicken Jerky treats for around 1-2 years. Bought them at Sam's Club and Walmart. I have 2 dogs yet she was the only one that would eat these treats. On November 7, 2011 she began twitching and was unable to walk normally. This lasted about 10 mins. I went and spoke with the vets at a local animal hospital that afternoon and they said that according to the video I had taken of it, it appeared that she was having petite mal seizures. They said that if she had another one to bring her in and they would do blood tests. I did not observe another episode like this until the week before Thanksgiving. I called and was told that the visit would cost me around \$300 with blood tests and medicine. I was not able to afford that, so I began asking around for another vet that would allow me to pay the balance out. I was referred to (b) (6) at the (b) (6). I made an appointment for Nov. 26th. At the visit, the vet asked if (b) (6) had gotten into any poison that I knew of. I told her no. All my cleaners are pet safe and she is only outside when I am. Blood tests were done and they told me that quite a few of her levels were elevated. I am in the process of retrieving the test results from the office and will gladly send in a copy to you. The vet said that she was dehydrated and according to the test results going into kidney failure. She was also given fluids at the vet. She did not show any other signs until Nov 31. I woke up and she was having what appeared to be a grand mal seizure; total loss of muscle control and bows, unresponsive. I had to sit on the floor with her and lean her against me so that she would not ram her head into the walls. Being the only income in the house I had to leave and go to work. When I left she had stopped convulsing and was responsive, but did not want to get up and walk anywhere. I put her in the kitchen with towels and blankets lining the kitchen to minimize the amount of harm she could cause herself. When I got home she was lying in a contorted position on the floor still convulsing. I knew that the best thing for her would be to put her down. I called and found out that they wanted to charge me \$250 to have her euthanized because it was after 5 pm. I did not have that money. I called my mom and she was unable to help me out also. I had no choice but to sit on my couch, hold my dog while she continuously convulsed. She eventually bit her tongue and was bleeding all over my couch. Then she got to the point where she began drowning in her own saliva. This was one of the most horrible things I have ever had to witness. Eventually, I could not mentally take watching her like this any longer. I laid her down in the crate and put a blanket over the crate. I took my other dog to bed with me. Around 2 am I got up to check on her and she had passed. I had to go into work late on Dec 1 so that i could take her body to be disposed of.</p> <p>At the time, I felt like I had accept that her symptoms and death as being caused from an unknown illness. I do not have any children and my dogs are my kids. I knew that one day she would die, but not so suddenly and uncontrollably. I had to be medicated from the anxiety of this event and began experiencing chest pains from the stress of losing her. Over these last few months, I have slowly healed. Today a friend of mine posted on Facebook to not feed your dog the Wagon Train treats because they were causing Kidney failure. When I saw that post I felt sick to my stomach. It was the missing puzzle piece. I had given her these treats within the 3 months prior to her death.</p>
Waggin Train Chicken Jerky	Dog	Retriever (unspecified)	7	Years	Female	96	Pound	I recieved a bag of Waggin Train Chicken jerky in a 25 lb bag of Beneful Healthy Weight Dog food as a free sample. I gave 2 strips to my dog. Within a day, she began to vomit, became excessivley thirsty, and very lethargic with weak legs. I brought her to the vet, her sugar was 500 and her pancreas was inflamed, her kidney and liver tests showed elevations. She passed away despite aggressive supportive care.
Waggin Train Jerkey Tenders and Waggin Train Big Blast Duck Jerkey wrapped pork skin twists with chicken liver center, Waggin Train Big Blast Duck jerky wrapped pork skin twists with chicken liver center	Dog	Corgi - Welsh Pembroke	1	Years	Female	16	Pound	Acute onset pancreatitis and hepatitis
Canyon creek ranch brand natural chicken tenders	Dog	Retriever - Labrador	4	Years	Female	42	Pound	My dog began vomiting on Monday 3/26/2012, and it continued the following day. My wife took her to the vet at 8am on Wednesday 3/28/2012. Tests were done to determine the illness, and we were told to take her to an emergency vet that could accommodate 24 hour treatment. I was advised at appx. 10pm that her kidneys were failing and that she had lost her vision. She is still at the animal hospital as I am writing this report. She was in perfect health prior to my wife and I feeding her "Canyon Creek Ranch" chicken tenders.
chikin biscuits by waggin train	Dog	Maltese	4	Years	Male	8	Pound	I bought waggin tails chicken biscuits lot number 62ca5437a I gave my maltese just 3 treats and it almost killed him he has never thrown up before after i gave him those treats he threw up for 2 days and had constant diarrhea (runs) also for 2 days i seen on a rescue sight for pets they are saying it has caused kidney failure in some dogs the jerkey on them i was so lucky my dog did not die after a week he got better those snacks should be recalled they are from china i was so lucky
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	11	Years	Female	5	Pound	I fed my dog (b) (6) one Waggin Train Chicken Jerky Tender in the evening at about 8pm. A couple of hours after she ate the treat she began to vomit. She vomited several times over night and several times the next morning. The vomiting stopped about 16 hours after she ate the treat. She also began to have diarrhia the next morning for several hours which contained a small amount of blood. The diarrhia stopped about 20 hours after she was fed the treat.
Waggin Train Jerky Tenders (chicken dog treats)	Dog	Brittany	17	Months	Female	28	Pound	Dog started showing signs of Fanconi symptoms including increased water consumption, frequent urination, lethargy, loss of appetite and some vomiting.

Waggin Train I Yam What I Yam	Dog	Setter - Irish Red	2	Years	Female	61	Pound	(b) (6) was pregnant and due to deliver on March 28th. One week prior to this date my other irish setter (b) (6) became ill with vomiting & bloody diarrhea. I have filed a report on him as well. On March 27th (b) (6) wouldn't eat her evening meal and an hour later began vomiting. She then went into labor that night. She was progressing until about 2 am when she slowed way down. I took her outside at 5 am and she had explosive bloody water from her rectum. She continued to vomit all night approximately every 1-2 hours and continued until I took her into the vet at 8 am. When we got there she actually had blood coming from her rectum. We did a progesterone level and it was 1.5 - too low to maintain a viable pregnancy and told us that she should be in labor. But...she was exhausted and couldn't contract. We had to do an emergency c-section and found NO reason for her to not have whelped except for the fact that she had been ill for the 12-24 hours prior to this.
Waggin Train I Yam What I Yam Treats for dogs	Dog	Setter - Irish Red	10		Male	85		He stopped eating one evening - then had vomiting & diarrhea for 2 days. Still wouldn't eat - lost 11 lbs in 4 days. He then got bloody watery diarrhea and still has that. Took him to the vet - labwork done - amylase & lipase high but no symptoms of pancreatitis ie. no tenderness, etc. Gave IV fluids and Flagyl with no improvement. After 6b days of no eating he started taking a couple of bites of food but continues with bloody loose stools. Lethargic with significant weight loss.
Milo's chicken jerky	Dog	American Pit Bull Terrier	2	Years	Male	90	Pound	Began feeding Milo's chicken jerky as a treat (5-7 per day) on Sunday March 25, 2012. Beginning on the morning of March 27, 2012 (b) (6) began having severe and explosive diarrhea. Today, March 28th I have discontinued feeding food or treats and diahrea has remained and slightly more severe and is almost 100 % liquid. He seems lethargic and feels bad.
Waggin' Train Wholesome Big Blast Duck Jerky Wrapped Pork Skin Twists with Chicken Liver Center	Dog	Mixed (Dog)	9	Years	Female	26	Pound	(b) (6) had severe diarrhea for 4 days after eating 2 Duck wrapped treats from Waggin Train
petsh(paw print)ppe	Dog	Retriever - Labrador	11	Months	Female	67	Pound	Purchased "Petshoppe" Chicken Jerky premium chicken dog treats from Walgreens store 3-18-2012, three to four pieces were fed to the dog, on 3-20-2012 @ 1900 the dog became ill and was vomiting about every two to three hours through the night. An appointment was made and she was taken to the Vet. at 1100 3-22-2012. At that time she was hospitalized for two days with food poisoning caused by the Chicken Jerky as indicated with Vet. report.
Oinkies, Canyon Creek Ranch Brand Wholesome and Tasty PBJ, Pork Chomps , Waggin Train Jerky Tenders	Dog	Retriever - Labrador	1	Years	Mixed Population of Female and Male	80	Pound	Have been giving dogs these treats daily for a couple weeks - noticed that they have been vomiting large amounts of bile - didn't connect the reason until we saw an online posting about dog treats from china - we checked our and they were the same treats people were talking about - we stopped giving them the treats and they stopped vomiting all the bile!
Kingdom Pets								My dog had seizures when he was 5 and it never happened before. I took him to the vet and he was hospitalized for 4 days but the vet couldn't figure out what's going on. I took him to many vets but no one could dignose exactly what's going on. Then he got better but had seizures occasionally. Meanwhile, I kept on feeding him the chicken jerky made in China that I thought it's supposed to be the safest dog treat since it says no artificial colors or flavors, no by-products, and it's made from lean chicken beast. However, my dog vomitted many times last year when he had chicken jerky. After I stopped feeding him the chicken jerky, he didn't vomit anymore. I didn't know the news about the chicken jerky made in China until I saw it from PetMD. I was so shocked that I think not only my dog's vomit was directly related to the chicken jerky as I experimented, but also the seizures was related to the chicken jerky too. I feel so sorry that I kept on feeding my poor dog the terrible chicken jerky that made him suffer for years. I still have some leftover and the pack that I bought from Costco if you need me to send it to you.
Dogswell breathies chicken breast with mint an parsley--cage free chicken	Dog	Weimaraner	11	Days	Female			She has had diarrhea, vomiting, lethargic, frequent urination
Waggin' Train wholesome chicken Jerkey Tenders	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	1	Years	Male	45	Pound	I purchased the treat about 30 days ago and started feeding them to my dog after about a week. He has only had about 2 per week within the last 3 weeks but suddenly developed diarrhea and loose stools. He is starting to drink more water and urinates at the dog park about 4 times in the hour we are there 2 to 3 times a week. He usually goes once before entering only. I gave him one on Saturday at about 3pm, and let him out to go to the bathroom before putting him in his crate from 5-9. When I came home, he had diarrhea in the crate. This has never happened. I gave him another treat on Monday morning and within 1 hour he vomited his morning meal on the carpet. There was nothing suspicious or unidentifiable in the vomit. He has not gotten into anything and there has been no change in food, etc.

Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	2 Years	Male	55 Pound	<p>We've been giving our dogs the Waggin Train Chicken Jerky since they were puppies. The female seems unaffected. But the male has had sporadic diarrhea problems. Nine months ago he stopped eating completely. The vet told us he ate something that inflamed his colon but couldn't tell us what it was. Then last month he had bloody diarrhea for a few days. The vet said his colon was inflamed again because of something he ate. Both times he got shots and was prescribed pills to bring down the inflammation.</p> <p>One of our friend's dog just died and her vet told her the death was caused by the chicken jerky, the same brand we feed our dogs. We stopped giving the treats to our dogs once we heard the news. Now (b) (6) bouts with diarrhea have stopped.</p>
Waggin Train Chicken Jerky Treats	Dog	Terrier - Airedale	4 Years	Female	78 Pound	<p>Pt was brought to veterinarian with the complaint of increased drinking and increased frequency of urination leading to accidents in the house. Urinalysis revealed isosthenuria (USG 1.009) with 1+ proteinuria. Blood testing revealed no abnormalities. Owner informed veterinarian that patient had been receiving Waggin Train Chicken Jerky Treats - approx 1/day for the last few months. Investigated on the internet - found multiple similar adverse events reported with this product. As patient had no existing kidney damage on blood testing, recommended that owner immediately discontinue feeding the treats, allow patient to drink as necessary, and recheck kidney function tests and urine in 2-3 weeks. Sibling is not demonstrating any symptoms at this time.</p>
Waggin' Train Jerky Tenders	Dog	Terrier - Jack Russell	10 Years	Female	25 Pound	<p>I had been giving my terrier mix dog "(b) (6)" Waggin' Train Chicken Jerky treats purchased at Sams club in (b) (6). (b) (6) was getting 1.5 treats per day for the past 6 months. I noticed that she began to consume more water than she had in the past and her stool was very runny. I took her to the vet, but they could not figure out the problem. Just yesterday I came across a safety alert about the Waggin Train jerky tenders. I am stopping giving peanut the treats and will be taking her to the vet.</p>
Milos Kitchen Chicken Meatballs, Milos Kitchen Chicken Jerky	Dog	Siberian Husky	4 Years	Male	65 Pound	<p>After eating these, he had vomiting, and diarrhea for a few days up to a week, and lack of appetite for about 6 weeks total.</p>
Milo's Kitchen chicken jerky treats Del Monte Foods	Dog	Retriever - Labrador	20 Months	Female	54 Pound	<p>To FDA Compliant Department: Milo's Kitchen chicken jerky treats in a bag Product stored at room temperature Lot # unknown Expiration date unknown Example of UPC 079100510771 (we do not have the packages that were bought) Net Weight 14 oz Several bags were purchased over the last 2 months from Publix Supermarket. A treat was given once a day to our dog. There was no problem with the actual product or bag. Lab results, medical records, and bills from the vets are enclosed. Our blonde canine named (b) (6) age 1 year 8 months Labrador Retriever mix weighed 54 lbs. She was neutered and in good health. She was up to date on her vaccinations. There were no pre-existing medical conditions. We gave her dry Rachel Ray dog food and regular dog biscuits for treats as well as the chicken jerky treats. She was outside for walks daily but she was always supervised by myself or my husband. Our dog had a few days of vomiting yellow bile, not eating well, and lethargy. We brought her to (b) (6) with presenting complaint of azotemia. The only blood work that came back as a problem showed increased ALT, BUN, phosphorus, creatinine; and decreased ALP, TP, and GLOB. We immediately brought her to the emergency (b) (6) for further evaluation. She stayed there for a week for treatment with IV fluids and antibiotics and this was extremely expensive, but worth it to try to save her life. Total vet bill \$3544.83 for 5 days. They completed an ultrasound and biopsy of her kidneys. The problem list and diagnoses were azotemia-renal (acute vs chronic vs acute on chronic), lymphopenia/eosinopenia-partial stress leukogram, elevated ALT-hepatic damage, proteinuria-glomerular disease vs UTI, neck pain (mild)-infectious vs inflammatory vs spurious, and low grade heart murmur-flow vs CM. Unfortunately, the treatment was ineffective and she was diagnosed with kidney failure. There were no other options to help her to get better. She was lethargic and very sick so we had to stop the suffering and we decided to put her down. There was no cause to explain her sickness but she did not have any diseases from birth. The only correlation to explain her illness and clinical symptoms of severe kidney failure is from the Milo's Kitchen chicken jerky treats that are made in China, and the vet agreed with this conclusion. (b) (6) (b) (6) This was a very emotionally disturbing situation that could have been prevented if the treats were no longer being sold in stores. We will always remember our loving and beautiful dog but she lived a life that was way too short due to a treat made in China that caused kidney failure and eventual death. This needs to be stopped immediately before other dogs are harmed. Please consider seriously researching this complaint to save other animals. If you need any other information, please contact us.</p>
Waggin' Train Pork Skin and Liver Treats	Dog	Other Canine/dog	6 Months	Female	43 Pound	<p>We fed our dog 3 rawhide/liver treats on Sunday afternoon. Within hours the dog started having diarrhea. Our dog was obviously uncomfortable and did not show any interest in food or water. This occurred hourly until we went to the vet the next day. The vet administered an IV and 1 bag of fluid to help restore the dog's health. She is still very lethargic today and the vet said that it would take a few days to recover and require a special diet. The only change in diet for this dog over a 3 month period was the addition of these rawhide treats.</p>

waggin'train jerky tenders	Dog	Chihuahua	4	Years	Male	13	Pound	after eating a waggin train jerky tender treat my dog lost appetite,vomiting,dragging tail,bloody stool and lack of movement also had seasures.
waggon train country ham, waggin train chicken jerky	Dog	Great Pyrenees	4	Years	Male	97	Pound	2 weeks ago (b) (6) began to vomit and did not want to eat anymore. He was also drinking alot of water. We took him to the vet the next day and our vet stated that (b) (6) was in kidney failure.
Waggin Train Chicken Jerky Tenders	Dog	Ridgeback - Rhodesian	14	Years	Male	38	Pound	On March 18, 2012, hours after consuming several Waggin Train Chicken Jerky treats, (b) (6) became lethargic. Over the next week he remained weak, and developed symptoms such as wheezing and vomiting. Monday morning he was taken to the vet. The vet stated he seemed anemic secondary to pale gums. After running some test, the vet noted he had slightly elevated liver enzymes as well. The vet decided to keep him overnight and administered fluids via an IV. This morning the vet called and stated (b) (6) had died overnight from renal and liver failure. The vet was given a sample of the Waggin Train Chicken Jerky treat from the same bag Angus had consumed prior to developing the symptoms eventually leading to his death.
Waggin Train wholesome chicken Jerky Tenders								My dog, a 12 year old West Highland Terrier, for several years has eaten one or two pieces of Waggin Train chicken jerky per day. Recently she stopped eating her regular diet and I would feed her more of the chicken treats because she would eat them. Then she started acting lethargic and seemed to be in some pain. I gave her a low dose aspirin and she would get to feeling better. After doing this for several days. I decided that it might be the chicken jerky. I quit giving her the jerky and within about three days her apetite returned and now, four days later, she seems to be fine.
Waggin Train Chicken Jerky	Dog	Chihuahua	5	Years	Male	9	Pound	Both (b) (6) and (b) (6) started frothing at the mouth and then threw-up. After that the didn't eat for sometime. This is NOT like (b) (6) not to eat. We stopped giving them the "treat" Waggin Train Chicken Jerky
Dogswell Happy Hips chicken breast glucosamine & chondroitin	Dog	Spaniel - Springer English	9	Years	Female	47	Pound	Was fed "Happy Hips" chicken breast jerky treats. Dog subsequently went into renal failure, was treated but we were unable to reverse it, will likely be fatal in the near future.
Waggin' Train Chik'n Biscuits	Dog	Dachshund (unspecified)	7	Years	Male	8	Pound	(b) (6) started having what I call seizures. He would become lethargic, he would throw up and then have a seizure. He would yelp in pain and then flop around on the floor like having a seizure, then he could not stand up on his own. After taking him to the veterinarian, they could find nothing wrong without doing expensive bloodwork. After talking about it, we discovered the only thing we had been doing different was feeding him new treats we had purchased at Target, called "Waggin' Train Chik'n Biscuits". After we discontinued feeding (b) (6) these treats, he started improving and the seizures stopped. After researching this product online, I found that numerous pet owners had dogs that became ill and/or died from eating these treats. I was appalled to find out that these treats had not been recalled and that they were still being sold. The manufacture's website even states that nothing is wrong with their product and they are still selling them. Here's what the website says: "The safety and efficacy of our products is our top priority, and our consumers can and should continue to feed Waggin' Train treats with total confidence." These treats are killing dogs and must contain Melamine, Diethylene glycol or some other poison from the research I have done. They should be recalled immediately and tested again for foreign chemicals before more dogs are injured or killed by this product.
Waggin Trail Chicken Jerkey Treats	Dog	Shih Tzu	7	Years	Male	18	Pound	Spring & Summer of 2011 I started to treat my 3 dogs to Waggin Trail chicken jerky. They all loved them. My oldest dog who was 18 died this past summer; but I believe these treats was not the cause of his death. And my 9 year old Dachshund seems to be unaffected by these treats; however, he is on 3 different meds for his seizures. However, my 7 year old Shih Tzu who was 6 at the time I started giving them to him was in excellent health. I noticed in late fall of 2012 that he started drinking lots of water and had a decreased appetite. Of course I took him to my vet and they ran blood tests on him. The tests came back and his creatinine was extremely high. He was diagnosed with Kidney Failure on 12/4/2011. At first we were giving him fluids every day. Now it is every 3rd day. Kidney Failure of course isn't cureable. We are keeping him comfortable and he is eating & drinking as normal. (b) (6) was a healthy dog prior to eating these chicken jerky treats. I really feel they contributed to his Kidney Failure.
WAGGIN TRAIN CHICKEN JERKEY	Dog	Pit Bull	2	Years	Male	65	Pound	WE FED OUR DOG DINNER ON SATURDAY NIGHT, EVERYTHING WAS FINE HE WAS HAPPY GO LUCKY, WE GAVE HIM A WAGGIN TRAIN CHICKEN JERKY TREAT THEN ABOUT AN HOUR OR 2 LATER HE BEGAN TO SHAKE, WANTING TO GO OUTSIDE AND NOT COME IN, HE JUMPED OFF OF OUR 6FT. BED IN THE RV WHICH HE NEVER DOES HE ALWAYS HELP HIM DOWN. HE CONTINUED TO WANT TO GO OUTSIDE AND WAS SHAKING CONTINUOUSLY THROUGH THE NIGHT. HE WAS PUKING WHILE OUTSIDE AND TRYING TO EAT GRASS TO CALM HIS STOMACH. FINALLY, ABOUT 430 THE NEXT MORNING HE STOPPED SHAKING AND BUGGING TO GO OUTSIDE AND WENT TO SLEEP. HE SEEMS TO BE FINE NOW WE HAVE JUST BEEN WATCHING HIM AND THE OTHER DOGS THAT RECEIVED THIS TREAT AS WELL. WHICH ONE OF THE OTHER DOGS IS A TEA-CUP PALM AND COULD NOT HANDLE GETTING SICK. PLEASE PULL THIS DAMN PRODUCT OFF THE SHELF IF THIS STORY AND THE ONES OF THE OTHER 500 PET OWNERS DON'T SAY SOMETHING I DON'T KNOW WHAT WILL GET YOUR ATTENTION!!!!!! THANK YOU, (b) (6) AND (b) (6), CONCERNED PET OWNER AND DOG LOVERS.
Waggin Train Wholesome Big Blast	Dog	Chihuahua	2	Minutes	Female	9	Pound	Within a few days of consuming my dog became lethargic and her stool began becoming soft. She was drinking a lot more water and frequently urinating and pooping. Within a week of consuming her soft stools turned into diarrhea. Additionally, I noticed prior to going to bed, her body temperature appeared to elevate. The only thing that changed in her diet was the new treat I had given her, which I have since taken from her and stopped giving her.

Waggin' Train Jerky Tenders	Dog	Dachshund - Miniature	3	Years	Male	11	Pound	(b) (6) was vomiting and had bloody diarrhea for 24 hours. I took him to the Vet and he was subsequently hospitalized for 2 days with severe dehydration.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Terrier - Fox (unspecified)	6	Years	Male	32	Pound	I recently have seen on the internet that Canyon Creek Ranch treats may be causing kidney problems and even death to dogs because of an unknown component in them. My dog has had an almost full bag of these treats. Last week (b) (6) started urinating blood. I took him to my vet and they did xrays and blood work. The test came back that he had crystals in his urine. So now my dog is on 2 medications and prescription dog food to help clear up these crystals.
Various chicken jerky treats								I am contacting to ask you if you have considered excessive taurine as a potential trigger for renal failure in dogs compromised or dead dogs after their consumption of the chicken jerky treats manufactured in China? I was the breeder of a pup that I placed in a home about ten years ago who got a hold of cat food, and ate a pretty significant quantity. At that time, I was a veterinary technology student at Wilson College. I told the owner to get the pup to a vet due to the potential of renal problems in relation to the high taurine levels he had consumed. The veterinarian DID find disturbing renal values upon exam-related blood work. The puppy recovered with proper care, and survived in good health until just last month when he succumbed to cancer.
Milos kitchen Chicken Jerky, Milos Kitchen Chicken Meatballs	Dog	Terrier - Jack Russell	8	Years	Female	20	Pound	My 3 dogs ate Milo's Kitchen chicken meatballs, and Milo's kitchen chicken jerky. Within a couple weeks all 3 began decreased appetite, vomiting and diarrhea. My smallest dog (b) (6) was lethargic for about a week. I took her to the vet and had to have my poor sweet dog put to sleep due to sudden Kidney failure on 2/10/12. Prior to eating these she was a healthy dog, full of energy. A typical Jack Russell. My other 2 dogs continued lack of appetite for total of about 4-6 weeks. (b) (6) is greatly missed.
Milos Kitchen Chicken Meatballs, Milos Kitchen Chicken Jerky	Dog	Terrier - Bull - American Pit	4	Years	Male	75	Pound	After eating Milos kitchen chicken jerky and chicken meatballs, refused food for a couple weeks. After about 3 days he had vomiting and diarrhea (with my other 2 dogs). He had lack of appetite for about a total of 4-6 wks.
Waggin' Train Wholesome Chicken Jerky Tenders								I purchased the "Waggin' Train" chicken dog treat at a store, and just recently found out that said product has been linked to the illnesses and deaths of at least 600 animals. I have yet to take my pet to the veterinarian, but am complaining as the distributor/company is refusing to do anything about the issues/product. I called and was told they would look into it (meaning nothing will be done).
Waggin Train Jerky Tenders Chicken Dog Treats	Dog	Hound - Basset	12	Years	Male	60	Pound	Was given Waggin Train Chicken Jerky Tenders, has had decreased appetite, increased urination, vomiting, and diarrhea.
Milos Kitchen chicken Jerky, Milos Kitchen Chicken Meatballs	Dog	Siberian Husky	4	Years	Male	65	Pound	After eating Milos Kitchen Chicken jerky, and chicken meatballs he began with diarrhea and vomiting that lasted about 4 days. He had lack of appetite for about 4-6 weeks.
Wagon Train Chicken Jerky Dog Treats	Dog	Retriever - Labrador	7	Years	Female	70	Pound	My healthy 7 year old black lab mix dog became suddenly very ill in January, 2012. She was hospitalized Jan 24th, 26th & 27th, given blood tests, x-rays, IV antibiotics, fluids and pain meds. She was diagnosed with an undetermined intestinal illness/liver illness on Jan. 27th, 2012 that seemed to come out of no where. She continued to deteriorate and was finally put to sleep on February 19th, 2012. My husband and I went over everything the dogs had eaten being as my black lab acted as though she had been poisoned even though our 10 year old yellow lab is fine. The ONLY difference was in treats. Our yellow lab wouldn't touch the Wagon Train Chicken Jerky treats, she turned her nose up at them and so our black lab was the only one that ate that entire package in January, right when she got very sick. I thought maybe she had eaten too many treats and would get better, she didn't, she got worse and I took her to the vet. Then today I heard about the possible tainted dog treats, AND THEY WERE THE EXACT BRAND THAT MY BLACK LAB ATE. THE WAGON TRAIN, CHICKEN JERKY TREATS, BOUGHT AT DOLLAR GENERAL STORE IN (b) (6) IN LATE DECEMBER, 2011-EARLY JANUARY, 2012. My husband and I KNOW that this is what happened to (b) (6), please do something about this. There are more dogs suffering out there, please recall these treats, please don't let any other dogs die like my (b) (6) had to.
Canyon Creek Ranch Chicken Tenders	Dog	Mixed (Dog)	4	Years	Female	25	Pound	Developed severe diarrhea and vomiting. Stopped eating and drinking. Was at the Vet's over a one week period to administer fluids and antibiotics. Doctors could not figure out what was wrong with her. Perfectly healthy dog one day, sick the next.
waggin train jerky tenders	Dog	Terrier - Jack Russell	4	Years	Male	25	Pound	My dog was given chicken jerky treats and started drinking excessive water. He started having accidents in the house, which has never happened and has had a decreased appetite. I immediately, on March 20th took him into the vet at did lab work. The results showed glucose in his urine. The blood tests showed low alkaline phosphatase and two different bacteria in his urine. He was put on clavomox two times a day with no improvement. I waited six days, and made an appointment with an internal medicine diagnostician, and only then was I told about the chicken tender treats, and then I immediately took him off of them and made own treats. He has now begun eating, but is still drinking excessively and having accidents. I want this product off the shelves and will continue to pursue this issue until this goal is met!

Waggin Train Chicken Jerky Treats	Dog	Brittany	6	Years	Female	38	Pound	We had been giving the dogs Waggin Train Chicken Jerky treats that we bought in a large bag from Sam's Club in (b) (6) for about 6 months. The treats were stored at room temperature in the bag and we would give 1-3 jerky strips to our dogs daily. The treats always looked like dried chicken and were in no way discolored or had an odor. (b) (6) was in normal health up to this point per prior vet appointments and routine urineanalysis. We would give our dogs cut carrots and Charlee Bears for treats as well as the chicken jerky. She was not taking any medication or supplements at the time. We scheduled (b) (6) for a teeth cleaning for April 26, 2011. Prior to the procedure the vet ran bloodwork and it came back that there was a problem with her kidneys. The vet described it as kidney insufficiency. Her creatine levels were 2.3 and BUN was 50. The level of protein in her urine was 3.7, where a normal level is less than .5. I had found an article about chicken jerky treats from China causing kidney failure and asked our vet about it. She suggested we immediately stop giving the chicken jerky. I threw the bag with the remaining treats away.
Milo's Kitchen home style dog treats chicken jerky								January 6, 2012 my dog collapsed outside in the morning after going out to go to the bathroom and could not move or respond to voice or touch. I carried him inside and laid him on the sofa on a blanket and covered him up because he was shaking or shivering, he could only move his eyes.Later in the day,he got up to walk and was unstable on his legs and stood for a very long time like he was in a trance.he then started to have diarrhea and vomiting, then a decreased appetite, we were having a hard time getting him to eat anything,for the diarrhea we tried to feed him sweet potatos, but the diahrrhea continued,he would eat Milos chicken jerky which we had been giving him in the past, March 2, 2012 he had another episode,he collapsed outside. I just recently came across the article of the tainted chicken jerky treats that we had been feeding him. He has lost a considerable amount of weight in the past 2 months, he drinks alot, but will only eat cooked burgers and cooked chicken tenders that we make for him, he will no longer eat his dry food.I no longer give him the milos jerky treats, but I believe the damage has already been done. He sleeps alot and eats alot less, and continues to lose weigt and has a hard time getting around.I just thought I would report it if it helps. I do have some of the pakages from the jerky still.
Canyon Creek Ranch brand natural chicken tenders	Dog	Shepherd Dog - German	6	Years	Male	98	Pound	Bought bag of Canyon Creek Ranch chicken jerky monday 3/19/2012. Gave 1 chicken jerky treat tuesday 3/20/2012 and wednesday 3/21/2012. Dog very sick- vomiting and diarrhea tuesday and wednesday, lack of energy, tired. Thursday 3/22/2012I didn't give him a treat and he was fine. Now its friday 3/23/2012 and another good day without the treat. Called the company- canyon creek ranch and they are mailing me a check for the cost of the treats. However I have to pay for carpet cleaning! * Dog has a hx of eating 1 jerky treat/day for atleast 1 year. He has mostly had Canyon Creek Ranch but occasionally Waggin Train.
Happy Heart Chicken Breast with Flaxseed and Taurine	Dog	Retriever - Labrador	6	Years	Female	65	Pound	Dog was not eating food for over 1 week. (evaluated on 3/19) Vomited 2 days in a row and owner stopped food and only gave water and chicken broth. Dog was previously fed Happy Heart Chicken Breast strips and when the ower saw a potential issue with the chicken from it via the paper, she discontinued them. The dog did eat a small amount on 3/19 and kept it down. Was acting more normal. Did lab work to make sure and found very elevated ALT and ALP levels. Bun was slightly decreased as well.
waggin trail chicken jerky	Dog	Poodle - Medium size	8	Years	Male	16	Pound	all of a sudden he began vomitting and having diareah with blood everywhere, took him to the emeregency clinic in memphis, and they diagnosed him with high glucose, took him to his regular vet and we had to start him on insulin for high glucose of over 300 and now it is running in the 193 mark even with the glucose, he has had sugar in his urine each time i take him in every two weeks since the initial emergency run in january. He is also having siezure activity. he was eating 2 or 3 of the waggin trail chicken jerky a day for the last year or so.
Waggin Train Chicken Jerkey Treats	Dog	Unknown	9	Years	Male	25	Pound	(b) (6) is my parent's dog. He was fed Waggin Tails chicken jerkey and in 2011 became ill with the symptoms listed on FDA's warning about chicken jerkey treats - vomiting, diarrhea with blood, drinking a lot of water, lethargic. At the time we did not connect the illness to the chicken jerkey treats. He recovered and later became ill again. I saw online about the jerkey treat warnings and called my mom. She had just started feeding him the treats again. She immediately stopped and he is okay. Although his health has not been as good since these episodes. I fear his kidneys have been damaged. It is extremely concerning to me that he could have died from this. I understand you are investigating - can you please make them provide to the public the exact process that goes into making these treats? i have heard they soak the chicken in some type of radiation. Please don't stop looking into this - it is obvious there is a problem and will continue. Now that so many people have reported, something needs to be done.
STARMARK EVERLASTING TREATS (CHICKEN FLOVORED)	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phal	6	Years	Female	9	Pound	PURCHASED STARMARK EVERLASTING TREAT BALL AND ADDITIONAL EVERLASTING CHICKEN FLAVORED STARMARK EVERLASTING TREATS TWO WEEKS AGO AT PET SMART. GAVE IT TO OUR DOG AND SHE LOVED IT. AND EAT TWO TREATS IN THE FIRST WEEK. I NOTICED THAT SHE FELT ILL ONE MORNING AND IN A MATTER OF HOURS SHE VOMITED FLEM AND BLOOD. WHEN SHE POOPED THERE WAS BLOOD IN HER STOOL. I CHECKED THE PRODUCT AND IN SMALL LETTER IT STATED IT WAS MADE IN CHINA AND NOTICED THAT "WHEAT GLUTEN" WAS THE FIRST INGREDIENT. I CALLED THE VET AND HE STATED TO GET HER OFF OF IT AND TO BRING HER IN IF IT CONTINUED. I KEPT AN EYE ON HER AND SHE SOON RECOVERED. I WOULD NOT RECOMMEND THIS PRODUCT TO ANYONE FOR THEIR PET. THANK YOU (b) (6)
Canyon Creek Ranch Brand	Dog	Mixed (Dog)	7	Years	Female	45		(b) (6) was restless, lethargic, and drinking lots of water. Her stool became very soft. After 2 days we took her to the vet who treated the symbols. (b) (6) had eatten Canyon Creek Ranch Chicken Jerky in the days leading up to her illness.

Waggin Train Wholesome Duck Jerky Tenders	Dog	Retriever - Labrador	15	Months	Male	89	Pound	(b) (6) was given the jerky treats that I had just bought from Target on or about 3/8/12. He subsequently lost his appetite and became more lethargic. He started to urinate more frequently and exhibited excessive thirst. He started to vomit on 3/10/12 and continued vomiting for the next three days. His urine appeared dark. I took him to (b) (6) on Monday 3/12/12. They believed it to be gastrointestinal upset and urinary tract infection. He was brought home and continued to throw up and act lethargic. He was brought back on Tuesday. His bloodwork showed a problem with his kidneys/liver, he was not eating and was very jaundiced. They suspected a possible toxin. He continued to decline and I was told to bring him to (b) (6) to see an internal medicine specialist, (b) (6). His liver enzymes were very bad. He was treated there for 4 days with IV fluids, medications etc. and began to improve. My bill was approximately \$5,000.00.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	American Pit Bull Terrier	6	Years	Female	45	Pound	We purchased Waggin' Train Chicken Jerky as a "special" treat to be used for training our dog. Over the course of a weekend, we gave her a total of 3 or so full treats, split into small pieces to be used as a reward. On Monday, March 12, in the evening she became ill and began having diarrhea and vomiting. This continued the following day. She also was not eating and had very little to drink. On Wednesday she improved somewhat and was able to eat 1 meal, but the diarrhea continued. On Thursday she was no longer eating or drinking, the vomiting became worse, and there was blood in her stool. I brought (b) (6) to the veterinarian at noon on Thursday, where she was given IV fluids, blood tests were performed, and she was kept overnight for two nights. She was diagnosed with hemorrhagic gastroenteritis and has responded well to the IV fluids. She is now home and has been on a special diet for gastrointestinal problems. Given the unknown cause of hemorrhagic gastroenteritis and the Waggin' Train treats being the only change to her diet prior to her illness, I feel there is a very good possibility her illness was related to these treats.
Canyon Creek Ranch - Chicken Stix	Dog	Spaniel - Cocker American	9	Years	Male	34	Pound	(b) (6) never gets table food. That night he was given normal dinner of Kibbles and Bits/dry dog food, a handful of Purina Moist and Meaty Chopped burger, and a Canyon Creek Ranch Chicken Stix (1). That night about midnight he vomited up the entire dinner. He had no appetite for 36 hours, drank lots of water, his balance climbing stairs was off, eyes were glassy, was a bit lethargic, and the following day had slight diarrhea.
Natural Chicken Fillets Waggin' Train Wholesome Chicken Jerky*Tenders Chicken Dog Treats	Dog	Portuguese Water Dog	10	Years	Female	44	Pound	Noticed significant weight gain - gained 8 pounds on 40 lb dog in 2 months. Became very lathargic and bloated. Full physical including blood work in September 2011 and 40 pounds - same weight level for years. Frequent need to drink and urinate. We were so concerned about her health that we schedule a special appoinment with the Vet. Upon recommendation of Vet discontinued the Chicken Jerky from her diet and she lost over 3 pounds the 1st week, became more energetic again and water intake and constant need to urinate have returned to normal (much less frequent).
Waggin Train Wholesome Chicken Jerky Tenders Meat Dog Treats	Dog	Terrier - Jack Russell	9	Years	Female	17	Pound	Dog treated for questionable condition for several months. At the point that she could no longer walk on her back 2 legs, she was euthanized. Fed these treats for several months
Waggin' Train	Dog	Poodle (unspecified)	13	Years	Female	8	Pound	I couldn't understand how my dog developed kidney problems so quickly and died until I saw the article about chicken jerky. I fed her chicken jerky by Waggin' Train at least once a week for many months. The brand was Waggin' Train
Waggin Train Wholesome Chicken Jerky Tenders Meat Dog Treats	Dog	Sheepdog - Shetland	13	Years	Male	18	Pound	My dog got very ill and could not take in food any longer. My vet indicated a large internal mass affecting several organs from an x-ray. (b) (6) was euthanized on 9/24/11 due to his continued demise.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pit Bull	10	Years	Male	55	Pound	We recently read on MSN that the brand of Waggin Train treats had been causing health related issues in pets. We have been using that brand and when we found out immediately stopped giving them to our dogs. This morning our dog passed away. Less than five days later, he passes away. He wasn't old, he was in great health and had no issues in his life. I find it more than a coincidence that this occurred. He started to have stomach trouble yesterday, vomited twice and then came inside and laid on the floor for most of the night. He was having troubles with his breathing and this morning he tried to get up and get some water and collapsed. Within 30 seconds he passed away. Thanks, (b) (6)
Milo's Kitchen Home Style Dog Treats Chicken jerky	Dog	Saluki	16	Months	Female	38	Pound	Fed my dog a stick of the Milo's Kitchen home style dog treasts, chicken jerky. She chewed the thing up. Then promptly threw it up. She (b) (6)

Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	14		Female	62	Pound	(b) (6) was running in our yard, barking at the kids, and acting completely normal. Literally overnight, from one day to the next, she had no appetite, and was lethargic. Her symptoms hit all at once and unfortunately this was on a Friday. Over the weekend she had some very dark diarrhea and some vomiting. She also drank a lot. We took her to the vet on Monday. He examined her and once she tested positive for heart worm disease he looked no further. The meds he gave us were all for treatment of the heart worm disease. He told us to try to get her to eat and bring her back in a few days for her first injection. Over the next couple of days we were able to get her to eat but barley. We took her back to the vet later in the week and he again told us to feed her anything she would eat and come back on Monday. She never made it to Monday. The day after putting her down I happened across an article on MSN about chicken jerky treats from China. It was like a light bulb going off. Webbie had every symptom described in the article including (towards the end) blood in her vomit. In our case the product is Milo's Kitchen. We have 2 bags, both almost full. The code on both bags is 1019HV A. We gave (b) (6) these treats just before the dramatic change. I realize (b) (6) was 14 and had heart worm disease but the suddenness combined with the perfect match of symptoms really makes me wonder. Our regular vet and the emergency vet (where we put her down) have records and xrays. We have both bags of the product. I wanted to file this in case any of this might be useful to you.
natural chicken jerky treat	Dog	Mixed (Dog)	7	Years	Female	16	Pound	developed severe pancreatitis and hepatitis
Milo's Kitchen	Dog	Schnauzer (unspecified)	2		Female	20		(b) (6) was given chicken cutlets and currently has some sort of unknown kidney stones or bladder infection. She was on antibiotics for 10 days and had blood in her urine. She is currently having a urine culture done and X-rays to help diagnose her. It has cost \$350 so far, and the estimates are increasing daily.
WAGGIN TRAIN CHICKEN WRAPPED SWEET POTATOE TREATS	Dog	Shih Tzu	8	Years	Female	20	Pound	THE DOG ATE A WAGGIN TRAIN BRAND CHICKEN WRAPPED SWEET POTATO TREAT. IATER THAT DAY SHE BEGAN TO VOMIT IN LARGE AMOUNTS. TOOK HER TO THE VET AND SHE WAS IN LIVER FAILURE. AS OF MARCH 20,2012 SHE IS IN CRITICAL CONDITION. I DO NOT KNOW IF SHE WILL LIVE.
Waggin' Train Chicken Stix Chicken and Rawhide Snack	Dog	Mixed (Dog)	9	Years	Female	10	Pound	Dog presented acutely depressed, vomiting blood with bloody diarrhea. Started on IVF and GI protectants. Cardiopulmonary arrest within 6 hours of presentation.
Waggin train Chicken Jerky treats	Dog	Mixed (Dog)	3	Years	Male	67	Pound	Patient was seen for his annual vaccines and bloodwork and the CREAT was elevated (2.0) (no prior history). Value was rechecked 3 days later (2.5) to verify lab results and the value had gone up. Questions were made and owner reported feeding Waggin Train Chicken Jerky treats and was advised to read back of bag to make sure they weren't manufactured in China. At home she verified and confirmed they were made in China, it was recommended to stop feeding these treats and recheck CREA in 7 days. 9 days after the value hadn't changed (2.5) and 20 days later the value started to go down (2.1) 28 days after first visit his value was 1.9 (1.8 was normal).
waggin train yam good wholesome chicken wrapped yams	Dog	Akita	9	Years	Female	16	Pound	shopping at wal-mart picked up some waggin train dog treats fed them to my dog for 3 days and she started getting sick vomiting lathargic would not eat waited a couple of days and it got worse.took her to the vet and he said her kidneys were shutting down.they kept her overnight waiting to hear out come. .this is only thing i gave her out of her daily diet that was different.
Milo's Kitchen	Dog	Collie - Border	6	Years	Female	36	Pound	with no previous symptoms or warning, (b) (6) began to have seizures. Emergency vet care blood work and xray ruled out toxins or tumors. I did not give her any jerky treats for a couple of days after the initial seizure since she was vomiting. I started to give the jerky treats again and she began to have less severe seizures but recovered quickly. Additional emergency vet visit again did not show any medical reasons. Just after this last visit we saw the article about the jerky jerky issue. I immediately stopped giving the treats and she has not had any seizures or medical issues since then. My vet was not convinced but we were. I had been giving (b) (6) these treats fairly regularly over the previous 2 years without incident, one or two chicken jerky strips every couple of days. For the most part I was buying both Waggin Train and Canyon Creek. The last purchase of these was Milo's Kitchen. I was about half way through the bag when she began to get sick. I threw away the package so I do not have any specific product information. I no longer buy nay pet food made in China.
Waggin Train Jerky Tenders - Chicken	Dog	Mixed (Dog)	14	Years	Male	45	Pound	(b) (6) was a long-time lover of the Waggin Tails Chicken Jerky. In June 2011 he became sick and was diagnosed with liver failure. He passed away in July 2011. Only in the last couple of months has information about the issues with chicken jerky from China surfaced, at least for me, and after reading an article about the most common medical problems, well, (b) (6) exhibited every one of them. Had I known earlier the vet may have been able to take a different course of treatment that could possibly have saved him. This was a pet that I had had since he was 7 weeks old. I was heartbroken at his loss. And now I live with the guilt that I may have in some way contributed to his suffering and death. Please don't make other owners go through this. Recall the products until extensive testing can be done on them. At the very least make them post a waring on the packaging.

Wagginz Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Jack Russell	9	Years	Male	13	Pound	Started feeding him Wagginz Train Chicken Jerky Treats instead of Paul Newman Crackers for 6 months starting in January 2011. He started exhibiting diarrhea in April and that is when I took him to his vet. The vet performed an exam, blood test, fecal test and changed his diet. His diarrhea continued and we kept changing his diet, assuming it may be an allergy. We settled on the Paul Newman's Organic Dog Food, a food he used to eat a couple years ago. He was still eating the jerky since it was chicken and we thought he couldn't be allergic to that since by then he has been eating them for 5 months. I stopped giving him the treats in May 2011, the time I had to move to Chicago but I couldn't bring him with me so I left him with my parents. They assumed since I used to give him the chicken treats, they started buying the same brands to feed him. They called me in June that he was not feeling well and I took him to the vet but further tests were negative. In November 2011, he collapsed and had a severely swollen abdomen and we took him to an ER and we did \$1000 of tests...all negative. We stopped all store bought treats but continued to feed him the Paul Newman's Dog Food. Since we stopped the treats, he recovered (no lethargy, no collapsing, no excessive urination/thirst, diarrhea, blood in the stools, vomiting,). We had learned that he may have sustained permanent damage to his digestive system and must eat several small meals/day. We have not fed him a treat since he got sick
waggin train	Dog	Terrier (unspecified)	8	Years	Female	35	Pound	same as above
Waggin Tails	Dog	Terrier (unspecified)	11	Years	Female	38	Pound	We purchased Waggin Tails jerky treats at our local Walmart. After a day or so (b) (6) appetite began to wane. Next she began vomiting everything, including water, which was very, very unusual for her as she was rarely - if ever - sick. Within a week she was in kidney failure at which point our vet advised us that there was nothing else he could do, she was not going to improve and to take her home and decide how we wanted to proceed. We could not watch her suffer. Within 3 weeks of presenting she was dead. I have just recently become aware of this treat connection and have absolutely no doubt in my mind that I have now found the cause of her "mystery" illness.
Milo's Kitchen Home-style Dog Treats Chicken Jerky	Dog	Spaniel - King Charles	9	Years	Female	17	Pound	Decreased appetite, decreased activity, vomiting, increased water consumption and increased urination. Confirmed increased glucose. (Vet, at first, diagnosed diabetes)
Waggin Train Chicken Jerky Tenders	Dog	Rottweiler	1	Years	Male	90	Pound	After being given small portions of Waggin Train Chicken Jerky, within 8 hours my dog started vomiting, had bloody diarrhea, was very lethargic, would not eat. This happened on 2 separate occasions before we realized what was causing it. Thankfully, after trips to the vet, my dog is recovering. I am someone who is very careful about what I give my dog. I was under the impression that this product was made in the USA, only to find in the small print, hidden at the bottom of the packaging it is made in China. It wasn't until I started doing some research I found there have been several hundred dogs affected by this & several hundred complaints filed. Why are you not doing more about this???
Canyon Creek Ranch Natural Chicken Tenders	Dog	Mixed (Dog)	1	Years	Male	45	Pound	experienced diarrhea and vomiting
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	3	Years	Female	33	Pound	Back in the summer of 2010, I came home from work and took the dogs out to go relieve themselves. Since it was a hot day we came directly back inside (not more than 10 minutes outside) & we would walk later on once the sun had gone down. I gave the dogs a chicken jerky treat and put a movie in to watch. By the end of the movie (2 hours tops) (b) (6) had vomitted and had diarrhea. She would not stand and when I made her stand she walked as if she was drunk. She was, obviously, very lethargic. I took (b) (6) to the emergency vet where they ran her vitals and administered medicine. The vet said her system was "tanking" and it was like she had been poisoned. I told him they hadn't picked up anything when we were outside and the only thing she had to eat was the chicken jerky I gave them once to twice a day. (b) (6) ended up going back to the vet 2 more times that summer season for similar problems. None of her reactions were as bad as the first, but they were almost the same symptoms. I was never instructed that the jerky may be a problem. However, since I first read about the possibility of tainted jerky from brands like Waggin Train (the brand we used) I've since begun making most of their own treats, or buying treats from the store that are made in the USA only. The other dog was not affected, but she was a good 20-30 pounds heavier and old of age. She was on a lot of medicine already and so any ailments she had I always contributed to her being old and medicated. I want to report the problem so that my situation is on record. I do not have (b) (6) exact medical history with me as I report this, but would be happy to provide you with it if you need. (b) (6) has always been in good health otherwise. I will list her condition as Recovered Completely, but it took a while to get there.
Milo's Meatballs Canyon Creek Ranch Yam Good chicken wrapped yams	Dog	Terrier - Jack Russell	16	Years	Male	16	Pound	He enjoyed daily treats in the morning. Although he was an old dog, he was in good health. He developed foul smelling urine, swollen abdomen, excessive drinking, excessive urination, incontinence, and vomiting.

Dogswell Happy Hips Chicken Breast Dogswell Mellow Mut Chicken Breast Dogswell Breathies Chicken Breast	Dog	Shepherd Dog - German	12	Hours	Male	75	Pound	I would give (b) (6) a chicken jerky treat when I left the house. Upon returning home, there would be a huge mess of diarrhea. The diarrhea was sometimes brown and sometimes yellow, but there was always thick mucus in it.
Wagon Train Chicken Jerkey	Dog	Chihuahua	3	Years	Female	10	Pound	(b) (6) developed severe vomiting with diarrhea. She had pain in her abdomen and her body kept shaking.
Welcome Home Dry Duck Jerky	Dog	Mixed (Dog)	13	Years	Female	67	Pound	Dog received 8 to 10 treats for several days prior to being kenneled whereupon she developed diarrhea for one week. I was out of town and was called to do a parasite check which was negative. My dog had about \$100 lab bill and when the parasite check was negative they wanted to do approx. \$700 of labs and meds. Her diarrhea ended when I took her home on Mar 6. She never has diarrhea.
Canyon Creek Ranch - natural chicken tenders	Dog	Bulldog - French	22	Months	Male	30	Pound	Dog mysteriously broke out in hives on his head and body. (b) (6) is a healthy, happy, pampered French Bulldog. He started panting and the area around his eyes swelled. We gave him Benadryl, a bath, and took dog to the vet 3 hours later. (b) (6) was taken under vet care, where he was given more Benedryl, steroids, and anti-biotics. (b) (6) ended up having severe vomiting, diarrhea, and swelling/hives the following day. (b) (6) remained in the hospital (constant care) for the next 5 days. He was given IV fluids, anti-nausea meds, antibiotics, benadryl, pepcid ac, ultrasound, barium. Dog is still not doing well.
waggin train	Dog	Retriever - Labrador	8	Years	Male	90	Pound	(b) (6) stopped eating and was just laying down for a couple of days, we thought he was just sick to his stomach or something. we took him to the vet on third day, he was extremely dehydrated and had a high temperature 105 degrees. the local vet could not figure out what was wrong, we had to bring him to sacramento and they still did not exactly know what was wrong. they thought something was wrong with his liver but thought it was an infection so he was receiving antibiotics and iv's but after 4 or 5 days he seemed fine again. when we got him back again we came home and saw an article on the internet about dog treats from china making dogs sick but it didn't mention any certain brands. we looked in the cabinet and saw we had some waggin train treats that we had just got from our local store (grocery outlet) that were made in china so we threw them away. Now we realize that these are the same ones that are being identified as being a problem and by the way are still being sold at the store. we spent over \$5000 getting (b) (6) back to health which he is but he was close to death due to these tainted products.
Waggin Train Chicken Tenders	Dog	Chihuahua	2	Years	Female	10	Pound	My dog had been eating Waggin Train Chicken Tenders as treats. She became lethargic, having vomiting, diarrhea, increased thirst, seizures, and her tongue turned black. Once at the vet she had the highest BUN/Creatinine levels the vet had ever seen in his career, her liver shut down, she began bruising, and dropped her core temp to 90.0 degrees. She was an inside dog and was always supervised on walks. She did not come into contact with any toxins.
Dogswell Vitality Chicken Tenders	Dog	Sheepdog - Shetland	13	Years	Male	24	Pound	sudden onset of vomiting then diarrhea the next week dx with "Bells Palsy" due to 3rd eye lid and eye retraction.
dogswell vitality chicken tenders	Dog	Sheepdog - Shetland	10	Years	Male	35	Pound	sudden diarrhea with blood cholecystitis after ingesting chicken tenders
Kingdom Pets All Natural Ingredients Chicken & Sweet Potato	Dog	Retriever - Labrador	9	Years	Male	90	Pound	Our Malamute, (b) (6), vomited and we are always sensitive to his health needs. We called the vet and were told that sometimes Rimadyl can cause an upset stomach and we might want to consider something like Prilosec. However, (b) (6) had been on the Rimadyl for quite some time, and, within a day, (b) (6), a healthy 9 year old Black Lab, not on any medication, also vomited. Right after that we read about a report concerning chicken treats from China and we were giving each dog one chicken and sweet potato jerky treat several evenings per week. We discontinued and they didn't get sick again.
Kingdom Pets All Natural Ingredients Chicken & Sweet Potato	Dog	Alaskan Malamute	10	Years	Male	100	Pound	(b) (6) vomited and we are always sensitive to his health needs. We called the vet and were told that sometimes Rimadyl can cause an upset stomach and we might want to consider something like Prilosec. However, (b) (6) had been on the Rimadyl for quite some time, and, within a day, our other dog, a healthy 9 year old Black Lab, not on any medication, also vomited. Right after that we read about a report concerning chicken treats from China and we were giving each dog one chicken and sweet potato jerky treat each evening. We discontinued and they didn't get sick again.
mini Dingo--Meat in the Middle! Beefy, Canyon Creek Ranch Brand Franks, Mini Dingo Meat in the Middle! Beefy	Dog	Havanese	1	Years	Female	11	Pound	Patient was vomiting and inappetent for 48 hrs. Bloodwork revealed moderate AST and ALT elevations. Bile acid assay results WNL. Started IV fluids, gastroprotectants, liver supplements. Patient started eating 36 hrs after hospitalization, no vomiting for 48 hrs.

Smokehouse	Dog	Hound - Italian	12	Years	Female	16	Pound	(b) (6) was jumping from a foot stool to the sofa, collided with my Chinese Crested dog and fell to the tile floor, twisting her left hind leg. We took her to our vet who did x-rays and ruled out fracture. Three days later, her left inner thigh was badly bruised and severe swelling to her lower leg. We returned to the vet and blood and urine tests revealed elevated kidney levels. The fall and the elevated kidney levels are coincidental. The cause of the bruising to thigh and swelling of the lower leg remain undiagnosed. However, in this process, the vet asked me if I give my dogs chicken jerky treats and we do. Our dogs love them so we buy them by the case since we have three dogs. And, yes, I do give them more than the recommended serving per day. I'm not sure how much but probably 4 per dog per day. We have not done blood and urine tests on the other two dogs yet.
Milo's Chicken Chicken Jerky Treats	Dog	Mixed (Dog)	2	Years	Female	14	Pound	I had purchased chicken jerky as treats. Within a few weeks she began vomiting, had diarrhea, loss of appetite. The only thing she would eat is the chicken jerky - Milo's Kitchen. I searched the internet to see if I could find anything out. I read about chicken jerky chicken making pets sick. I immediately stopped giving her the jerky treats and disposed of the rest of the package. I took her to the vet and they ran a multitude of tests. I still haven't rec'd the test results for Fanconi Syndrome, but the other tests came back good. Within a few days of stopping the treats she began to eat her regular food again and stopped vomiting.
Canyon Creek Ranch brand *natural* Chicken Tenders	Dog	Terrier - West Highland White	6	Years	Male	18	Pound	He began passing blood and became lethargic, acting very weak. We took him to our vet which did some quick tests and said "something toxic was in his system" and had us rush him to the (b) (6) (located in (b) (6)), as the dog's primary local vet said he was bleeding too quickly. He was admitted Feb 21, 2012 (had been exhibiting the blood loss, loss of appetite and lethargy for a couple of days prior). He remained in the intensive care for a few days and was FORTUNATELY saved and returned to us at a cost of \$2,500 (which we were glad to pay). Product was a chicken jerky treat, "Canyon Creek Ranch" brand, produced in China. Lot No. g1cA4947a is printed on the package. (We threw it away). The address on the package is Canyon Creek Ranch, Anderson, South Carolina 29623.... Phone # 1-877-376-0101 and email info@ccrtreats.com. I have recently read that there is a wide spread issue with pet treats based on chicken coming out of China and causing health issues, notably kidney failure. I wanted to report this to add what info I could to your database.
Milo's kitchen home style dog treats chicken jerky	Dog	Bichon Frise	3		Male	8		BLOOD in his stole and diarrhea. drinks alto pee's a lot.
waggin train	Dog	Bulldog	8	Years	Male	58	Pound	Passed away a week after consuming waggin train jerky treats.
Waggin' Train country ham, Waggin' Train wholesome chicken jerky tenders chicken dog treats, Waggin' Train jerky tenders ham	Dog	Shepherd Dog - German	12	Years	Male			I started giving my at the time 11 year-old male German Sheperd "Waggin' Train" dog treats in early 2011. There are 3 varieties I've given my dog: jerky tenders chicken, jerky tenders ham, and country ham. I give him about 3-5 pieces everyday. Ever since he started eating these treats, he began to have diarrhea periodically, sometimes accompanied by vomitting. The diarrhea alway has a sudden onset, and is very severe. My dog has to go as often as 6 times a night. The stool is always watery. The vomit is always yellow in color and appears foamy. For the one year my dog had the Waggin' Train treats, he rapidly lost ~20 lbs. He has developed hip and joint problems. He has difficulty walking now, and he falls often. He exhibits lethargy. During his waking hours, he moans and cries, indicating to me that he is in pain.
Tail Waggon Treats	Dog	Shepherd Dog - Australian	7	Years	Male	38	Pound	Our dogs was given 2 of the Tail Waggon Chicken Jerky Treats. Yellow diarrhea throughout the day and night for 3 days. On 2nd day stopped kibble and gave chicken and rice, and Vet gave antibiotics. Currently 6th day, still on antibiotics and chicken and rice. Diarrhea has stopped but not back to normal yet.
Waggin Train Jerky Tenders	Dog	Poodle (unspecified)	5	Years	Female	12	Pound	She is actually a schnoodle Schnauzer/Poodle mix. We gave her 2-3 chicken jerky treats every day, for a couple of years. She started having siezures, we took her to our vet who tested her and said her liver enzymes were elevated and she was dehydrated. We stopped giving her the chicken chews and she fully recovered in about two weeks and has had no signs of any problems since, and that was approx. 1 year ago. The other symptom she had was chronic diarrhea every day for years until we stopped giving her the treats and her diarrhea also resolved

Lick Your Chops Treat Umms	Dog	Akita	1	Years	Male	90	Pound	<p>I took a trip to Portland where I purchased both a new brand of dog food (Taste of the Wild, made by the same manufacturer as his previous reliable dog food, Premium Edge) and a new kind of dog treat (Lick Your Chops Treat Umms, which are a bit of sweet potato wrapped in chicken jerky. These treats are made in China.) to get through our extended visit. During the visit my dog became a little lethargic, which I originally attributed to him missing home. When we returned home I retained the dog treats to use as rewards periodically. (b) (6) became more lethargic, and acted depressed. I attributed this to him missing his best dog friend, who has temporarily moved out of town. About a week after having been home and a few days after using the last treat, I noticed (b) (6) straining to urinate. When I looked he was passing blood instead of urine. I took him to the vet immediately, where he had a urine sample taken and tested for bacterial infection and possible stones. No harmful bacteria were found, some struvite crystals were found. The vet did not leave complete information on my voicemail, the dog was taken in for x-rays a few days later, and ended up with a vet who does not usually see him. No abnormalities were found on the x-ray, but the dog continued to be lethargic and sick. Further discussion with my preferred veterinarian revealed that his urine Ph had been 8.5. I addressed the problem with a complete change of diet and by pushing liquids on him (in the form of chicken broth and heavily watered down wet dog food) and a powdered additive to his food intended to reacidify his personal Ph. Prior to the veterinary visit where he had the x-ray he stopped drinking water altogether. About a month of extremely watered down wet food gradually moving to unwatered wet food and now a new type of kibble, and he has finally gotten his health back. He is playing again, drinking and urinating normally and seems to be happier.</p> <p>I did not know about potential problems with chicken treats from China until a few days ago from today. I saw a warning poster at my local dog self-wash place and something clicked. The poster described a lot of the symptoms that my dog exhibited that had previously been just scary and a little mysterious. I am not 100% certain that it was the treats that caused the problem since we also had changed his food simultaneously, however since the food came from the same company that manufactured his previously regular food *and* there are known problems with some chicken jerky treats from China, I am about 90% certain that the treats were what caused the problem. I have not yet had a chance to update my veterinarian about my suspicions. I believe he has recovered completely, but I have chosen "recovering" below as I am still a little nervous about a relapse. I am never going to give him treats made outside of the US again.</p>
Kingdom pets chicken jerky	Dog	Mixed (Dog)	6	Years		75	Pound	She became sick to her stomach. Won't eat, drink. Won't move. Has trouble getting up.
canyon creek ranch duck tenders/gateries de canard	Dog	Poodle - Miniature	9	Years	Male	18	Pound	diarhea for 2 weeks, lethargy. lack of appetite. throw up....
Waggin' Train	Dog	Dachshund - Miniature	10	Years	Female	14	Pound	On the night of 3/14/12 she puked multiple times about 30 minutes after consuming 1 treat. She continued to the next day by not eating and only drinking water, she is also very lethargic and will not move at all, even for water. She had to be carried outside and peed where she was placed. She had diarrhea that night as well. She was also very hot. We took her to the vet on 3/16/12 and had IV fluids hooked up to her for 3 hours. She was prescribed medication (.25 Metronidazole 250mg Tablet 2x daily and .25 Sucralfate 1gm Tablet 2x daily) Sadly I do not have the money to be able to have her tested throughly, the vet wanted to do an internal organ screening, blood work, and urine analysis but for now we are doing the treatment plan without being diagnosed. She did perk up and was moving around after the IV fluids but is now back to not moving and still has not eaten anything, this only 2 hours later.
Healthy Select chicken breast strip treats.	Dog	Mixed (Dog)	10	Years	Male	63	Pound	This may be nothing as my other dog did not react but I fed them both Healthy Select chicken breast strips. I read that they were not from China so I thought it was Ok and maybe they are. Maybe a week or so after purchase and them eating the treats my one dog became lethargic and was falling on his hind legs. I took him to the vet and the vet put him on antibiotics. Hes since been to the vet again with a slight fever and another round of antibiotics. He has lost 13 lbs. 63 to 50 and is drooling and has abnormal bowel movements and sometime seems to want to vomit but doesnt. He got sick on Jan 23 and still isnt well but a bit better than a few weeks ago. I should have went with my gut feeling as the jerkey is brittle and dry. Again maybe nothing but wanted to make a report. I purchased them at Petco.
Chicken Jerky purchased at Costco	Dog	Mixed (Dog)	8		Male	30	Pound	My dog was diagnosed with an autoimmune blood disorder and almost died. He now takes prednisone daily.
Waggin Train Jerky tenders	Dog	Mixed (Dog)	7	Years	Female	50	Pound	Began to throw up blood and have bloody stools. Had to be hospitalized. Would not eat for almost 3 days.
waggin train jerky tenders	Dog	Unknown			Female			we purchased Waggin Train chicken jerky as a low carb treat to reward (b) (6) for taking her insulin shot. We started giving her the treats around November. We saw a report online that these treats have been associated with kidney issues in dogs, so we started breaking the treats into thirds to make sure that she wasnt getting too much of them. However, today we came home to find her dripping blood from her vaginal area, and she had urinated in two locations in the house. She is urinating frequently.
Canyon Creek Ranch Duck Jerky	Dog	Beagle	5	Years	Male	25	Pound	I fed (b) (6) the treats. He is fully potty trained and hasn't had an accident in the home since he was a puppy. (b) (6) began to urinate in the house, was not able to hold his bladder. He was lathargic and need to constantly drink water. He drank 5 times the amount of water he would typically need to drink. (b) (6) also would lose his bladder while he was sleeping. (b) (6) would indicate he needed to use the bathroom constantly (up to 5 times more than normal).

Milo's Kitchen Chicken Jerky	Dog	Maltese	1	Years	Male	7	Pound	After giving my dog Milo's Kitchen Chicken Jerky dog treats for a few days he began acting very ill. He stopped eating all food and would not drink water... after the first day he started to act lethargic and did not want to go outside or play at all... the end of the second day he started drinking water again and then on the third day he started eating small amounts of wet food... I stopped giving him the treats the first day that I saw he was ill and he slowly got better over about a week.. he is now back to himself and is eating normally.
Waggin' Train Jerky Tenders	Dog	Pit Bull	8	Years	Female	65	Pound	She began throwing up daily. We saw
Waggin Train Wholesome Chicken Jerky Bites Filets and Chicken wrapped Yams, Waggin Train Wholesome Chicken Jerky Bites	Dog	Maltese	3	Years	Male	12	Pound	(b) (6) has been acting like he does not feel good. He is lathargic, and has developed bad breath and constant gas. He usually is an energetic and playful dog, he has no energy. Wagon Tails Chicken Jerky is the ONLY treat (b) (6) will eat and I have been giving him one or two daily since last summer, maybe July. In January I switched him to MILO Chicken Jerky treats and he has been getting diaraha and spends the day sleeping. They seemed to make him sicker. As a result of his sewer breath, and on the advice of my vet, I stopped the treats about 2 weeks ago and (b) (6) is a new dog. He has no more bad breath or gas and is no longer acting sick and sleeping all day. Evidently they were making him sick.
waggin train jerky tenders	Dog	Terrier - Yorkshire	5	Years	Male	17	Pound	feed chicken jerky treat made in china and became very sick
Waggin Train	Dog	Mixed (Dog)	4	Years	Male	51	Pound	(b) (6) was give Waggin Train for the past month (first time administerd). On 2/14/2012 he came in for signs of anorexia, lethargy and vomiting. Bloodwork revealed an acute renal failure. Leptospirosis titer was negative and was also negative for lymes disease. It is supsected that this patient was affected from Falconi syndrome secondary to ingestion of the Waggin Train treats.
Chicken Fillets Nautral Dog Treats								My small dog age 10 who was healthy went into renal failure and died fairly suddenly. He was loosing weight over a short period. The chicken jerky pet treats were his favorite and he got one or half at least every day. My niece mentioned that she saw an article on the inner net about the treats and when I started checking when he was suddenly sick it really made me and our vet wonder. The treats I bought came from China which is a common factor in all the articles. My vet has since given me several related articles.
pet king chicken jerkey tidbits, Everpet steak snacks	Dog	Chihuahua	8		Female	3		her appetite changed,her urine became frequent and dark strong odor,couldnt get enough water,then came seizures,result....death on march 12 2012
Waggin' Tails JERKY TREATS	Dog	Poodle - Standard	7	Years	Male	80	Pound	(b) (6) began having diarrhea and itching. Saw vet 11/19/11. Medication given and health improved. Diarrhea returned off and on so limited diet to two feedings of dog food only - no treats. On 2/14/12 S (b) (6) could barely get up and walk, head and back down, eyes dull, acted as if in pain or severely depressed. Took immediately to vet and given medicine, no treats, lots of rest, slowly got better, eyes still not back to previous shine. Read report yesterday and connected symptoms to being given treats on infrequent basis.
Waggin Train Chicken Jerky Tenders	Dog	Siberian Husky	10	Years	Female	40	Pound	Vomiting, diarrhea, lathargic, loss of appetite.
Waggin Train Jerky Tenders	Dog	Bulldog	2	Years	Male	70	Pound	I can't say this is because of the jerky treats, but given the known issues with Waggin Train chicken jerky I wanted to report it. Our dog typically eats 1-2 jerky treats daily and has been for some time. Recently he developed an irregularly shaped balding spot on one of his sides. It's not symmetrical and shows no other signs of issue. He acts normally, has normal eating, activity levels, and pooping habits. Regardless of the hair-loss cause, I also wanted to report this in case the specific lot of Waggin Train treats could be added to the investigation. I've read that the FDA is encouraging people to report and potentially submit products for testing. We currently have the following jerky treats/lots in our possession: Waggin Train Chicken Jerky, Lot # W1NJ127A Cadet Duck Breast Treats, # 08 15 2013 148. 4 (no other ID on the packing).
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Great Pyrenees	5	Years	Male	131	Pound	we received a sample package of Waggin Train wholesome chicken jerky tenders in a bag of Beneful dog food. We gave one piece each to both of our dogs in the morning and another piece to both dogs in the afternoon late Jan/early Feb (b) (6) our male dog got sick on 2/7/12 and we took him to the emergency vet as he was very lathergic and vomited. He was given blood test and x-rays and placed on IV for dehydration, antiboitics and steriods for increased WBC and renal insufficiency. We did a follow-up visit to our regular vet and continued on Antiboitics and steriods for two weeks and slowly weened him off of the Steriods. On 3/10/12 we purchased another bag of beneful dog food and again received a sample of the Waggin Train wholesome chicken Jerky treats. As before we gave each dog one piece in the morning and one piece in the afternoon. On Sunday 3/11/12 (b) (6) was acting normal all morning then suddenly walked into the bedroom, laid down, had a seizure and died within minutes. We never had a chance to call the vet or to get him any help.
Milo's Kitchen Chicken Jerky	Dog	Rottweiler	3	Years	Male	80	Pound	I purchased Milo's Kitchen chicken jerky for my dogs. Due to the size of the jerky, I only gave it to my Rottweiler. Sometime later, I believe the same day he became ill and vomited and had very loose stool. He seemed ill, but my other dog was fine. The only difference in the two was that he ate the jerky. When I opened the package it smelled bad, but I chalked it up to being a dog treat. I thought that maybe the treat was too rich for him and I did not give him any more. Subsequently, about a month later I read that chicken jerky was making dogs sick. I did not see Milo's kitchen on the list, but had a feeling it made him sick. Sure enough, it is now on the list. I guarantee you that this treat made my dog sick, I knew it immediately. I do not know the actual date so the dates below are a guess.

Waggin' Train Jerky Tenders (chicken)	Dog	Lhasa Apso	5	Years	Female	17	Pound	Opened a new bag of Waggin Train chicken tenders and fed 3 portions to (b) (6). She developed severe mucus type diarrhea that same day which lasted for 7 days. She also began vomiting on day 4. I had been giving her 3 treats a day for 6 days until I saw the article online about the treats. I ceased and took her immediately to the vet who gave her a shot to stop the diarrhea. She was dehydrated, running a fever and drinking alot of water.
Waggin' Train Jerky Tenders	Dog	Lhasa Apso	6	Years	Male	30	Pound	Opened a new bag of Waggin Train chicken tenders and fed 3 portions to (b) (6) He developed severe mucus type diarrhea that same day which lasted for 7 days. I had been giving him 3 treats a day for 6 days until I saw the article online about the treats. I ceased and took him immediately to the vet who gave him a shot to stop the diarrhea. He was severely dehydrated and drinking alot of water.
Milo's Kitchen Home-Style Dog Treats (Beef Sausage Slices with Rice)								I have the most pick-e-ist dog ever. He is just a little 2lb dog, almost a year old, so he's still basically a puppy. I have went through so many different kinds of dog treats, from different flavors, to textures, brands, etc. I finally found one that he absolutely loves. Milo's Kitchen Home style Dog Treats made by Del Monte. Due to the cost of them, I just cut them in smaller pieces and give him maybe 2 quarters of a piece a day. He has been eating these for around 3 months, but over the last 2 weeks, he has been acting very sick, decreased appetite, not aggressive and not playful like a puppy of his age should be, and like he normally was a few months ago. I was driving to work this morning and heard on the radio that they were doing a recall on the pacific dog treats he eats! I freaked out. Researched the side affects and found out that all of symptoms he was having were the same side effects other pet owners were experiencing with their dogs with the same exact treats! I want the FDA to help me and other pet owners take these treats completely off the shelves! Many pet owners were not so lucky and their pets actually had kidney failure and passed away; And I tell Del Monte what, if something serious like that were to happen to my dog, I would have sued the company! You can never replace a pet, nobody can put a price on my dog. I love him as if he was my own child! Please help me/us with this concern!
Milo's Kitchen Chicken Jerky Strips Dog Treats	Dog	Shih Tzu	####	Years	Mixed Population of Female and Male		Pound	I have bought Milo's Kitchen Chicken treats in the pass and noticed that some of my dogs became sick and vomited shortly after eating them. I stopped giving the treat to them for several weeks following this incident. Again I started giving them the treats but this time the 10 year old became very ill, vomiting, sleeping all the time, little movement and not wanting to eat or drink. I became very worried when it seemed she would not go to the restroom. I then told my husband she acted like her kidneys were shutting down. Her eyes looked as if she was sick. This dog had been very healthy and never had a health problem. A very playful dog. Then another one of my dogs started vomiting. I now became very worried. It just happened my sister called me and she has the same type of dogs and I told her what was going on. She asked me what treats I was giving to them, and when I told her Milo's, she then told me to go to the internet and look up contaminated dog treats. I put this all together and realized their symptoms were what was described on the internet. Luckily I haven't given them this treat now for over 4 days and the 10 year old is now eating and starting to get back on her feet. The other dogs seemed to recover. I hope they don't have upcoming issues due to this product. I returned product to the store and gave them a copy of what the FDA had printed on their web site.
Waggin Train Jerky Tenders	Dog	Maltese	1	Years	Male	10	Pound	Dog started vomiting with diarrhea for several days and was lethargic. We took him to Vet ((b) (6)) - blood tests and sonigram were done - slightly enlarged pancreas w/ slighty low glucose levels - thought the dog had a mild case of pancreatitis. Dog was placed on anti-vomiting / anti-diarrhea meds. Dog stopped eating but would still drink water. 2 days later the dog would not eat or drink anything. We took dog back to (b) (6) where he was administered hydrating IV. He remained at (b) (6) e for 2 days. Dog was not eating or drinking & was extremely lethagic. Dog was transferred to VSH ((b) (6)) where he was admitted to the ICU for 2 days. Dog was placed on hydrating IV, more blood tests and another sonigram. Diagnosis was "equivocal evidence of mild pancreatitis but the diagnosis is open with no other remarkable findings". Report indicates no conclusive evidence of pancreatitis or other underlying disease noted on ultrasound. Doctors could not see anything that would cause dog to be in the current condition. VSH vets put in esophagostomy feeding tube - dog came home. It has now been 6 days since dog has been home. Dog has eaten 3 small pieces of chicken and 2 nuggets of dog food but nothing else. Initially dog drank a little water but is not drinking water anymore. Dog is not quite as lethargic but can't make it up a full flight of stairs by himself. He just turned 1 year old and was, before this, a bundle of energy.
Milo's Kitchen Chicken Jerky, Waggin Train Wholesome Chicken Jerky Tenders - Chicken Dog Treats	Dog	Mixed (Dog)	9	Years	Male	35	Pound	3/6/12 Dog vomited food - Onset diarrhea - 3/7/12 Despite withholding food vomiting continued - diarrhea became bloody - made vet appt. - Seen by vet 3/8/12 - presumptive diagnosis Fanconi syndrome due to chicken jerky from China - blood work drawn - results on 3/9/12 showed severe pancreatits - plus renal and liver failure - As of 3/10/12 still on IV fluids - nothing by mouth - vomiting and diarrhea continue - lethargic - hospitalized at vet clinic - continued on a downward course despite best efforts by vet - euthanized 3/14/12 having labored breathing, unresponsive, unable to reposition self, in pain
Waggin Train wholesome chicken Jerky Tenders Chicken Dog Treats	Dog	Shepherd Dog - German	6	Months	Female	46	Pound	The dog got severe diarreah every time she ate one of the treats.
Beefeaters Chicken Fillets	Dog	Poodle - Medium size	3	Years	Female	12	Pound	Purchased product at local store. (b) (6) became excessively thirsty and urinating, developed diarrhea lasting over a week. Discovered issue with Chinese Chicken treats, which these are.
WAGGIN' TRAIN	Dog	Mixed (Dog)	3	Years	Female	9	Pound	Dog started vomiting, took to vet and blood and urine tests were done, showed increased urea nitrogen and creatine levels. Hydrated for one week with Lactated Ringer's Solution, 200mg per day. Dog has recovered, but vet did not know for sure what it was caused by.

Milo's Kitchen home-style treats Beef Jerky, Milo's Kitchen home-style dog treats Chicken Meatballs, Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Greyhound - Italian	9	Years	Female	16	Pound	First time purchase of Milo Kitchen homestyle dog treats - 3 different varieties, chicken jerky, chicken meatball and beef jerky from PetSmart store in (b) (6). Approx 4 1/2 days after feeding to dogs as treat (supplemental to regular diet) dog started having vomiting, diarrhea, decreased activity. vomiting lasted 2 1/2 days. diarrhea continues to date. activity and appetite slowly improving. This affected 2 of my 3 dogs in same manner. (sent previous report today on 1st dog); (Also 3rd dog has decreased appetite.)
Milos Kitchen Chicken Jerky	Dog	Terrier - Jack Russell	11	Years	Male	22	Pound	Taken to the vet due to lack of eating; breathing shallow, listless and lack of energy and extreme thirst. Illness began on a Sunday, we took to his vet on Wednesday (results inconclusive although his white blood cells appeared to be eating his red blood cells). Died suddenly in the morning 3 days later, after apparent gasping for aid and his sides heaving.
wagon trails chicken jerky treat	Dog	Terrier - Boston	10	Years	Male	25	Pound	(b) (6) was given a wagon's tails chicken jerky treat and he vomited a little after eating, about an hour, in the evening. He acted like his stomach was bothering him and he was laying down a lot. I did not think much of it because it has happened in the past and he was fine the next day. the next morning he got up and i saw phlegm on bedroom floor with a little blood in it. (b) (6) was laying in the hallway when i left the bedroom and as i was talking to him he got up and staggered away from with blood dripping from his rectum. i followed in my wheelchair and saw him lay down on the rug in the livingroom and now coagulated blood was draining from his rectum. I called my vet to let him know i was bringing him in and put my leg on and grabbed (b) (6). At this point he was limp in my arms. In the car he was in shock, barely breathing and i thought he had died. We get the the vet and they start triaging him to get him stable, they put oxygen on him, got an iv started and brought him back, i almost put him down but they were able to bring him back, he then spent the next three days in the icu at the university of minnesota veterinary hospital. he had acute hemmorrhagic gastritis and they said it was a close call and i got him in in time. I also talke to my neighbor about this and her golden retriever would throw up after eating chicken jerky treats also but it never got as bad As it did for (b) (6). they no longer give the treat to their dog either.
Milos kitchen chicken jerky, Milos kitchen Chicken Meatballs	Dog	Terrier - Jack Russell	8	Years	Female	20	Pound	I had bought Milos Kitchen Chicken meatballs,as well as Milos kitchen chicken jerky within 2 weeks prior to her going into sudden kidney failiure. About a week after eating,she began lack of appitite and less energy. about a week after that she had vomiting occasionally. 2/08/12 she began more frequent vomiting and less activity/lethargy. She was rushed to the vets on 2/10/12 thinking it was a stomach bug,and was diagnosed with kidney failure and had to be put to sleep.
Freshies Supreme Green Dental Bones	Dog	Schnauzer - Miniature	3	Years	Female	20	Pound	The kind of dental bones I got for (b) (6) are Freshies Supreme Green Dental Bones by Waggin' Train and I think they made her deathly ill. I had given her 4 of them on different days (I purchased them on 2/26) and nothing happened but this time on 3/4/12 I gave her one in the evening and around 4 a.m. she threw up and the vomit was full of green chunks like these bones. After throwing up she had bloody stool and this continued until the morning when I took her to the vet, she had another bloody stool there so they kept her to put her on IV so she would not get dehydrated. When I got home I looked at the back of the package and read they are made in China. I called the Waggin' Train people and they took a report on it and even called my Vet for details of her treatment, they said they are gonna send an envelope for me to enclose a couple of the bones to research them. Really scary and now I am not going to give (b) (6) any more treats at all. Just her dog food from now on. that's all.(b) (6) spent a whole day at the vet and in the evening she had to stay at the hospital and the next day at the vet until 3 p.m. (cost was \$515.21) all this because I thought these green chew bones would be good for her teeth.
Waggin' Train Jerky Tenders								My 11 year old Sheltie was given Wagon Train jerky tender treats beginning last December. In January 2012 she was diagnosed with renal failure and was hospitalized for 4 days. She was significantly hypertensive and suffered from inappetence which persisted post hospital discharge. While now "improved" she continues to require daily infusion therapy, 2 antihypertensive medications twice daily and gastric acid secretion supressants prior to meals. She lost considerable weight during her illness and has kidney diet food restrictions. Adding insult to injury is that (b) (6) has significant hip arthritis which was very well controlled with Rimadyl. Given her renal compromise she can no longer take the Rimadyl and is in constant pain. Sadly, her tail is no longer Waggin'
Natural Chicken Fillets Waggin' Train Wholesome Chicken Jerky Tenders 97% Fat Free	Dog	Retriever - Labrador	12	Years	Male	65	Pound	Behavior has been noticed of the increased water consumption and urination, diarrhea, and listlessness since we have been giving him the treats. March 8, 2012, took to the vet for blood work, health exam, etc. Tests showed liver is in the red danger zone. The dog is being treated and will be going in for another visit in two weeks to see if there is any improvement.
Milo's Kitchen Home-style dog treats Beef Jerky, Milo's Kitchen Homestyle Dog Treats Chicken Jerky, Milo's Kitchen Home-style dog treats Chicken Meatballs	Dog	Greyhound - Italian	11	Years	Male	18	Pound	Purchased Milo's Kitchen treats, Chicken Jerky, Chicken Meatballs and Beef Jerky for the first time from PetSmart of (b) (6) (in East Gate Shopping Center). Dogs had never had product before. Given product last Tuesday 3/6/12 as treat for following 4 days; On 3/10/12 my male dog began vomiting multiple times thru Monday am 3/12/12; Also, with persistent diarrhea, decreased activity; increased thirst; Appetite continues to be decreased although vomiting has ceased after 48 hours, Diarrhea continues to date; Took dog to my Veterinarian 3/15/12 due to symptoms for thorough exam and to check lab work (kidney panel, urinalysis etc); Awaiting results of lab work.
Waggin Tails Chicken Jerky	Dog	Beagle	10	Years	Female	26	Pound	In November, (b) (6) started having frequent urination problems; the vetrinarian diagnosed kidney failure. (b) (6) died the end of January. Although both my dogs got the treats; the other dog (black lab) did not get them as frequently as she is overweight.

Milos Kitchen home-sytle dog treats Chicken jerky	Dog	Shih Tzu	9	Years	Male	16	(b) (6) was in a panic to go outside to urinate and defecate last week.I didnt give him any treats for a few days and gave him a piece of one last night and within 15 mins.he wanted to go outside to eat grass and vomit.I have called my vet and he is going to check him out
Dogswell Breathies and Catswell Breathies chicken breast jerky treats	Cat	Ocicat	7	Years	Male	14	Pound March 7 (b) (6) woke up in severe pain. Vet found glucose levels in urine to be 1000. Diagnosed as diabetic and was sent home to administer insulin once a day. Upon checking his blood glucose levels it was discovered they were in the 60-100 range so i stopped insulin treatments. I have been trying to determine what could have caused this issue. Upon reading an article re: chicken Jerkey i realized that my cat and dogs are eating the same companies product under the Breathies Brand name and that they can cause Fanconi disease in dogs and cats. I am contacting my vet for test results and to test my dogs asap
Milo's kitchen chicken jerky	Dog	Terrier - Jack Russell	13	Years	Male	15	Pound A few days after finishing the pouch (shared with our 5 yr old golden) he started bleeding rectally, this has now happened twice with in a 12 hour period, diarrhea has also accompanied the blood, along with a mucas discharge.
WAGGON TAILS CHICKEN JERCKY	Dog	Retriever - Labrador	####	Years	Female	75	Pound SEVERE DIAREA, LETHARGIC. TOOK OVER 24 HOURS TO RECOVER FOR 3 OF THEM, 3 DAYS FOR THE OLDER DOG
Kingdom Pets chicken Jerky	Dog	Beagle	12	Years	Male	53	Pound (b) (6) is my friend's dog and he came over and was given about 4 Kingdom pets chicken jerky at night. The following day he "exploded' according to my friend: Diarrhea (With some blood), lethargy, weakness, thirst, and a momentary disinterest in food.
Waggin Train CHicken Jerky Tenders	Dog	Newfoundland	1	Years	Female	100	Pound After she ate Waggin Train Chicken Jerky she became lethargic. Later that evening she progressed to vomiting and diarrhea which lasted 2 days.
Kingdom Pets All natural ingredients chicken and sweet potato	Dog	Retriever - Labrador	12	Years	Female	64	Pound (b) (6) was given Kingdom Pets Chicken and sweet potato treats and vomited the next day. This happened on two days until we made the connection and stopped giving them to her. Since she had really like them so much, I bought Kingdom Pets Chicken Jerky hoping she wouldn't get sick from that. She threw up the next day and I never gave them to her again.
Waggin' Train chicken Jerky	Dog	Shepherd Dog - German	12	Years	Male	80	Pound He developed an autoimmune disease and kidney problems.
waggin train wholesome chicken jerky tenders	Dog	Beagle	11	Years	Female	25	Pound For the past year my dogs have been given as treats waggin treats chicken jerky for dogs made in China. Purchased at Walmart or Sam's Club.As of 3 weeks ago my 11 year old (b) (6) started drinking water ALL the time and not wanting to eat. She eats some but she had lost alot of weight. But the drinking very large amounts of water has not stopped at all. Always urinating large amounts also even accidents in the house which she had NEVER done before.My 4 year old (b) (6) which is Beagle and Walker mixed seems to be fine. I read about the Fanconi Syndrome which is one thing a animal can get eating these treats. I am not working and unable to take her to the vet. I called to get pricing but its \$40.00 office visit and \$70.00 for labs plus meds. I just can't afford it.
Wagginç Train chicken jerky treats	Dog	Dachshund - Miniature	7	Years	Male	22	Pound We have given our dog Wagginç Train chicken jerky treats once per day for the past 90 days. We noticed that his stool was loose and his BM deteriorated over the past 2 weeks. Last week we took him to our vet and our vet advised us to stop giving him treats and change his diet to cooked rice. Our vet also prescribed medication for our dog to be administered for 7-10 days. His condition has improved and we will NOT allow our dog to eat Wagginç Train chicken jerky treats.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pug	8	Years	Male	22	Pound We fed our dog approximately 3.5 oz of "Waggin' Train Brand Chicken Jerky Tenders" dog treats over the course of 4 days. On the final day of administration our dog suffered a Grand Mal Seizure. Our dog is perfectly healthy and has no known health defects. The dog has no history of seizures or food reactions. A veterinarian was contacted by phone at the time of the event. The veterinarian advised us to continue to observe the animal and to only bring the animal in for diagnosis should additional seizures occur. No further seizures were observed. The dog suffered from typical post seizure symptoms including: muscle weakness, disorientation, urination, and loss of bowls. Post seizure symptoms were observed for approximately 2 hours after the event. Unfortunately, the product packaging was not retained. The lot number is unknown. The product was purchased from a local Target store. The store product code is 083-04-2391. Unfortunately, I don't have the UPC code on hand.
Waggin' Train Chicken Jerky	Dog	Shepherd Dog - German	8	Years	Female	110	Pound Sudden onset of extreme lethargy. vomiting bile. Difficulty swallowing. shaky, stumbling gait.
Canyon Creek Ranch Brand Yam Good	Dog	Pointer - English Pointer	8	Years	Male	90	Pound Bought and fed treats to dog Saturday, 3/10/12. Dog vomited Sunday, 3/11/12 then suffered diarrhea through Monday, 3/12/12. Dog finally better morning of 3/13/12

Milos Kitchen home style dog treats Chicken Jerky	Dog	Chihuahua	3	Years	Female	11	Pound	Saw the product on KTLA news report this morning - 3/13/12. Three products were noted Milos Kitchen Chicken Jerky. A bag of this treat was eaten between 2/26 and 3/1 between both our pets - on 3/3 (b) (6) was taken to the vet - diareha, vomit and bloody spotty discharge. Was treated with electric water injections and antibiotic. The following Wednesday our smaller dog was taken to vet with same symptoms. I called customer service today at Milo's kitchen and told them issue - customer support was not aware of issue - no recall/FDA highest standards etc. Took claim information. Dogs are recovering they should not have been subjected to this or \$160 vet bills. I notified vet of issue as well.
Waggin tails jerky, Beneful	Dog	Retriever - Labrador	8		Female	63		On the nght of tues. jan31, 2012 reese started huffing. Sob. Took her in on wed and was told they believed she had another urinary tract infection. Labs were done. The next day rec'd prescription for an infection. Amoxicillan. I dont remember. But i think wbc in urine. By saturday no improvement a
Waggin' Train Chicken Jerky Tenders	Dog	Basset - Griffon Vendeen Large	8	Years	Male	119	Pound	After opening a new container of Waggin' Train jerky Tenders and giving two to him, he got sick (Diarrhea, vomitting, and ran a high fever. After three days, we took him to the vet and they ran several tests (blood and stool). The results of a PCR test indicated that he had a viral problem. The vet hyper-hydrodated him and administrated several antibiotics. After a week and full course of treatment, he recovered quickly. The vet said that the treats were the cause of the problem.
milos kitchen home style dog treats chicken jerky								bought milos kitchen chicken jerky at walmart..product code 1268hvb...since my puppy has been eating them he now has had bad intestinal issues like severe gas and diarrhea that has lasted for days...he doesnt have much of an appetite either....read on the internet that there had been a recall on 3 main brands and i checked into it and then saw milos kitchen is also in the list of complaints, so that is why i have decided to report my dogs issues from eating this jerky...
Waggin Train Jerky Tenders	Dog	Basenji	11	Years	Female	32	Pound	Dog became ill and ate irregularly... was taken to the vet and tested twice. Diagnosed with liver failure. She died within 3 months. She was regularly eating her favorite treat, chicken jerky strips. The Waggin Train Jerky Tenders and the large bag sold at Costco, not sure what they are called.
Waggin Train Chicken Jerky	Dog	Shepherd Dog - German	2	Years	Female	75	Pound	A new bag of Jerky was bought. The bag was opened and (b) (6) was given two pieces. The next morning she was given two more pieces. (b) (6) then got sick that afternoon.
Waggin Train Chicken Jerky	Dog	Shepherd Dog - German	2	Years	Female	80		A new bag of Waggin Train Chicken Jerky was opened. The dog was given two pieces. The next day she became sick. She threw up and had diarrhea all afternoon. She drank a lot of water and did not move around a lot. She was not given any more jerky and the next day she was back to normal.
Milo Chicken Jerky								I am concerned with the product that Del Monte makes for pets. The Milo Chicken Jerky. It was brought to may attention that there may be a problem with this product. My uncle comes to visit every Sunday arriving with Milo Chicken Jerky(thinking it was all natural) to give to my dog as a treat. A few hours after receiving the jerky she would become sick. I would blame it on excitement, without knowing the numerous reports with the FDA on these dog treats. If it was a product that was making children sick the product would be recalled immediatly. Once I heard there may be a problem with these treats I went online immediatly and found that these treats have been reported to the FDA since 2007. Do we just ignore this problem because it is a pet problem. WHAT IS BEING DONE????
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Collie - Bearded	9	Years	Male	72	Pound	Both dogs ate Milo's Kitchen Chicken Jerky treats. Within 6 hours both dogs developed severe diarrhea; one of them vomited. Diarrhea lasted at least 2 days.
Milo's Kitchen home-style dog treats Chicken Meatballs	Dog	Chihuahua	11	Years	Male	8	Pound	Patient became lethargic, anorexic, began vomiting shortly after treats were started.
Canyon Creek Ranch Yams	Dog	Mixed (Dog)	11	Years	Female	35	Pound	My dog is experiencing polyuria, polydypsia, poor appetite, sluggishness for past week.
DOGSWELL Happy Hips Chicken Breast	Dog	Mixed (Dog)	10	Years	Female	37	Pound	I gave pieces of DOGSWELL chicken jerky (the one for joint care) to my dogs for about 3-4 weeks as a treat. (b) (6) consumed the most because the treats were high protein and low calorie, and at age 10 we were watching her weight. One morning she refused to eat breakfast. I assumed she had an intestinal infection but her stool was normal. She vomited 2-3 times, so I took her to our vet. An ultrasound showed inflamed pancreas and bloodwork showed values for phosphorus and creatinine extremely high and BUN elevated. After 4 days on IV fluids, the kidney numbers had gotten worse, not better, although (b) (6) was eating well and was active. We brought her home on Azodyl, aluminum hydroxide, Pepcid, and Science Diet KD dry and canned. But her numbers continued to rise. I began subcutaneous fluids twice a week, then every other day, then daily if needed. She had good days with no vomiting, but she was very tired and often refused food of any kind. On February 10 she seemed extremely subdued; on the 11th, after she vomited multiple times, refused food and liquids, and was clearly feeling very bad, we had her euthanized at a well-known and highly rated emergency clinic.
waggin train jerky tenders	Dog	Terrier - Rat	1	Hours	Female	10	Pound	a couple of hours after giving the treats both dogs became very ill throwing up and diarrea
Wagon Train chicken jerky	Dog	Retriever - Labrador	5	Years	Female	130	Pound	My dog (b) (6) was diagnosed with kidney failure and died 18 days later, my other dog (b) (6) died 6 weeks earlier from tumor on spleen

Waggin Trails	Dog	Retriever - Labrador	11	Years	Male	68	Pound	(b) (6) awoke one morning without an appetite. I immediately took him to the Vet, because he was a voracious eater. I knew he was ill. The Vet did some tests and found he had cancer of the spleen. I have never heard of dogs getting this type of cancer so I thought that if an unusually large amounts of dogs were dying of a cancer of the spleen and they were all eating Waggin Trails chicken treats then this information may be relevant.
Milo's Kitchen Chicken Jerky Strips Dog Treats	Dog	Hound - Pharaoh	6	Months	Female	30	Pound	Crated and heavily supervised puppy was given a complete clean bill of health from her doctor on March 3, 2012. Shopping that night, my husband and I picked up the large bag of Milo's Chicken Jerky treats. Every night, one hour after her dinner we would give her one piece to snack on while when we sat down to relax for the night. March 9th she stopped eating all meals and had diarrhea. Tried giving her homemade chicken and brown rice over the weekend; she would eat it but vomited it up completely undigested NINE hours later accompanied with more diarrhea. Took her to the doctor on March 12th who examined her and did x-rays. No blockage thankfully and no fever, however her stomach lining was swollen drastically from a "largely irritating substance". Two injections and an unexpected \$325 bill later, we're sent home with two antibiotics in hopes it will bring down the inflammation and she will heal. Last night was her first meal of again chicken and rice - hoping for recovery. Ironically read the article about Milo's jerky treats the day of the doctor visit and promptly threw them away as precaution.
Waggin' Train Chicken Jerky Treats	Dog	Boxer (German Boxer)	30	Months	Male	55		Loss of appetite and lack of energy. Minimal vomiting. Increased urination.
Waggin' Train Chicken Jerky Tenders	Dog	Boxer (German Boxer)	3	Years	Female	45		Animal suffers from loss of appetite, lack of energy and more frequent urination. Animal has also had an upset stomach as evidenced by increased attempts to eat grass. Some vomiting.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	2	Years	Male	70	Pound	the day after giving him about 4 of the Jerkey Treats he was sick to his stomach and ended up throwing up. we took him to the vet and they thought he had pancreatitis. We could not afford the \$1000 test to see if it was positive so opted to take him home with just pain medicine. He slowly got better in about a week. The only other thing he had eaten was his regular food and some home cooked roasted chicken. I had the Jerkey Treats in the back of my mind as I had heard stories about dogs getting sick but I thought I had bought mine from a reputable company (Costco) so I thought they would have taken the treats off the shelf if there was the slightest concern.
Waggin Tails Chicken Jerkey	Dog	Schnauzer - Miniature	8	Years	Male	22	Pound	For about two years, after I discovered they just loved it, every night I gave each of my three unrelated miniature schnauzers one piece of chicken jerkey purchased at Costco. The brand was Waggin Tails. Beginning in February 2011, then June, and then July, each one developed diabetes. The oldest, (b) (6), finally had to be put down as he also then went blind and lost his hearing. The other two are alive, one is blind, one also now has pancreatitis. They each require two insulin injections each day. They were in excellent health and have always been fed only good quality dog food. There is NO diabetes in their history per the breeder. the breeder is well known and shows and sells dogs all over the world. She would not misrepresent her puppies. We have had each one since a puppy.
Waggin Train Chicken Jerky Tenders	Dog	Other Canine/dog	10	Years	Female	10	Pound	Other than being mildly hypoglycemic, (b) (6) was a relatively healthy dog. We started giving her Wagging Tails chicken jerky (which we buy from Costco) in mid-2009. We also gave this treat to our other dog, China, but since she barely ate it, (b) (6) would also eat her share of the treats. It wasn't until June 2009 that we noticed (b) (6) suddenly started acting sick. She would constantly pee and it would smell like ammonia. She also started drinking a lot of water, but we weren't alarmed as we didn't know this could be a sign of disease. It wasn't until she suddenly started becoming fatigued and moping around did we realize something was serious. We immediately brought her to the vet who said she already had advanced stages of renal failure. They tried to treat it at the emergency hospital for four days but suggested that because of her intense suffering, we should put her to sleep. We did not want to do it but we saw she was deteriorating rapidly and was in so much pain that she no longer would eat or acknowledge us and hid under the table.
Waggin Train	Dog	Terrier - Yorkshire	7	Years	Male	8	Pound	(b) (6) started acting lethargic during the day. By evening he was shaking and hiding and running a fever. I took him to the vet in the middle of the night. They put him on fluids and antibiotics. For three days we thought we were going to lose him. They never narrowed it down to any one thing. The chicken jerky was the only thing I had done different. (b) (6) is a picky eater and he just happened to like the chicken jerky treats. It cost me \$1800.00 to try and save him. The vet and I discussed food poison. She said it was a possibility.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	14	Years	Female	63	Pound	She was fine and on Saturday morning she was given a Jerky treat after coming in from going out to go to the bathroom. Within several hours she began throwing up and by 11:00 pm that evening she began panting very heavily and having problems breathing. I rushed her to an emergency clinic where they kept her for 2 days because they were unable to determine what was wrong with her. I then transferred her to another animal hospital on Monday morning March 12, 2012. They determined that her heart was in V tach and they could not determine what the cause of it was. After giving her several injections of Lidocaine 2% and Procainamide HCL 100mg/ml they were not able to get her to get a regular heartbeat and she was having labored breathing and after several hours of an IV drip of Lidocaine the vet said that he was concerned with brain damage and multiple organ damage since her heart was only fluttering and not pumping for so long and he highly recommended that she be euthanized. We waited awhile longer hoping and praying that she would come out of it but she did not so we had no choice but to have her euthanized.
Dingo Brand Chicken Jerky Treats Waggin Train Chicken Jerky Canyon Creek Ranch Chicken Jerky Treats	Dog	Terrier - Fox Wire	12		Male	23	Pound	Kidney disease, excessive shaking, excessive thirst resulted.

Approx Milo Organic Chicken Jerky Treats	Dog	Retriever - Golden	18	Months	Female	75	Pound	<p>We gave (b) (6) a chicken jerky treat. Was the first time she ever had this product. About 24 hours later she developed a dangerously high fever and seizure symptoms. We brought her to the ER, as it was a Sunday.</p> <p>I purchased Milo's chicken jerky organic treats for my golden only once at a Stop & Shop on (b) (6), because I had a coupon. I am not sure of the exact date or timeframe, but I could easily get this information from the emergency services vet she saw. Within 24 hours she had developed a very high fever and was lethargic and developed some troubling seizure type behavior. I brought her to the ER. Her temp was over 105. I told them the only thing I had given her differently was the chicken jerky. They examined her and put her on antibiotics. She recovered very well over the next several days. THE DAY AFTER I brought her in I saw the article on msnbc about chicken jerky. I called and discussed this event with the ER vet, and also my own vet. They were not aware of the problem. I was able to retrieve the bag, with product inside, from the ER vet, b/c I had brought it with me. I kept it for a time, but when I read that the affected products were all mfg in CHina, I discarded it. I was concerned someone in the house give her another treat accidentally. I'm sorry I wish I had more information. As stated above, I do know where I bought it, and I can get you the exact date. (b) (6) was otherwise perfectly healthy, and shd did become quite ill. It was very scary. She was smoking hot to the touch and seizing. My children were very upset.</p>
WAGGIN TRAIN WHOLESOME CHICKEN JERKY TENDERS	Dog	Dachshund (unspecified)	4	Years	Female	11	Pound	Lethargic and Diarrhea
Waggin' Train Wholesome Chicken Jerky Tenders, VitaLife Plus Healthy Hips & Joints Chicken Tenders	Dog	Chihuahua	9	Years	Female	10	Pound	<p>In addition to dry dog food from a reputable US company, (b) (6) seemed to love chicken jerky treats. We provided them several times a day to supplement her evening feeding of dog food. The primary ones provided were chicken jerky tenders from the brand Waggin' Train. This continued for at least 5 or more years. She slowly became less and less active, preferring to lay around much of the day. We felt this was due to advancing age and her hip problems. We even changed the treats to VitaLife Plus Healthy Hips & Joints Chicken Jerky on occasion due to the addition of Glucosamine and Chondroitin in their treats. However, (b) (6) favorites were the Waggin' Train ones so they continued to be the primary treat.</p> <p>In late January of 2012, (b) (6) began to become very sedentary and seemed to be in pain whenever she moved. She also began to drink extremely large volumes of water and developed runny and bloody stools. We took her to our veterinarian, (b) (6), on 01/27/2012. He was puzzled with her symptoms initially, but blood work and later examination showed that her kidneys were shutting down. The plan of treatment was to flush fluids through the kidneys and see if he could revive them. This continued through the weekend and he called me over the weekend to let me know the "numbers" were somewhat improving on the kidneys, but still unacceptable and he needed to keep her for a few more days. On Monday morning, 01/30/2012, he called and told me that her kidneys were shutting down and she was slowly and painfully dieing. He suggested my wife and I get to his office as soon as possible to see her before she died. We did go and observed her painfully trying to stand up for us but being too weak to do so. He showed us that her tongue was turning white due to decay of the skin on the tongue. We could see her pain and asked him to please euthanize her so that her pain would cease. He did as we requested.</p> <p>An autopsy was done and he felt that some toxin destroyed her kidneys and sent the kidneys and other information to (b) (6) for analysis. The results showed massive kidney failure, but the toxin was not identified, as far as I know. He was going to try and speak with the Doctor at the University for additional information.</p> <p>Yesterday I was shocked to open an article on MSN.com that discussed the illnesses and deaths attributed to Waggin' Train and other brands of chicken jerky treats. It appears that these were attributed specifically to kidney failures due to heavy metals and/or other problems with these treats, which for the first time I discovered were made in China. Although there was discussion that your agency had put out some sort of notice of possible problems with these in the fall of 2011, neither my wife nor I had heard or read any information on this situation. We would certainly have discontinued giving these had we known. Whether stopping at that point after years of consumption might have enabled her survival of the damage is anyone's guess.</p> <p>These products were purchased almost every time from Wal-Mart stores.</p>

waggin train jerky treats	Dog	Mixed (Dog)	7	Years	Male	75	Pound	Upon reading the article of the problem with the Waggin Train dog treats, I realized what happened to (b) (6) in November 2011 was possibly a result of ingesting these treats. The week of November 12th or so I purchased the usual 40+ lbs of Purina Dog Chow at our local Walmart and discovered upon opening it there was a pack of the Waggin Train Jerky treats located inside. I do not remember which day around the week of November 27th I gave these treats to my two dogs. On Sunday November 27th, both dogs appeared to be fine then about 5:00 p.m. I heard (b) (6) crying and he was having difficulty getting up and appeared to be in pain in his hind area. On Monday morning November 28, 2011 he was still sick and we had to lift him to get him in the car and take him to the vet. He was examined by our vet with blood drawn and xrays, the only conclusion that could be arrived at was a possible intestinal infection. (b) (6) was given antibiotics and other medication and came home. By Tuesday he was able to get up and down some but was still sick. He remained lethargic and I had to physically feed him the next three days and give him his medicine as prescribed by the vet. Finally by Friday, December 2 or so he appeared to be on the mend. By Saturday he was starting to eat on his own and finally started getting up from his bed and laying in the yard with our other dog. I feel certain that in light of his symptoms and what I have been reading regarding these dog treats, this may have been the cause of his mysterious sudden illness. I am thankful he has recovered and I feel that if these treats are the result of these types of problems then measures should be taken to withdraw these products from the shelf. (b) (6) is a large dog and our other dog, his sister, who ingested these treats is larger than he is, which may explain why she did not get sick herself and why he was able to recover. It is my understanding the smaller dogs who have ingested these products and fallen ill have not been able to fight off the illness and the results have been fatal. I pray the more information acquired about this will result in permanent measures being taken to keep this from happening again.
Milo's Kitchen Chicken Jerky	Dog	Beagle	11	Years	Male	135	Pound	But we bought a ton of Milo's chicken jerky treats months ago because they were a new product and we got a great deal on them with coupons. We give our dog 1 per day as a treat. We bought them because he has a sensitive stomach and they were all natural with few ingredients. Our dog for some random reason has been throwing up since October. Sometimes weekly, daily, it depends. I was not aware of this problem until I read the article on MSNBC.com yesterday. But issues have been reported since November. I've been potentially poisoning my dog since then. WE still have 5 bags of these treats. We will throw them away! I hope our dog does not get kidney issues or die and i hope these products get recalled.
Dogswell Happy Hips Chicken Breast Glucosamine and Chondroitin	Dog	Terrier - Yorkshire	13	Years	Male	8	Pound	I gave both dogs the Happy Hips chicken jerky treats in November, 2011. By Thanksgiving (b) (6) was sick. He lost weight, became weak, drank and urinated more frequently and was throwing up with little to no appetite. Both dogs saw their vet the last week in October and were deemed healthy for their ages with no unusual findings. Took him to the vet the first week in December where they ran blood and chem panels and diagnosed him with acute renal disease. My vet was baffled about what could have possibly sent him into an acute renal situation so suddenly.
¿Canyon Creek Ranch (Nestle Purina) ¿Milo's Kitchen								Please start making pet food companies plainly label where the food is coming from.. I will not buy anything imported from China due to the health issues it gives my dog. I try to limit the amount of by product. I give her sweetpotatoes or yams and duck. she has has multiple skin issues and allergies type shedding... once I removed Canyon Creek duck/yam treats and started using products made in the US.. all issues have stopped. These products are still on the shelves... very misleading
Waggin Train Jerky Treats Duck Dog Treats	Dog	Crossbred Canine/dog	12	Years	Female	12	Pound	(b) (6) ate duck and chicken treats from Costco for the last 4 or 5 years. As of late, she had increased her consumption of them from one or two in the morning to begging for them, often successfully, constantly. This winter she began to show signs of illness, I thought she had been injured jumping out of our truck. In January she was refusing food and mostly sleeping, for a couple of weeks before I took her to the vet. I was told she was in the advanced stages of kidney failure. The vet kept her for 2 days to administer tests and IV fluids. She had to be revived at one point, I was told. I took her home after she was stabilized. She was still unable to eat much and mostly slept. She was very weak/shaky and in a fragile condition. I was given an IV kit and instructed to give her fluids every other day, which I did several times. She lived another 6 weeks approximately after that. She never recovered fully after that.
Canyon Creek Ranch Brand Home Style Ham	Dog	Shepherd Dog - Australian	3	Years	Male	50	Pound	(b) (6) became sick within 3-5 hours after having a single slice (about 1.5 x 3") piece of Canyon Creek Ranch Homestyle Ham product. Symptoms included trembling, severe pain reaction to light touch, yelping and lethargy. Subsequently, he was treated the following day at a veterinarian's office (b) (6). The veterinarian did blood work, but levels appeared normal. The dog eventually recovered after being given IV fluids, but remained weakened. Since that time, there have been several more occurrences of a less severe nature, though still characterized by pain sensitivity, lack of desire to eat, and lethargy.
Petshoppe chicken jerky premium chicken dog treats	Dog	Shih Tzu	4	Years	Male	18	Pound	I had been giving the dog a particular brand of chicken jerky and decided to try another brand I found in Walgreens. The brand is Petshoppe premium chicken dog treats. I only give the dog one treat in early afternoon per day. By the next morning (b) (6) had a very bad case of diarrhea and lethargy. He was also urinating much more frequently. It was probably a week before I realized he began getting sick only after I began giving him this product. I discontinued use and he has been getting better slowly.
Waggin' Train Jerky Tenders	Dog	Beagle	10	Years	Male	40	Pound	Dog was adopted in June 2010. His kidney function was evaluated in July 2010 and serum creatinine was normal. We fed Waggin' Train Jerky Treats at the rate of approximately 2 treats per day. In April 2010, his serum creatinine was noted to be above the normal range. Serum creatinine was remeasured a few months later, and remained high. Approximately January 2012, we ceased feeding the Waggin' Train Jerky Treats, or any other jerky treats.

Kingdom Pets Chicken Jerky	Dog	Retriever - Golden	9	Years	Female	179	Pound	(b) (6) became very lethargic for about 12 hrs then excessive vomiting for 12 hours.
kingdom pets chicken jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland	5		Female	70		(b) (6) would not eat, was very withdrawn & went into extreme pain in hindquarters -tried to vomit . She was treated with antibiotics & improved to some degree. At that time I again fed her the chicken jerky treats (not knowing of course!) she was sick again within a matter of 5 days. she went back to the veterinary,back on antibiotics for almost 2months! Almost to the point of being dead -I saw on the news about the chicken jerky making dogs sick. continued with the antibiotics & she pulled thru. called the vet & the store where we bought the product.
Chicken Jerky	Dog	Terrier - Cairn	5	Years	Male	15	Pound	(b) (6) got chicken jerky as a Christmas gift. Because he loved it so much, I started giving him a strip each morning prior to leaving for work. He eventually got to the point of having accidents in the house every day. At first I could not figure out what was upsetting his stomach. I tried changing his food and limited the number of treats he got every day. I was still giving him his chicken jerky in the morning. It was not until I took away the chicken jerky that his stomach settled down and he has not had any issues since.
Milo's Kitchen home-style dog treats	Dog	Schnauzer (unspecified)	11	Weeks	Male	10	Pound	I purchased a brand new puppy from a very well respected breeder from New York. I paid \$1,800 for this pup and another \$300 to have it shipped to me. I received this puppy on March 4, 2012 from the Kent County Airport. Starting right away, I began to use Milo's chicken strips to reward him for his potty training. By Wednesday, March 7, I started getting a little concerned about them so I withdrew them and went to Petco and purchased different training treats. On Thursday, March 8th, he began to act lethargic and sickly. That is when the vomiting began. He continued to throw up and could no longer hold down fluids or food. I took him to my vet on Friday, March 8th. They were very concerned for his health. They took Xrays and ultrasound looking for a possible blockage of his stomach. The could find nothing so they sent him home with special food and told me if he threw up anymore to call them in the morning. I slept with him that night and he continued to throw up and no hold anything down. In the morning I contacted my vet again to inform them he was still not doing well. They were very concerned for his health and suggest the emergency clinic in (b) (6) . I took him there on Saturday morning. When they got him, he was severely dehydrated and very very sick. They immediately put an IV in him and started fluids. Did Xrays and other blood work. After a nights stay in basically "intensive care", he was doing better the following day. He was able to return to our home on Sunday, March 11th. I am convinced beyond any doubt that the chicken strips are what made my pet deathly ill. He is doing much better now. Still has some weight to gain but I believe he will make a full recovery. In this process of saving my Standard Schnauzer, I have approximately \$1,920 in veterinary bills. I hope someone will be able to have these pulled from the shelves as soon as possible. If you want to contact me, please feel free to at any time. Thank you!
waggin train wholesome chicken jerky tenders	Dog	Dachshund - Standard Smooth-haired	4	Years	Male	28	Pound	In January 2012 I woke up to find my 4 year old Dacshund had been extremely ill during the night. He was extrmeley nausiated. He had thrown up several times and he had diarrhea. this dog has not used the bathroom in the house in over three years. I had my mother take him to the vet and she diagnosed him with a kidney infection and put him on antibiotics. He took the entire round of antibiotics and seemed fine. Approximately a week after finishing his antibiotics i woke up one morning to find the same thing. He had been sick during the night. My mother again took him to the vet and she said that maybe he had a pancreatic infection and put him on some stronger antibiotics and some steroids to help build his immune system. While on these drugs he even bit my father. he has never even threatened to bite let alone someone that has been around him his whole life. He seems to be doing well now. I have wondered what caused all these pblems then today I read on the msn homepage about waggin train jerky treats causing kidney problems. This dog has eaten waggin train products on a regular basis for about 3 years. I came home earlier and threw two bags of these treats away. I have been purchasing these in a price range of about a dollar and ounce only to find out that this almost killed the family pet. I am very disappointed and very upset over this. I will also be contacting the company. Thanks for your time. (b) (6)
Milo Chicken Jerky Treats and Wagon Train Chicken Jerky Treats	Dog	Wild Dog	3	Years	Female	92	Pound	We had been feeding (b) (6) Milo Chicken Jerky treats and Waggon Train Chicken Jerky treats for over 2 years - on Feb 10th,2012 (b) (6) acted as if she was ill - I took her to the vet and they felt that she might have a urinary infection - provided IV steroids and antibiotic, and oral antibiotics and sent her home. Blood work was performed but had to be sent out - results were due back on that Monday. (b) (6) grew progrssively worse over the weekend and we rushed her to emergency vet care Sunday afternoon where she died within 15 minutes of arriving. She had totally juandiced and was in systemic shock according to the emergency vet.

Sorry return package to Costoc	Dog	Chihuahua	5	Years	Female	6	Pound	<p>On February 3rd, 2012, I took (b) (6) into the vet ((b) (6)) to get her teeth cleaned. When they tested her blood, they found her liver level were in the high 400's. They took more tests and sent them into the lab; the results from the lab showed her levels were even higher, but she did not test positive for any of the liver diseases. They put her on antibiotic and a pill for liver disease.</p> <p>Once we found out her liver levels were so high, we took her off the Chinese chicken treats that we purchased from Costco. And, spoke to a manager at the store to inform them of this concern. Not sure if there was any follow up. She was eating at least one of the chicken treat a day, sometimes even two a day. Her brother also had higher than normal liver rates, but still in the lower to mid 100s. As he is double her size and it didn't affect him.</p> <p>After four weeks, March 6th, 2012; her livers levels have return to the low to mid 100s.</p> <p>In our investigation around the Phoenix area; we could not find a lot of pet stores selling US brand, and those few US brands that we did find -charge an amazing amount for their treats. This is a very serious issue and I believe we need to take a more active approach to banning these treats.</p>
Milo's Kitchen home-style dog treats Chicken Jerky, SHEP CHICKEN Chips SELECT PREMIUM DOG SNACK	Dog	Siberian Husky	10	Years	Female	65	Pound	Bloodwork indicated that her alkaline phophatase (liver enzyme) was extremely elevated. No other bloodwork parameters were abnormal. She does not exhibit symptoms of any conditions which would cause the elevated enzyme level. The vet has indicated that she does not believe the dog has Cushings.
Vitality Chicken Jerky Treats	Dog	Other Canine/dog	47	Years	Male	9056	Pound	Fed Vitalilty Chicken Jerky treats March 7, 2012. (b) (6) developed vomiting within a few hours, started with bloody diarrhea March 8 PM and was presented to us on March 9. (b) (6) began with mild diarrhea over last week.
Wagon Train Jerky Treats	Dog	Shih Tzu	10	Years	Male	12		(b) (6) had been previously very healthy and his favorite treat throughout his likfe was anything chicken so we found these treats and thought he might like them. Shortly after eating the treats he started having blood in his stolls and over the next 9 months we continued to give him these treat 4-5 times a week. Throughout the next 9 months to a year we had him in the vet emergently with significant rectal bleeding, requiring meds, IV fluids etc. Initially we thought it was a fluke or jsut a GI infection but after the second event, we really looked at what he was eating etc and decided to stop feeing him the jerky treats. Form the moment we stopped his rectal bleeding has stopped and we have had no further issues related to this. I guess we have always warned others of this treat but did not have knowledge of a place to report what we expreienced. Thank you so much for giving us the oppportunity to tell you our story and not let this hapen to other pets.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Male	85	Pound	I have been giving my dog chicken jerky for over 3 years. I apparently bought a bad batch (on Feb. 14) and he vomitted which is out of character. After a few episodes , about five days went by and he vomitted almost every day I took him to his Vet. Priliminary blood test showed Stage 3 Kidney Failure, urine test showed protein not being filtered. All tests ruled out any other cause of kidney failure. The treats were toxic .
Waggin Train Chicken Jerky Treats	Dog	Corgi - Welsh Pembroke	11	Years	Male	40	Pound	(b) (6) was fed 2-3 Waggin Train Jerky treats daily for approximately 5 years. He developed a cough approximately 1 year ago. After much testing and diagnosis, it was determined that he has chronic renal failure. In the last year, he has also developed high blood pressure, seizures and degenerative mylopathy. Unfortunately, it is not expected that he will last very long and is not very comfortable at the present time. It is also very costly, as he is currently receiving 5 different medications and sub-cutaneous fluids twice daily, along with the multitude of vet visits.
Waggin Train Jerky Tenders	Dog	Spitz - German Pomeranian	12	Years	Male	3	Pound	This all began around August 1st, 2008. After feeding both Pomeranians Wagon Train Chicken Jerkey Treats for a couple of months, I noticed that the smaller, older one started to get lethargic and was walking funny. We took him to the vet, but the results were inconclusive at the time. He continued to be lethargic and became uninterested in food. The vet said he had kidney problems and meds were given. We also had to give him subcutaneous fluids 3 times a week. He was losing weight rapidly and was down almost 4 pounds by November. The vet advised me that it was time to let him go as he was in renal failure. I just couldn't do it at that time, but by the end of January he was down to 3 pounds and could no longer walk outside to go to the bathroom. We had to carry him everywhere and I knew it was time to let him go.

Waggin Train Jerky Tenders	Dog	Mixed (Dog)	4 Years	Male	8 Pound	<p>The dog is a registered maltipo (didn't see listed above). While I'm saddened to see what has happened with the product, I am just glad to know what was the cause of what happened to him. (b) (6) was perfect before this started. He began acting so bizarre early last fall. He couldn't sleep. He would just lay down at night and get right back up. He would walk all over the room then try to go back to sleep, but would immediately get back up. When getting up on the bed, he would just walk around in circles. He walked around like he was confused all day. When he finally could get to sleep it was like he died. As soon as he got back up, it started again. This is odd....when that happened, he also started pawing at things - like a cat! He did this for about 6-8 weeks and we honestly thought we may have to put him down. He was miserable! Since that time, he has began having bowel movements in the house. He never had those before. It's sad, because we take him out at the same times, give him the same food, etc. He also has occasionally "leaks" which he never had before.</p> <p>I ended up taking him to his vet. She thought maybe he need prozac. But that made the problem MUCH WORSE. So we took him off that.</p> <p>He is able to rest now and isn't walking around confused anymore. However, the pawing, indoor bowel movements, and occasional "leaks" still occur.</p> <p>NOTE: my other dog, (b) (6), is a registered cockapoo. He is 12 and weighs 16 pounds. He was given the same product. However, he didn't eat them as much. He also acted strange during that time and also being urinating in the house. HE NEVER did this before. He is now fine. However, we now have both dogs in our room overnight to avoid problems. However, (b) (6) still will "leak" occasionally at night.</p> <p>These issues may not be related to this product. But they had them on a regular basis. However, when I saw the report back the first of the year, I quit giving them Wagon Train products and switched to another brand that was not listed.</p> <p>ALL DATES ARE ESTIMATES. With 4 kids, my dad having a brain tumor, and the holidays, keeping up with the dogs was further down on my list. Hope this helps you with your research.</p>
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	13 Years	Male	80 Pound	<p>I had been feeding my 2 dogs the Waggin' Train Wholesome Chicken Jerky Tenders for the last year or so. We purchased the large bag every 2 weeks from our local Wal-Mart in (b) (6). (b) (6) (who ate more than his share of these) had never been sick a day in his life. 5 weeks ago, he stopped eating, was very lethargic, and was vomiting and sleeping a lot. After a few days of this, I figured it wasn't a lizard or something he ate in the yard, and took him to our vet. The vet reported that he had, what he considered, "stomach tumours like he's never seen in any dog that has come into his practice, and his kidney's were shutting down." (b) (6) had to be put to sleep right away; he'd just turned 13 in January. In the beginning of the year I'd heard on the news that these treats were bad and pets everywhere were being sickened by them, so I did not purchase them again. However, I have to wonder, how could such a healthy animal suddenly present with massive stomach cancer and kidney failure out of nowhere? Did these treats play a part in him becoming so ill in such a short time? I do not have lot #'s or any of that information now; it's too late. But I thought I should report this since he was eating them and then became gravely ill. And of course, we are completely devastated by his loss.</p>
Waggin Tail Chicken Jerkey	Dog	Mixed (Dog)	9	Female		<p>Our family dog (b) (6) suddenly became lethargic, unable to eat, and under her eyes was swollen. My mother took her to the vet and went through a battery of tests. The next day they said her calcium levels were extremely high and so they scheduled an ultrasound. The next day they called my mother and told her that she has kidney failure. Now she is back at my mothers house but is only getting worse. She won't eat. She no longer wants to go for a walk, which was a daily thing for her. I believe this was caused by the treats she's been fed over the past couple of years. Waggin Tail chicken jerkey. Her symptoms sound just like so many other poor dogs who suffered through this. I hope that these "treats" will be recalled as soon as possible. Before more dogs are lost.</p>
Breathies Chicken Breast Jerky Treats with Mint and Parsley by Dogswell	Dog	Poodle (unspecified)	7 Years	Male	22 Pound	<p>I gave my 22 lb. dog 1 Dogswell Breathies Chicken Strip on 2/25/12 in the early evening, and 1 strip the next morning, around 10 am. By evening, he had non-stop diarrhea and vomiting, which continued for 2 days, with a third day of residual sluggishness. There had been no changes in my dogs diet (he gets the same half can of Wellness brand wet dog food--duck flavor--every day, and he had been given no other treats or scraps. I threw away the product and wrote to the store I had purchashed them from to make them aware of a potential problem.</p>
Waggin Train Jerky Tenders	Dog	Shih Tzu	4 Years	Mixed Populati on of Female and Male	15 Pound	<p>Some vomitting, off their food but still drinking water</p>

Waggin' Tails Chicken Jerky	Dog	Spitz - German Pomeranian	6	Years	Female	7	Pound	Shortly after we began giving my 6 year old Pomeranian Waggin' Tails Chicken Jerky she began to exhibit signs of being ill. She first began with increased thirst and urination. She then lost control of her bladder and was unable to keep her food down. At that point she was taken to our vet and when labs were drawn it was determined that she was in severe renal failure. We took her to a specialist who told us that she was too far gone at that point and it was best to euthanize her. She went from a healthy 7-8lbs to about 4lb within a 2-4 week period. At the end of her life she was in pain and she was suffering. She died a horrible death.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Terrier - Yorkshire	10	Years	Male	5	Pound	(b) (6) developed kidney failure after eating the Chicken Jerky treats from Walmart.
Wagon Train Jerky Tenders	Dog	Spaniel - King Charles Cavalier	11	Years	Male	21	Pound	The only treats we ever fed our dogs is a milk bone and the Wagon Train Jerky Tenders. We would give them about One pcs a day. Two Sundays ago we were down to the end of the bag and we gave them the last of the bag which was a couple of small pcs. well a day later my male had diarrhea on Monday and then the following night he vomited several times all over the room and kept vomiting until 5:30am. We noticed that he had accident in the hallway and my wife went to clean it up and noticed blood. That morning we took him for a walk and he continued to poop pure blood and no poop. The diarrhea didn't even had a stool smell. Called the Vet that morning. He was admitted Tuesday and had to stay until Thursday afternoon. The condition was called Hemorrhagic Pancreatic with gastroenteritis causing him severe vomiting and diarrhea. Not to mention we almost lost him and a bill of over \$900.00. Even after taking him home he still had diarrhea for several days. Finally yesterday the 12th of March is when the stool became full.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	1	Years	Female	18	Pound	She began throwing up for no known reason
Kingdom Pets Chicken Jerky	Dog	Shih Tzu	7	Years	Female	12	Pound	We have fed our dog Chicken Jerkey as a treat once a day for about two years. They are always purchased at Costco and in the past months Costco changed brands and since then our dog has had three events of vomiting and just this past time she had vomiting and dyaria. I read the article about the problem with chicken jerky on a friends facebook page. I hadn't heard this before now. I have thrown out all treats from china, and hope this will be made more well known to pet owners.
Waggin Train Chicken Jerky Treats	Dog	Retriever - Golden	10	Years	Female	90	Pound	First, I must state that I only give my dog food that I make. It is good enough that I would even eat it. I make her a mixture brown rice, chicken, vegetables, and oats. I added Waggin' Train Chicken Jerky treats to her diet and she started feeling very lethargic, and would not eat. I started giving these once a week for the past 5 to 6 weeks. This week we gave her treats two days in a row. The next day she threw up. She threw up a couple of weeks ago too which I thought was strange. When we would give her the treat she would get 3 pieces for her 90lb weight. This is definitely making her sick. She has not been her normal self. I even took her into the vet a few weeks ago to have her blood drawn to see if there was anything wrong. They could not see anything from the blood panel results. Please investigate this problem. She is a great example of being a dog who is on great high quality food, so a controlled substance, and then we gave her treats which she has reacted very negatively towards. The quality control on this product is NOT good. Random batch testing needs to be done.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	11	Years	Female	50	Pound	The last few weeks before I had to put her down, she was vomiting constantly, she stopped eating most of her food, she was almost exhausted in a 5 minutes walk at the point of not moving at all, because of those reactions we took her to the vet for a check up, the doctor said when dogs get sick they eat anything to mitigate the discomfort they feel, so, my dog eat a rock and that's when the doctor thought it was something more serious, after he removed the rock noticed her kidney wasn't working right, after a few days of fluids and not improvement the doctor told us her kidney were shutting down that's why she wasn't getting any better.
Waggin Train Jerk Tenders	Dog	Chihuahua	10	Years	Male	10	Pound	Vomitting, diaharria bloody stool, not willing to eat any thing for tree days.
Waggin Trail Jerky Tenders Duck Dog Treats, Waggin Train Chicken Jerky Treats	Dog	Lhasa Apso	13	Years	Female	15	Pound	All three of my dogs have been eating the Waggin Train Chicken Jerky Treats that I purchase from Wal-Mart, Walgreens and Petsmart. There have been no issues until this year. In January, my Lhasa, (who was in very good health for her age, and only has some disc issues in her back) Became lethargic, and began throwing up and having diarrhea..she would not eat, but did drink water.. she began sleeping excessively and had no interest in anything.... I took her to the Vet, and she was tested, and the Vet informed me she had liver disease. Her count was in excess of 1000. The Vet gave me some medication and I put her on a different diet, and stopped all Chicken Jerky treats.. she has improved, until this week. I gave her some of the Jerky Treats and she has been throwing up several times per day. She's not eating, and is very sleepy.. Not as bad as it was, but definitely sick again. This began within a day or two of feeding her the treat. Also, my Schnauzer who is about 6 years old and ate the treats.. also began throwing up... and my mini-poodle has thrown up, but he is not as bad as the other two dogs.

chicken-flavored meatballs	Dog	Beagle	10	Years	Male	26	Pound	(b) (6) was given chicken-flavored meatballs purchased at a Big Lots by his dog sitter in our absence. When we returned home, one night later he was in some distress--almost seizure-like event. Took him to the vet the next day and vet diagnosed - through blood work - salmonella caused by the chicken-flavored treats. He ran a 105 degree fever for two days. I never knew that you could feel a dog's fever by feeling his forehead. He was given an antibiotic shot and two prescriptions for antibiotics. Did not do any good and had to be hospitalized and put on an IV. His throat was so sore that he could not swallow and drooled. He also could not bark. He was so sick that if he were a cat he would have lost at least two of his lives.
Milo's Homestyle Chicken Meatballs								Dog began to retain unusual amount of fluids which had to be drained with follow up visit again for extreme fluid retention. On one visit 2 liters of fluid were drained. Veterinarian ordered some tests, took x-rays, etc. but could not reach conclusive diagnosis other than our dog was retaining fluid. She was placed on medication which did not provide relief and eventually began vomiting, had difficulty breathing and moving about. She eventually reached the point where just sitting up and attempting to walk brought on bouts of vomiting.
Waggin Train Jerky Treats	Dog	Hound (unspecified)	8	Years	Female	66	Pound	The only specifics I can give is that the Waggin Train Jerky Treats were a favorite of my dog and she had them many times over the past 2-3 years. About 3-4 months ago I noticed that she would have blood in her stool. I figured she wasn't chewing them well or they weren't digesting properly and causing issues so I stopped giving them to her. Yesterday I took my dog to the vet and she was having liver/kidney problems and I ended up having to put her down. I just read the report about these treats on msnbc.com today and I feel very much like they are connected. I will follow up with my vet tomorrow and give them the information as well even though it is too late
Chuck Waggin Chicken Jerky Treats	Dog	Pointing Dog - Italian	4	Years	Male	80	Pound	(b) (6) was a very healthy 4 year old Bracco Italiano until I started feeding him the waggin train chicken jerky treats that I purchased at Costco. First of all the FDA needs to ask, "how can chicken be so inexpensive"? I get plastic products from China..but food...chicken...really? These were the only treats that (b) (6) received. In April he started throwing up and dripping blood from his penis. The vets could not figure out the cause for the symptoms in an otherwise healthy dog. There was not history of kidney failure or illnesses with any of his siblings or the blood line. His blood line included World Champions including his Mom. The vet recommended that (b) (6) be neutered and perhaps that would stop the bleeding from his penis after being on antibiotics for a few weeks with no improvements. When the vet went to neuter (b) (6) it was found that he was in kidney failure. He was immediately hospitalized to try and flush the kidneys but there was no improvement. I took (b) (6) to the University of PA hospital to see if anything could be done. The vets there also were puzzled by how a 4 year old dog could be kidney failure. My instincts told me it was the Waggin Train treats and I am glad other consumers are coming forward to put the pieces of the puzzle together. An otherwise healthy 4 year old male dog does not just develop kidney failure. Sadly, I lost (b) (6) to kidney failure 3 months later after spending \$15,000 in vet bills over \$3 treats!!!! I am certain it is these treats that took the life of my beloved friend and companion and I only hope that the FDA has the balls to do something about it! It would be nice to see our Government stand up for our pets! I would be happy to share all medical reports!
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Terrier (unspecified)	15	Months	Male	55	Pound	In January of 2012, our young dog experienced lack of appetite (he refused even treats, which was very unusual, he normally guards his food), vomiting, diarrhea, lethargy, weight loss. He used to love the chicken jerky, ate 4-5 pieces per day as a reward. But he began to refuse them and so we knew something was wrong. Took him to the vet and she ran some tests, including xrays and bloodwork, barium series; she said he had ileus but due to unknown cause. Blood work appeared normal and barium series showed no blockage. After 4-5 days, he still would not eat and was deteriorating; the vet did exploratory abdominal surgery and found no blockage, but took an intestinal biopsy, which later suggested inflammatory cell infiltrate and enlarged/swollen lymph nodes, and the vet diagnosed it as inflammatory bowel disease. (b) (6) has since recovered and only eats a special veterinary prescription diet (Purina EN) and is doing well. But eats no treats at all, only the prescribed food. The treats he ate were Canyon Ranch brand, lot number G1CA5144A.
Canyon Creek Ranch Banana & Chicken Wraps (also purchased their chicken/apple and chicken/PBJ treats), Waggin Train Jerky Tenders	Dog	Poodle - Miniature	5	Years	Male	20	Pound	Symptoms ranged from vomiting and indications of nausea (lip-smacking, repeated swallowing) and subsequent diarrhea, sometimes bloody, to the addition of shivering/shaking, crying/whining, obvious weakness and lengthy sleeping. He also would not eat anything, and consumed very little water. I've taken him to the vet several times over the last two years; he was in very serious condition, and the last time he was admitted into the animal hospital for a total of about 30 hours. Extensive tests were performed, but no definitive conclusions were reached. (About \$2000 total in vet bills over the last two years.) I was beginning to suspect it might be these chicken treats, and then saw the article on the MSNBC website. In the beginning, about two years ago, I'd purchased only the "Waggin Train" treats from Costco, and about a year ago I stopped giving him those. I then gave him the "Canyon Creek Ranch" chicken/banana, chicken/apple and chicken/PBJ treats. (Beginning about a year ago.) At first the "Canyon Creek" treats didn't seem to upset him, but one day I'd given him several because we were out away from home for a long time and he was hungry, and he was sick for several days afterward with similar symptoms.
Wagon Trail chicken jerky								I just read an article about potential problems from these jerky treats and want to express that I have been feeding them to my dog for the whole time since 2007 and have no adverse problems. I have followed the package instructions. I also, do not feed any other type of treat to my dog. Check what other treats are being fed to these dogs as well as whether they are feeding other things or leaving food out where it can go rancid. Please do not remove these from the stores.

Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	4	Years	Male	100	Pound	Shortly after we got our dog, he began throwing up, for two years he randomly vomited. After two and 1/2 years, of this and not being able to find a solution, he started with bloody diarrhea, and we stopped all food. We gave him a liquid diet, then rice, and slowly introduced food, adding one snack at a time. The only thing we never added back was the Kingdom Pets Chicken Jerky, which he had been getting intermittantly as a snack since shortly after we got him. We had adopted another dog several months before, and she immediately threw up after having this same snack, so we knew she had a problem with it.
Waggin' Train Wholesome Chicken Jerky Tenders Chick Dog Treats	Dog	Boxer (German Boxer)	3	Years	Male	58	Pound	After feeding our dog, (b) (6), Waggin' Train Wholesome Chicken Jery Tenders (Chicken Dog Treats), we noticed loose, runny stool in his bowel movements. Normal bowel movements for (b) (6) are solid. His bowel movements were more frequent and appeared painful. We took (b) (6) to the veterinarian and he was prescribed Metronidazole (250 mg) -- the doctor then bumped him up to 500 mg on our next refill because he was not improving after the first week of doses. We are now finishing his refill doses.
waggin train jerky tenders-chicken	Dog	Beagle	10	Years	Female	22	Pound	(b) (6) is a dog that thrives on taking her morning walks with me every morning. Because she has had gas so much we decided to take her off beef and do turkey and chicken. We were giving her beggin strips. About 7 months ago we changed to waggin trains chicken jerkey because we were not doing the beef. For the past severa months, she has deveoped a neurologica jerk as if she is having a stroke, or a seizure. To make a long story short, last week we went for our morning walk and she was no where to be found. (we live in the country) All of a sudden she came running down the street with an unusual cough (lilfe a person with copd). she was so happy to see me, but as she approached, she fell out, could nto get her balance, turned over as if she was stroking out. She looked at me as if to say .."what is happening to me?' i grabbed her up, ran back home with her in my arms because i thought she was going to die on me. My husband took her to the vet hospital. they could not find anything wrong and could not pinpoint the problem. our vet asked many questions trying to narrow it down. one question asked was had she beeb given anything toxic or eaten anything toxic? we , at the time said no. she is very finigy and only eats little ceasars, purina one and an occassional treat-chicken waggin train. we were so glad to see this article on msn becaues we have been baffled by this sudden onset of our dog. she continues to have these jerks everyday. please keep us informed via emal or telephone. we are praying that (b) (6) pulls out of this. we will call our vet tomorrow and alert them as to this unidentified illness so that they can put their pet owners on alert. for now we will hold on to the bags...because we have two..but we will never give her another one of these treats..ever. we just hope she pulls through. (b) (6)
Wagon Trail chicken jerky tenders and Wagon Trail Chik&N Biscuits	Dog	American Pit Bull Terrier	15	Years	Female	54	Pound	Our dog's favorite treats were wagon trails jerky treats and bisquits wrapped with the jerky. Our dog started getting sick took her to emergency vet, then her kidney's and liver started failing. We tried differnt methods from IV treatment and finally made the call to put her to sleep.
WAGGIN TRAIN Jerky Tenders(Wholesome Chicken)	Dog	Spaniel - King Charles Cavalier	1	Years	Mixed Populati on of Female and Male	25	Pound	Both dogs are in perfect health. One is 1.5 yrs and the other is 2.5 years old. They have eaten bones, treats, dog food and no problems. They both see a vet regularly and have had no problems, EVER. Until we gave them Waggin Train chicken jerky. After a 1-2 weeks of them having the jerky, both dogs were throwing up on a regular basis. We took them to the vet and had many tests done to see if they had a parasite, etc. Nothing was found. We stopped giving the dogs the treats and after a week, no more throwing up. I'm sorry, but if anyone says these treats are not dangerous, I will tell them they are lying. There is nothing normal about 2 healthy dogs throwing up every day. And when we took the Waggin Train treats out of their diet & gave them regular milk bones, both dogs were back to being fine. THERE IS SOMETHING WRONG WITH THESE TREATS!!!!!!
Waggin Train PBJ	Dog	Schnauzer (unspecified)	4	Years	Male	25	Pound	I gave (b) (6) a couple of Waggin Train treats before bedtime. He woke me up twice by throwing up in the bed. Later in the day, he threw up 3 more times. He acted lathargic and refused to eat or drink the whole day. He is usually very active but all he wanted to do was lay down all day. I was going to call the vet the next day he seemed back to his normal self the next day.
Waggin Train Jerky Tenders, Milo's Kitchen	Dog	Mixed (Dog)	8	Years	Female	40	Pound	dog started vomiting and had blood in stool. Took dog to vet and they initially treated her for a parasite and started her on medication. Her fecal sample came back negative and she continued to vomit and became lethargic. Took her back to the vet and they ran x-rays which came back clear and did a blood test. The results of the blood test indicated kidney failure. Took her to a specialist hospital and was admitted and put on 24 hour a day IV fluid. After a week, it was determined that her kidneys could not be saved and her counts were not coming down and she was put to sleep.
Milo Chicken Jerkey	Dog	Basset - Artesian Norman	10	Years	Male	55	Pound	My dog was given Milo chicken jerkey treats and loved them. Had a couple on second day and on the 3rd day. I noticed that my dog had a "very gaseous gastrointestinal tract awhile after eating on each on the 3 days. All his other food and treats were the usual ones. I therefore gave no more Milo treats, and there has been no recurrence. I am quite strict about buying safe and healthy foods, but on this occasion I allowed for "processed in China". I am grateful that my dog is healthy, and I have returned to never buying foods processed outside the USA.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	16	Years	Male	50	Pound	He developed a kidney/bladder infection. He was given antibiotics but they didn't help. He refused to eat his regular food (chicken and rice and chicken FreshPet). He began drinking water excessively and has had frequent accidents in the house (we have a doggy-door and he has never done this before) The vet gave him a different kind of antibiotic and we are waiting to see if this helps. He is still drinking a lot of water and peeing a lot. He was tested for diabetes which came back negative. He is eating again but refuses to touch any made with chicken.
Milo's Kitchen Chicken Jerky Treats	Dog	Mixed (Dog)	14	Years	Male	78	Pound	He went into kidney failure very quickly after Christmas of 2011, after giving him chicken jerky treats as a Christmas present.
Waggin Trails Chicken Fillets	Dog	Retriever - Golden	2	Years	Female	35	Pound	We were alarmed when our perfectly healthy dog awoke in the night numerous times with unexplained bloody discharge/diarrhea. We took her to the vet twice and they did an exam, including a rectal exam and UTI testing to find nothing. Described that she must have some type of irritation to our intestines on the second visit. Originally, we suspected a UTI because she had more like bloody discharge. She was given the same dog food she had been eating her entire life, and nothing else except we had just started her second bag of the Waggin Train Chicken Fillet Dog treats purchased at Sam's Club. She had no exposure to unsupervised time outside where she could have eaten other things. During the few months in between the bag of treats she had no incidents. As soon as we started the second bag of treats, it happened again. Total problematic events was 4 times. I started to do some internet research and came across one of the first articles published about the possibility of chicken treats causing incidents, and immediately stopped giving the treats to the dog. She had no further incidents and seems to be in good health, although we've had no doctor's assessment since making this change. We believe the first bag was purchase at Sam's Club in (b) (6) in March or April 2011, and the second bag was purchase at Sam's Club (b) (6) in July or August, 2011. We have no doubt that these treats caused these adverse health problems.
waggin train wholesome chicken								my six year old cocker spaniel died. liver and kidney failure high temerature (b) (6)
Waggin Train Chicken Jerky	Dog	Shih Tzu	9	Years	Female	9	Pound	She stopped eating, had problems urinating too much and having accidents, vet says kidney function is shutting down.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	5	Years	Male	57	Pound	<p>We began feeding our dog Waggin Train chicken treats shortly after we got him in July of 2006. We fed these treats to him daily up until November of 2011 when I came across an article online regarding mysterious illnesses in dogs. I have summarized (b) (6) battle with renal failure below and have supporting vet and lab results that track the progression of his kidney disease since diagnosed in July of 2010. (b) (6) was about 4 years old when we determined that kidney disease was what was causing his weight loss and passed away a couple months before he would have turned 6.</p> <p>We took our dog into the vet on 7/21/2010 because we were concerned about weight loss that he was having. We noticed that his spine had become more pronounced over the last 4 to 6 weeks. Prior to this visit our dog had been healthy and active. There were not any alarming signs to the vet that anything was wrong, but to be safe our vet suggested having a more comprehensive test performed. The test results showed that (b) (6) was having a significant protein loss in his urine. (b) (6) prescribed Enalapril and that we monitor and recheck the urine periodically. (b) (6) adjusted and added medications as (b) (6) disease worsened.</p> <p>The protein loss continued with other symptoms and complications. On 7/20/2011 (b) (6) recommended we see an internal specialist. We took (b) (6) to (b) (6) on 7/21/2011 and saw (b) (6) for an ultrasound and additional testing to determine what was causing the renal failure.</p> <p>(b) (6) were unable to find a cause of the progressing renal failure and continued to correspond with one another and recommend additional testing. (b) (6) condition continued to worsen. We began to have trouble getting Remi to eat sufficient quantities of food and he continued to lose weight, became lethargic, and occasionally vomitted. (b) (6) food was switched to KD diet that was specially formulated for kidney problems. Over time he stopped eating this food and the vet recommended a homeade kidney diet.</p> <p>On 1/15/2011 we rushed (b) (6) to the emergency (b) (6) because he had bloody/watery stool and vomit. (b) (6) was severely dehydrated and hospitalized for three days. We were able to bring him home on 1/17/2011. (b) (6) condition began to worsen in early February and he did not have enough energy to do normal functions anymore. He was more lethargic and the little food he was eating he vomitted hours later. Towards the end, the food that he vomitted six to eight hours later looked completely undigested. The last couple of days he would yelp in pain when touched. On 2/8/2011 after consulting our vet we ended (b) (6) suffering.</p>
Canyon Creek Ranch Apple & Chicken Wraps	Dog	Retriever - Labrador	2	Years	Male	79	Pound	We received Canyon Creek Ranch Jerky Apple Treats as a Christmas gift for our dog. Around mid January I had begun feeding them to my dog one each morning before I went to work. Within a few days my dog began not eating. He would go about 3 days without eating (a dog who normally eats 6 cups of food a day) until (I believe) he was hungry enough he would eat a meal or two. In the meantime he was vomiting bile, drinking excessive amounts of water, and lethargic. He was given antacids and anti nausea medication which in the first week did not help him. In the height of his illness he vomited 6 times in 2.5 days without eating. When we noticed his illness we had ceased all additional food (treats) while we tried to figure out what was wrong with him. Upon returning to our veterinarian we had taken a stool sample which our vet indicated was negative of any findings, had an x ray to rule out bowel obstruction, also negative, and sent blood panels out to a private lab, which had no findings. We switched our dog to rice and boiled hamburger diet. We maintained this diet for 2 weeks as he slowly began improving. (In that time the treats were stopped as well). It was then that I heard and researched the treats we had given him and discovered he had most of the symptoms of Fanconi syndrome. A urinalysis was never done so high blood sugar could not have been detected. My dog has luckily since recovered with no seeming long term effects or damage. (Possibly due to young age, 2, and larger size?)

Canyon Creek Chicken Tenders. Boots and Barkley Chicken Sticks Waggon Train	Dog	Terrier - Yorkshire	4 Years	Male	5 Pound	On a weekly basis I purchased various Chicken Treats for my 3 dogs (Waggon Train/Canyon Creek/Boots and Barkley) The first dog (b) (6) became ill last year and the vet thought it was Rat Poison, but we dont use any poison at our home. she started to bleed from her rectum. extremely dehydrated and shaking uncontrollably . After lots of shots and antibiotics and several doctor visits over 2 weeks she began to show improvment. That was in 2011. The same duplication happened in Jan 2012 with my two males after eating the treats they began to bleed through their rectum's, It was at that time I started to think of what they eat daily and the only thing that made sense was the treats. The same treatment was done for my two male's it was a long and paining process but I have taken my pets off of all China products and haven't had any issues, they have gained their weight back. I did let the store manager in Pet Smart and Target know what had happened but no reaction so far.
WAGGIN TRAIN YAM GOOD WHOLESOME CHICKEN WRAPPED YAMS	Dog	Mixed (Dog)	4 Years	Female	11 Pound	(b) (6) developed diarrhea and vomiting for two days. We were concerned about dehydration and took her to the local Pet Smart Clinic due to her Vet being closed on the weekend. The Clini Vet gave (b) (6) fluids because she was becoming dehydrated due to the vomitng and diarrhea. They also put her on a fat free dog food diet. It probably took three more days until she was back to normal. The diarrhea had gotten so bad she was bleeding at times. We could not figure out what the problem was because they tested her and found no sign of parasites or worms. The symptoms just appeared. We had bought Waggin Train Yam Good Chicken Wrapped Yams. I was not aware of the recall until today, March 13, 2012.
Waggin' Train Chicken Tenders Chicken Dog Treats 97% Fat Free	Dog	Terrier - Fox Smooth	10 Years	Female	22	I purchased a 48 oz (3 lb) bag of Waggin' Train Chicken Tender treats from Costco in October. I had previously fed them to my dog intermittently for over a year. The bag fell on the floor while we were not at home and she ate at approximately a pound of treats. She fell ill within a week despite over \$600 of treatment including antibiotics and saline drips, her liver failed and she had to be euthanized on my wife's birthday. I am 100% convinced that those treats killed my dog!
Dogswell VITALITY ChickenBreast with Flaxseed & Vitamins	Dog	Puli	8 Years	Male	30 Pound	Every time I gave my dog one of these treats, he vomited - no exceptions.
Waggin's Train	Dog	Retriever - Labrador	7 Years	Female	65 Pound	When my seven year old Lab, (b) (6) started acting different, I started to look up things that could possibly have went wrong. After weeks of her acting very strange, I went to let her outside to go play and do her business, when she got up, she was limping. I wasnt that considered about her limping, I just figured that her arthitus was bothering her, but then her back and hips went out. After doing some research about this event, I found that she could have had a stroke or could have bone cancer. About a week or two before she started to act like this, I fed her the "Waggin' Train" chicken flavored treats. After a day of her not being able to walk at all, I took her to the vet and they said that their was nothing to do and that they had no clue what had happened to my poor dog. They then put her down. And now thanks to Waggin' Train, I have no companion or buddy to look forward to coming home to. Mind you that im only a young teenager who loved this dog to death and cant believe she is gone.
Waggin Train Chicken Treats	Dog	Rottweiler	2 Years	Female	90 Pound	She was well after being diagnosed with the shunt - in dec she became ill & dr thought intenstinal infection & she was treated - she lost weight rapidly and died on Jan 5th
Waggin Train	Dog	Mastiff	5 Years	Male	125 Pound	During the 1-2 months or so that I was giving both my female American Bulldog and my male Boerboel Waggin Train chicken jerky strips, their stool was loose with a bacterial like film enveloping it. I couldn't figure out what they had eaten. Once the bag was finished, and within 2 days, the slimy sickly stool cleared up and became normal again.
Waggin' Train Jerky Tenders	Dog	Schnauzer - Miniature	12 Years	Female	29 Pound	Stopped eating, started vomiting, had diarrhea, lost all her energy, became dehydrated
Waggin' Train Jerky Tenders	Dog	Retriever (unspecified)	10 Years	Male	65 Pound	(b) (6) appetite slowly started decreasing in late October 2011. After a few days he would not eat his food at all. He slowed down on drinking water and was basically curled up on his bed most of the time. (b) (6) is normally a very active dog, and is always interested in eating. It was clear that something was dreadfully wrong. So I took him to the vet, they did numerous tests including blood tests and an ultra sound. The results showed there was sludge in his gall bladder and his liver enzymes were way out of line. Over the course of 2 weeks (b) (6) lost 10 lbs. He had a surgical consult and we considered exploratory surgery, but decided to just wait a while, this seemed drastic. We were making boiled chicken/rice and he still would not eat much. We had stopped giving him any treats(including chicken jerky) because he was having such trouble digesting. (b) (6) was prescribed Denamarin to support the liver, and Tramadol for pain. We switched his food to canned low fat food and he ate for a few days then stopped again. When (b) (6) lost 18 lbs we took him to an Internist, they did another ultrasound. This also proved inconclusive and they thought that surgery was going to be our best option. We wanted to wait until after the x-mas holiday so we just wanted to keep him comfortable. Ursodial was prescribed to aid his gallbladder. Slowly (b) (6) began to get better. He started eating his dry food again and has stayed on his meds. He has gained 6 lbs and no longer needs his pain meds. While we are grateful our pet is getting better, it has taken 4 months to get to where we are and he is not out of the woods. We have spend about \$2500 in vet bills and medicines.
canyon creek ranch natural chicken tenders	Dog	Shepherd Dog - German	14 Months	Male	70 Pound	product was purchased at Petsmart on sunday March 11, 2012. Gave several jerky sticks to dog that day and several jerky sticks the next day. Dog thru-up on sunday and monday night. Tuesday was reading article about tainted treats, and the brand was one that was mentioned.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	2 Years	Male	85 Pound	I just read the article about chicken jerky illness-Ijust spent \$400.00 at the vet with my dog-he had a seizure type episode after eating one of your jerky treats. Waggin Train Brand Jerky Tenders

Waggin Train Yam Good Wholesome Chicken Wrapped Yams	Dog	Mixed (Dog)	5	Years	Female	19	Pound	(b) (6) developed diarrhea and vomiting for two days. We were concerned about dehydration and took her to the local Pet Smart Clinic due to her Vet being closed on the weekend. The Clini Vet gave (b) (6) fluids because she was becoming dehydrated due to the vomitng and diarrhea. They also put her on a fat free dog food diet. It probably took three more days until she was back to normal. The diarrhea had gotten so bad she was bleeding at times. We could not figure out what the problem was because they tested her and found no sign of parasites or worms. The symptoms just appeared. We had bought Waggin Train Yam Good Chicken Wrapped Yams. I was not aware of the recall until today, March 13, 2012.
Cats Well Happy Hips- Chicken Breast	Dog	Shepherd Dog - Australian	10	Months	Female	40	Pound	Over a period of 3-4 days lethargic, lack of appetite, dehydrated. Took (b) (6) to our vet where she was xrayed and over 3 days she was given IV's of antibiotics/ fluids. (Full Vet report available). Treated for low red blood count/ possible infection. The vet was unable todetermine cause of sickness. I believe it was tied to the Happy Hips Chicken jerky I had given her the previous weekend.
Waggin Train Chicken Jerky Tenders	Dog	Mixed (Dog)	20	Months	Male	33	Pound	Fed one Waggin Train Jerky treat from bag just opened that morning per dog on Wednesday 02/29/12 at about 10AM. (b) (6) ate less dinner that evening. Did not eat normal lams dog biscuits that night. Thursday AM ate almost no scrambled eggs with other dogs. (b) (6) also was slightly less interested in the same food. Dinner had consisted of organic chicken thigh, a little organic brown rice, some organic carrots. Do not think (b) (6) at dinner on Thursday at all, (b) (6) maybe a little. Sometime after 11pm on Thursday and before 4am both dogs began to vomit. (b) (6) 3 times between 4 & 6am then she stopped. (b) (6) conitnued to vomit a large amount of mucous all day. he could not keep anything down but he keep drinking water. (b) (6) did not eat but was drinking and seemed better. Saturday 6AM (b) (6) was still vomiting if he drank water. He was taken to the vet in the morning. he was mildly dedydrated. Blood tests were taken. He stayed a few hours, was given a shot to stop vomiting and medication to take home. He was about to drink 2-3 oz of water every 15 minutes from 4pm untill 1AM. I could not afford to have him stay at the vet overnight. At about 9Am vet (b) (6) called and said (b) (6) was very ill and needed to be brought back in. I determined that I would take him to the vet near our home that we normally use since they have staff on all night. (b) (6) died before they could even start on IV. They tried CPR but were unable to start his heart. His organs has shut down.
Waggin Train Chicken Strips	Dog	Terrier - Yorkshire	4	Years	Mixed Populati on of Female and Male	6	Pound	Both of my dogs started throwing up and had constant runny contined diarreaaha. They became lathargic and stopped eating. The larger dog almost died as he would steal the small dogs strips and eat his own so he was the sickest of the two. He would go to the vet and after being on IVs for several days would improve and go home. After being at home a few days it would start all over again. I noticed they became sick after they would resume eating the strips so I withheld the strips and they got better. The larger dog now has to eat a special food for his digestive system due to the damage done by the chemicals in the strips. My co-worker's small poodle went thru the same senario - visits, IV's, etc. Last trip to the vet her liver had stopped working. Our government needs to stop allowing these to be sold.
wAGGIN tRAIN cHICKEN dOG tREATS	Dog	Poodle - Standard	7		Female			I feed both dogs Waggin Train treats - one vomited the other vomited and foamed at mouth. The next day the younger one was hospitalized and is fighting for her life. They think she has been poisoned - She is on IV's and her temp is 105 F since Friday March 9. She can barely walk and is not eating. She is being treated at (b) (6). LOT NUMNER W1CA5291A- Product of China UPC 8 07020 77740 6
Waggin Train Jerky Tenders	Dog	Chihuahua	8	Years	Female	9	Pound	About 10 hrs after eating (1) Waggin Train Jerky Tender, she got very sick. Crying in pain & throwing up. I didn't realize it was this product. A wk later she had another jerky tender & got very sick again, throwing up blood. I took her to the vet a day later but she was feeling better but I still had the Vet do a complete blood work up & check up done. They don't know what the problem was Again after eating a jerky tender she wasn't feeling well, she didn't eat the whole thing. NOW I realize it is this product!!
Waggin Train Jerkey Tenders	Dog	Beagle	6	Years	Female	29	Pound	She started to have urination issues that led to reoccurring Urinary tract infections and bladder infections that eventually required surgery because of the frequency and severity. She is now suffering from problems with her liver and is taking medications.
Dingo Meat in the Middle Rawhide Chew	Dog	Corgi - Welsh Pembroke	4	Years	Female	30	Pound	(b) (6) started with symptoms of an urinary infection. The infection seemed to clear up and then come back. She also has loss of appetite which eventually led to us running bloodwork. This is when we discovered she had kidney disease of unknown origin. Following this her appetite decreased dramatically and she progressed into kidney failure.

Milo's Kitchen & Waggin Train Jerky	Dog	Retriever - Labrador	7	Years	Male	90	Pound	Our Yellow Lab was in perfect health when suddenly in September, 2011, he started to show lethargic behavior and wouldn't drink or eat. We took him to our Vet and she said he was extremely dehydrated with complete kidney failure and that we immediately had to take him to emergency care to hydrate him with fluids for a couple of days which cost close to \$5000. We then brought him home and he seemed to recover after a month or so but by the end of November the same symptoms re-appeared and we took him to our Vet again and she said that his kidney was failing but we should try and feed him and give him as much water as possible. Within a month, he was in so much pain and would neither eat or drink or was capable of walking that we decided to put him down to stop his suffering. A week or two after that I read an article in MSNBC about tainted chicken and beef jerky from China causing death and kidney failure in dogs. I also bought Waggin Train jerky treats at Whole Foods and Milo's Chicken Jerky at Ralphs. I told Ralph's about what happened but they refused to take Milo's off their shelves. You can confirm all this with our Vet, (b) (6) Within three months our perfectly healthy Lab who never had any prior problems completely deteriorated.
Milo's Kitchen - Chicken Jerky	Dog	Havanese	3	Years	Male	10	Pound	Every time I gave a small piece (1/3 of 1 chicken strip) of Milo's Kitchen Chicken Jerky to my dog he would become violently sick to his stomach / throwing up and lethargic. I had given him these treats for a long time with no problem, but then with the last bag this started and I ceased. Stomach is still sensitive, but not sure if due to strips.
Waggin' Train Jerky Tenders	Dog	Spitz - American Eskimo Dog	11	Years	Male	20	Pound	Dog became diabetic, had multiple health issues and died after being given these treats for probably 4-5 months.
Waggin Train Chicken Jerky Treats	Dog	Dachshund - Standard Smooth-haired	7	Years	Male	10	Pound	We gave (b) (6) 1-2 jerky treats and noticed that (b) (6) was lethargic and vomited. We did not give him any more jerky treats. I also gave some of the jerky treats to my daughter for her dog (b) (6). Shortly after (b) (6) was sick I read an article about the jerky treats and threw mine out. I told my mom and daughter to not give (b) (6) any more but my mom continued to give him the jerky treats. One day (b) (6) was lethargic and had what seemed like a seizure. My daughter then threw away the treats.
Waggin train jerky treats milo chicken jerky	Dog	Papillon - Spaniel Continental Toy (with erect ears or with dropped ears (Phal	3	Years	Male	12	Pound	Discovered Waggin Train treats as well as Milo chicken jerky treats, both were purchased at my local Walmart. Both of my dogs are very picky eaters but they loved these treats. Over a few months my family noticed both dogs to have diarrhea, throwing up and my smaller dog (b) (6) was very sick one night where we had to sit up with her (not knowing that the dog treats might have been the cause). My dogs are on a steady diet of beneficial dog food and were given the waggin train and milo as a treat twice a day. After reading the article regarding these treats on MSN everything just fell into place regarding the dogs health issues. My dog (b) (6) seemed to have an iron stomach and seem to tolerate just about anything, but these treats gave him diarrhea and made him heave and throw up a lot.
Waggin Train chicken jerky & Milo chicken jerky	Dog	Papillon - Spaniel Continental Toy (with erect ears or with dropped ears (Phal	3	Years	Female	5	Pound	Discovered Waggin Train treats as well as Milo chicken jerky treats, both were purchased at my local Walmart. Both of my dogs are very picky eaters but they loved these treats. Over a few months my family noticed both dogs to have diarrhea, throwing up and my smaller dog (b) (6) was very sick one night where we had to sit up with her (not knowing that the dog treats might have been the cause). My dogs are on a steady diet of beneficial dog food and were given the waggin train and milo as a treat twice a day. After reading the article regarding these treats on MSN everything just fell into place regarding the dogs health issues
Canyon Creek Ranch Natural Chicken Tenders	Dog	Mixed (Dog)	7	Years	Male	71	Pound	My dog, (b) (6) who is a pit bull and black lab mix (age 7.5) became very ill November 2011 with a serious case of Pancreatitis. His health has always been exceptional and resilient with no pre-existing conditions; he has attended the same vet clinic (multiple doctors) for his whole life, so the records of his health are in one system. His weight before and after the illness is classified as "ideal" and his health record spotless. In November, he became violently ill and his weight slid from 71 to 61 pounds. At the time, he started eating Canyon Creek Ranch Natural Chicken Tenders dehydrated chicken jerky treats from the 30-oz (907g, red) "bag"-style package. The symptoms were loose, bloody stool, vomiting of undigested food, and dehydration. The symptoms appeared within 2 weeks of my starting to feed him the treats. I would give him three strips each morning as an "after breakfast treat." I am certain that they caused his illness because I've since stopped feeding him these treats and his condition has improved. The treats were the only change to his diet at the time--he was also eating Evo Weight Management low fat dry food at the time, which he had been eating for years. He was fine. Enter the treats, and two weeks later he's sent to the emergency room twice! Connect the dots as I have? Since the illness, at the vet's direction, I switched (b) (6) from Evo dry food to Hill's i/d Gastrointestinal Health prescription formula wet and dry food (a 75%/25% mix, respectively). His health has recovered to full pre-illness state. Unfortunately, I returned the unused portion of the jerky I had to the store where I bought them: the (b) (6). I didn't think to retain the packaging such as to obtain the lot number, nor do I have any of the product left. I did not notice a foul odor or color, and my dog loved eating them. There was nothing visibly wrong with the packaging, nor was a foreign object present in the treats. His vet is (b) (6). The blood test done after his second rush to the emergency room confirmed pancreatitis.
Waggin Tails Big Blast Wrapped with Chicken	Dog	Retriever - Labrador	7	Years	Male	75	Pound	(b) (6) was given Waggin Tails Big Blast Wrapped with Chicken treats after exercise as a treat. We left home for about two hours and when we returned (b) (6) was still in the same spot he was in when we left him earlier. Upon checking on him we found him to be not breathing. He was taken to the emergency vet and pronounced dead. No cause of death was probed, but after seeing the recent reports of pets having issues after eating these treats I now believe that they may have contributed to his sudden death.

Waggin Train Chicken Tender Jerky	Dog	Shepherd Dog - German	5	Years	Female	120	Pound	We were giving her Waggin Train Chicken Tenders, purchased at Sam's Club.. She loved them... Shortly after we started giving them to her, she began having bouts of severe diarrhea... We didn't make the connection right away but after several months of this on and off, I saw an article about these chicken tenders. We never gave them to her again and she has not had one episode of the severe diarrhea since we stopped giving them to her.. Prior to that she was having these bouts every two to three weeks...
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pit Bull	4	Years	Female	40	Pound	The beginning of January of this year 2012 my husband,dog, and I were visiting family in (b) (6) . We were out of treats that we had brought so we went to the local Wal-Mart to buy some. My mother had seen the Waggin' Train Brand of treats Chicken Jerky Tenders and so thats what we decided to buy since our dog loves treats of this nature. They were stored at Room Temperature and kept in the sealed plastic bag that they came in. We opened them the next morning once we had taken our dog outside. After that and about 5 times throughout the day our dog had vomitted and had diarrhea. Also she would not eat or drink anything else. Our dog is very healthy and in the four years we have had her she has only vomitted one other time from eating to fast so we were alarmed to the sickness that had taken her over. We ruled out every factor and decided it was the treats and immediately threw them out. I refused to give her anymore. Now since the beginning of January till now she has been fine and I am convinced it was the Waggin' Train Chicken Jerky Tenders that made her so ill. Needless to say being worried we cut our trip short with family and returned to PA two days after when we felt our dog could make the trip home.
Kingdom Pets Chicken Jerky	Dog	Dobermann	1	Years	Male	83		He began throwing up and got diarrea and after a couple of days blood showed up in his diarrea. We took him to the vet with a stool sample and the vet said there was a high level of bacteria in his stool. The vet said it was likely the problem came from something the dog had eaten. The vet prescribed antibiotics.
Wagon Train Chicekn & Jerky Treat Wagon Train Chicken & Apple Treats Wagon Train Apples & Yams Treats.	Dog	Terrier - Yorkshire	3	Years	Female	6	Pound	(b) (6) began getting Wagon Train treats in or around September of 2011. We thought they were healthy for her and good for her b/c they contained ONLY the best ingredients and not a lot of fillers. Her worst bout of illness came when she started to feel bad in late December early January, after losing weight, seeming depressed and her stomach making terrible noises we took her to the vet. There we were told that her right kidney was compeltely gone, had shut down and had to come out. She had right kidney removal on February 13, 2012. They also found sever pancreatits at the time. After the surgery she seemed to be recovering, then a week to 2 weeks ago she started to declined once again,her stomach making the same noises and she was in a great deal of pain. She died by ethnization on Friday, March 9, 2012. We could not bare ti see her in the pain she was in. She had a bout of illness back in the spring of 2011 but overcame that illness, thrived, gained weight and seemed to be ok until this past December. Her previous illness was not the same as this time. Something was definately different, the kidney was one thing but something else was wrong.
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	2	Years	Male	70	Pound	We fed Milo's "natural" chicken jerky as occasional treats (1-3 a day) for a period of a few weeks last fall. My dog lost his appetite and was vomiting, and would not eat his regular food during this time. No other changes to his diet were made, and he does not have access to food outside (he stays indoors except when on walks) or human food. When I read the notice last November, I promptly stopped feeding the treats and he returned to normal in a few days.
Waggin Train Cowboy Steaks..6oz Waggin Train Chic' N Biscuits..6oz, Waggin Train Yam Good Chicken wrapped yams..5oz	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phal	4	Years	Male	13	Pound	(b) (6) became sick. Wouldn't eat, barely drank, vomited when he tried. Took him to the vet and he had a severe bacterial infection and was extremely dehydrated. He had ate nothing new. No new food change. The only thing he ate a lot of before he became sick was Waggin Train treats. Unfortunately because of a Vet error we lost him on Nov. 17th.
Canyon Creek Ranch® Chicken Tenders Dog Treats	Dog	Rottweiler	6	Years	Female	98	Pound	In January 2012, I noticed that (b) (6) had swollen lymph glands in her neck. I took her to the vet, and after he examined her he diagnosed her with cancer, lymphoma. He said (b) (6) has up to 6 months to live. He prescribed 40 mg. prednisone, which (b) (6) has been taking since the end of January two times per day. (b) (6) had been eating Canyon Creek Ranch treats since May - June 2011.
waggin tail or trail jerky Milos Chicken Jerky Any treats Made in China.	Dog	Poodle (unspecified)	5	Years	Male	15	Pound	Deficated Blood in his poo.
Waggin' Train Wholesome chicken Jerky Treats								This is just an observation concerning the Waggin Train chicken Jerky Treats. There is a white packet inside the packages labelled " deoxidizer do not eat". Often these packets are very warm and almost hot even quite awhile after I've opened the package. This may not mean anything but I am sending this information to see if it will help in any way to find out what is causing the illness that reports say may be linked to these treats. My dogs eat these treats every day and have had no problems. I buy them at Sams in the 40 oz bags. Thank you and please disregard this if it is not of any help.
Dogswell Veggie Life "Vitality" Chicken and Apple with Flaxseed and Vitamins	Dog	Terrier - Silky	6	Years	Female	8	Pound	Hemorrhaging from the rectum and vomiting. Preliminary diagnosis: gastroenteritis. Dog did not improve with initial treatment. Further testing revealed a "contamiment". In reviewing dog's daily intake, the jerky treat was deemed the obvious source. Dog is presently being treated with an EN food and anitbiotics as of March 13, 2012.

Waggin Train Jerky Tenders	Dog	Terrier - Yorkshire	4	Years	Female	12	Pound	I have two dogs, one is a Yorkshire Terrier and one is a mixed breed. My mother has a Yorkshire/Poodle mix, and my grandmother had two Shiz Tzus. We have all fed our dogs the Waggin Train brand of chicken and duck treats for several years. My grandmother's two Shiz Tzus became ill at the beginning of January 2012. (b) (6) is only two years old and (b) (6) was about 13. They both had severe diaherria and vomiting. My grandmother took them to the vet and he told her to give the Pepto Bismol (b) (6) ended up getting better after a few weeks of constant diaherria and vomiting, but (b) (6) continued to get worse and ended up passing away at the beginning of March 2012. (b) (6) my mom's Poodle/Yorkshire mix was the next one to come down with the illness, she had diaherria and vomiting for a week. My mom took her to the vet, too and they had her give her Pepto Bismol as well. She became better in about a week. My dog (b) (6) became violently about two weeks ago. She threw up everything she ate or drank and had bad diaherria. There were clots of blood in her diaherria. She had it four about five days. Then last week (b) (6) had bad diaherria. They all seem to be better now with the exception of (b) (6) death. All bags of the Waggin Train treats were purchased at Wal-Mart in (b) (6) or Sam's Club in (b) (6). I still have about a quarter of the bag left, but will not be giving it to my dogs any longer. I don't remember the exact dates the products were bought. I suspect the treats caused the illness because that is the only common denominator in all five dogs.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	13	Months	Male	75	Pound	On February 23, 2012, (b) (6), a Bouvier des Flandres, began acting more sedate than his normal energetic self. By February 25, 2012, (b) (6) was vomitting and was not willing to sit or lie down. His body began to shake, and he was taken to the vet. Upon arrival at the animal hospital, (b) (6) temperature was taken, which read slightly above normal. Because of concerns that he may have eaten something that was causing a blockage of the intestine, x-rays were done of his abdomen. Nothing out of the ordinary was visible. The vet also ran blood work which came back with an extremely elevated white blood cell count, predominantly NEU (29.24K/mL) and MONO (4.68 K/mL). Additionally, the blood work showed elevated ALT (120 U/L) and ALKP (475 U/L). (b) (6) was injected with penicillin and was sent home with antibiotics (Clavamox). For 3 days (b) (6) received only white rice and Metamucil. By February 29, 2012, (b) (6) was put back on his regular diet of 5-6 cups of Nature's Domain Salmon and Sweet Potato dry kibble with 1/2 cup of ground beef and vegetables per day. He also received about 1-2 Waggin' Train Chicken Jerkey treats per day. On March 6, 2012, (b) (6) was having difficulty deficating. He was taken back to the vet where he was diagnosed with an enlarged prostate. He was sent home with Prednisone and Trimethoprim-sulfa. He is still taking these medications and although he is able to deficate, his energy level is not normal. He is extremely lethargic and lacks energy. Following the March 6th vet visit, (b) (6) continued his regular diet of dry kibble, ground beef, and Waggin' Train Chicken Jerkey Treats. On March 13, 2012, I read an article on msn.com concerning contaminant concerns with the Waggin' Train Chicken Jerkey Treats and the potential for kidney failure. I have stopped giving (b) (6) these treats. The remaining treats are in the original packaging and are available for testing. They were originally purchased from Costco Wholesale located at (b) (6) on February 6, 2012.
Dingo	Dog	Little Lion Dog	8	Years	Male	13	Pound	I have a full breed Pomeranian, which isn't in the list of breeds to choose from. He has been checked routinely for a high kidney count and was put on specific food to keep that number in check. This particular veterinarian just watched the status but didn't link the number to an issue with any intake of food or treats. My dog started to drink high amounts of water, he had some changes in behavior that were unusual for him. I took him to a new vet due to a move and I discussed with that vet the food I was told o give him and that his kidney count was being monitored. I also discussed the increase in water and the changes in behavior. Upon doing this the new vet checked the sugar level as a possible reason to the drinking but also the kidney numbers. They came back extremely high which could lead to failure. She asked if i was feeding him treats, since the food was appropriate, from China. I discussed that I fed him several items in the Dingo brand. She said for me to immediately stop those brands she had seen other animals with health issues linked to food from China. Once I did and went to American made his number came back in line and has been checked twice since and still good. I feed him Purina, which I thought was American made; however, he has been drinking more in recent months and I was starting to be concerned. Upon reading the new press on Purina I am concerned I feeding him items that may cause serious health issues. But due that and the fact Dingo wasn't named I wanted you to know the turn around that transpired when I stopped feeding him the Dingo brand.
Wagginz Train treats	Dog	Chihuahua	3	Years	Female	19	Pound	My dog is normally very active but after eating a treat, she just sat around and didnt respond well . This went on for about 1 month ! i then started to notice tht she had diarrhea quite a bit and it took her longer than normal to recover from it !! From there she started throwing up and just not acting like her normal bouncy self. I quit giving her treats and she has recovered somewhat but still has a hard time using the bathroom and it does take her longer to do both !! This was her only treat and she has never had any reaction to regular dog food !!
Milos Kitchen home style dog treats Chicken Jerky	Dog	Beagle	2	Years	Male	40	Pound	Everytime he ate dog food I would see new bumps on his body. He did not want to eat and lost 8 lbs he was already very lean. I did the allegic food chase and moved him to lamb based grain free food, Stopped giving him any chicken based food. His bumps started receding. One day I gave him one of the Milos kitchen chicken jerky and the bumps started to come back! He cannot eat anything with chicken now, he will get bumps that turn scabby on his body and will loose hair in the area. After changing him several times to a different protein I finally settled for a Turkey based Grain Free diet and he has no more bumps. and his hair is almost 100% recovered and he gained his weight back plus a little more.

Canyon Creek Ranch Chicken / Duck Jerkey	Dog	Foxhound - American	4	Years	Female	50	Pound	Purchased 2 bags of Canyon Creek Ranch jerkey from Petsmart, (b) (6) in November 2011. Kept them in a drawer in the kitchen unopened. Opened the chicken packet in early January of 2012 and fed my dog 3 pieces of jerkey per day for 3 days. Along with Alpo oven baked treats and her usual Natural food. Over the course of the 3 days she vomitted each day typically in the morning bringing up her meal from the night before. Once she had vomitted she was fine within herself. As we had just introduced the Canyon Creek jerkey I stopped and there was no more vomitting. I then checked on the internet and found the reports of the other cases of kidney failure etc. Both bags were thrown out. She hasn't had anymore issues since.
WAGGIN' TRAIN JERKY TENDERS	Dog	Pug	4	Years	Female	12	Pound	JULY 1 2011, BOTH DOGS HAD VET VISITS AND WERE BOTH IN EXCELLENT PHYSICAL HEALTH. IN LATE JULY, THE PUGS (b) (6) HEALTH BEGAN TO DETERIORATE AND THE POMERANIAN/ESKIMO MIX (b) (6) BEGAN LOSING DRASTIC WEIGHT AND EXTREME LOSS OF FUR. THE PUG DIED AT THE BEGINNING OF AUGUST. THE POM/ESKIMO MIX ORIGINALLY 20 POUNDS, LOST DOWN TO 11 POUNDS AND HER COAT WAS VERY SPARSE. BECAUSE BOTH DOGS HAD RECEIVED THEIR RABIES VACCINE, THE VET AND PHARMACEUTICAL COMPANY WERE CONTACTED AND REPORTS GIVEN. NOT UNTIL LATE DECEMBER/EARLY JANUARY DID THE POM MIX BEGIN GETTING HER WINTER COAT. THE FAMILY HAS BEEN DEVASTATED BY THE LOSS OF THE PUG TO A SEEMINGLY UNKNOWN CAUSE.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Chihuahua						Dog had ate a canyon creek ranch brand of chicken tenders treat. owner went to work and came home to find dog deceased in cage.
Waggon Train Chicken Jerky	Dog	Maltese	5	Years	Female	7	Pound	Kidneys failing
Waggin Train Chicken and Cheese treats	Dog	Pug	3	Years	Male	20	Pound	I purchased Waggin Train Chicken and Cheese treats for my dogs for the first time, and after eating them both dogs were vomiting. Pomeranian not as much, but the pug was throwing up for 24 hours straight. And then on and off for a few more days.
Waggin' Trails Wholesome Chicken Jerky Treats	Dog	Poodle - Medium size	33	Months	Male	20	Pound	Our dog has been drinking a very abnormally high amount of water in the week since he had the first of these jerky treats. His water bowl is continuously empty and he flips it around the kitchen to ask for more. He's asking to go outside frequently and has had a rare bowel accident in the house. He's also been vomiting. He's vomited bright green and has also vomited liquid.
Milo's kitchen home style dog treats	Dog	Terrier (unspecified)	6	Years	Female	25	Pound	She has been incontient of urine with bloody clots in it. This is new for her. She has to frequently go to the bathroom. Appetite is poor, she has lost weight.
Waggin trails chicken jerky treats	Dog	Terrier - Yorkshire	10	Years	Female	6	Pound	severe diarrhea after eating chicken jerky. Same problem two dogs. one 10 years old, one 1 year old. Corrected w/anti-diarhea medication. diarrhea started again after medication was finished. Elimination of various foods was tried until condition was remedied by ceasing eating of chicken jerky treats. All brand listed were tried, waggins trails,etc.. All made in china. !0 year old dog continues to have stomach sensitivity issues(diarhea) aout 1-2 times per week even though food sources remain very limited and constant. Prior to this, this dog could eat just about anything and not be affected.
Duck Jerky Treats from Petsmart (made in China)	Dog	Pit Bull	3	Years	Male	70	Pound	I gave her a duck jerky treat purchased from Petsmart (made in China) shortly after eating the treat, she threw up. I told my sister about it and she said her golden doodle had done the exact same thing, same treat. I did not feed her any more treats and called Petsmart headquarters to find out if they have any quality control in the factory in China. Person on the phone basically was of no help. She told me to inform the store manager, which I did.
Waggin Train PPJ peanut butter flavored biscuits (wrapped with Chicken)	Dog	Bichon Frise	13	Years	Male	22	Pound	We noticed that afery each time we gave him this kind of treat he would have a very Bad BM. (he needed a bath) When going to do a BM would take a lot longer and dog acted like he knew he had a bad BM. We only gave him about 4 of these treats due to the problems...we thought it might be due to changing from his normal "Milkbone" treats. He is having normal BM's now
Waggin Train	Dog	Ridgeback - Rhodesian	12		Male	90		I purchased a bag of Waggin Train chicken jerky at target in January 2012 ((b) (6)) a week or so later (b) (6) developed diarrahea that would not go away. took him to the vet and he had an intestinal infection as well as the vet found a huge fatty tumor on his thigh joint that was not noted before. he was given antibiotics as well as a wormer as it was found he had tape worms. he recovered but then had a relapse in the diarreah again was again put on anti biotics as well as had to have a diet of rice and boiled hamburger for two weeks. I never saw any warnings on the jerky treats ANYWHERE and (b) (6) loves them, but they are expensive so he does not get them often . It had been several months since his last bag as well as the first time I had ever purchased them form target. dates below are approximate as i would have to check vet records.
Waggin train chicken	Dog	Boxer (German Boxer)	1	Years	Female	50		(b) (6) was diagnosed with Kidney disease and given a few months to live

WAGGIN TRAIN CHICKEN JERKY TENDERS	Dog	Retriever - Labrador	5	Years	Male	95	Pound	Our dog is a thorough bred pedigreed Yellow Lab. He began to have seizures that were very intense and painful, lasting a few minutes and rendering him completely immobile. We consulted the vet and then, monitored him very closely. After speaking to a holistic pet shop owner, we were advised to remove all products that are not organic in nature and particularly those manufactured outside the US. We had been treating our pet to the WAGGIN TRAIN CHICKEN JERKY in addition to other chicken treats from Costco and we stopped that immediately. After this, our dog has not had any seizures but has been impacted visually and cannot navigate around the home without assistance. After reading this report on today's news, it could be that he was actually in the gripes of severe kidney pain that we could have mistaken as seizures. Currently, we have switched to the Good Life brand of Salmon raw food kibbles that has helped him tremendously.
Waggin Train Chicken Treats	Dog	Beagle	3	Years	Female	60	Pound	After our dog was given chicken jerky treats, she developed liver damage.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Golden	1	Years	Female	47	Pound	After seeing problems reported with Waggin Train Chicken Jerky I wanted to report that my young puppy did consume this product and has since been diagnosed with Renal Dysplasia (Kidney Failure), unsure of the cause of the disease but thought it was worth reporting.
Waggin Train Wholesome Chicken Jerky Tenders.	Dog	Retriever - Labrador	10		Male	58		Vomiting, excessive diarrhea & urination.
Wagon Trail Chicken Jerky Tenders	Dog	Bichon Frise	5	Years	Male	15	Pound	(b) (6) has developed cystine stones, has had 2 bladder surgeries, had to be neutered and also had a urethostomy. He has been at the animal hospital for 3 weeks do date. I should be bringing him home on March 16, 2012, if all is well. (b) (6) has consumed many packs of the chicken jerky treats made in China, along with the products made by Milo.
Milo's Kitchen Chicken Jerky	Dog	Rottweiler	6	Years	Female	118	Pound	(b) (6) was feed 1 and one half pieces of chicken jerky a day for several weeks. She eventually began passing small amounts of diarrhea and stopped eating. Blood work from a visit to the vet indicated that two enzymes associated with the liver were twice and ten times the normal levels.
Waggon Train Jerky Tenders	Dog	Pointer (unspecified)	14	Years	Male	60	Pound	My Vet diagnosed my beloved dog with kidney disease.
Milo's Kitchen Chicken Jerky	Dog	Terrier - Boston	3	Years	Female	13	Pound	A few hours after feeding my dogs the suggested serving size of Milo's Kitchen Chicken Jerky treats, they both became ill with diarrhea, wich was yellow in color. Both refused to eat their normal food (organic dry) but continued to drink water. One of my dogs wanted to eat grass. This lasted for 2 days before both returned back to normal.
Waggin Train Jerky Tenders	Dog	Dachshund - Miniature	3	Years	Female	13	Pound	We noticed that the dog was lethargic and reacted in pain when we scratched her tummy. She was needing to urinate repeatedly and had bloody stool, confirmed by the vet visit. She vomited a brown water substance with bile in it and the next morning I took her to the vet. She was severely dehydrated and I was told she had blood in her stool. She was given an antibiotic, something to increase her appetite and an antibiotic and IV fluids. It took all week to make her feel better and the cause was unclear as to what happened until I came across this article today and that was the only variable that was matching.
Wagon Train Chicken Jerky (I think)	Dog	Retriever - Labrador	11	Years	Female	77	Pound	The dog has to have her blood checked every six months. When she had this done at the beginning of February the count was higher than normal so I took her off the Wagon Train chicken strips. She had ber blood checked just last week and it was back to the readings she had been having. The only thing that I changed was giving her the chicken strips.
Waggin Train Jerky Tenders	Dog	Dachshund - Miniature	11	Years	Female	12	Pound	(b) (6) developed bladder cancer, which apparently is unusual in dogs. I can not link this disease to the chicken turkey treats that I've given my dogs for the last few years, but am reporting it due to this food being in the news quite a bit and apparently causing deaths in dogs nationwide. She is no longer alive.
Milo's Kitchen , Wagon Train chicken Jerky	Dog	Retriever - Labrador	10	Years	Female	80	Pound	We had given our chocolate lab Wagon Train Chicken Jerky as a treat for awhile. We are not exactly sure when we began giving them to her, but about a year ago we discovered that she was peeing quite often and drinking excessive amounts of water. Last March we took her in to get tested and discovered that she has diabetes. Diabetes is a very rare condition for a labrador to get, of which our veterinarian has only ever seen on other chocolate lab with. In the beginning we did not associate her diabetes with the treats we were giving her, but this is a condition that we have to deal with everyday for the rest of her life. We recently switched treats from Wagon Train Chicken Jerky to Milo's Kitchen and have been unable to keep her glucose at a normal level.
Waggin Train Jerky Tenders								I have given my dog the Waggin Trails Jerky treats for the first time and realized after a couple of days he was not acting normal. All he wanted to do was sleep. He was not eating his food, or drinking any water. If he did eat anything he would throw it up.

Canyon Creek Chicken Jerky Treats	Dog	Retriever - Golden	1	Years	Male	75	Pound	My dog was receiving 1-3 canyon creek jerky treats a day and was healthy. On high exercise days I would give him 3-6 for the extra protein. He went about a week of high exercise where he was receiving 3-6 treats daily and became lethargic and had diarrhea. I went about another week before I started researching his symptoms. I got numerous responses online about the canyon creek treats making dogs sick, (both lethargic and diarrhea). I promptly stopped giving him the treats and switched to blue buffalo brand treats. His diarrhea stopped in 2 days and he seemed to be back to full energy a week later. I was duped by the cover of the bag by thinking the treats were made in the U.S. because it says an American owned company on the cover. I only realized after he was sick that they were made in China. Thank you for your time
wagon trails wholesome chicken jerky tenders chicken dog treats	Dog	Bullmastiff	5	Years	Female	140	Pound	I gave my dog the wagon trail chicken jerky just one piece and left for work and returned 4 hours later and there was vomit and diarrhea in every room of the house and it continued for 2 days she couldn't help but to go in the house because when she got up from a laying position it would just come out
Cadet Gourmet Sweet Potato & Chicken Wraps	Dog	Terrier - Yorkshire	10	Years	Male	7	Pound	My dog got severe diarrhea after eating treats (Sweet Potato & Chicken Wraps). I had to take him to the vet. He was negative for parasites or foreign objects, so he's still taking medication and the diarrhea has stopped. I read online that there was a problem with chicken jerky treats and think this is probably what caused the problem.
Waggin Train Wholesome Big Blast	Dog	Retriever - Golden	12	Years	Male	120	Pound	Starting vomiting, diarrhea, would not eat. The only change in his diet was I gave him a new brand of dog treat.
Waggin Train Jerky Treats	Dog	Terrier - Silky	3	Years	Female	9	Pound	(b) (6) is one of 2 dogs that we gave Waggin Train Jerky Treats to on a somewhat regular basis. (b) (6) a 4 year old, 5 lb Yorkshire Terrier was also given the Treats. (b) (6) experienced a significant amount of bleeding diarrhea. (b) (6) lives most of the time with my daughter a mile up the road, and spends some time with me. Zoey was put on a strict diet, to try to narrow down the problem, along with cutting out all treats. Shortly thereafter, (b) (6) started getting bloody diarrhea as well. The only thing they had in common were the Waggin Train Jerky Treats. When we stopped BOTH from the treats, the bleeding stopped. THEN we heard about the problem with the treats from China. We also heard there was no proof. No, we don't have "proof" either, but we know for sure it was those treats. I don't know the dates, but could find out from vet if need be.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Crossbred Canine/dog	3	Years	Female	31	Pound	Soon after giving our dog 2-3 Canyon Creek Chicken Tenders to our dog per day, she started having episodes of vomiting, and hacking. This vomit was yellow colored and more liquid. She also seemed to be lethargic and she lay around the house more. Since the only new item we were giving her was the Canyon Creek Chicken Tenders, we decided to stop giving the tenders to her, she soon stopped having episodes of vomiting and returned to her normal activity within a couple days.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland)	10	Years	Female	53	Pound	(b) (6) began having leakage/urination problems while she was sleeping. It progressively got worse. She began regurgitating. I took her to the vet. He said she had lost 12 pounds over a few months. During her stay at the vet, her kidneys began to fail, and she passed away. I had been giving her Waggin Train Chicken Jerky treats to her for years. That was her favorite treat.
waggin train jerky tenders	Dog	Retriever - Golden	10	Years	Female	89	Pound	She became very lethargic.....by the time I got her to the vet her kidney was failing.....I had read about these treats and had stopped giving them to her a little prior but before that she had them everyday until I saw the articles on msn and followed up with my vet that said they were dangerous.....we did some dialysis on her but saw no way of curing the kidney.....I had to put her down.....this was my baby and I have been unconsoleable.....all this crap from China needs to be taken off the shelves and if not properly marked MADE IN CHINA.....I can have my vet send you a report if necessary
Wagon Trail Chicken Strips	Dog	Shih Tzu	11	Years	Female	15	Pound	Skin irritation, constant scratching.
Waggin Tails Chicken Jerky	Dog	Retriever - Labrador	10	Years	Female	64	Pound	Last fall our Chocolate Lab developed some very unusual behaviors. She started hiding, would not get up off the floor when called and acted frightened all the time. At night when she was let out and a light was turned on to find her she would just freeze and not move for minutes at a time unless I walked out and physically moved her. We took her to the vet and there was no apparent illness so blood work was done and all the tests were off the charts but no tumors etc. to cause the high levels. It was at this time she would not come out of her crate in the morning and another trip to the vet showed indicated a swollen liver and blockages in her intestines, again no apparent illness. I was searching the internet and found a blog that indicated some of the same things could be related to the Jerky treats which she had every day. We stopped the treats and kept her on plain dog food and water. Within 3 weeks she was back running and in 6 weeks she was her old self. We returned some unopened treats to Sam's and never purchased them again. Our vet never could identify an illness and we spent \$400 to \$500 on testing. Thanks, (b) (6)

Canyon Creek Ranch - Chicken & Banana	Dog	Retriever - Labrador	3	Years	Male	70	Pound	I used the above mentioned treats as my pup's trail treats for a few months. He then started having monthly episodes (lasting 4-7 days) of nausea, vomiting, diarrhea. I discontinued the use on 7/30 as I started seeing a trend of the same symptoms. Since then he has been in/out of ERs, vets, specialists. He's undergone at least \$4k worth of exams/ultrasounds/procedures.
Waggin Tails Chicken Jerky and the Kind made by that famous chef/man.	Dog	Beagle	11	Days	Male	32	Pound	Both (b) (6) the beagle, and (b) (6) a pit mix, were eating chicken jerky made in China and suddenly developed uncontrollable bladder problems. Both are house broken. Both just peed all over everything and seemed shocked that it had happened as if they had no idea they needed to go. I happened to see a report on the Humane Society website that recommended not giving the dogs these treats and stopped immediately. The problem disappeared.
Wagon Train Jerky Tenders	Dog	Retriever - Labrador	5		Male	86		In January 2011 my pet (b) (6) was diagnosed with kidney failure. He had to stay at the veterinarian for three days until his kidney function could be regulated to safe levels. I do not remember the exact chemicals that were monitored. But, the levels in his kidneys were extremely high. Again, in March 2012 he had a yearly exam and his kidneys were again heading toward failure due to the obscene high levels of chemicals. I read recently that treats made in China were reported causing kidney failure in animals. I am concerned that (b) (6) may have been contaminated by these tainted treats that are made in China.
waggon Tail Chicken Jerky Treats from China								My little (b) (6) has eaten Chicken Jerky Treats from China for the past 4 years with no problems until Oct 2011 he ill with vomiting and he was taken to the Vet. and given a pepic for upset stomach. This did not help at all he would not eat and was vomiting what little he did eat which was frothy, I then took him back to the Vet. We changed his dog food to less fatty. Still not doing any better took him back again and insisted that they do blood work to find out what was going on, I mentioned the Jerky that he was eating this was removed as well. Blood work came back all ok liver a little high. He was put on Metoclopramide syrup not jerky and he is getting better slowly now.
Wagon Train chicken jerky	Dog	Alaskan Malamute	14	Years	Male	20	Pound	I was giving my dog chicken jerky every night as a treat thinking that it was all natural and that it would be safe. He started feeling ill with diarrhea and vomiting for several days. He had to be hospitalized overnight due to lack of hydration. We spent over \$1000.00 for tests to rule out any other problems. I immediately quit giving him the chicken jerky and he has been great ever since. I truly believe it was the jerky and I would highly recommend that this product be taken off the market.
Waggin Tail Chicken Jerky Treats	Dog	Shih Tzu	3	Years	Female	12	Pound	(b) (6) began eating the Waggin Tail chicken jerky treats several months with no other change in her diet. Last month she developed severe kidney dysfunction and had to have emergency abdominal surgery to save her life as her bladder was completely full of kidney stones. She so obstructed that she could no longer urinate. This was sudden and extremely painful for her.
Waggin Train Chicken stix chicken and rawhide snack	Dog	Mixed (Dog)	3	Months	Female	2	Gram	Severe Diarrhea, lethargy vomiting
Waggin' Train WHOLESOME CHICKEN 16 oz. Chicken Dog Treats								I've been using Waggin' Train Dog Treats, specifically Chicken flavored strips for several months. I've noticed what appears to be digestive problems, although not having any kind of real experience in the detection of such maladies, I cannot state with certainty that she is in distress. She is a Yorkie mix about 14 months old. I read the article on the internet this morning about this product being linked to illnesses and death. I immediately called Walmart and informed them for which their representative quickly distanced themselves from any liability for any illness my dog might contract. She told me to contact the manufacturer. In the meantime, I will of course cease using this product but I'm very concerned about possible health issues for my pet. She is a companion animal and as I live on a fixed income, I'm afraid I won't be able to afford veterinary bills arising out of this.
"WagginTrain/Chicken Jerky treats"; Miloes Kitchen Chicken Jerky, Milo's Kitchen homestyle dog treats	Dog	Crossbred Canine/dog	11	Years	Female	32	Pound	I use the 'Waggin Tail,' Train, chicken jerky treats and milos kitchen, Religiously, daily!! 2 big bags per week or 10 days 4 3 dogs, so use them allot! My Vet said, she was poisoned, food poison!! I thought was going to lose her, she is getting old but, the symptoms were soo bad I truly thought she was going to die!! And yes, took to Vet she spent the night, flushed with fluids and the diarrhea, was by then BLOOD, as stated I thought it was Parvo!! We must do something about this, our pets are too important to we Americans and who ever dont like it well, they can bite me!! O, and I did have a larger dog and he was very healthy! but he died very mysteriously in 2007, the vet then said he really didn't know! My pets are sooo special to me, like family members and it hurts so to lose them. My dogs are my BFF's I trust them more than most people.
WAGGIN TRAIN JERKY TENDERS	Dog	Terrier - Yorkshire	11		Female	9	Pound	SHE BECAME LISTLESS AND TOTALLY INACTIVE. THOUGHT IT WAS JUST AGE SO TOOK HER TO THE VET. SHE RAN TESTS AND FOUND OUT HER KIDNEYS WERE SHUTTING DOWN - RENAL INSUFFICIENCY.
Canyon Creek Ranch Chicken tenders	Dog	Shepherd Dog - German	3	Years	Male	75	Pound	Dog became very sick- explosive diarrhea, sometimes with blood, as well as vomiting. Not tolerating food well.
Milo's Kitchen home-style dog treats / Chicken Jerky	Dog	Shih Tzu	2	Years	Male	25	Pound	Loose stool / regurgitating undigested food

wagon trail chicken treats and wagon trail duck treats	Dog	Mixed (Dog)	10		Female	65	she became ill over christmas and was taken to the vets who confirm that she had some adominal issues and that xray and surgery were needed, also blood work, which identified that she had internal bleeding and the xray reveled that it was her spleen that was bleeding. so surgery was preformed and she did not survive, the vet said that they notice a large sist on her liver and her kidneys look inflamed you can imagine our greif we expected to bring home our dog that day but instead we had to bury her
Wagon Train Jerky Tenders	Dog	Retriever - Labrador	6	Years	Male	77	Pound After feeding my dog the Wagon Train chicken jerky treats, over a period of months, he began to throw up and have diarrhea and was very lethargic. He would get better after a few days, but then would throw up again. This went on for months. The vet couldn't explain it. I never even thought about the treats. He is no longer eating the treats and he is back to normal. No more throwing up, and no more diarrhea.
Wagon Train Jerky Tenders	Dog	Retriever (unspecified)	11	Years	Male	84	Pound I have been feeding my dogs Milo chicken treats and Wagon Trail Chicken Jerky for the past year daily 2-4 treats each dog. In February my 9 year old springer spaniel was diagnosed with diabetes and my 11 year old lab was diagnosed with renal failure both within 1 week of each other. My lab is dying of renal failure and so far our vet bills/medicine/food have cost us over \$2000.00 not to mention the psychological pain and stress it has put on me as I watch my pet die.
WAGGIN TRAIN JERKY TENDERS	Dog	Schnauzer - Miniature	4	Hours	Male	27	Pound We have given him -Waggin Train - Jerky Tenders for couple years that we purchase them from Costco, and our dog loves them. he throws up at times, and we just thought that he may have bad stomach. Recently we decide to stop givin him the Waggin Train tenders, and his symptons seems has improved. We think the problem has been accumulated from the past few years, and we just did not realize it is caused by the Jerky that is carried by a good store like COSTCO.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	11	Years	Female	55	Pound Developed liver disease which steadily got worse over about a four month period until we had to have her put to sleep because she was not eating.
WAGGIN TRAIN JERKY CHICKEN TREATS	Dog	Great Dane	1	Years	Female	186	Pound I bought this particular dog treats called "Waggin Train" jerky chicken treats at a Sam's club store in North Carolina last February 2012. Upon arrival to NJ, I feed my Great Dane (b) (6) 2 sticks of the treats, later that night my dog started having loose bowel, couldn't hold her feaces, her stool was so loose it was every where, which was very unusual. After days of not knowing what the cause is and was still giving her the treats on a daily bases. I decided to take her to the Vet at which point he asked what type of food was I feeding the dog and I mentioned the Waggin dog treats. He immediately told not to give her those treats because he heard alot of negative report on that particular brand. I paid \$1,250 vet fee for my (b) (6) to get back to norm.
Waggin' Train Jerky Tenders	Dog	Retriever - Golden	13	Years	Male	85	In May of last year, he just got sick suddenly. We took him to the vet and he was in kidney failure. While he had been on Rymidel for artheritis, we had him checked every year for any adverse reaction, so we were surprised when he suddenly got ill and the vet reported he was in kidney failure. Due to his age everyone just assumed that is what had caused his issue. Now that reports are surfacing about these treats, We now wonder if they may be the cause. We had no idea about this so did not investagate it at the time.
WAGON TRAIN JERKY TENDERS	Dog	Retriever - Labrador	9	Years	Male	85	Pound (b) (6) HAD JUST TURNED 9 ON 10/31/2011. I HAVE BEEN GIVING HIM WAGON TRAIN JERKKEY TENDERS FOR A LONG TIME. I ALSO GAVE HIM WAGON TRAIN CHICKEN WRAPPED CHEWS. (b) (6) WAS VERY HEALTHY AND ENERGETIC. TOWARDS THE END OF NOVEMBER HE BECAME FINICKY ABOUT HIS FOOD AND QUIT EATING. I BROUGHT HIM TO THE VET WHO HAD JUST SEEN HIM APPROXIMATELY 6 WEEKS EARLIER AND HE WAS DIAGNOSED WITH SEVERE KIDNEY DISEASE. HE HAD GOTTEN SICK SO QUICKLY THAT EVEN THOUGH THEY TRIED A TREATMENT, IT DID NOT WORK AND (b) (6) DIED.
Waggin' Train	Dog	Poodle - Standard	8	Years	Male	85	Pound I gave my dog Wagin' train jerky treat on Saturday & Sunday, by Thursday the dog was visibly ill. I brought the dog to the Vets on Friday. he tested positive for renal failure. He had blood work done 2 months before and was perfect. The doctor said we should have him for a few more months until the inevitable. On Sunday morning I called the Doctor & had my dog euthanized as he was vomiting & dedicating at the same time. It was horrible
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	9	Years	Male	28	Pound Several Waggin Train chicken jerky treats were given daily. (b) (6) went in for a standard dental cleaning and the vet phoned back saying they couldn't put him under because his liver values were off. Potential liver damage. I had JUST read about these treats and had just stopped giving him them a week earlier. (b) (6) was given medicine for 6 weeks and liver values returned to better levels.
Milo's Kitchen home style dog treats. Chicken Jerky	Dog	Shepherd (unspecified)	13	Years	Female	65	My two dogs (other dog is age 2) have been eating the Milo's kitchen Chicken Jerky treats for 2-3 months and about 1 month ago the older job developed rapid weight loss. About 2 weeks ago she stopped going on walks and a few days after that stopped eating. The vet was called in (3/1/12) and we were told she had severe kidney failure. We tried to give her IVs and appetite stimulants, but she could not hold down any food or water and on 3/5/12 she was euthanized. in the last week she was also unable to stand and go outside to go to the bathroom. Her breathing was all labored, she was extremely confused, and her eyes became opaque.
Milo's Kitchen Chicken Jerky	Dog	Spaniel - Cocker American	15	Years	Male	15	Pound (b) (6) began urinating, vomiting and defacating all over the house. He stopped eating and drinking almost completely, but kept up with going to the bathroom all over the house (my mother-in-law's house in Florida). We couldn't figure out where everything was coming from. This went on for several weeks, apparently, before we got there to visit. She and the vet made the decision to put him down, as they felt that was the best option for him. We brought all of his food/treats back to NC with us so I could donate. I noticed that the treats she sent back were the Milo's Kitchen Chicken Jerky treats. Later that week, I started seeing reports about the Chicken Jerky treats.
Waggin' Train Chicken Jerky Treats	Dog	Pit Bull	2	Years	Female	45	Pound (b) (6) became more and more lethargic and didn't feel like eating much, so we went to the vet, (b) (6) . The x-rays showed there was no blockage in her bowels, so we took her home. I was the Labor Day week end, so we took her back to the vet on 9/6/2011. That is when it was determined she was in renal failure. They gave her transfusions and tried flushing her kidneys, but it was too late and she was miserable so we had to put her down.

waggin tails chicken jerky treats	Dog	Dobermann	6	Years	Male	70	Pound	bought jerky treats at Sams Club. Waggin brand. Gave treats to my dog, but he kept throwing up. I decided to throw the whole bag out after i saw they were from China.
Waggin' Train 22oz Chicken Jerky Tenders Dog Treats, Beggin Strips Dog Treats, Waggin' Train 7ct Bacon Wrapped Big Blast Dog Treats	Dog	Mixed (Dog)	10	Years	Female	52	Pound	I have been giving (b) (6) Wagging Chicken Treats, Begging Strips, Wagging Train bacon sticks for around 3-4 years now. In the last year we noticed her belly increasing in size. We took her to the vet. After numerous tests and blood work, he found out she had Cushion's Disease. We started treatment and after two months he told us that he was worried her belly was not reducing in size. So he recommended a specialist. After more tests were done and an ultrasound of her stomach, they concluded that she had a tumor in her liver. We discussed what we were feeding her as well as previous problems she ever had. The vet told us to stop feeding any treat coming from China. Basically all treats we ever gave (b) (6) were already coming from China. So of course we were extremely upset. We threw everything out and started treatment for her liver. They couldn't remove the liver because she had a very high chance of not surviving the operations and would die of liver failure. We have spent thousandsssss of dollars since we started her treatment as well as all the tests and blood work. In addition, because of her tumor, her belly has to be drain every 3-4 weeks.
Milo's Kitchen Home Style Dog Treats Chicken Jerkey	Dog	Retriever - Labrador	7	Years	Male	90	Pound	After consuming Milo's Kitchen Chicken Jerky, (b) (6) would vomit 8-10 times a day. He was unable to keep any food down and became lethargic. This occurred after everytime that he consumed the product. His vet was consulted, and they felt he must have eaten something outside(he lives inside and only goes out to go to the bathroom). I realized that the only food item in his diet that changed was the addition of the chicken jerky. Unfortunately, it did take several feedings of the treat before I connected his sickness and the treats. Once I stopped given him the chicken jerky, his symptoms were alleviated and he returned to his normal self. I just read a report online regarding the FDA and sickness in dogs from chicken jerky. I feel most certain that this is what caused my dog's sickness.
Canyon Creek Ranch Jerky Treats Chicken and Banana Duck wrapped yam Yam Good	Dog	Greyhound - Italian	12	Years	Female	17	Pound	I started giving (b) (6) Canyon Creek jerky treats (1 per day) last year in the summer. After a few weeks she began drinking excessive amounts of water and being constantly thirsty. She would get up in the middle of the night and drink 6 oz straight. I didn't connect it with the jerky treats until I read about the kidney damage and failure in other dogs. In November I read about the FDA warning and immediately discontinued the treats, although I still hadn't connected the thirst with the product. It was only after noticing over the last 4 months that her thirst had returned to completely normal that I realized what was wrong.
Beefeaters Chicken Fillets Natural Dog Treats	Dog	Shepherd Dog - German	4	Years	Female	85	Pound	My dog had been enjoying these treats for a couple of years, but one night about 5 weeks ago I gave her a couple of treats around 9 pm. About 1:30 am I awoke due to (b) (6) pacing back and forth in the bedroom and sort of gagging. I took her outside where she tried to vomit a number of times, but nothing came up so we went back inside. I stayed up with her and debated on taking her to the emergency vet. After about another 1/2 hour of this, I began to get dressed which is when she finally did vomit. It was pretty much liquid except for one chunk of the chicken fillet. There has been no repeat of the problem since I ditched the treats.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shih Tzu	8	Years	Female	10	Pound	Our dog regurgitated the treat after eating.
Canyon Creek Ranch Ducker Tenders	Dog	Beagle	13	Years	Male	30	Pound	We began purchasing Canyon Creek Ranch Duck Tenders late last year. We do not recall the specific date, but understand they were introduced to the market for sale late August of 2011, so it would have been after that point. We fed (b) (6) one a day (occasionally 2, if the pieces were very small) with his dinner each evening. We began noticing his tummy occasionally gurgling, usually at night (he slept in bed with us) & sporadic bouts of eating grass & vomiting (usually in the mornings) late in 2011, but he would return to normal afterward & the upset tummy would subside. We did notice he seemed to be drinking a lot more water some time in late December or early January, but didn't realize there was a problem. We thought perhaps it was the dry heat in the house from our heating system. We have a pet door & fenced in back yard, so (b) (6) came in & out whenever he desired & we didn't monitor his every visit to the "bathroom". He went from eating 2 meals a day, once in the morning & once in the evening, to only wanting to eat in the evening around the same time. We thought he was just not wanting to eat as much because he was getting older, but didn't know why the upset tummy. The vet suggested we give (b) (6) Prilosec for the upset tummy whenever it occurred & to be careful what we fed him. We were very careful to feed him good quality pet food & treats, or so we thought. We always checked packaging on treats to avoid made in China products & somehow came to the conclusion that the Canyon Creek Ranch duck tenders were American made, when in fact, they are made in China. (b) (6) started going to bed early on his own during this period. He had always went to bed with us in the past, so we were surprised when he would go ahead of us & again explained it away as he was just getting older. He seemed to have bursts of energy & playfulness, like his normal self, in particular during the later afternoon hours & continued wanting to go for walks. Then things drastically took a turn for the worse. He began vomiting on the bed during the early morning hours of Sunday, January 22, 2012. He had never been sick in the house before. We cleaned up the bed & a while later he vomited again, then a 3rd time. We considered taking him to the emergency vet, but the vomiting seemed to finally stop & we watched over him all day Sunday. He refused to eat anything that day, but drank quite a bit of water. Finally, he ate some chicken & rice I cooked for him on Sunday evening & seemed to hold it down & feel better. We thought whatever it was had passed. Monday morning, he still seemed not to feel very good, but no sign of vomiting that we saw & we thought he was probably a little weak from the early Sunday sickness. We reluctantly worked away from the home from early morning until mid afternoon. He still seemed not to feel very good when we returned home, but did eat dinner. Tuesday morning, he got up & started showing signs of distress, going in circles, lying down, whimpering, getting back up, etc. We realized whatever had caused the vomiting early Sunday was not just something that had passed, but there must be a serious issue & rushed him to the vet. Tests were completed & the news was not good. The Pancreatitis was flared up, but the more serious issue was (b) (6) was in kidney failure & his values were totally off the chart. He spent all day Tuesday & all day Wednesday at the vet hospital on IV fluids to flush the kidneys, but came home with us during the evenings for over night. He began getting worse during the night after bringing him home on Wednesday evening, lost control of his bladder on the bed, started vomiting again & was in serious distress. We called his vet's emergency number around 3:30 AM & were instructed to give (b) (6) his prescription pain pill & have him back in as soon as the vet opened. We got him back in early Thursday morning & the vet suggested we leave him there on constant IV fluids for 48 uninterrupted hours, along with

Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	9	Years	Male		After feeding (b) (6) the "Waggin Train Chicken Jerky Strips" he developed severe kidney problems and severe diareah(sp?). I took him to the teaching hospital at (b) (6). He was diagnosed a spossibly having ulcerative colitis. He had never shown the above symptoms until after consuming the jerky treats. I started feeding him meals prepared myself from a recipre found on (b) (6) website. He has shown no other symptoms since I stopped giving him the jerky treats.
Waggin Train Jerky Tenders	Dog	Boxer (German Boxer)	7	Months	Male	45 Pound	Vomiting once or twice a day..Didn't link it to the Waggin Treat until I read something on the internet. Also we have a one year old 4 pound Yorkie, female that would vomit after eating it so we discontinued giving it to her. As of today, I will be throwing out the Waggin Treats.
Waggin Train Chicken Jerky Treats	Dog	Dachshund - Standard Wire-haired	4	Years	Male	16 Pound	Several years ago I gave my dog Waggin Train chicken jerky treats on a daily basis. He became very ill on several occasions which prompted visits to the vet. Each time the vet was unable to find a cause of his illness. At one point he was hospitalized due to uncontrollable vomiting and diarrhea for a period of several days. There was never a diagnosis made as to what caused his illness. Many tests were run, but nothing was ever determined. It wasn't until recently that I was reading about the jerky treats causing these types of symptoms that I put it together.
Milo's Kitchen home-style dog treats	Dog	Shih Tzu	11	Years	Male	22 Pound	I bought the Milo's Kitchen Chicken Jerky and it changed the dogs attitude to like a animal in shock. He is in pain.
Wagon Train milos	Dog	Terrier - Yorkshire	3	Years	Male	15 Pound	Benn eating Wagon Train and Milos chicken jerky and has now developed excessive urination, painting, respiratory difficulity, decreased appetiate
Waggin Tails Chicken Jerky Treats	Dog	Mixed (Dog)	6	Years	Male	100	(b) (6) ate about 4 of the Waggin Tail jerky treats a day. He developed diabetes so severely that we were unable to control it. It casued him to have kidney failure and many other symtoms that I have seen described on internet by other people. We ended up putting our baby to sleep in Dec. after he lost 40 pounds in 2.5 weeks and nothing the vet tried worked
Waggin Train Jerky Treats	Dog	Boxer (German Boxer)	5	Years	Male	56 Pound	Approximately seven months ago. I purchased Waggin Train Jerky Tenders for my 5 year old male Boxer. He receives one to two treats per day. After purchasing and giving the Jerky Tenders to him he began to have diarrhea severely. I discontinued the use of the treats, thinking he may have just gotten a bug. Once the diarrhea subsided, after about a week I continued with the treats. The diarrhea came back with a vengeance and I had to notify the Vet to prescribe some K-Pectin. I discarded the Jerky Treats and (b) (6) has recovered fully with not one episode of diarrhea since.
Waggin Train Chicken Stix	Dog	Basset - Griffon Vendeen Large	2	Years	Male	71 Pound	Healthy dog that started eating treat a few days prior to becoming very ill. Vet was baffled by nausea, vomiting,diahrea, and lack of emergy.
Waggin Trail	Dog	Mixed (Dog)	3	Years	Male	50 Pound	After feeding him waggin trail treats he would have seizures. Our dog had seizures for quite a while. Vet checked him and said his blood levels were good and the cause of the seizures were unknown. We quit feeding him the waggin trail treats and he has not had a seizure in over a month.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Female	25 Pound	On 2 occasions, I gave (b) (6) one Waggin Train chicken jerky tender treat and she became sick both times. The first time she vomited 10+ times, shaking tremendously, and was breathing heavily and was very lethargic. I called the (b) (6) emergency vet at 10:30pm that evening because I thought I was going to lose her. I mentioned to my husband that maybe someone poisoned her while she was outside, because that's how she seemed. She stopped vomiting soon after the call to the vet and I chose to gamble and kept vigil on her during the night and she was clearly coming out of her sickness by the next morning. The second time I gave her one of the same treats was last night and she vomited just minutes after consuming the one treat. It hit me that it was the treat that was not agreeing with her. She has not been shaking, but she is extremely lethargic and still has not eaten a thing since vomiting 4 times last night. The treat came up in pieces, so I am hoping she was recover quickly. My 13 year old dog had the same amount of treats, but hasn't vomited, is still eating, but is extremely lethargic and I am praying he will be okay as well. Both dogs are mutts, with (b) (6) being part Irish Wolfhound and my 13 year old dog being part Border Collie.
Milo's Kitchen Chicken Jerky Treat (Unknown exact discarded package)	Dog	Rottweiler	8	Years	Female	90 Pound	Dogs fed Milo's Kitchen jerky treats in the morning of February 9, 2012. Previous meal 12-14 hours prior (regular portion of dry dog food with no changes to food type or amount for years). Dogs rarely receive scraps/treats, but have had jerky and other dry treats before. Upon return home, dog in digestive distress. Loose stool in the home, anxious to go out.
Milo's Kitchen home style dog treats Beef Sausage Slices with Rice	Dog	Mixed (Dog)	9	Years	Female	12 Pound	I bought 2 bags of Milos Home Style Beef Sausage Slices with Rice at Wal-Mart about 2-3 weeks ago. I had never bought them for her, but I wanted to give her something special besides her usual treats. I noticed that they were so hard, I couldn't break them up in small pieces for her. I had to use a knife to cut them into small pieces for her to chew. She is a small dog with a tiny mouth so I didn't want her to choke on them. I did notice that some days she just acts like she doesn't feel good. I never associated the treats with her not feeling well, as I only give her 1/3 a treat every other day as they are big pieces, and she didn't need a whole one. I don't know if it is associated or not that she wasn't feeling well. I did not take her to the vet, because she just seemed out of sorts with no real symptoms except not being active and just laying with a sad look on her face.
Waggin Train Jerky Tenders	Dog	Terrier - Jack Russell	5	Years	Male	25 Pound	For three days my dog was shaking after eating the Waggin Train chicken treats that I purchased at Marden's. He then laid around not acting himself for about two weeks.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Hound - Basset	5	Years	Mixed Population of Female and Male	62	Pound	I purchased a bag of Purina Adult dog food, and it came with a free pouch of Waggin' Train Wholesome Chicken Jerky Tenders. I gave all 4 of my dogs each 1 peice of the treat. ((b) (6) , Basset Hound, 62 pounds, 5 years old, Spayed, Healthy; (b) (6) , Basset Hound, 45 pounds, 4 years old, Spayed, Healthy; (b) (6) Pyrenese/German Shepherd Mix, 55 pounds, 8 months, Spayed, Healthy; and (b) (6) Pyrenese/German Shepherd Mix, 67 pounds, 8 months, Neutered, Healthy). Within 5 minutes, all of the dogs were acting lethargic. After 10 minutes, (b) (6) began vomiting. She continued to vomit for about 10 more minutes. Since she appeared to have vomited all of the treat, I did not contact our veterinarian. I have not notice any other long term side effects.
milo's kitchen homestlye chicken jerky	Dog	Unknown	8	Years	Female	185	Pound	fed (b) (6) 1 milo's kitchen homestlye chicken jerky and the next day she became very sick to her stomach,loss of appatite and no energy. A day or two later she was fine. About a week later I fed her anothe piece of chicken jerky and got sick all over again. I threw the stuff out and will never buy again.
wagon trail chicken strips	Dog	Pointing Dog - German Short-haired	12	Years	Female	70	Pound	feed WAGON TRAIL CHICKEN STRIPS as treat, 2 to 3 strips daily. soon after starting of feeding strips, dog had watery loose stool, was larghic, drank larger amounts of water and was lissless. We heard of problem with Wagon trail and stop feeding. Dog is back to more normal, still drinking more water then in past, but has better energy and seems more sprited. We feed lass then 1/3 bag of the strips to the dog.
WAGGIN TRAILS CHICKEN JERKY	Dog	Boxer (German Boxer)	2	Years	Female	48	Pound	We noticed periodic blod in her bowel movement and the movements were usually loose when we were giving the jerky product. We discontinued the product when we saw an article on MSN a number of months ago. Since then, her bowel movements have returned to normal consistency with no blood. We also returned the product to the point of purchase (both trhe unopened and opened) with a copy of the article. We were given a full refund. These products are on trhe shelf to this day, but we continue to spread the word to our friends and they no longer use the product or never did
Waggin Train Jerky Tenders	Dog	Retriever - Golden	9		Male	90	Pound	(b) (6) exhibited signs following eating these treats on a daily basis for about six months. He lost his appetite, drank copious amounts of water and began to retain fluid in his abdomen.
Canyon Creek Ranch Brand: Natural Duck Tenders	Dog	Terrier - Airedale	8	Years	Male	98	Pound	On January 10th (b) (6) became sick, showed signs of throwing up bile. Previously (b) (6) has had intestinal blockages, twice before. I drove (b) (6) to the vet about 6 hours after first observation, and he was diagnosed via blood tests. He showed signs of pancreatitis, hepitis, Kidney or Liver problems (not sure which). Approximately two weeks latter (b) (6) regained his health. He had injested over the holiday raw hide dones, dog food and table scraps. But I became aware of a possible link to illness from Canyon Creek Ranch Tenders (in this case duck) from an internet article. I thought I should be dilligent and report the possibility of a link to my vet.. I still have the tenders in the packaging.
WAGGIN' TRAIN WHOLESOME CHICKEN ALL NATURAL CHICKEN FILLETS	Dog	Siberian Husky	10	Years	Male	52	Pound	Severe vomiting, diaherria, lethargic, stopped eating and drinking, bloody stool, large growths on hind leg size of a golf ball. All these symptoms appeared within one week of being given chicken tenders (Waggin Train variety) purchased at Walmart and Kroger for November 2011 to January 2012. Symptoms began with the growth popping up within 2-3 days after being given the treat 3 times per day in mid-December 2011. Growth was removed end of December by our vet and was determined it was cancerous. This brand of chicken tender was once again given to my dog the first week of Jan 2012 and within hours severe vomiting and severe diaherria began and he could not keep anything down. Veternarian treated him and took him off all food, drink and gave him antibiotics, medicine for vomiting and diaherria. Veterinary bills totalled over \$1000. My dog has not had that treat since and is doing fine. My neighbors dog also fell sick with same symptoms during the same time period. I gave them a bag of this same brand of chicken tenders, when they stopped giving the dog the treat the dog improved. IMPORTANT NOTE: My dog NEVER gets sick! He has been in EXCELLENT HEALTH! I strongly feel it was these dog treats that made my dog very ill. The bag said "MADE IN CHINA"
waggin train chicken jerky treats	Dog	Terrier - Yorkshire	11	Years	Female	10	Pound	fed her and our 6 year old male yorkie waggin train chicken jerky treats. both the female and male came down with diarerha, very lethargic and would not eat. this lasted for about 2 weeks. we immediatly suspected the waggin train treats as i checked on the internet and saw an article about the treats. we consulted with a vet who advised us on the proper treatment for both dogs.
Wagon Train Chicken Jerky Tenders	Dog	Boxer (German Boxer)	2	Years	Male	49	Pound	vomitting
Waggin Trail wholesome chicken jerky tenders	Dog	Dachshund - Standard Long-haired	12	Years	Female	20	Pound	(b) (6) became sick for about 2 weeks, vomiting, not eating, not drinking, not very active. Did nothing but sleep and vomitt. She was only given one piece of jerky to my knowledge.
Waggin train Chicken Tenders	Dog	Bulldog	6		Male	70		I purchased chicken tenders from my local Costco for our dog. A few days later he was not him self, he couldn't hardly walk, and had yellow diarrhea. We took our dog to vet and they recommended that we take him to the emergency pet clinic. They had to keep him for a few days, they ran a few tests and gave him some IV's because he was dehydrated. They vet did not know what was wrong that it could be kidney failure and we might have to put him down. We told him what we gave him and he said that was most likely what made him this sick. There is something in there that I believe is bad for dogs and causing kidney failure. I called Costco to notify them and to pull the product off the shelves before other dogs get sick, they did not. I called and emailed the manufacturer but never hear a work back from them. I have proof from the vet and a \$1,000 vet bill for treatment. It needs to be pulled from the shelves immediately.
Waggin Train Chicken Tenders	Dog	Retriever - Labrador	11	Years	Female	65	Pound	Animal was fed the Chicken treats purchased at Sam's Club on aregular basis for at least two years. Animal developed a type of skin cancer and Ultamately was euthanized.

Waggin Train Jerky Chicken Treats	Dog	Samoyed	12	Years	Female	65	Pound	we gave our Samoyeds, Waggin Train Chicken Treats and she developed bladder problems. we now have to give her meds to control her bladder. Vet told us to stop giving her those treats. there maybe a problem with them.
Dick Van Patten's Natural Balance Limited Ingredient Diets Sweet Potato and Chicken Formula, Milos Chicken Jerky Treats	Dog	Retriever - Labrador	5	Years	Male	80	Pound	Five year old labrador retriever died of kidney failure March 3, 2012. Our dog had been fed the Milo's Chicken Jerky treats in December 2011. However, more recently had also switched dog food on February 1, 2012 to Dick Van Patten's Natural Balance chicken and sweet potato flavor. Our dog readily ate this dog food for the first two weeks and then declined to eat it a couple of weeks before passing away. We are unsure if the jerky treats may have led up to his kidney failure or if the new dog good was the problem. He was a perfectly healthy and active lab up until then. His symptoms began the middle of February 2012 and his diagnosis of kidney failure was on Feb. 24, 2012.
Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	13	Years	Male	44	Pound	I began to give our dog Taylor Waggin' Train's jerky treats, eventually he became dehydrated and anemic as well as had kidney problems. We had to put him down due to the kidney problems on January 31st. I believe that the jerky treats were a cause of his kidney failure because he was in great health prior to eating the treats.
The Kingdom Pets Chicken Jerky	Dog	Terrier - Yorkshire	9	Years	Female	9	Pound	She stopped eating became very lethargic. Took her to the vet and her kidneys were failing. We had to put her to sleep because she was suffering.
Waggin Train Chicken Tenders	Dog	Brittany	10	Years	Female	52	Pound	Within in 2 mos time period started showing signs of arthritis begining of August 2010, Rapidly went down hill in Sept took to vet and had exam. dog started to go blind in one eye (clear and heathy looking). within 10 days went totally blind and was euthanized. Classic signs of liver, kidney failure or possible immune system attack. Blood tests had confirmed liver and kidney problems. Dog had been being feed Chicken Tenders Treats daily about 3 or 4.
Milo's Pet Treats	Dog	Poodle - Toy	7	Years	Male	18	Pound	Developed Renal Failure for no apparent reason, had been eating the Milo's jerky treats and his usual other food. Vet unable to determine cause, not "chronic", stayed at vet x3 days before having to be put to sleep due to worsening and pain.
Waggin Train Jerky Tenders	Dog	Black Forest Hound	7		Female	20	Pound	My Boston Terrier, (b) (6), became seriously ill last November and ultimately we had to put her down. She developed kidney failure completely out of the blue - we recognized some serious issues (near constant vomiting, lethargy, and not eating) on a Thursday, brought her to her vet on Friday, checked her into the emergency vet clinic the same day, and were heartbroken to learn that we had to euthanize her on that Sunday. Her kidneys were beyond treatment. This was a previously healthy dog full of MAJOR energy and life! We had been giving her Waggin Train Chicken Jerky Tender Treats in her Kong and never thought twice about it - UNTIL I saw an article today on MSNBC. I don't know if I still have that particular package but I do still have a package that may be the same one. Needless to say, I will not be feeding the remaining product to either of my two dogs. I will hold onto this should you need it. I thought I would submit this because the vets did not have a good explanantion of what happened to our beloved (b) (6) girl, and it has been gnawing at us since. She was covered under a VPI pet health plan, always up to date on vaccinations, and in good health. We consider our pets family, and if this product had anything to do with her death we want to get it off the shelves and save others the pain we've experienced. Please feel free to contact me via email or phone. Thank you for what you do to protect American pets. (b) (6)
Milo's Kitchen Home-style chicken jerky dog treats	Dog	Great Dane	1	Years	Female	130	Pound	Chicken Jerky caused vomitting.
waggin train jerky chicken tender	Dog	Mixed (Dog)	3	Years	Male	71	Pound	We buy my dog the waggin tail chicken treats, an he loved them. I came home one day and my dog was not walking, i took him to the vet and theycouldn't fingd what was wrong with him, after an MRI we found that he had fluids in his brain with poor prognosis, so we have to put him down on August 2011. I still have all the medical records and tests that were run on him including the MRI
Canyon Creek Ranch chicken treats	Dog	Retriever - Labrador	9	Months	Male	70	Pound	The treats gave him severe diarrhea which led to dehydration and obvious discomfort. He had to go outside multiple times and could not hold his bowels throughout the night. I originally associated this with his Blue Buffalo puppy food and switched but that did not help. I talked to the manager of PetSmart who suggested that he may have a chicken allergy. I immediately took away all of his chicken treats and his symptoms immediately stopped. I still had to take him to the vet for checkups to make sure that no damage was done.
Waggin Train Chicken Jerky dog treats	Dog	Mixed (Dog)	8	Years	Male	70	Pound	(b) (6) would wake up in the middle of the night vomiting for no apparent reason. This dog was supervised closely and had nothing to eat except dog food, milk bone treats and waggin train chicken jerky. After reading about the dangers associated with the chicken jerky, threw away the remaining product and stopped feeding it to the dog. Have had NO problems with unexplained vomiting since.

Waggin Trains Chicken Jerky	Dog	Mixed (Dog)	7	Years	Male	78	Pound	Approximately two years ago (b) (6) became very ill and was taken to his veterinarian. He had been lethargic, unwilling to eat and walked with his back hunched up from abdominal pain. The vet diagnosed pancreatitis and asked what I had been feeding him. He has been given Canidae All Life Stage dog food since he was 10 weeks old so the only thing that I had given him recently that was different was the Waggin Trains Chicken Jerky. Because it was "all chicken" I assumed it was safe for him to eat. (b) (6) needed to remain over night at the veterinary hospital and slowly began to recover the second day there. I feel I am one of the lucky ones. In researching this product I discovered that in China it is irradiated using old nuclear reactor rods. I also learned that even then, people were reporting their dogs dying or becoming ill after consuming this product. I immediately went to the Calais Walmart and spoke with the manager about pulling this product from their shelves. He of course refused stating that no one else had complained about the jerky. I am glad this problem that has been ongoing is finally getting the attention it deserves. I'm sorry so many dogs had to die or become ill in order for this to be taken seriously. I will never again purchase jerky, a dog treat or any animal product that has the green "friendly" looking sign on the back that says it has been irradiated. Why is it illegal to do this to human foods but not pet food?? (b) (6) has gone on to live his life but I don't know if he has any permanent damage from ingesting this product.
Waggin Train Chicken Jerky Tenders	Dog	Terrier - Border	6	Years	Female	16	Pound	We purchased Waggin Train Chicken Jerky from CostCo for many months -- our dog, (b) (6) loved them. After some months of consumption, she began vomiting without provocation. We initially thought it was stomach upset or allergies, but after switching food began to suspect the jerky. We removed it from her diet and have not had any issues since. Saw an article this morning -- http://vitals.msnbc.msn.com/_news/2012/03/13/10657635-3-big-brands-may-be-tied-to-chicken-jerky-illness-in-dogs-fda-records-show -- and felt it was important to add our experience. Given the sudden stop of the issue when we stopped giving her this product, believe there is a real tie. We took her to the vet while she was having the issue, and they could not find anything wrong from an external exam.
Dogswell Vitality Chicken Breast with Flaxseed and Vitamins	Dog	Great Pyrenees	3	Years	Female	69	Pound	My dog (b) (6) started having having soft stools. I had been giving her chicken jerky treats for a few months. At first it was not severe, but after about a week, it became projectile and watery (today). I took her to a vet today. They found excessive bacteria in her stool and gave me Edosorb and Metronidazole to give her.
Milo's Kitchen Chicken Jerky Dog Treats	Dog	Maltese	4	Months	Female	5	Pound	After eating only 1 of the Chicken Jerky dog treats (broken up into small pieces throughout a day), the puppy experienced excessive thirst and eventually suffered a seizure. She was taken to the animal hospital where she was admitted and given treatment for Sodium ION poisoning.
Kingdom Pets Chicken Jerkey	Dog	Shepherd Dog - German	2	Years	Male	100	Pound	We gave our dog chicken jerky from costco as a treat around Oct 2011. By 10/12/11 he wouldn't eat his normal dog food, he was vomiting, and drinking tons of water. He would only eat his treats and be sick within hours of eating them. We couldn't get him to eat anything else besides the chicken jerky. We took him to vet and they couldn't find anything wrong with him. So we waited a few days and he got worse with the vomiting, so we took him back to the vet and they ran blood test and he had kidney failure and had to be euthanized. There was nothing the vet could do for him. He would have been 3 years old on 10/31/11.
Waggin' Train Big Blast, Waggin' Train Chicken Tenders, Cadet Duck Breat	Dog	Retriever - Labrador	11	Months	Female	70	Pound	I used "Waggin Train" chicken jerky treats for 2weeks on training walks. Pup urinated indoors for the first time in months. Vomited x1. Refused meals for 24 hours. Very tired. Very thirsty. Problem seemed to resolve itself 24 hours later. Then I received notice from web site Dogfoodadvisor.com that FDA is issuing caution about chicken jerky treats from China.
Milo's Kitchen Home-style Dog Treats - Chicken Jerky (No artificial flavors or colors)	Dog	Retriever - Labrador	10	Years	Male	80	Pound	We bought "Milo's Kitchen Chicken Jerky Dog Treats". We fed our dog one after dinner - the next morning he threw up. A day or two later, as a treat, we gave him one and he threw up that night. We checked websites after this and found out that many dogs have had problems with Chicken Jerky treats (we thought these would be a healthy treat option; we did not know the potential hazards since they were on sale at Target). These particular treats are made in China. Since we stopped feeding him the treats, he has not gotten sick once (and he did not really get sick before this). We have not taken him to a vet to see if any permanent damage is done, as we just found out today that this was the likely source (I suspected it because it was the only "new" part of his diet/life, but today we saw a story in the Hartford Courant newspaper).
PCI Chicken breast Nibbles, Waggin Train Chick'nBiscuits, PCI Quackers, Dogswell Vitality Chicken Breast, PCI Chicken breast Tenders	Dog	Terrier - West Highland White	9	Years	Female	18	Pound	Severe gastroenteritis, bloody diarrhea, cramps, vomiting, bladder infection caused by high sugar in urine, increased thirst, pain in abdomen when lying down (indicated by loud moaning noises).

Waggin Tails Chicken Jerky Treats	Dog	Greyhound	10	Years	Female	65	Pound	Shortly after giving Chicken Jerky Treats, my Greyhound started drinking a lot of water, urinating frequently, loosing some control of bladder, stopped eating her dog food, and would only eat the Chciken Jerky Treats, so more were given to sutain her. Within weeks, she started vomiting with tinges of blood, had dirrahea, so was rushed to my Vet. Tests were run on the feces, as well as blood test, including a full panel. My Vet advised that complaints have been made regarding the treats, and use should be stopped immediately. Medication for the vomiting was given, and she started to seem better, but within a week, I found her dying upon returning home from an outing of 4 hours. The blood test resulted in levels to indicate she had high creatin levels, and kidney failure. I still have the test results, as well as the full container of treats. (b) (6) (Pg (b) (6)) a retired racing Greyhound died on 8-18-2009.
Cadet Chicken Breast Tenders	Dog	Bulldog - French	8	Months	Female	21	Pound	Opened new package of chicken breast tenders & gave dog 1. She proceeded to vomit in large amounts twice during the evening. Upon further inspection of the pouch the product came in, I noticed a strange odor coming from the bag. They did not smell like the normal treats would smell. Also, they were rather soft and usually these treats are hard. I returned the product to the pet store only to hear from the manager that there have been several posts online about dogs getting sick after eating this product.
Waggin' train chicken jerky tenders	Dog	Shepherd Dog - German	5	Years	Female	95	Pound	Both of my German Shepherds got violently ill after feeding them 2 strips of waggin jerky treats, just these two dogs in my home.My other dogs were at doggie day care.Both were vomiting and had very bad diarrhea.I rushed them both into the vet,where they received fluids,by sub q.Both never left that hospital,as i lost both of them the next day.I am outraged,and disgusted that i fed them a treat ,not knowing that they were tainted with poison,and made in China.I want this company to pay for what they have put me through,these dogs were my family and protectors.I have been going through a bad depression since losing them,they were young and healthy,they did not ask for this.My dogs are my world.I want this company held responsible for their deaths.I know it was these treats as all my other dogs are fine..i am so upset.
Milos Kitchen	Dog	Other Canine/dog	4	Years	Female	27	Pound	My dog vomited after ingesting Milos Kitchen chicken jerky. Appears to have recovered, however, I am not sure of the long term effects.
Waggin Train Chicken Jerky Tenders	Dog	Greyhound - Italian	7	Years	Female	18	Pound	Lats summer 2011 I started buying Waggin Train Chicken Jerky Tenders for my Italian Greyhound (b) (6). I started in May 2011 and she recieved 1-2 tenders every day untill August 8th 2011, when she stopped eatting. At first I didn't think anything of it, but after 3 days of not eating I called my Vet and we went in for an appointment. At first the Vet could not find anything wrong. Many tests were done. I was given Nutritional suppliments to syring force feed her. She was only 18 pounds to start with and went down to 14 pounds. in just 2 weeks. After many tests and Blood work it was decided that she had Addison's Disease. She was put on medication and had to have blood work every week for 2 months while the Vet adjusted the medication for her system. Durring that time She did start to eat again but the Vet and I had talked about her food/treats and her food was ok but her treats were from China and the Vet said to stop them. I had already done so anyhow when she had become sick in August. She got her diagnosis Aug. 31, 2011. It took till Nov 2011 to get her stable. Now for the rest of her life she will be on medication 2x a day, need blood work every 3-6 months and I have to watch her for any stress. Stressfull situations can make the disease worse and send them into attacks were they can die. Surgurys are not good for them either. I have to be very careful with her and keep her very happy IG.
Beefeaters Chicken Fillets	Dog	Collie (unspecified)	6	Years	Female	30	Pound	we had taken our health girl to get her teeth cleaned and she was not wanting to eat, so thinking she needed to eat we tried various things we knew she liked, the only thing she would eat was the chicken fillets, she just kept getting worse.. We had her to the vet twice, being hospitalize with iv's... They could not believe she had got so sick so quickly. After many test they determined she had kidney failure. After several weeks of seeing our beloved (b) (6) lose her will to go on, we had our vet come to our house and end her suffering.. We did not think it could have been a issue with something we gave her until reading a article in our local paper about this causing other family pets health issues.
Dogswell Happy Hips Chicken Breast	Dog	Terrier - Jack Russell	8	Years	Female	15	Pound	After opening a new package of Dogswell brand Chicken Breast flavor Happy Hips (basically a chicken jerky product) and feeding them to our dog, the dog exhibited sluggishness, anxiety and constant diarrhea for two days. On the second day, after thinking through everything about the dog's environment that had changed, we came to the conclusion that the only thing that had changed was the new bag of jerky treats we'd opened and given her. Other than these, her diet of dogfood was normal and unchanged. And we hadn't given her any other new or unusual foods. After ceasing the chicken jerky treats, she immediately improved.
Waggin Trails Chicken Jerky	Dog	Dogo Argentino	10	Months	Male	90	Pound	My dog consumed the Waggin Trails Chicken Jerky, after eating this, I have noticed that he does not drink as much water as he used to. He is losing hair and has some type of rash. I did not know what was causing this at first so my dog has had about 3 pouches of the Waggin Trails Chicken Jerky. After seeing the story on the Fox CT news, I have noticed many complaints about this product and have seen similar symptoms. This is very concerning.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Retriever - Golden	6	Years	Female	105	Pound	owner gave pet jerkey treat in the am. a few hours later, pet collapsed outside. she had a bout of diarrhea before coming to the vet. she had rapid breathing when she arrived at the clinic. she had pale mucous membranes.

Doctors Foster and Smith Healthy Snax Dog Snacks Sweet Potato Fries	Dog	Terrier - Yorkshire	6	Years	Female	2	Kilogram	<p>The owner began feeding sweet potato treats approximately 5-6 weeks ago, as she was looking for a hypoallergenic treat to feed (b) (6). Since starting the treats the owner noticed that (b) (6) was more thirsty than normal. For the past 2 weeks she had increasing inappetance, lethargy and polyuria. (b) (6) was referred to Ohio State for work-up on March 5. I found that she was dehydrated, hypokalemic, hypophosphatemic, and acidotic. Her urine contained glucosuria (with concurrent eu- to hypoglycemia) and proteinuria. Fanconi's syndrome is suspected. An amino aciduria profile has been submitted to the University of Pennsylvania and is pending. Leptospirosis titers are also pending, although the dog is low risk for Lepto based on her lifestyle.</p> <p>(b) (6) has been hospitalized for the past two days to correct her dyhradtion, acidosis, hypokalemia, and hypophosphatemia. She remains markedly glucosuric. She is being discharged tonight on oral supplementation with potassium citrate and dicalcium phosphate.</p>
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Coonhound - Redbone	7	Years	Female	50	Pound	<p>Two days after eating a few of these treats the dog could not hold her urine. It smelled foul--like something out of a horror story. She's never had an accident in the house until now. I brought her to the vet and he did numerous blood and urine tests and figured out that it was a massive kidney failure due to an infection. He thought it was most likely because of these treats.</p> <p>She is on Cypro for another few days and then I have to bring her back to re-do the tests to make sure all is better.</p>
Waggin Train Chicken Jerky	Dog	Poodle - Toy	12	Years	Female	11	Pound	<p>Vet diagnosed Kidney failure. 03/01/2011. I read on the internet in February 2012 that this is a symtom from comsuming Chicken Jerky made in China. Dog has been taking medicine daily for kidney failure since 03/2011. She seems to be doing somewhat better since I discontinued giving her chicken jerky.</p>
Doctors Foster and Smith Healthy Snax Dog Snacks: Sweet Potato Fries	Dog	Dachshund - Miniature	6	Years	Female	11	Pound	<p>Owners have been giving both pets (only (b) (6) is having a problem) Dr. Fosters and Smith Sweet Potato Fries (made in China) for a while. Recently, as of 2/28/12, (b) (6) began to urinate and drink excessively. This also coincides to the owner changing the manor of giving the treats-previously they had been soaked in water prior to administration (by owner). Physical exam findings are unremarkable. No weight changes. Labwork shows dilute urine (USG 1.008), trace glucosuria, normoglycemia (74mg/dL), AST 115 (twice normal baseline for lab). BUN is low normal at 5mg/dL. Magnesium slightly elevated at 2.8 mg/dL Thyroid 1.0ug/dL. triglycerides: 849 (20-150) mg/dL. These treats have been withheld.</p>
Milo's kitchen chicken jerky	Dog	Mixed (Dog)	3	Years	Male	50	Pound	<p>Diarrhea started about 3 days after first given the Milo's kitchen chicken jerky, and I had given my dog about 1-2 strips a day. All day Friday he had diarrhea, with the last diarrhea having blood. When he showed signs of diarrhea, I stopped giving him the treat & withheld food. Saturday he had several bloody diarrhea bowels so i went to the Vet & he gave us antibiotics. So far only one diarrhea poop after the first few doses of antibiotics and so far has not had any other bowel movements, and has his appetite back.</p>
Dingo Jerky Chews - Chicken Chips, Waggin train Chicken Jerky	Dog	Mixed (Dog)	6	Years	Female	91	Pound	<p>Morning of 2/29/2012 dog was lethargic. No vomiting, no diarrhea. Owner brought dog to me early afternoon that day. Dog was in hypovolemic shock, very difficult to obtain blood sample and place IV catheter. Blood work showed hyperglycemia, renal failure with sever hyperphosphatemia, and liver failure. All signs were sudden and acute. By 830 pm, dog died on her own in spite of pain medication, diuresis, and intralipids. Shortly before death, she began vomitting bloody fluid - no food.</p>
waggin train chicken jerky treats	Dog	Mixed (Dog)			Female			<p>Dog became very ill with profuse vomiting that induced dehydration. Afte vet visit it was dicovered to be a poisoning from Chicken Jerky. Intestinal systems were shutting down and the prognosis was poor, but with medication and attentive care she recovered.</p>
Waggin' Tail Jerky Tenders Chicken Dog Treats	Dog	Dachshund - Standard Long-haired	3	Years	Female	23	Pound	<p>My two dogs refused to eat their dog food, they both vomited, the drank much more water than normal, they acted very tired for 4 days while they were given these treats.</p>
Dentley's with real chicken Wrapped Rawhide Sticks	Dog	Terrier - Yorkshire	4	Years	Male	6	Kilogram	<p>(b) (6) is a 4 year old male castrated Yorkshire terrier referred to the (b) (6) Emergency Service for anorexia and previous history of vomiting. 8 days prior to the referral (b) (6) started acting lethargic and refusing to eat. He was seen vomiting greenish-bile. On 2/11 he was brought to his family veterinarian. Bloodwork was drawn at his rDVM and indicated that he was dehydrated with a slight elevation in bile acids, no other significant abnormalities were found. (b) (6) was given fluids, an injection of antiemetic and antibiotic. He was sent home on antiemetic and continues on this. He has not vomited since but refused to eat and was very lethargic. (b) (6) was brought to (b) (6) where mild increase of his kidney values was noted. He stayed in hospitalization and excessive work up was performed to reveal the cause of his anorexia. He was diagnosed with proximal tubular injury of his kidneys and urinalysis sent to Pennsylvania University confirmed Fanconi syndrome. Clinical signs, laboratory abnormalities and history was very suspicious of chicken jerky treat associated kidney injury. Owners reported that (b) (6) has been fed chicken jerky treats for a long time (2 a day). About a month or two ago, the owners switch to a different type of these treats made in China. On his recheck on 3/1/2012 (b) (6) is doing beetter, still not eating normally, still having glucose in his urine. Unfortunately, his kidney values increased significantly. We can't tell yet if this will be permanent kidney damage - this will be determined on his rechecks over the next 3 months.</p>

Waggin Train Chicken Jerky Tenders	Dog	Lhasa Apso	2	Years	Male	25	Pound	All dogs given 1 as daily treat. Opened new pack Wed AM (b) (6) has less appetite for eve meal. Lethargic licking lips and drinking more water than normal Thurs. Did not eat dinner. During night he began to excessively vomit foul smelling mucus> stopped and then 4 hours later had more vomiting. He is very lethargic and looks ill. Vet said wait 24 hours. All dogs ate the treat, all are not eating well now, one other had one vomiting episode. None of them would eat the organic chicken & rice I prepared for them. I am unemployed and will not be able to afford much medical care for my dogs. I have used these proudcts for over a year. ! a day, every morining as a treat for good behavior. Never again.
Dogswell Vitality Checken Breast	Dog	Retriever - Labrador	7	Years	Mixed Populati on of Female and Male	80	Pound	Ate Dogswell Vitality Chicken treats. For several days later, would wake up in the middle of the night in a panic and eat ANYTHING could. Grass, clothes, leaves, swallow toys, eat rugs, etc. Would lick the carpet as well until would throw up several times. Would calm down after several hours, but happened for over a week every night. After taking our dog off everything, it eventually went away (we didn't determine the cause). In January the symptoms started again and at the time we thought it was a chicken intolerance and gave the treats to a friend to give to his dog (springer spaniel, female) and the same thing is currently happening to that dog. The only commonality is the treats.
Milo's Kitchen chicken jerky	Dog	Other Canine/dog	10	Years	Female	35	Pound	I took my dog in on Wednesday, February 22, 2012 with vomiting, diarrhea, no energy (almost lifeless) and no appetite. The vet went over what I had fed the dog and the minute I said chicken jerky, she showed me the FDA's warning. My dog had every symptom on that sheet. She died on Friday, February 24, 2012.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	5	Years	Female	50	Pound	Diarrhea when providing the chicken strips from China to my lab and my friends lab. No other changes to their diet or with thier snacks. Experienced diarrhea for one week, then I threw away the chicken strips and both dogs became regular again with their stools.
Kingdom Pets	Dog	Pekingese	5	Years	Male	18	Pound	On 01/31/2012 I purchased from Costco dog treats brand name Kingdom Pets, chicken jerky. My dog has never had seizures before but on 02/02/2012 and 02/04/2012 he had them. The vet checked him over and took blood for tests and said he could not find any reason for the seizures. He had another one on 02/27/2012. On 02/28/2012 I heard on the local news about animals becoming sick from eating treats made in China. I checked the product and found that it was made in China. I returned the product to Costco and received a refund and they put the reason on some slip of paper that was to be turned in to whomever. I will let you know if he has another seizure. Some Consequence Huh! (b) (6)
Josty Exquisites Checken steak for dogs (strips)	Dog	Sheepdog - Shetland	6	Months	Female	9	Kilogram	Our perfectly healthy sheltie jung dog recieved a chicken jerky type treat for the first time and 4- 6 hours later developed terrible vomiting and diareah. We had no change in diet, routine or anything else. She had an extremely foul odor from her mouth and stool, unlike a normal diareah smell. She has been sick for 2 full days now and still has watery stool we have contacted the vet and will go intoday. We also contacted the store and the store headquarters. Here in Switzerland No one seems to know anything about this warning, Please make this an international warning so it is published in othet countries.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	11	Years	Male	25	Pound	(b) (6) became lethargic, lost weight, had occasional vomiting. His normal diet included both wet and dry dog foods and chicken jerky treats. We took him to the veterinarian who found nothing wrong with his kidneys or blood work though his enzymes were kind of high. They even did an ultra sound. We changed his diet to chicken and rice, with fewer chicken jerky treats. Since then he has more energy, has far fewer instances of vomiting. After reading about the possible problem with the Waggin' Train Chicken Jerky treats we are more than disturbed that the opportunity to avoid this product was not offered to us by the FDA. We hope the problems will further disappear now that we will stop using this product.
Chicken Jerky Treats	Dog	Mastiff	10	Years	Male	115	Pound	(b) (6) experienced anorexia and weight loss over a 6 month period. All diagnostic tests were normal- cbc, chemistries, survey radiographs. No intestinal biopsies or further diagnostics were performed. The owner had been feeding chicken jerky treats from China for the past year. Once they stopped feeding the treats his appetite and weight improved. The owners requested I file a complaint with the FDA in his behalf although we have not ruled out other causes of anorexia.
Beefeaters Chicken Jerky	Dog	Mixed (Dog)	14	Years	Female	40	Pound	She has arthristis and had been taking Rimadyl for a few years. When I moved to Florida in 2009 my new vet suggested Previcox. She had been on that for 2 years when I decided to switch vets again. She has lost 6 pounds in 2 years and they ran bloodwork on her. She has severe kidney failure. I believe it wasn't because of the Previcox but because of the Beefeaters Chicken Jerky. She is due to go back to the vet next week to get her bloodwork run again as she has been taken off the Previcox and on a special kidney food diet.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Terrier (unspecified)	2	Years	Female	17	Pound	On February 22, 2012 (b) (6) began vomiting and having diarrhea. This continued through the night. By the next morning (b) (6) began shaking and panting. She refused water and food. We took her to the vet at 9:00 a.m. on February 23, 2012. She was treated with an IV to reverse the dehydration and treated with four different types of medication. She spent the night and the entire next day at the vet. We picked (b) (6) up on Friday, February 24, 2012 at 6:00 pm. (b) (6) has not had any more chicken jerky treats and has not had any additional symptoms.

Waggin' Train Chicken Jerky Treats	Dog	Beagle	4	Years	Male	25	Pound	(b) (6) was given a treat (1) of the Waggin' Train Chicken Jerky. He began not eating and just laying around. He started laying down, panting, and started writhing around on his side in circles. He continued for 15 to 20 minutes. His front leg twitched. He vomited several times during the night and had a soft unformed bowel movement. When I took him in to the vet, he was refusing water. He didn't even flinch when they drew blood from his neck. His liver function was elevated but other functions looked good on the test. He was given sub Q fluids, an anti-nausea injection, and an antibiotic injection. I also had to take him home with antibiotics for 10 days twice a day. That night, I had to force water in him with a syringe as he wouldn't drink again and was breathing very rapid shallow breaths. I did not think he was going to make it that night. He was put on a chicken and rice diet. He is doing better. I saw a report on the local news regarding this product and it has some of the same symptoms that (b) (6) has. Since he has felt better he has been drinking a lot of water.
Pet Shoppe Chicken Jerky Treats	Dog	Schnauzer - Miniature	5	Years	Male	5	Pound	Fed the dog Pet shoppe chicken jerky treats on Sat. Dog got sick Sunday night and Monday - diarrhea and bloody stools. Still sick
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Pug	3	Years	Female	21	Pound	Started with mucus, runny like stools with some blood. Vomiting after meals with undigested food. Drinking lots of water, lethargic at times. This went on for about 3 days before I took her to the vet on Friday, 2/24. Vet put her on special diet food and antibiotic. Checked her for blockage. She has been on this special diet for 3 days and is still vomiting and feeling sick. Goes back to the vet tomorrow. A friend posted today an article regarding chicken strips from China causing dogs to be sick and even causing death. Her symptoms matched. Found your contact information on the fda.gov site.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Cairn	4	Years	Female	21	Pound	Vomiting, diarrhea, malaise
Canyon Creek Chicken Tenders	Dog	Beagle	15	Years	Male	50	Pound	Fed all 3 dogs jerky treats made in China, not knowing of adverse effects in other dogs. They all became ill . I was informed by a friend that these types of treats were making pets sick so I stopped giving them to my pets. The other 2 dogs recovered but Vader, perhaps due to his age, did not. I had to have him put down on Dec. 2,2011.
Dogswell brand Breathies / Mint & Parsley Chicken Jerky Treats	Dog	Ridgeback - Rhodesian	4	Years	Female	80	Pound	My dog was given Dogswell brand chicken jerky treats over the course of two days, and within hours began vomiting and having severe diarrhea which last 4 days. She was given half of the recommended amount of treats on the package for her weight (recommended amount is 6-8 per day). We have notified the store where we bought these treats, but they are still selling them even though they were previously aware of the problem.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	8	Years	Female	70	Pound	In May 2011, we fed both dogs Chicken Jerky treats from Waggin Train - we had thought we were purchasing a product from the USA. Within a month, (b) (6) began having sporadic episodes of diarrhea eventually leading to vomit containg blood and mucus. She was hospitalized with dehydration and severe intestinal distrss. She was placed on IV fluids and underwent numerous diagnostic tests. The vet asked me if she had consumed and chicken jerky treats as he had seen these same symptons recently and the common denominator in these dogs was chicken jerky treats. (b) (6) developed a mild case of mucus diarrhea wich stopped when the treats stopped.
Kingdom pets chicken jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland	16	Years	Female	35	Pound	Diarrhea vomiting Uncontrollable urination
Waggin Train Chicken Stix Chicken and Rawhide Snack	Dog	Maltese	16	Months	Female	5	Pound	Bought Waggin Train Chicken Stix from Wal Mart in New Braunfels Texas the week of February 15, 2012. On about the fourth day of giving my dog half a peice only once a day, she threw up three times. The next day she had no appetite and wanted to sleep all day. She has never been sick in the past, and I strongly feel this is what caused her to vomit. I stopped giving her the treats, and saw on the news last night that other consumers were complaing as well, and nothing is being done about it. I believe this product needs to be recalled until the problem is found. Not leave it on the shelves because you cannot find a problem. It is becoming evident many dogs are getting sick and dying, and this should be enough for a recall.

Kingdom Pets	Dog	Spaniel - King Charles Cavalier	18 Months	Female	15 Pound	<p>To whom it may concern, February 25, 2012</p> <p>Our Cavalier King Charles Spaniel, (b) (6), recently had a very severe gastrointestinal reaction to Chicken Jerky treats. This product was purchased at COSTCO. At the onset of bloody vomit and diarrhea, we took (b) (6) to a nearby animal hospital. Attached is a complete description of the incident in the format suggested by the FDA. This information has also been submitted to the FDA. We are hoping that submitting this information to COSTCO and the FDA will help identify the issue and prevent other animals from becoming sick. Sincerely, (b) (6)</p> <p>Attachment: Exact name of the product and product description (as stated on the product label) KINGDOM PETS CHICKEN JERKY Type of container (e.g. box, bag, can, pouch, etc.) PLASTIC BAG Product intended to be refrigerated, frozen, or stored at room temperature INSTRUCTION SAY STORE AT ROOM TEMPRATURE</p> <p>Lot number - The lot number is very important as it helps us determined the manufacturing plant as well as the production date.</p> <p>AKKPCCK03B323 Best by, best before or expiration date MAY 25, 2013 UPC code (also known as the bar code) 8471300020 Net weight 48 OZ Purchase date and exact location where purchased. FEB 13, 2012. COSTCO #747 (b) (6) Results of any laboratory testing performed on the pet food product N/A ¿ WE STILL HAVE THE PRODUCT, BUT PLAN TO RETURN IT COSTCO SOON. How the food was stored, prepared, and handled AS DIRECTED, AT ROOM TEMPERATURE Foul odor, off color</p> <p>UNKNOWN, FIRST TIME BUYER OF PRODUCT Swollen can or pouch, leaking container NO Foreign object found in the product. NO Species (dog, cat, rabbit, fish, bird, other) CAVALIER KING CHARLES SPANIEL DOG Age, weight, breed, pregnant, spayed/neutered CAVALIER KING CHARLES SPANIEL DOG AGE 18 MONTHS, WEIGHT 15 LBS SPAYED Previous health status of pet GOOD, WITH REGULAR PREVENTIVE VISITS TO VETERANARIAN Any pre-existing conditions your pet has NONE Whether you give your pet any other foods, treats, dietary supplements or drugs (b) (6) HAS CONSUMED OTHER BRANDS OF CHICKEN JERKY AS HER MAIN TREAT, PLUS PURE DEHYDRATED LIVER SPRINKLES (LIVER IS ONLY INGREDIENT). How much of the suspected product your pet normally consumes TWO PIECES PER DAY How much of the ¿suspect¿ product was consumed from the package? ESTIMATE SIX PIECES How much of the product you still have ESTIMATE 90% OF PRODUCT Clinical signs exhibited by your pet (such as vomiting, diarrhea, lethargy) BLOODY, PROFUSE VOMIT AND BLOODY DIARRHEA How soon after consuming the product the clinical signs appeared BETWEEN 6 AND 72 HOURS.</p> <p>Your veterinarian¿s contact information, diagnosis and medical records for your pet EMERGENCY CARE PROVIDED BY; (b) (6)</p> <p>REGULAR PREVENTIVE CARE PROVIDED BY; (b) (6)</p> <p>Results of any diagnostic laboratory testing performed on your pet BLOODWORK REVEALED SLIGHTLY LOW POTASSIUM AND ELEVATED AMYLASE AND LIPASE ENZYME LEVELS. GIARDIA SNAP TEST WAS NEGATIVE. URINALYSIS SHOWED CONCENTRATED URINE (>1.050), THE PRESENCE OF AMORPHOUS PHOSPHATE CRYSTALS, URINE pH OF 8, AND 2 PLUS PROTEIN, NEGATIVE GLUCOSE. ABDOMINAL RADIOGRAPHS REVEALED FLUID AND GAS DILATED SMALL AND LARGE BOWEL. PHYSICAL EXAM REVEALED FLUID FILLED GUT LOOPS, DILATED RECTUM WITH FLUID AND BLOODY DIARRHEA. How many pets consuming the product exhibited clinical symptoms UNKNOWN, (b) (6) IS OUR ONLY PET IN THE HOME Whether any pets that consumed the product are not affected N/A Whether your pet spends time outdoors unsupervised YES, IN SMALL FULLY FENCED YARD ALL TIME OUTSIDE THE FENCED PROPERTY IS CLOSELY SUPERVISED. Why you suspect the pet food caused the illness</p>
Waggin Train Chik'nBiscuits	Dog	Mixed (Dog)	6 Years	Female	70 Pound	Increased water consumption and inability to control urination
Loving Pets Gourmet Wraps Carrot wrapped with chicken, Loving Pets Gourmet Wraps sweet potato wrapped with chicken, Loving Pets Gourmet Wraps apple wrapped with chicken, Loving Pets Vita Hide Pure chicken breast wrapped around natural rawhide, Beefeaters Sweet Potato Twists, Beefeaters Sweet Potato Snacks for dogs	Dog	Maltese	2 Years	Male	13 Pound	Patient presented with a 6 month history of increased urinating/drinking. Bloodwork and urinalysis were performed. CBC/Chemistry noted hypokalemia otherwise normal. U/A noted glucosuria. Urine culture negative. Lepto titres neg. Ultrasound performed - normal kidney architecture. Patient was eating Beefeaters and Loving Pets brand of treats (both from China). Patient has been diagnosed with fanconi-like syndrome with primary renal glucosuria most likely as a result of toxicity from treats from China.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Newfoundland	6 Years	Female	100 Pound	Over the course of 5 days, (b) (6) was staying in my home and was given a Waggin' Train Chicken Jerky treat 2 - 3 times a day. She then began having diarrhea which lasted over 24 hours. Her veterinarian ran tests and saw no signs of tape worms, so diagnosed her with an upset stomach.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Newfoundland	6 Years	Female	100 Pound	She had diarrhea all night, after eating chicken jerky treats from Canyon Creek brand, after not eating for 24 hours she was given regular dog food and had solid stool. Not recognizing the treats were the problem she was given them again quantity 1 and had diarrhea again. Taken to the vet, bacteria found probably in intestinal tract. continues to have loose stool at this time with minimal traces of blood.
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Retriever - Labrador	8 Years	Male	57 Pound	(b) (6) suddenly became very lethargic and suffered a complete loss of appetite. In the days prior to this, he was drinking excessive amounts of water. Alarmed by his loss of appetite and sudden change of disposition, he was brought to the vet. He was admitted on 1/21/2012. A full CBC was done to try and diagnose the condition of the dog. CBC counts indicated infection and elevated liver enzymes. Signs of dehydration were also exhibited. He was released with antibiotics and a hepato support supplement. After his release, (b) (6) was on a restricted diet and eventually transitioned back to a dog food. His condition has improved since his release.
Kingdom Pets Chicken Jerky	Dog	Retriever - Labrador	6 Years	Female	80 Pound	She is currently in the hospital with pancreatitis. The vet believes it is due to the consumption of the chicken jerky treats. He says that he has seen many cases of this recently. She has been receiving antibiotics and fluids to reduce the inflammation and infection. She began to throw up everything on 2/19/12, by the 3rd day (2/21/12) we took her to the vet and they ran test on her and admitted her to the hospital and began treatment. On 2/22/12 they released her. By the next day 2/23/12 we had to bring her back in to the hospital as she still couldn't keep her food down. She is still in the hospital receiving fluids and antibiotics.

Natural Chicken Fillets Waggin Train Jerky Tenders	Dog	Mixed (Dog)	10	Years	Mixed Populati on of Female and Male	80	Pound	I had to fill in random numbers because your form doesn't take more than one entry. Many thousands of dogs of all ages, breeds, weight, and ages have had these products, and over 500 have been sickened or died in the last few months. The product is treats made in China - many brands involved, some specifically Waggin Train Jerky Tenders, Milo's Jerky, Dogswell treats, Canyon Creek... FDA knows about this problem but refuses to recall them, because they say they can't find any toxins. Now we believe it could be Arsenic, and we know the FDA does not test for Arsenic in food products. YOU NEED TO. Please see below email I received from a group member (group's cause is to get all this Chinese crap off the shelves). (b) (6) and (b) (6) are both urging the FDA to take care of the problem - dogs are dying of kidney failure, liver failure, they are having bloody diarrhea and vomiting, but the FDA refuses to recall these products. Here is the new information. We expect the FDA will do the honorable thing and immediately TEST FOR ARSENIC. (b) (6) 2.24.2012 Please research that Pfizer made a product called Roxarsone that was feed to chickens that contained arsenic. In china, there is no regulation and their chickens were loaded with arsenic. The FDA got them to stop producing it last Summer. The FDA doesn't check for arsenic in food products...just water. This is why the FDA reports are coming back negative. This is really terrible with what's happening to our pets. The FDA is hoping the problem will cease now that Pfizer discontinued maker the product. FYI...Roxansone has been made since 1944, and it is very soluble in water. It has gotten into the ground water and has been showing up in other vegetables and meat products. Chicken manure, containing arsenic, has been used as a fertilizer for growing hay, alfalfa and arsenic is appearing in meat products. I will not let our dog's unnecessary death go without the guilty parties paying for their negligence and greed. ----- and I found this link: http://news.consumerreports.org/health/2011/06/pfizer-pulls-chicken-drug-roxarsone-due-to-arsenic-threat.html
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	14	Years	Female	36	Pound	Patient was fed Waggin' Train Jerky Tenders and presented with severe renal failure. Prior labwork (11/15/2010) demonstrated normal kidney values.
Waggin Train Chicken Jerky Tenders 48 oz	Dog	Unknown	6	Years	Male	70	Pound	I had purchased 2 large bags of Waggin Train Chicken Jerky treats (purina) and given as treats during the summer/fall. During this time period, occasionally I noticed my dog drinking/urinating more often, but not consistently. In November, I began to notice him consistently drinking a lot more than normal, and urinating a lot more than normal, even having an accident in the house and having to go out at night. He energy level decreased. I took him to the vet 11/17/11, where urine tests showed a very low gravity level. Coincidentally, (and very luckily) about this time I ran out of the treats. The vet was not sure what caused this, as there were no signs of infection etc. A repeat test later showed improved urine, and after stopping these treats he began to recover and return to his normal activity. It was only after the fact, that I read about the chicken jerky and put it all together! I was very fortunate. I'm quite sure if I hadn't stopped the treats that his health could have deteriorated!
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	7	Years	Male	28	Pound	I bought Waggin Train chicken jerky treats for dog about 4-6 months ago. Dog had episode of diarrhea and I took him to the vet. he was treated with anti-diarrhea meds which made him a little better but did not seem to work as well as expected. I thought the diarrhea may have been caused from anxiety as it continued even while on meds. when we were out of the pills, i called vet and got more pills. they still did not work well. It wasn't until my husband heard on the radio that there had been reports of dogs getting sick from eating chicken jerky treats with "made in China" on the back. Sure enough, I looked at the back of the Waggin Trains pouch and it said made in China. I immediately stopped giving my dog the Waggin Train treats and took him off of the meds and within a week to 2 weeks, he was back to normal again. There is no doubt that those treats affected my dog and I just hope that there is no permanent internal damage to him. Please let me know if you need any additional information. I do not normally take the time to report things, but in this case, I feel strongly that the chicken jerky pet treats made in China should be recalled at the very least. Thank you. (b) (6)
Milo's Kitchen Chicken Jerky								Bought a package of Milo's Kitchen Chicken Jerky at Petco. A 10 month old dog is having problems with severe bloody yellow diarrhea and vomiting. Please investigate and recall this product.
Dingo Meaty Middles	Dog	Chihuahua	5	Years	Female	12	Pound	For over a year, my dogs have enjoyed these rawhide treats on a daily basis. Then, in mid-January 2012, 3 of the dogs vomited immediately after eating these treats. They displayed the same vomiting reaction 2 more times within the next couple weeks after eating them. I had 2 unopened bags, which I returned to my local Walmart.
Waggin Train	Dog	Pinscher - Miniature	8	Years	Female	11	Pound	Spiked sugar, could not be brought down with increased insulin. Dog passed away
canyon creek ranch	Dog	Great Pyrenees	3	Years	Male	125	Pound	Skin rash that progressed to an infection. Sores and crusty blisters appeared. This continued for several months with antibiotics and special baths to try to clear it up. As soon as he went off the antibiotics it came back. He had to be shaved in infected areas. We spent over a \$1,000 on treatment and also did a thyroid test. He was losing his undercoat with this as well. I recieved an e-mail warning from a friend about the chicken jerky from China. This was his favorite treat. He consumed one to two a treats a day. We stopped them cold and have had no other problems since. I provided the information to his vet as well. We were poisoning our dog with his own treats! I buy nothing made in China now!!!!

Waggin Train Chicken Jerky Treats	Dog	Retriever - Labrador	10	Years	Male	75	Pound	We purchased Waggin Train Chicken Jerky Treats for our dogs over the holidays. After giving them the treats for a few weeks our Lab was diagnosed with Renal Failure on January 25, 2012.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Retriever - Nova Scotia Duck Tolling	9	Years	Female	40	Pound	My dog fell ill in December for apparently unknown reasons. She gradually became more and more lethargic, and reached a point where she could no longer stand up. She also refused to eat. after taking her to the vet, it was determined that she had liver and kidney failure, and we bought hundreds of dollars worth of antibiotics to nurse her back to health. She has not yet fully recovered. The vet could not determine what caused the illness. Throughout this time period, I had been giving my dog Waggon Train chicken dog treats, which are now being investigated by the FDA. Today, I stopped giving them to her after reading an article my wife sent me.
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	10	Years	Male	80	Pound	(b) (6) water intake increased dramatically along with his urination. He would vommit from time to time then became more frequent towards the end. Over several months, his appetite became finicky and decreased immensely until he no longer wanted anything to eat. He became weak and collapsed and ended up at the vet. He was diagnosed with total kidney failure, with little or no chance of survival. He spent 5 days in ICU, with little improvement, we brought him home and he died of kidney failure Dec. 27, 2011.
Waggin Train Chicken Crispy Puffs	Dog	Terrier - Jack Russell	5	Years	Female	15	Pound	Sudden onset of increased thirst/urination. Urine showed white blood cell clumps but no infection. Bloodwork showed slightly increased BUN levels. Urinary accidents in house. Leaking urine when sleeping. Currently on antibiotics.
Waggin Train Cowboy Steaks with natural chicken Waggin Train jerky treats chicken dog Treats Milo's kitchen Dod Treats chicken Jerky	Dog	Other Canine/dog	10	Years	Female	12	Pound	The two dogs started getting sick, as time went on the got sicker and sicker. back and forth to the vet. Then we found out from the vet there was a FDA warning out since Nov. 2011. Waggin Train chicken jerky treats and Milo's Chicke strips products the vet is pritty sure this is why the 2 dogs got sick. They both ended up with kidney infections and one of the dogs had to be put down for kidney failer. We will find out for sure when the test come back if in fact this is the reason why she had to go.
Chewy Louie Premium Chicken Breast Jerky	Dog	Bichon Frise	9	Years	Male	12	Pound	3 seperate occassions of vomitting and uncontrollable watery diarrhea since started to offer chicken jerky treats.
Kingdom Pet Chicken Jerky treats								I bought Kingdom Pet Chicken Jerky treats for my dog at Costco approximately 1 month ago. My dog started drinking a lot more than usual and also became incontinent. She was sleeping and urinating without realizing it. She is a senior dog so I thought that this was something normal. I came across a complaint about the treats and I took her to a vet. They said that she is in Chronic Renal Failure possibly from these treats.
Waggin Train Chicken Jerky Treats	Dog	Sheepdog - Shetland	8	Years	Male	27	Pound	I bought him some Waggin Train Chicken Jerky treats from PetSmart and after eating three of them in 2 days, he started vomiting and having diarrhea. I am a former vet tech, so I immediately decided to investigate if there was a recall on his food or the new treats. None. I came across alot of info about how 400 dogs have allegedly died after eating these type of treats and am concerned as to why they are still being allowed on the shelves. I understand there is no known toxin causing an issue, but until the problem is found I believe they should stop production. I am happy to report that (b) (6) has bounced back and seems to be back to his old self again. I will no longer buy products for my pets unless I can be assured that they meet or exceed FDA standards. Thank you.
Waggin Train	Dog	Mixed (Dog)	10	Years	Male	58	Pound	(b) (6) was given jerky treat made in China and now has kidney issues. He has undergone numerous tests at the vet, and now they have determined his kidneys are not functioning properly. His symptoms were increased water consumption and increased urination.
Happy Hips chicken breast	Dog	Beagle	10	Years	Female	23	Pound	Documented kidney failure
Canyon Creek ranch Chicken Jerky treats	Dog	Shih Tzu	9	Years	Male			(b) (6) consumed Waggin Tail / Canyon Creek Ranch Chicken Jerky treats and died on liver and kidnet failure
Milos Kitchen Chicken Jerky	Dog	American Pit Bull Terrier	3		Male	54		Dog was give Milo Chicken Jerky Strips as a treat during for a period of about 2 weeks. Noticed a bloody stool containing mucus and water Dog suffered a severe lack of energy Dog suffered from frequent bowl movements that led to severe dehydration A Doctor visit required blood work, and fluids given on an IV Also medication and special diet

Waggin Train PBJ	Dog	Corgi - Welsh Pembroke	6	Months	Female	18	Pound	(b) (6) In December I bought Waggin Train PBJ, at Costco, as a Christmas treat for my dogs. They are peanut butter biscuits wrapped with a small piece of chicken jerky. I had never bought these treats, or anything like them before. The Lot number is 62NC1005A Best Before 031913. A few days before Christmas, I opened the bag. I read the feeding directions, and followed them. I didn't feed the treats every day, the dogs didn't have very many at all. January 5th (b) (6), my 6 month old Corgi, threw up bile in the morning but ate breakfast. I thought she was ok and I left for work. I came home to vomit and diarrhea puddles, and she was quiet but I thought the worst was past. At 2 am (b) (6) started puking again, and the diarrhea started again. It was one or the other, every 20 to 30 minutes for the next 7 or 8 hours. She was at the vet first thing that morning, put on i.v. fluids and antibiotics, and anti-nausea medication. She was dehydrated. Her PCV was 72. We had just weighed her the day before, she weighed in at the vets 2 pounds lighter & she is only 18 pounds to start with. She vomited again that afternoon, which is very unusual with the medication she was given, so the vet suspect a blockage and started barium xrays. She had no blockage. The vet suspected antifreeze poisoning, but there's no antifreeze here for her to get into. The vet said if she continues to vomit, she would suggest exploratory surgery. I was holding (b) (6), and heard splashing on the floor. Her bowels had let go, but it was liquid, like urine and a huge amount. There was some white gunk in the puddle, and the vet tech said it looked like she was shedding her intestinal lining. But she'd tested negative for Parvo. They wanted to keep her on the i.v. and monitor her. She improved overnight, and I was able to bring her home the next afternoon. She's continued improving, but for at least 3 weeks she slept almost all the time. Just after (b) (6) came home, my two labs, (b) (6) and (b) (6), started to have diarrhea. They also started sleeping more and didn't have much energy. (b) (6) is 10 and was diagnosed with kidney disease just a few weeks before she was poisoned. She's just had new blood tests, and I'm waiting to talk to the vet about the results. All I've been told so far is that it's not good, but not horrible. It's been a little over 6 weeks, and (b) (6) is doing well, but (b) (6) and (b) (6) still have low energy and occasional diarrhea. The Waggin Train PBJ treats were the only newly introduced food, I also feed milkbones and dehydrated liver treats but have been feeding them for months without incident, and continue to feed them without incident.
Chicken Jerky Barnsdale Farms All Natural Dog Treats	Dog	Shepherd Dog - German	15	Months	Female	64	Pound	Fed one strip of chicken jerky. Approximately 6 hrs. later, the dog had diarrhea and vomiting which did not clear up for 3 days so I took her to the emergency vet clinic.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Collie - Border	9		Female	49	Pound	Several days of moderate diahreah.
WAGGIN TRAIN WHOLESOM CHICKEN JERKY TENDERS	Dog	Bichon Frise	4	Years	Male	11	Pound	HE WAS EATING "WAGGIN TRAIN" JERKY TENDERS - HE STARTED HAVING DIARRIAH, LOSING WEIGHT AND WOULD NOT EAT - WE TREATED HIM WITH NUMEROUS MEDICATIONS PRESCRIBED BY THE VET - HE WOULD NOT EAT ANYTHING AND CONSEQUENTLY DID NO HAVE ANY CHICHEN TREATS. HE STARTED GETTING BETTER WITH THE MEDICATIONS, STARTED GAINING BACK HIS WEIGHT AND APPITITE, AND WE STARTED GIVING HIM THE TREATS AGAIN, NOT REALIZING THEY WERE MAKING HIM SICK, AND HE BEGAN WITH THE SAME SYMTOMS AGAIN. OBVIOUSLY WE ARE NOT GIVING HIM THE TREATS ANYMORE AND THANKS TO WCPO TV IN CINCINNATI AND JOHN MATTORESE, WHO DID A STORY ABOUT THIS, (b) (6) IS HOPEFULLY GOING TO RECOVER.
Dogswell Vitality Chicken biscuits with glucosamine chondrotin	Dog	Pinscher - Miniature	3	Years	Male	18	Pound	After feeding my 2 dogs Dogswell biscuits (b) (6) became ill and vomited twice a day for 3 days.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Mixed (Dog)	11	Years	Female	11	Kilogram	The patient began vomiting, became lethargic, developed diarrhea. She was presented to her regular daytime veterinarian who took abdominal radiographs and did blood tests, diagnosing kidney disease, possible kidney failure. The patient presented to our hospital urgent care service 2/18/12 with a BUN = 233, creatinine = 9.8, phosphorus > 16.1, PCV = 61.7%. She is hospitalized on IV fluids, famotidine, maropitant, oral aluminum hydroxide as an oral phosphate binder.
Waggin train	Dog	Dobermann	8	Months	Mixed Population of Female and Male	70	Pound	Had bought waggin train chicken jerk treats and had given my dobermans a couple pices that i had broken off. Not the whole treat. The next day my male Doberman had sever Diarrhea and my female Doberma has bloody vomiting.. i didn't give them anymore treats and about two weeks we are starting to see improvement.
Kingdom Pets Premium Dog Treats Chicken Jerky 16-Ounce Bag	Dog	Terrier - Welsh	8	Years	Female	21	Pound	Kingdom Pets Chicken Jerky made her sick. She is hospitalized and on IV fluids. Her chemistry data (ICD) on 2/19/2012 indicates ALKP = 1,649; ALT = 247; Creatinine = 2.4; NEU = 21.09 Please note, the 2nd dog, a male Welsh terrier from the same litter, has not yet been tested for toxins/kidney issues. However, we intend to follow up.
canyon creek ranch yams, canyon creek ranch brand yams	Dog	Mixed (Dog)	13	Years	Male	40	Pound	(b) (6) started loosing wieght,loss of energy,increased thirst and water intake,increased urination and urinating on the floor

Waggin trails don't have the bags..sorry	Dog	Boxer (German Boxer)	2	Years	Mixed Population of Female and Male	70	Pound	My dogs had been vomiting and the only thing that had changed was giving them the waggin jerky treats, well I had only seen the warning say the jerky treats so I quit giving them to them and it stopped, well I gave them another type of treat and they seemed to be becoming themselves again.. Tried them on another couple treats from the same company and back to vomiting. I don't know what is in the food and I am not trying to get any kind of settlement just want people to be aware.. My boxers are my babies..
Waggin Train Puppy Chow	Dog	Chihuahua	3	Months	Mixed Population of Female and Male	1	Pound	I was feeding these puppies puppy chow and opened the bag and found a bag of waggin train dog treats. i fed each of them a small piece of the treat. that night all three dogs were lethargic, couldnt hold their heads up, drooling bad. foaming at the mouth and vomiting everywhere aswell as runny pooping everywhere. i rushed the one to a vet in (b) (6) because she wasn't coming out of it like the other two did at the time. they said it was like she was given antifreeze....a week later she died. that next day i fed the same treats to the other two...again this happened. i didn't think it was the treats at the time. i actually didn't realize it till recently when other ppl stood up saying their pets died the same way. at any rate i took (b) (6) to the vet in a different town of (b) (6). that vet took her blood and said the same thing that it was like she was poisoned. she spent the night there and her blood sugar was in the 400s. which is lethal for small dogs. it hasn't happened to them since i ran out of those treats.(b) (6) and (b) (6) are still alive to this day and healthy. (b) (6) is buried in my back yard. I was told by the vet that it seemed like her insides just fell apart...Please please look into this
Canyon Creek Ranch Brand Yam Good Chicken Fillet Wrapped Yams	Dog	Spitz - American Eskimo Dog	3	Years	Male	21	Pound	I bought Canyon Creek Ranch Yam Good Chicken Treats on a Saturday and by Wednesday evening, (b) (6) became so lethargic he wasn't getting up. He was taken to the vet on Thursday and has an elevated white blood cell count, elevated urine glucose and bleeding from his penis. He was given antibiotics and fluids. It is now Saturday, his energy is back but he is still bleeding.= and we don't know if he will have further problems since the veterinarian says he has symptoms of acquired Fanconi syndrome and she is not that familiar with treating this.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Mixed (Dog)	12	Years	Female	40	Pound	Sudden onset of diarrhea. (b) (6) never has digestive issues. I didn't feed her anything different except for the chicken jerky. This occurred at the same time my other dog, (b) (6), also developed bowel pain and diarrhea. Both had the exact same diet except for the addition of chicken jerky. They have had chicken jerky before without any reaction, which made me wonder if there is some contaminant in this bag.
Wagon Train chicken Jerky Treats	Dog	Other Canine/dog	7		Female	10		I fed wagon trails chicken Jerky Treats over a weeks time on Jan 9 2012 She would not get up wouldnt eat drink or interact. Took her to Vet and vet said renal failure and couldnt be saved.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	6	Years	Male	10	Pound	Our dog typically eats another brand chicken jerky treats on a daily basis, however 1-3 days after eating the Waggin Train chicken jerky treats, (b) (6) had severe and persistant vomiting and diarrhea approximately 12 hours after his last treat. The vet was called and reported he needed to come due to the symptoms above, as well as continued lethargy and probable dehydration. During and following the sickness (but before taking him to the vet), (b) (6) would not eat, drink, void, defecate and had to be prompted and pulled to stand up and would not walk.
Waggin Train jerky treats	Dog	Terrier (unspecified)	9	Months	Female	15	Pound	My dog died as a result of feeding it tainted treats from Purina brand foods.
Canyon Creek Ranch (aka. Waggin Train Purina/Nestle), Canyon Creek Ranch	Dog	Lhasa Apso	9	Years	Male	33	Pound	I feed my 3 dogs 1/3 a treat 3 times per week & my (b) (6) became extremely thirsty, uncontrolled urination & then very exhausted & weak. I rushed him to the vet on 2/14 & they found his blood work 5 times the limit for kidney & liver failure & he had a very low body temperature. The vet began IV & kept him. He died shortly after I left from visiting on 2/15/12 6:15pm. He was a great dog & is missed terribly, please get these poisonous 'treats' off the market immediately before more dogs suffer & die leaving holes in so many families that will be forever irreplaceable!2/
Waggin' Train Yam Good	Dog	Chihuahua	6	Years	Male	5	Pound	(b) (6) experienced lethargy, diarrhea, blood in stool, vomiting and decreased appetite.
WAGON TRAIN CHICKEN JERKY	Dog	Dobermann	1		Male	80		I HAVE HAD MY DOG SINCE HE WAS A PUPPY. I GAVE HIM WAGON TRAIN CHICKEN JERKY TREATS EVER SINCE I GOT HIM 7/4/2010. I THOUGHT THEY WERE FROM AMERICA. INGREDIENTS NOW I KNOW ARE FROM CHINA. HE TURNS TWO IN JULY. HE STOPPED GROWING AND IS VERY THIN. HE EATS A GOOD HOLOISTIC GRAIN FREE FOOD. I EVEN OVERFEED HIM TRYING TO PUT WEIGHT ON HIM. I WILL TAKE TO VET TO GET TEST RAN ON HIM. SCARE WARNING ABOUT THIS PRODUCT. I HAD TWO PRIOR DOGS DIED OF KIDNEY FAILURE AFTER THE LAST SCARE IN 2007 AND 2008. A ROTTWEILER 7YR /145 LBS AND CHIHUAUAH 9 YR / 6 LBS
Waggin' Train Chicken Jerky	Dog	Shar Pei	13	Years	Male	50	Pound	He became unresponsive, could not stand or walk.
Dogswell Vitality for Dogs	Dog	Chihuahua	7	Years	Female	8	Pound	in the Summer of 2010 I began feeding my dogs treats" by Dogswell Brand; Chicken Jerky treats. My dogs are very picky eaters, and when I noticed they always gravitated towards this particular treat, I increased the feedings. My one dog (b) (6) (Long-Haired Chihuahua-7 years old) had a life threatening, SUDDEN ONSET of Addison's Disease in Early Spring 2011. She now requires life long medication. My second dog also didn't seem like herself for quite some time now. She has walked less and less, hides, sleeps much more, has chronic diarrhea. I recently moved and have been more busy, so again, unknowingly have increased the Chicken Jerky Treats. When I saw the MSN article just 1 week ago, I immediately eliminated the Chicken Jerky treats from their diet. The change is BOTH dogs is quite "miraculous". They both have more energy, are not hiding, sleep less, started to play together (it has been a couple years since they have played). I know my dogs very well and I am certain these treats were the culprit.

Natural Chicken Fillets Waggin Train Jerky Tenders	Dog	Poodle - Medium size	8	Years	Female	18	Pound	(b) (6) a very happy active poodle mix became very tired warn out, just acting plain sick. We had been giving her this treat for a couple of weeks or so and by the way she loved them. After a few days of her not getting better I made her appointment to see the vet. A bunch of test were done because prior to this (b) (6) had no problems. It was determined that she did have Lime Disease a slight case of that but a very serious Urinary Tract Infection, a fever and just one sick puppy. We went through a list of things she might have got a hold and nothing came to mind until I ritualized that the only new thing she has was the dog treats. A day or so later we heard the report about the Waggin Treats Chicken flavor and felt sick that we did not know and we had made our dog sick. I will also contact the complaint line as well for someone to take responsibility and all I ask is that the manufacturer and or company pay for (b) (6) treatments. She has had to rounds of antibiotics since this happen blood work and office visits. She can not even be treated for the lime disease until we get that UTI better. Next visit they may do the ultrasound. We don't have that kind of money and are racking up a hug Vet Bill. We don't expect to put a claim in for the lime disease but I want the medical bills for her UTI and possible Kidney infection. I can give all the phone numbers of vets copies of bills what ever they need.
Chicken Jerky Treats from China	Dog	Dobermann			Unknow n			I just thought I would mention that xylitol poisoning symptoms are very similar to what we are seeing with the chicken jerky treats from china. Have you guys tested them for xylitol? It is a sweetener and not toxic to most animals but is to dogs.
Uncle Sams's Duck Strips - Sergeant's Pet Care Products CHINA!	Dog	Unknown	5	Years	Unknow n	100		I am writing for a friend who does not have access to a computer. She thought she would treat her dog, a Hungarian Vizla, to something healthy and bought Uncle Sam's duck treats. Within the next 12 hrs. her dog had violent diarrhea with blood in it. The dog continued to be sick the next day not wanting to eat and throwing up. I don't understand why American companies keep using China to produce their treats?? (Chicken Strips and Duck Strips) I guess money is always the bottom line rather than the safety of our pets. So sad that we can't even trust our own country to do the right thing. I will also report this to the FDA along with all the other recall lists I subscribe to. Uncle Sam's Duck treats are made by Segeants' Pet Care Products in CHINA and sold in Publix supermarkets in Florida.
Waggon Train chicken Jerky Treats mini size	Dog	Retriever - Labrador	8	Years	Male	49	Pound	After eating Waggon Train chicken jerky treats, my dog started acting different. He began to pant,would not look at us,and would it eat or drink. He stayed for 1 day at the vet with an IV for fluids. He also had an X-ray of abdomen. 2 days later, he started stretching his neck up and made small yawns with his mouth. Took him to vet for another X-ray and he had exploratory abdominal surgery with nothing found.
Chicken breast strips	Dog	Australian Kelpie	6	Years	Male	45	Pound	Went into acute kidney failure after eating chicken breast treats from Big Lots, rushed to emergency clinic and was there overnight but all treatment to save his life failed and we had to put him down at the recommendation of the veterinarian the next morning. It was DEVASTATING. He was veyr healthy all his life and right before this episode. He was young.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Manchester	4	Years	Female	60	Pound	Dog began vomitting for 24 hrs. after first given treats. Continued to eat carpet, grass and shrubs while vomitted every 1-2 hours. This lasted for 24 hrs..
Waggin' Trails Chicken Jerky	Dog	Retriever - Golden	1	Years	Female	45	Pound	I had gotten (b) (6) as a 9 week old puppy, and she had had all her shots by the time this event occurred. She was always fed quality dog food such as Blue Buffalo and Castor and Pollux and had vet visits for any and all problems. She was a very healthy year and a half old dog. Prior to 7-21-11, which was the date she became violently ill, I had purchased Waggin' Train chicken jerky for her from WalMart. That was the only new addition to her food. She had eaten one bag of chicken jerky, 2-3 pieces a day and I had purchased a second bag. She went to bed well (a house dog) and I woke up the next morning (7-21-11) to multiple piles of vomit and multiple piles of bloody diarrhea and my dog back in the corner of her crate like sick dogs do. I rushed her to her vet, an older, very experienced vet, who immediately hospitalized her, started an IV due to severe dehydration, and performed a barium study to rule out obstruction. There was none found. She was released the next day after 2 liters of IV fluid and iv antibiotics. She continued to take the following for a week: 20 mg Omeprazole daily, 60 mg Cerenia for 4 days, 68 mg Baytril, and 400 mg amoxitabs. My vet told me a second day without treatment would have caused her death. I am now fanatical about calling pet food and treat companies, and my dog will never eat anything from outside the US. I also have learned "made in the US" is not enough-one must also know where the individual products are from. All pet food should have to define that also as well as listing not only %protein and %fat, but also %carbs, as, in this search I've done, I also found out "diet" dog foods decrease fat but increase carbs. This event cost me \$626.40 to save my (b) (6) life (which I spent without hesitation, but some people couldn't) and may cause future problems. (b) (6) will never eat anything from China again. I suspect that China has contaminated their soil, their, food products, their animals, and their people.
waggin tails chicken jerky	Dog	American Pit Bull Terrier	8	Years	Female	65	Pound	dog suddenly began vomiting, even after ingesting only water; veterinarian diagnosed auto-immune hemolytic anemia; we treated dog with prescribed medications, she seemed to be responding, but her appetite was gone and the only thing we could get her to eat was chicken jerky treats
Milos Kitchen Chicken Jerky	Dog	Lhasa Apso	4	Years	Male	16	Pound	Dog vomitted one night about 20 times and had blood in diarrhea. Rushed to hospital at 3 AM(this was not our normal vet because they are not opened 24 hours), had to stay for a few days. The following happened a week later, took him to our vet. They did make me aware of the problems with Chicken Jerky treats from China. I checked the bag when I got home and the Milos Kitchen Chicken Jerky treats I was giving to my dog were made in China.

Waggin train jerky tenders	Dog	Basenji	11	Years	Male	20	Pound	This past summer my dogs thirst seemed to be increasing and he was urinating much more frequently and could not hold it inside. He seemed to be a little more lethargic. I took him to my vet and he was diagnosed with type 1 diabetes. I have been giving him the Waggin Train chicken jerky treats for a while. I would give him one per day, a few times a week.
Mini Dingo Jerky Chewz Chicken Chips	Dog	Shepherd Dog - German	8	Months	Male	78	Pound	After giving my dog the Dingo brand chicken jerky chips treat he started throwing up and was very thirsty for the remainder of the day. The next day he way fine until I gave him another one of the treats and he became sick again with the same symptoms as the day before. After seeing the pattern of illness related to the chicken dog treats I removed the treats from the pantry and called the Walgreens customer service number to let them know about the issue, the customer service rep for Walgreens took my information and informed me that the distributor for the dog treats would get in touch with me within a few days.
Wagon Train Jerky Treats	Dog	Terrier - Jack Russell	10	Years	Male	20	Pound	<p>I had fed my three dogs chicken jerky treats from Smiths and Walmart (same brand). They were Wagon Train brand. I had been feeding it to them for a few months. During that time all three stopped eating as much as they used to. (b) (6) in particular stopped eating his food and ended up losing 5 pounds. He grew very thin and his equilibrium got VERY bad. We thought it was due to the brain tumor...but my vet could not figure out why it was effecting his appetite and making him lose so much weight. We did blood work and it all actually looked good. (b) (6) declined very quickly and started having seizures. On January 2nd he had a very bad one and I ended up having to put him to sleep. I stopped feeding the jerky treats at time. My other two dogs have since regained their appetites and are eating again.</p> <p>Today I saw the report on the jerky treats on line and called my vet. The office manager said that he also had a dog that had been effected but recovered. Like my other two dogs....his was healthy and did recover. (b) (6) was already dealing with the brain tumor and we think that this was more than his body could handle. I do have a 15 year old mini-schnauzer and fortunately she appears to be OK.</p> <p>This makes me VERY upset that I was feeding (b) (6) something that may have actually caused his death. I thought I was feeding him something healthy. There are no words to describe how horrible this feels.....knowing I may have actually been poisoning him. I will never again buy anything that is not made in the US. I will read every label VERY closely.</p>
Wagon Train Chicken Jerky	Dog	Chihuahua	1	Years	Female	10	Pound	<p>I have purchased Wagon Train Chicken Jerky for a number of months. My first dog (b) (6), a chihuahua/yorkie mix first starting throwing up and passing blood in May of 2011. I took her to the vet they checked her for parvo wich was negative and after paying the vet bill of \$180 and charcoal tablets she died that night. The following week (b) (6), and (b) (6) both full blooded chihuahuas started throwing up and passing blood as well as (b) (6) who was a chihuahua/yorkie mix and only 10 weeks old. I took all three of them to the vet and they too were tested for parvo all negative and given charcoal pills. That vet bill was \$320.00.They got woarse during the night and I took all three back to another vet the next morning and had to pay a deposit of \$500 before he would see them He too tested them all for parvo but all came back negative. He then determined that there was some type poisoning and gave them all fluids. I was to return with all three and three of my other dogs the next morning in order for him to test all but (b) (6) and (b) (6) both passed during the night. I took (b) (6) and (b) (6), (b) (6) and (b) (6) and had them all seen and all showed signs of the same yet (b) (6) passed away in the vets office. I withheld all treats from all the other dogs for about a week and have not had any problems since that time.</p> <p>To make a long story short I lost 4 very precious dogs in a matter of a week and could have lost more because of a product that was sold at Pet Supply Plus and Brunos. Not to mention that it cost me around \$1,000 in a week in vet bills yet still had 4 dogs die.</p>
Milo's Kitchen Home-style Dog Treats -- Chicken Jerkey	Dog	Retriever (unspecified)	12	Years	Male	85	Pound	dog began vomiting and had bloody diarrhea. nothing had changed in his routine; food the same (dry canidae platinum), fresh water, no table scraps. my mother purchased milo's kitchen chicken jerky treats (best used by date = 03-20-12; 1300HV A) and within a few days he was vomiting and had violent attacks of bloody diarrhea. he had no more than 2 treats/day preceding this behavior. we took him to the vet and they ran a blood panel, took x-rays...all came back within normal range although the x-rays showed a large amount of gas in the intestine and he was dehydrated. he was treated with an injectable anti-nausea/vomiting and received liquids subcutaneously and is on oral anti-vomit, anti-diarrhea meds for the next week. within 24 hours he made significant improvement. am just reporting this as the jerky treats were the only change in his usual routine of things he eats and so it seems his reaction was from eating them although this obviously isn't sufficient to be more that an anecdotal account...but one the can now be added to all of the others. we threw the treats away and will no longer be feeding any treats made in china to any of our family dogs as a precaution. the stress of seeing him so ill plus the cost of the vet diagnosis make this seem a reasonable course of action.
Waggin' Train (I called it Waggin' TAILS in the beginning of my report) Big Blast Pork Skin Twists with Chicken Liver Center	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	8	Years	Male	60	Pound	I've been feeding my dog Purina One and 1 Waggin' Tails Pork Twist Roll for at least the past year. In Feb 2011, he had a seizure of unknown cause. At that time his liver and kidney levels were not right. He had repeat blood work a month later and his kidneys still weren't right but wasn't enough for the vet to be alarmed and he didn't have any dietary restrictions. Earlier this month he went in for a dental procedure and they did blood work before and his kidneys are still not functioning right and now he has to be on special food and I'm no longer feeding the Waggin' Tails (and that was before I saw the info about the Waggin' Tails). Now, I realize it was the jerky that people were reporting problems with but I wanted to make sure to get my report in in case the problems expand to some of the other treats.

Happy Hips Chicken Breast	Dog	Collie - Border	11	Years	Unknown	44	Pound	Starting four or five days ago we started giving our dog a new brand of treats- Happy Hips Chicken Breast. He had one per day, so maybe 5 total. About three days his bowel movements were softer and last night he was up every hour with diarrhea and vomited twice. This morning he's had wet stool tinged with blood. He woke up with no appetite and eventually came around to eating his food, later than usual. Not sure if the treats caused the problem but they were made in China and look like chicken jerky. Our dog has had occasional soft runny stools in the past which usually clears up with a little rice, but not this time, as he wouldn't eat it. He hasn't had these problems in many months though.
Canyon creek	Dog	Shepherd (unspecified)	13	Years	Female	40	Pound	(b) (6) began vomiting, experienced prolonged diarrhea, lethargy. Took to vet several times for check ups. Blood test showed elevated liver values. This went on for months. Finally realized it was related to the chicken jerky treats that we were giving her. We stopped giving her the treats, and she has been improving. Not fully recovered, but appetite came back, vomiting stopped, and diarrhea stopped. 100% sure this is completely related to treats. Happy to speak to you if you need more details. This product needs to be taken off of the market. Found out they are manufactured in china, and other dogs have had exact same issues. Very upset that these are still available for purchase. Two brands I fed her-waggin train and canyon creek
Dogswell Happy Hips Duck Breast, Waggin Train Chicken Jerky Tenders, Dogswell Happy Hips Chicken Breast	Dog	Terrier - Boston	10	Years	Mixed Population of Female and Male	25	Pound	Lethargy; decreased appetite; vomiting; frequent urination & increased water consumption
Wagon Train Chicken Jerky Treats	Dog	Lundehund	2	Years	Male	12	Pound	Acute development of profuse vomiting, blood in the vomit. Progression over 8 hours to severe hemorrhagic diarrhea. Marked depression with pale gums.
Waggin' Train Chicken Tenders Chicken Jerky	Dog	Great Dane	10	Years	Female	97	Pound	Very uncomfortable, could not lay in one place for longer than 30 seconds, constant whining, occasionally barking.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	7	Years	Female	35	Pound	Had been feeding dog chicken jerky for a years when a few months ago she started urinating in the house which she hasn't done since she was a puppy and it was very large amounts. She also had at least one bowel movement that was very, very hard and covered in mucus which was also in the house and unprecedented. I read an article about chicken jerky made in China causing problems so I removed that from the diet and she has not had any other incidents.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Shepherd Dog - German	3	Hours	Female	98	Pound	My dogs (b) (6) and (b) (6) had uncontrollable bouts of diahrea within 2 hours of giving 2 Canyon Creek Ranch Natural Chicken Tenders to them. They have been drinking large amounts of water since I began giving them these treats and it finally occurred to me that these treats were making them sick. UPC # 0702082010 LOT # B1CA5456A Exp. 11/12/2013 MADE IN CHINA
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Retriever - Golden	5	Years	Male	76	Pound	(b) (6) started to vomit between the trird and fourth day after I started feeding him the treats. His water intake has also increased. They both have been sluggish as well.
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Retriever - Labrador	2	Years	Male	100	Pound	(b) (6) was the first of our two dogs to become ill. He vomited the second day after I started feeding the Waggin Train Western Grill assorted dog treats. He has also at least doubled his water intake.
Canyon Creek Chicken Jerky Treats	Dog	Sheepdog - Shetland	7		Male	40		My daughter bought Canyon Creek chicken jerky treats for (b) (6) birthday. She gave him the treats on a Friday and he was sick by Sunday. My husband called me on my cell phone and said R (b) (6) had some kind of spell and fell and was rolling around like he was having a seizure. I made a vets appointment on Monday and the Vet immediately asked me if he could have been poisoned. I was shocked and I said I don't think so we have a 6 foot fence in our back yard. She took blood tests and x-rays and said that his white blood cells were attacking his red blood cells. She also thought from the x-rays that something looked suspicious around his Kidneys. We had to take him to this other Vet Emergency Center to get a more thorough test run on his kidneys and other organs. They said there was no cancer to be found. The Vet gave us a prescription to see if it would take care of his blood problem. We went for two visits both getting worse. Then my daughter came home for lunch and saw (b) (6) with one of his eyes closed and took him to the Emergency facility. They told us that whatever was causing this blood disorder was progressing so fast that there was nothing he could do for him. We had to have him put to sleep. After (b) (6) dying I heard on tv about this dog treat that was killing dogs and guess what it was the same dog treat that was given to (b) (6) and (b) (6). (b) (6) was 7 and my daughter gave him more than the other dog (b) (6). (b) (6) is over weight and she only gave him one. (b) (6) is also only 2 years old. I really think that this Canyon Creek needs to pay for everything that they have put me and my family through. They also need to take this treat out of all of the stores, but they haven't. I want someone to pay for all of the animals they have killed. Please do this for all of our pets, please.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Silky	11	Years	Female	12	Pound	I have 3 Yorkies and one Silky. I purchased the Waggin'Train Wholesome Chicken Jerky Tenders at WalMart. I started giving these "Natural Chicken Fillets" after adopting a Yorkie from a rescue organization. (b) (6) our rescue, only has 2 teeth and needed to be hand fed when we brought her home. I gave these fillets to my 2 Yorkies and Silky to keep them busy while I hand fed (b) (6) as it took them a while to eat them and it gave me one on one time to feed her. I started this on Sunday, October 16, 2011. After 4 days I noticed something was not quite right with my Silky, (b) (6). The first thing I noticed was that she looked at me with a totally empty look. On Thursday, October 20, 2011 she would just stand in one spot and would look at me in a puzzling manner. She refused to go off of the deck in the back yard and would just stand still. It took some coaxing to get her down the steps. I had no idea what was going on with her. I at first thought maybe she was constipated and maybe had poop stuck to her, but after checking this out I found that was not it. She slept that night okay and on the morning of October 21, 2011 she seemed a little better and ate her breakfast as usual. She did not go outside once again and just stood staring at me. Her eyes were trying to tell me something, but I could not figure it out. Once again I checked to see if she had poop stuck to her, but she did not. I did talk to our Vet's assistant to tell her that (b) (6) was not feeling good and to let our Vet know in case we would need him on the weekend. On Friday when we returned from work @ 6 p.m. she did have poop stuck to her so we thought that was the problem. We washed her up, but she still did not seem herself. That evening @ 10 p.m. she started having some rapid respirations and her body temperature seemed cool which was out of the ordinary. At 3 a.m. Saturday, October 22, 2011 she was having difficulty breathing and we tried getting ahold of our Vet and had to leave a message. I did get ahold of his assistant and she said she would get ahold of him right away in the morning. (b) (6) calmed down after giving her half of a pain pill and she was able to rest after about 2 hours, of which she stood most of. Our Vet called @ 8:15 a.m. and I immediately took her in. Her temperature had dropped and the roof of her mouth and gums were white. She had severe anemia and was toxic. She was in shock. After some testing they found that she was getting fluid built up around her lungs so he drained some of it off and she seemed to breathe a little better. The fluid that he drained was blood tinged. The Vet gave her a steroid shot, an antibiotic, vitamin K, and vitamin C. He said it was like she had eaten rat poison, but we have no poison around. I left her there telling her I was sorry, but that she would be okay. She kissed me as if to tell me not to worry, which was just like her. When I got home my Vet called to ask me some more questions. What kind of food she was eating and what kind of treats she was eating? The only thing different was the Waggin'Train Jerky Tenders. He asked if they were made in China? He said that there is an ingredient in treats that are made in China that can cause problems. Of course I immediately got the bag and turned it over only to see first "Waggin'Train is an American owned company." I thought "whew!" only to look over to the left and see "Made in China!" My heart sank. Why had I not known about this I wondered???? My Vet gave me an update about every 3 hours or so. First call @ 11:10 a.m. she was not any worse, but not any better. 2nd call @ 2:45 p.m she was a little better, she even met him at the front of the kennel and licked him as she wagged her tail. 3rd call @ 5:25 p.m. she had gotten worse and he removed more fluid off of her lungs. 4th and final call 8:29 p.m. SILENCE...I have some bad news for you! (b) (6) died @ 8 p.m.! Lots of crying followed. (b) (6) was a kind and gentle spirit. She loved life. She was 11 years 8 month
Milo's Kitchen Chicken Jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	8	Years	Male	60	Pound	On Monday evening, February 6, 2012 - I gave (b) (6) a piece of the Milo's Kitchen Chicken Jerky at 6PM. My husband gave him another strip of Milo's Kitchen Chicken Jerky at 9PM. At 3:00 AM, my husband woke to find (b) (6) violently throwing up and having massive amounts of watery diarrhea. (b) (6) became extremely lethargic, wouldn't eat, drink, and refused to even lift his head. At 12:30PM, my husband took (b) (6) the Vet. We ran through everything (b) (6) had eaten but completely forgot about the Milo's Chicken Jerky. We had never given our dog this "treat" before. For two - three days, (b) (6) was lethargic, barely eating, not wanting to drink any water. It wasn't until yesterday, Saturday, February 11, when my husband was researching everything in our kitchen (b) (6) would have come into contact he remember we both had given our dog strips of the Chicken jerky. Upon researching further - (b) (6) symptoms were exactly what other's have described.
wagon wheel chicken strips	Dog	Shar Pei	9	Years	Male	50	Pound	had two shar pei's that we started given chicken strips to from local store, both got sick, kidneys failed them, within two months of each other, had to have both put down
Home 360 Pet chicken jerky treats, Home 360 Pet snack steakz, milo's kitchen chicken meatballs, Ol'Roy bark n bacon dog treats	Dog	Dogo Argentino	2	Years	Male	107	Pound	I have been feeding (b) (6) Home 360 jerky treats, home 360 snack steakz, milos kitchen chicken meatballs, and olroy bark n bacon. I had not heard about the poisoning. For a month he has been vomiting 3 or 4 times a week and drinking much more water and has been lethargic. I thought he had picked up a bug but Today i found the article on the recent poisonings and I am now certain that he has been sick from eating these dog treats. He has never had any stomach problems at anytime before this and the symptoms started when he ate those treats.
Waggin Train chicken jerky tenders	Dog	Siberian Husky	10	Years	Male	60	Pound	We had given (b) (6) this same treat, same brand for several years when one day he threw it up not long after I gave him one. About 5 hrs later my boyfriend gave him one when he got home and the same thing happened. For the next few days I watched him seriously, did not give him any treats, and found (b) (6) I wasn't eating correctly, and he was having diarrhea - I put him on boiled chicken breast with rice diet and that seemed to help, so after 5 days I gave him another treat and POOF! within minutes he threw it up and it was another 5 days of diarrhea and boiled chicken breast with rice for him - about two weeks later, after I had returned the treats and (b) (6) was back on a regular diet, he suddenly couldn't urinate or pass any stool - my vet gave him a cortisone shot for inflammation of the intestine, antibiotics, and a anti-nauseous pill, just in case he started to get sick again - this problem passed, (b) (6) seems ok now, but we have not given him any type of dried chicken treat since. I have noticed he does not lay down in the same position he used to after this event, so he never seems to be able to relax all the way - my vet thinks I worry to much about it but its like he liked to lay this way for almost 11 yrs and now he wont or cant- I have told everyone i know NOT to purchase this product or anything like it.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	12	Years	Female	14	Pound	She became very sick lost a lot of weight...we have spent \$700.00 on vet bills and it came on the news about the chicken jerky we gave ours the wagon train brand.... (b) (6) was once a healthy chubby dog and now she is a shell of a dog ... does not gain weight and can barely walk due to the poison her body consumed!
wagging tails	Dog	Maltese	7	Years	Female	14	Pound	started chocking
Healthy select for passionate pet parents chicken breast Strip treats								My dog started vomiting after I've given him them treats as I see now there's an issue with a similar products but different name he has stopped and seems better now I stopped giving them to him after I noticed that he was vomiting

Waggin' Train (wholesome chicken) Jerky Tenders	Dog	Akita	12	Years	Female	75	Pound	I always gave my dog a 'morning' treat (usually a beef flavored dog biscuit), one morning (11/11/2011) I had ran out of her regular biscuits and remembered getting 'free' dog treats out of the dog food bag (Alpo) that I had saved, I started giving (b) (6) these 'treats' on the morning of 11/11/2011, she started acting 'weird' the next day after giving her a second treat on 11/12/2011, she was slow to walk and respond to comands, she had also lost her appetite and would not eat 'any' food, I also noticed that her rear legs were 'wobbly'. The day before she died I had given her a small piece of steak and she ate it, the next day (11/14/2011) she was moving fine in the morning and she liked to walk with me to the mailbox (about 4:00pm) and I went out to get her and she was lying dead on the back porch with blood (or some internal fluid) coming out of both her mouth and rectum, her body was still warm and flexable. Several days later I saw (on the internet) that there was a problem and recall of 'chicken jerky products from CHINA' and that is what I fed her. I still have one treat (in the bag) left along with the Alpo bag from which it came from as a free sample. All of these products Alpo and the chicken jerky treats were perched from our local K-mart.
DOGSWELL VITALITY CHICKEN BREAST with Flaxseed & Vitamins Help Maintain Eyes Skin & Coat Canyon Creek Ranch Chicken Jerky	Dog	Shepherd Dog - German	12	Weeks	Female	18	Pound	Gave the puppy a small piece (about the size of a quarter), she vomited the piece about 15 minutes later. She then began to appear ill and nauseous. Her ears were going sideways and in odd directions. Mild whimpering/crying off and on. Symptoms lasted for about 2 hours.
	Dog	Mastiff	25	Months	Male	180	Pound	Vomiting and Diarrhea after eating just one treat.
Dogswell Vitality Chicken Breast with Flaxseed	Dog	Pug	6	Years	Male	15	Pound	After giving our dogs Dogswell Vitality Chicken strips (purchased on 12/16) over the course of two weeks our dogs both became ill and one eventually had to be euthanized. On 1/1/2012 our four year old Shih tzu, (b) (6), began vomiting, was urinating a lot and acting generally unwell. She vomited multiple times over the course of three days and then our pug, (b) (6) got sick on the third day (Jan.4, 2012) (b) (6) continued to worsen, vomiting multiple times each day over the course of the next 4 days. We took (b) (6) to the vet on Tuesday, 01/10 where he was found to be in acute renal failure. We brought (b) (6) in and she too was in renal failure. (b) (6) BUN numbers were well over three times the normal number (63 BUN), (b) (6) BUN was well over 10 times at 249. Our vetrinarian kept (b) (6) on fluids, hoping to flush out his kidneys. His numbers never budged. After over 72 hours of fluids, his numbers were basically the same (BUN was 241 on 01/10) we were told there was nothing they could do. We got him as comfortable as possible, loaded him with fluids so that he could come home for the weekend. He deteriorated over the weekend, stopped eating and drinking, developed ulcers in his mouth and on Tuesday, 01/17 was put to sleep.
Milo's Kitchen Chicken Jerkey	Dog	Mixed (Dog)			Female	15	Pound	I fed my dog Milos Kitchen Jerkey Treats. I have done this occasionally in the past and she has been ok with it. I gave her a few treats one moring (2 or 3?) and went out for the afternoon. When I got home that evening, she was very ill. She had peed blood all over the floor. She was very lethargic and would not eat or drink (I actually though I was going to lose her) I had not heard of the warnings about the treats and just though something was wrong, or her medication had caused a problem, and was surprised how quickly she had gone from fine to ill. Took her to the vet first thing the next morning - the vet said the meds were ok and shouldn't have caused her symptoms. She ran blood and tests. Said nothing showed up, could be an infction, and sent her home with antibiotics. She recovered after a few days. She is now fine. I avoided all her treats at first because I was worried it would upset her stomach, it wasn't until later that I heard about the chicken warning, and threw all of those away. (This was all back in November 2011 - dates are approximate, but I can get exact date from vet if needed)
chicken jerky	Dog	Retriever - Golden	8		Female	55		diarrhea, large volume stools for both dogs. dogs are 8 yrs old and 4 yrs old.
Waggin Train Chicken Jerkey Treats	Dog	Spaniel - Cocker American	10	Years	Female	34	Pound	My dog became very lathargic, would not eat, and she loves her food. After a few days of decline, I took her to the vet. Dignosed with Gastric Distress.
Milo's Kitchen home-style dog treats Chicken Jerky - No artificial flavors or colors	Dog	Retriever - Labrador	6	Years	Female	70	Pound	We noticed our dog started having very bad smelling gas, occasionally vomited after she ate and was very lethargic off and on since December 2011, which is when we purchased Milo's Kitchen chicken jerky as a Christmas treat. Since December, the dog has had one or two pieces of chicken jerky a week. Recently the dog started drinking two to three times more water than usual throughout the day, vomiting after meals, sleeping more than usual and had three days and nights of horrible smelling gas. She is a very healthy, well cared for dog and we could not figure out what was wrong with her until I read an article about dogs getting sick from eating chicken jerky made in China. We had last given her a strip of Milo's Kitchen chicken jerky a few nights earlier (on 2/8/2012) as a treat.
Dogswell Biscuits with Benefits Vitality	Dog	Spaniel - Cocker American	14	Years	Male	24	Pound	Shortly after starting to give Dogswell Biscuits with Benefits, dog started having urinary urgency and accidents and increased water consumption. I sent urine in to vet for UA and am waiting results. Then just read about problems with these treats with other dogs where increased urination and water consumption were on the list of symptoms to watch out for.

Waggin Train Pork Skin Twists with Chicken Liver Center	Dog	Terrier - Jack Russell	4	Years	Male	19	Pound	I started giving (b) (6) the Waggin Train dog treats because they claimed to be all natural. He loved them and did not have any reaction at first. He saw the vet regularly and had excellent health. About 2 weeks after I started giving him the Waggin Train dog treats he completely stopped eating(dry dog food, treats, wet dog food etc) and every time he tried to eat he would just throw it up , so I took him to the vet. They did numerous tests but everything came back normal. He continued to get worse the next couple days to the point he wouldn't even drink water, his stools became liquid and yellow. He went from weighing 19 pounds to 11 pounds within 2 weeks. I took him to the vet twice a week and having ultrasounds and blood-tests done because just kept getting worse. The vet tried putting him on all kinds of medication to try and increase his appetite and none of them worked. I put him down within 4 weeks of me giving him the Waggin Train dog treats because the vet believed he was in such bad condition he wouldn't have made it through the weekend and that he was suffering. The vet was so shocked at how quickly he went down hill from being in such excellent condition. The day he died I got the test results from the ultrasound that was given 5 days prior, he was diagnosed with the worst case of liver cancer. The vet told me that is was very possible it could have been caused by the Waggin Train dog treats or any treats Made in China because she priorly had a few dogs that she was treating that had died after been given dog treats made in China.
Unsure as vet wanted dog on natural home cooked food after seizures	Dog	Terrier - Jack Russell	3	Years	Female	15	Pound	Dog started having seizures out nowhere, for seemingly no reason. After talking to the owner of the dog to try to trace back when they started (dog is about 4 1/2 - 5 1/2 now, but it seems that when these chewy jerky treats were first reported to have cause health issues were possibly when these seizures started. This country was also getting reports of childrens' jewelry from China contained lead or mercury, seems we've had several problems with meds, food products, etc. having issues...has it possibly occurred to ANYONE that China has had some really long term goals in mind for our children and animals? They already practically own us, I understand that through dummy corporations or greedy individuals that they're buying property from our own Dept. of the Interior of very isolated stretches of lots of acreage (in Ky., Col. and several other states that are either rather close to nuclear power plants, places like Ft. Knox, big military bases). Could these girls in NY been affected by something they've eaten or had on their persons that were made by the Chinese; could that explain why so many children are autistic; could these things be the explanation of some of these so-called mystery diseases that no cause can be found for in adults, all of which are weakening our society? Could most of the things we see in our stores...everything from towels, pots and pans, dishes...things that we expose to heat as we cook or use those products have toxic chemicals embedded in them that are slowly but surely getting into our systems and destroying us without the Chinese risking a loss of life? Not only are they buying up houses in the Atlanta area; there have been reports on TV news of them buying up entire housing subdivisions where the developers had gone broke, in some of the nicer towns. Would that be, not so much for the profit, but for possibly for those families of a future military and ruling party in our country? I'm not some radical, but I do remember very clearly what one of my very brilliant professors said towards the end of our year with him in a Russian History class (hated history, but he had an outstanding reputation as being a really interesting and inspiring teacher). He was from S. America, I think was Harvard educated, had been offered a position there but refused it to teach at our small womens' college outside of Boston, he had taught for many years in both China and Russia. Back then, you heard little about China...you might have said we were in those years of the cold war with Russia with fear of Russians being paramount. But he wanted us to remember his warning after the years he spend teaching in both countries...that China was the country we had the most to worry about; that they were able to wait to reach their goals for decades and even centuries...that they would be our main adversary. So, could ANY of these coincidental happenings be tied in to them reaching their goals? I myself was diagnosed decades with something that was considered to be all in my head...then some of us were considered the canary in the coal mines...there's still no answer, sometimes skepticism about what I and many have. Something seems awfully fishy, not in Denmark but in China and maybe many of their products
Unknown--Costco chicken jerky	Dog	Retriever - Labrador	5	Years	Female	100	Pound	Developed head shaking-as petit mal seizures
Waggon Train Chicken Jerky Tenders	Dog	Mixed (Dog)	6	Years	Female	61		They loved the treats and this one was our favorite, so she got them all day long as long as she wanted them and she knew how to ask for them.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats. Natural Chicken Fillets LOT NO: B1CA5318A	Dog	Retriever - Labrador	8	Years	Male	95	Pound	My roommate bought Chicken Jerky treats a week ago for their dog and gave some to my dog who has now shown signs of illness since then. Subsequently, my lab, who is in excellent health started shaking, eating grass and has had progressively worse diarrhea. Further, last night he virtually slept on top of me, which may not sound like a symptom, but it is for my dog. He is very independent and only seems to get physically close to me at night if he is super cold or ill. Today, after seeing a headline for this story, I went looking in the cupboard for my roommate's dog treats and discovered that indeed, they had a new bag of chicken jerky treats. The bag said "American company" so i started to put it away, but then noticed at the last second that it said "made in China" in another place. So i called my roommate to discuss and she admitted to feeding my dog some of these treats over the last week - one each morning. As to the state of health of their dog, it cannot be known with certainty, since their dog is in general ill health. Further, they don't walk their dog so did not know if (b) (6) has had diarrhea or not, but I can attest that she seems to be drinking more water lately. My dog generally does his business on our daily walks, so I've noticed that his stools have been getting progressively worse. His diet is steady except for these treats that she has fed to him, so they remain my sole suspicion.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Mixed (Dog)	2	Years	Female	46	Pound	Just took my dog to the vet yesterday. She has been vomiting and lethargic off and on for over a month. The vet performed several tests. The tests factors concerning her kidneys and liver were slightly off, but the vet could not find any other problems. She is now on antibiotics. I just read a message a friend posted to Facebook about the possibility of negative affects due to Chinese made chicken strip dog treats. We do give these to our dog. They are her favorite treat. We will no longer buy these treats. Thank you Facebook!

Waggin' Train Jerky Tenders. Natural Chicken Fillets	Dog	Collie - Border	11	Years	Female	28	Pound	I was rewardiong (b) (6) with Chicken Jerky Treats (China) over a period of 3 months October to December 2011 (3 to 4 treats/day). After about 6 weeks, (b) (6) developed diarrhea, and urinary incontinence. She was taken to our Veterinarian (b) (6) and he proscribed estrogen therapy for the urinary issue. Her urinary incontinence stopped but the diarrhea continued at a reduced rate. By the end of an additional month (approx. the 15th of Decenber) she began to show a drop in activity and began to refuse her food. By the end of December 2011, she would not even eat her favorite foods and was very listless. We feared she might have cancer and took her for a repeat visit to our Veterinarian. He ran a CBC and Canine Chem scan and found several issues, chief being signs of terminal acute kidney failure. He suggested euthanization and we agreed.
Milos Kitchen Chicken Jerky	Dog	Beagle	6	Years	Female	37	Pound	I have been feeding my dog chicken jerky from Milos Kitchen. She has now been dignosed with kidney failure. Milos Kitchen jerky is from China.
Canyon Creek Ranch Dried Yams	Dog	Mixed (Dog)	6	Years	Female	95		12/23/2011 (b) (6) was first examined because she was urinating more frequently. Polyuria and polydipsia began around 12/17/2011 and owner purchased Dried Yams at beginning of December. Urinalysis reveals that dog is not concentrating her urine. Specific gravity of urine 1.000. Was Lyme + on 4DX on 12/23/2011 and was started on Doxycycline once per day for 30 days. No protein in the urine. Chemistry revealed Albumin of 4.6 (N 2.5-4.4), Alk phos of 2167 (N 20-150), Glucose of 112 (N 60-110). Urine cortisol:creat ratio low at <0.2. Saw dog again on 2/3/12 and still had polydipsia/polyuria. Eating fine. Difficulty jumping. Urine specific gravity still 1.000. Checked thyroid level and T4 low at 0.8 (N1.1-4.0). Began Levothyroxine 0.8 mg bid. Eyes also tearing more and dog panting alot.
Waggin Trail Chicken Jerky	Dog	Hound (unspecified)	9	Years	Male	185		I have been feeding my dogs Waggin Trails chicken jerky for about 3 months now. I have noticed a decline in my dogs appetites, lethargic and having diarrheal stools. They haven't even had much interest in eating their favorite people food over the past several weeks. I was not sure what was going on with them at all and then when I saw the report about the waggin Trail Chicken jerky it was like a light bulb went off. I said that sounds just like my dogs. I still have a bag open that they have been eating the past week and I will save it. I had just bought 2 more bags yesterday morning to which I returned today. I also was babysitting a dog over the weekend 3 weekends ago and gave her some of these treats. My that Wednesday night she started getting sick and deteriorated to point she died within a week. Her owners spent thousands trying to save her so they have medical records that might be able to help with finding out if this could have caused her death. My dogs are still sick today. I am going to quit giving them the treats and see if they start eating better and get more energy. I am very concerned that this is what happened to (b) (6) the dog that was perfectly healthy when she came to my house for the weekend and ended up dying a week later.
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	4	Years	Male	78	Pound	Purchased Mio's Kitchen Chicken Jerky treats. Opened bag and gave to (b) (6) around noon on Wednesday, February 8. Around 7:00 pm that evening, he started with diarrhea and it has continued for the past two days. Coincidentally that evening, I received an email from an organization called NOLA Lab Rescue, and they provided a link to your website warning about chicken jerky products made in China. Because I try to purchase only quality products for my dog, I couldn't believe that Milo's Kitchen was one of the brands listed. I also have their products, beef sausage and chicken meatballs for him, and when I went to check the bags the only item made in China was the chicken jerky. I called the company and asked them why the chicken was made in China, and they told me it was because it was dehydrated and not as available in the United States. I told them it was more like it was probably cheaper to produce in China. I will be returning the product to Petco where I purchased it and bringing the notice from the FDA with me. I am going to ask them to please remove it from their shelves or at least put up the notice that it may cause harm to dogs.
waggin tails chicken	Dog	Terrier (unspecified)	4	Years	Female	20	Pound	gave dog a waggin tail chicken treat and in about a hour she started throwing up yellow foaming looking stuff. . and did not give anymore treats . thinking it must have been the treats. i threw them away. she has never throwed up before. this happened in jan. i saw a news article on our local news about this product last night and they said if you have used this product to contact fda if your dog had got sick from the treats. . luckily i was smart enough not to give anymore treats once she got sick. for a couple days she just laid around and did not eat .. i waqs going to take her to vet because she would not eat . but she did start eating.
Happy Hips Chicken Breast	Dog	Unknown	5	Years	Male	25	Pound	After feeding the jerky treats to my dog an hour or so later he would start shaking and gulping and acted like he had dry mouth. We would shiver and press against me. Going to the bathroom he would have diarrhea and orange urine.
DINGO "Meat In The Middle" (meat and rawhide chew)	Dog	Terrier - Scottish	8	Years	Male	38	Pound	Dog ate a medium size DINGO rawhide bone with real dried chicken. After ingestion symptoms were vomiting, lethargy, no appetite. The first time in 8 years this dog did not have an appetite. Took to Vet. Was given an injection of antibiotic and anti nausea medication. Gave anti nausea and amoxicillin pills at home. Seems to have fully recovered.
Waggon Train Jerky Tenders	Dog	Mixed (Dog)	4	Years	Female	11	Pound	we have owned (b) (6) (mixed breed shih-zu/poodle) since age 6 months in perfect health and (b) (6) is 9 months old (mixed breed Shih-zu/spitz) and she has had horrible reactions immediately when eating these "treats"...it was first thought she had training issues, but upon many many consultations with the local vet and animal shelter specialists it has proven to be a result of eating this product. Both dogs have always had regular vet visits timely with no health issues. Both treated timely with heartworm medication,etc. as directed by their veterinarian. About 6 months ago, I started purchasing Waggon Train Jerky Treats and they have both since lost appetite, vomiting, diarhea, thirst and chronic urination problems that they did not have prior to eating these treats. I removed these from their diet of proper dog food though the occurances of illness still persist.
Dogswell Happy Heart Chicken Breast with Flaxseed & Taurine	Dog	Retriever - Golden	100	Years	Male	50	Pound	Diarrhea, going to the vet tomorrow 2-10-2012

Canyon Creek Apple&Chicken wraps	Dog	Siberian Husky	9	Years	Female	85	Pound	diarreha, drinking water alot and frequent urination
Waggin Train Wholesome Western Grill Assorted Dog Treats	Dog	Terrier - Cairn	11	Years	Female	16	Pound	(b) (6) vomited 4 times in succession, became listless with rapid shallow breathing, extremely thirsty, no appetite. Had an increase in urination a couple of days before this. Taken to vet who did blood work. Tests showed some infection (not unusual because of skin allergy) and her kidneys were operating at less than 25 percent. She died less than 48 hrs. later. Less than 2 weeks later, our very healthy lab pup was dead with the dsame symptoms minus the vomiting and his blood work was completely normal. Both dogs had been eating Waggin Train treats.
petshoppe chicken jerky premium chicken dog treats	Dog	Pug	11	Years	Female	18	Pound	After eating Pet Shoppe chicken jerky treats (distributed by Walgreen's, made in China lot#Y103H28A12168) (b) (6) developed severe diarreha that required treatment with Flagyl. This is the only new food given within the past month.
Waggin Train PBJ Peanut Butter Flavored Biscuits Wrapped with Chicken	Dog	Schnauzer - Miniature	3	Years	Mixed Populati on of Female and Male	22	Pound	After feeding my two dogs "Waggin Tails" Peanut Butter and chicken jerky treats for a few days (they each were given two treats per day as indicated by the instructions on the bag for their weight) they became violently ill within approx 64 hours of each other. Sunday morning January 29th my dog (b) (6) became violently ill, I returned from being away for a workout and came home to find several pools of blood in the house, and several spots where she had vomited. I found her lying on the couch lethargic and clearly very ill. I called my vet and told her what happened she instructed me to go directly to the ER, they could not figure out exactly what was wrong with (b) (6) but treated her symptoms and kept her overnight. In the morning I transported her from the ER to my vet for followup care. Three days later on Wednesday at 2:00am my other dog (b) (6) woke up and began vomiting and would not stop, he became lethargic and I called they ER and they advised me to bring him into their facility. He was treated for symptoms and sent home again, they could not find the cause only treating the symptoms. In the morning he began defecating blood and he was immediately taken to the vet. They could not figure out the cause so x rays were taken, no blockage or foreign object was found. They treated the symptoms and he was allowed to come home late in the day. My dogs are young up to date with all their medical needs and they eat the same organic grain free food that they have for months. No other changes expect these treats. \$1200+ later and suffering for them and all from eating "treats"..... horrible. Waggin Tail Peanut Putter and Jerky (chicken) treats Bar code # 0702099641 Lot# G2CA5339A Best Buy Date 05/01/13
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	4		Male	45		Explosive diaherrea- Bloody discharge
Milo's Kitchen Chicken Jerky	Dog	Other Canine/dog	2	Years	Mixed Populati on of Female and Male	80	Pound	vomiting blood after eating several Milo's Kitchen chicken jerky treats
Waggin' Train wholesome Big Blast chicken jerky wrapped pork skin twists with chicken liver center.	Dog	Beagle	11	Years	Female	34	Pound	She was given Waggin Trails Chicken jerky treats bought at BJ's in (b) (6), every day for a couple weeks when she started having diarreha, vomiting, loss of appetite and acting very sick. After a few days of trying different bland foods, etc. we took her in for an emergency vet visit. \$500, an injection, prescription and prescription food later, she is starting to recover.
Waggin' Train Chicken Jerky	Dog	American Pit Bull Terrier	4	Years	Male	65	Pound	Over the coarse of a year, I was feeding all my dogs Waggin' Train Chicken Jerky. My dog (b) (6) started throwing up his regular food shortly after I gave him this treat. It was happening over and over intermittenly between 6 months. It then evolved to diarhea with blood, lathargy & drinking water heavily. I took him to the vet and they gave me anti throw up meds and suggested he was allergic to chicken or had been poisoned, so I stopped feeding him this product and he recovered. He has not thrown up or had any problems in the last 4 months that I have not given him this treat. He is much healthier/energetic too.
Veggie Life Vitality Dogswell Chicken & Apple	Dog	Maltese	30	Months	Female	6	Pound	A few months ago her appetite was dropping, and it was accelerating, she began to be less active and was urinating a lot more than before. Sometimes even agitated which is unusual for her. We had been feeding her Dogswell Chicken Wrapped Apple Treats and Waggin Tail Jerky Treats as well as her regular food (Evo) We were so concerned and figured she had grown tired of her regular food. So we changed to Science Diet and stopped all treats. IN a day or so she began to eat a little and now is eating fairly well. We were going to try her old food again to see how she reacted. We had stopped the treats as we thought maybe they were filling her up. She ate her Evo just fine tonight. We now believe it was the treats and suddenly found info saying they might be recalled. I am alarmed and thought this info should be known.
Milo's Kitchen home-style dog treats Chicken Jerky 100% Real No artificial flavors or colors	Dog	Pit Bull	12	Years	Female	60	Pound	I can't remember the last time (b) (6) vomited until several nights ago. She has been lethargic and drinks more water than ever before.

Cadet Gourmet Duck Breast	Dog	Maltese	10	Years	Female	10	Pound	I used to give my dog Cadet Duck Breast from Costco. This are a product from China. I recently bought a few new bags, and my dog has refused the treat. However, she tried a couple the other day and had diaharrea for two days, the second day with some blood. At that point I took her to the vet who did a fecal sample (negative) and gave her medicine to stop the diaharrea. She is now ok, but I wondered if there has been any other reports about this product.
Waggin Train Wholesome Chicken Jerky Tenders <u>Chicken Dog Treats</u>	Dog	Collie - Border	8	Years	Male	65	Pound	(b) (6) has been experiencing bloody, mucas filled diarrhea after being feed these Chicken jerky treats. I have given him my own home made chicken jerky for years with no ill effect. Both my dogs are experiencing the same symtens.
Chew master Cicken strips	Dog	Collie - Border	4	Years	Female	35	Pound	I have fed chew masters chicken strips to all of my dogs as a treat for the last 3 yrs from Costco. the last package i open did not smell good, it had a odor. I am taking one of my dogs in for a vet check tomorrow as she is frequently urinating. She has not had any health problems in the past.
Waggin Train Chicken Jerky Tenders, Dogswell Chicken Jerky	Dog	Shepherd Dog - German	4	Years	Female	90	Pound	About 6 months ago we noticed that our dog would get diarrhea about 15 minutes after eating a Waggin Train or Dogswell Chicken Jerky Strip. So we stopped giving them to her. However, at the time we did not think it was something that was poisoning her.
Canyon Creek Ranch Yam Dog Treats	Dog	Mixed (Dog)	12	Years	Female	29	Pound	I had been feeding my dogs Canyon Creek Sweet Potato treats. I have 2 very small dogs and they did not eat very much of the treat. However my larger dog loved them and would eat at least 2/day. Last week she began having bloody diarrhea and vomiting. I called my vet and made the dog NPO except for water. 24 hours after she stopped having diarrhea/vomiting, I fed her rice and chicken. I fed her this for 2 days. Her GI symptoms resolved. I did not correlate her illness to any of her foods or treats. I read an article by Pet Pardons News the other day and realized she might have become ill due to the treats. I have thrown all those treats away.
Waggin Train Wholeome Chicken Jerky Tender	Dog	Mixed (Dog)	3		Female	80		We bought Waggin' Train Wholesome Chicken treats at Sam's and gave her a few as a treat for the first time last night. A couple of hours later she was throwing up everything she had in her system...not once but 4 times! And she was very restless until 2 a.m. I beleive this product should have been pulled from all shelves years ago!
Milo's Kitchen home-style dog treats Beef Jerky	Dog	Brittany	7	Years	Male	60	Pound	Over the last 2 weeks, his appetite has been subdued, his bowel movements have been inconsistent and runny, he has been lethargic, and he has been drinking water and urinating much more. I just now read an article stating that dog treats imported from China can be hazardous and cause these types of symptoms. Then I saw on the list the "Milo's Kitchen" treats, which he has never had until my Mom mailed us a bag of them a few weeks back.
Kindom Pets Chicken Jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	2	Years	Mixed Populati on of Female and Male	30	Pound	Chicken jerky treats causes severe vomiting, frothing at mouth, diarrhea, loss of appetite and general suffering in both dogs.
Waggon Train	Dog	Terrier - West Highland White			Female			I had given my dog Waggon Train treats, she has since had a decese in appetite, and activity. Incressed water intake and vomiting. She's very lethargic and not her normal self.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Rat	3	Years	Male	17	Pound	Ate the chicken treat 2 different times a few days apart & threw up both times
Canyon Creek Ranch Duck-Wrapped Big Blast	Dog	Mixed (Dog)	4	Years	Male	36	Pound	I didn't think anything of it until I read an article that a friend posted on Facebook at http://news.petpardons.com/fda-warns-pets-being-poisoned-by-treats-manufacturers-refusing-recall/ One of the symptoms listed is vomiting, and he has been vomiting routinely every day. Then I looked at the list of manufacturers in the article, and realized that he loves eating the treats called "Duck-Wrapped Big Blast" manufactured by Canyon Creek Ranch. Seems too coincidental to be just coincidence, so I am reporting it just in case. *The date I have listed as the start date is approximate.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	12	Years	Female	50	Pound	(b) (6) had six episodes of vomiting. During one of the episodes I had fed her a Waggin Train chicken jerky treat which she threw up. Two days later she had several episodes of diarrhea. There was two occasions when some blood was found in her stool. She had no temperature but was very lethargic.
Dingos	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phal	5	Years	Female	14	Pound	I fed my dogs Dingo's brand dog treats. Both times (b) (6) reacted immediately with massive vomiting for the next several hours.

Canyon Creek Ranch "Yams"	Dog	Dachshund - Miniature	3	Years	Male	17	Pound	I got my dog (b) (6) from a shelter. He is 1-2 pounds overweight. I began feeding both of my dogs dehydrated sweet potato treats by Canyon Creek Ranch from Petsmart. I have noticed in both decreased appetite when previously there was none, in fact they ate pretty quickly with good appetite. I did some research this morning on their foods and treats and found that their treat brand has been found to be contaminated and decreased appetite and decreased activity is on the list. Neither have diarrhea. Both increased their water intake and urination. Neither display sick, but differences in them have been noted. http://news.petpardons.com/fda-warns-pets-being-poisoned-by-treats-manufacturers-refusing-recall/
Canyon Creek Ranch "Yams"	Dog	Mixed (Dog)	6	Years	Male	20	Pound	I got my dog (b) (6) from a shelter. He had kidney issues, but he is on prescription food from the vet and has been said to be in excellent health. I began feeding both of my dogs dehydrated sweet potato treats by Canyon Creek Ranch from Petsmart. I have noticed in both decreased appetite when previously there was none, in fact they ate pretty quickly with good appetite. I did some research this morning on their foods and treats and found that their treat brand has been found to be contaminated and decreased appetite and decreased activity is on the list. Neither have diarrhea. Both increased their water intake and urination. Neither display sick, but differences in them have been noted. http://news.petpardons.com/fda-warns-pets-being-poisoned-by-treats-manufacturers-refusing-recall/
Freebirds Chicken Apple Dog Treats	Dog	Rottweiler	10	Years	Female	80	Pound	We began giving our dog these treats around the first of January 2012. We started noticing she was going outside more often and waking up in the middle of the night crying to go outside. This is very unlike her. She had diarrhea. We started to think about things that had changed and realized we had given her new treats. Thought maybe they were too rich for her. We quit giving them to her and she returned to normal. Now after reading this information, I'm concerned they could have caused additional damage.
waggin train, Milo's kitchen	Dog	Spaniel - King Charles Cavalier	1	Years	Male	25	Pound	Explosive diarrhea with general weakness
Waggin' Train Wholesome Big Blast Pork Skin Twists with Chicken Liver Center	Dog	Mixed (Dog)			Female			I gave my dog a Waggin' Train pork skin twist with chicken liver center and the next day she had diarrhea, loss of appetite, and vomiting. I was unaware of the recall so attributed the reaction to overeating.
Dogswell Healthy Hips Happy Hips	Dog	Lhasa Apso	13	Years	Male	13	Pound	we were giving our dog the Dogswell treats (we still have the bags) and he started having accidents in the house daily. we finally had tests done at the vet and it came back that there was increased protein in his urine and liver (i can't completely remember on this - vet has report). we changed his diet to a low-protein food, stopped the treats and the urination has stopped.
Wagon Train Dog Treats	Dog	Retriever - Chesapeake Bay	2	Years	Male	86	Pound	After ingesting Wagon Train treats, (b) (6) began vomiting and having recurring bouts of diahrea.
Milos Kitchen	Dog	Dachshund - Miniature	10	Years	Mixed Population of Female and Male	10	Pound	Slow decline in health, weight loss, increased urination
Dingo - peanut butter bones plain mini dingos dingo chicken bones	Dog	Dachshund - Miniature	5	Years	Female	12	Pound	My dachshund has always been in excellent health and has never been overweight. She has always been a little over 12 pounds in weight. She loves Dingo products and typically has one daily. In early November 2011 she went in to get the recommended canine flu shot. She had lost a pound of weight - she was then 11 lbs 4 oz which was a total of 1 whole pound down from her previous weight. I was concerned with her weight loss and noted her ribs were sticking out more. She remained active and was eating well so we decided to continue to observe her weight. Approximately a month later she began having uncontrollable diarrhea and she lost another pounds getting to an alarming 10 pounds. My veterinarian ran many tests on her with no conclusive results. I have had to change her from Royal Canine Dachshund food to Royal Canine GI food which I can only buy from the vet (and is quite costly in comparison to what was already a high end dog food). After cutting Dingos, etc from her diet we have gotten back to 11 lbs 10 oz. Now she only gets more organic treats. I recently read concerns about the health effects of Dingos and other imported dog treats and their adverse effects. It really concerns me that Dingos could have been the cause for these almost lethal effects to my beloved dog. Please investigate these products and ensure their safety before allowing them for mass consumption to the beloved pets of our great nation.
Dingos Dental Treats	Dog	Dachshund - Standard Smooth-haired	6	Months	Female	12	Pound	We bought the Dingo dental treat and gave them to our dog. The next day she began experiencing extreme vomiting and diarrhea. She became very lethargic. We had to take her to an Emergency Pet Hospital where they gave her medication to stop the vomiting and diarrhea. After I saw the FDA warning about these products I had to share my story. Our dog is better now but she was extremely sick for several days.
Waggin Train jerky treats	Dog	Greyhound	9	Years	Male	90	Pound	unknown if this is related, but I have fed my dogs Waggin Train Jerky treats for a number of years. This greyhound developed kidney disease and eventually died as a result. Another dog we currently have, a beagle, drinks a lot of water and urinates excessively. It had come to our attention that these symptoms may have been brought about by feeding these Waggin Train dog treats. We have since switched to a different dog treat.

waggin train chicken jerky treats	Dog	Poodle - Toy	5 Years	Female	5 Pound	I was giving Waggin Train chicken jerky treats to my dogs, a total of 1 complete strip each a day until the package was used up. The smaller of my two dogs sickened after about 7 days of feeding the treats, and had extreme abdominal pain and tenderness, lethargy and wouldn't eat her regular food (Royal canin for small adult dogs). We took her to the emergency vet, and the next morning, to her regular vet. The xrays and diagnosis came up with an suspected pancreatitis.
Waggin' Train Jerky Tenders	Dog	Shepherd Dog - Australian	4 Years	Female	56 Pound	She has been vomiting and only receives one treat a day. I took her off of them a month ago b/c at the time Waggin' Train claimed on their website there had been no complaints or complications with their chicken jerky. They insist it's all natural. Why is it necessary to make natural chicken jerky in China? A month passed with no chicken treats and no vomiting. I gave her one on Friday and she vomited on Friday, Saturday, and Sunday from just one piece. She will not have anymore of them.
Milo's Kitchen, Waggin' Trail and Milo's Kitchen	Dog	Shepherd Dog - German	1 Years	Male	65 Pound	Stopped eating and increase in drinking water... Stopped playing and being active
Waggin Train treats	Dog	Terrier - Yorkshire	10 Years	Female	4 Pound	(b) (6) has always been healthy. Until the last month or so. In the last few weeks, she has, been urinating alot, wanting water all of the time. She urinates in the floor constantly now. When I'm at work she will urinate in the kitchen floor and by the time I get home its like glue. Very sticky, almost like it has sugar in it. And has just recently stopped eating, and has lost significant weight as well. I got her some different treats last weekend....and normally she loves treats...but won't even touch them at all. I was giving her waggin train treats, chicken flavor...(because that is what she loves) before all of this started. I don't know what to do now. She is like my child. A valuable member of my family.
Waggin Train Chicken Jerky Treats	Dog	Akita	6 Years	Female	93 Pound	My dog suddenly got sick. I took her to the vet and her BUN was 156 (normal less than 24) and her creatinine was 9.8 (normal is less than 1.2) She was not exposed to any known toxins except I had been giving her the Chicken Jerky Treats and the chicken covered Yams from Waggin Train.
MILO'S KITCHEN MEATBALLS	Dog	Rottweiler	9 Years	Male	90 Pound	I GAVE (b) (6) AND (b) (6) (A 2 YEAR OLD FEMALE PIT BULL) SOME "MEATBALL" TREATS FROM THE COMPANY MILO'S KITCHEN. FOR THE NEXT 2 DAYS, (b) (6) WAS LETHARGIC AND LISTLESS AND I COULDN'T FIGURE OUT WHAT WAS WRONG WITH HIM. HE SEEMED TO BE IN PAIN AND WAS BREATHING HARD. I GAVE HIM PROBIOTICS AND HE SEEMS BETTER NOW. (b) (6) WAS ALSO LETHARGIC WHEN SHE USUALLY RUNS IN CIRCLES. I ALSO GAVE HER PROBIOTICS. WHEN I READ ABOUT PRODUCTS FROM CHINA BEING TOXIC TO DOGS, IT SUDDENLY MADE SENSE. I AM THROWING THE TREATS OUT AND WILL NEVER BUY ANYTHING MADE IN CHINA AGAIN FOR MY PETS. PLEASE PULL THESE TYPES OF PRODUCTS OFF THE MARKET. YOU KNOW THEY ARE HARMFUL TO OUR PETS.
Milos Kitchen	Dog	Shepherd Dog - German	9 Years	Mixed Population of Female and Male	100 Pound	The older dog (9) had the worst symptoms and is now recovering. The dog was a very healthy dog who we would take on a 1 mile walk every day. Now she can only go out to the backyard to use the restroom. It started with Vomiting and diarrhea. She then Became unable to walk and kept falling. Excessive drooling. Sleeping a lot. After consuming Milo's kitchen treats from Walmart. I thought she was going to die. We looked the symptoms up and it looked like poisoning. the younger dog age 1, drank excessive water and did not use the restroom much. He had vomiting for a week. He is fully recovered now. We bought the product at Walmart's, there was a promotion to buy Milo's treats for free if you bought Milk bones. I give my dogs Purina dog chow and milk bones and bought the Milo's treats as a promotional sale. This makes me feel very angry that the company will not pull this product off the shelf and all these dogs are suffering and dieting. Purebred dogs, such as German Shepard's cost a lot of money to buy, any where from \$500.00 to \$3,000 dollars. And they are part of our family. My daughter and I have been crying about the old dog, because it was the last present he bought my daughter before he died with a heart attack in 2003. I hope you do something about this?
Waggin Train Chicken Jerky Tenders	Dog	Shepherd Dog - Australian	7 Years	Male	45 Pound	was feeding him Waggin Train Chicken Jerky Treats and my dog (b) (6) had to be euthinized just before Christmas 2010 due to Kidney Failure.
Milo's Kitchen chicken Jerky	Dog	Mixed (Dog)	9 Years	Female	40 Pound	After being fed Milo's chicken jerky, she began to urinate frequently and had an accident in the house. We took her to the vet to see is she had a bladder infection. She had an unusual reading, but they weren't sure if the sample was contaminated. So they got a sterile sample a the vet's office. The test came back ok. The symptoms started to subside. She was fed the jerky again and the panicked frequent urination started again. That's when we heard the announcement on t.v. about the problems with Milo's chicken jerky.
Waggin' Train Wholesome Chicken Jerky Tenders, Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Other Canine/dog	4 Years	Male	73 Pound	Dog would get very nauseated, heartburn like and some heaving, had red rash on underside of ear, drank more water than normal, some lethargy. I was giving this treat off and on and symptoms also came off and on, first noticeably in March 2011. Took dog to Vet and we could not figure out what was causing this. Subsequently I received information about the chicken jerky treats and immediately quit giving them to the dog. Nausea subsided in 8 days. Rash on ears still visible but less after three weeks. Energy and water consumption back to normal in about two weeks after discontinuing treat. See attachment for more information.
Canyon Creek Ranch Chicken Jerky	Dog	Terrier - Yorkshire	2 Years	Male	7 Pound	Vomiting, diarrhea, increased water consumption, would not eat I took him to the ER on xmas day and was treated and did recover completely. After this happened I heard on the news about dogs getting sick from eating chicken jerky treats made in china. He did eat some of those treats. This is ridiculous that you knew about this and did not pull these items from the shelves. It should also be a law that if a product is made in china it should be clearly visible on the label, not in very small print on the back.

Waggin Train--chicken Jerky treats	Dog	Bichon Frise	11	Years	Female	20	Pound	(b) (6) had exhibited signs of more frequent, thirst, urination, not as active, and lost some of her appetite... she had been eating chicken as a treat every day for a while--it was one of her favorite treats..... and for the last month to two months of her life, she was not as active, had lost some of her appetite, more frequent thirst and drinking of water, and lots more frequent urination... she was okay until December 19, and became very ill... took to vet.... did tests, she had went into kidney failure and we had to make the decision to have her "put" down.... we lost a very treasure and loved part of our family..... and then lo and behold with the week this came out about chicken jerky that was made in china..... and looked at bag and it was from China... (Waggin Train) brand...something needs to be done about this.....
WAGGIN TRAIN WHOLESOME WESTERN GRILL ASSORTED DOG TREATS	Dog	Other Canine/dog	5	Years	Female	19	Pound	Hello.. I bought my dog a bag of waggin train treats .. only ate 2 chicken jerky and thought I was going to loose her.. (b) (6) is my mini pincher .. 5yrs old ,, never been sick.. I didn't know about the warning or I would not have bought them..the vet gave her anitbiotics and pain meds , high fever and liver enyzems were very high.. .. after two wks.. she was feeling better.. { i thought} fever gone.. liver ok.. but now .. her blood is too thick.. the vet warned me not to leave her for long pierods ... she is a walking time bomb.. nothing to do but hope it gets better.. I contacted WT and the claims dept contacted me.. I have sent in vet bills.. they said the would see about reinbursement.. I hope they stand for their word..
WAGGIN TRAIN CHICKEN JERKY	Dog	Pit Bull	9	Years	Female	44	Pound	My mother purchased a package of Waggin Train Chicken Jerky for Major at Big Y, in (b) (6) on January 25, 2012. The dog belongs to my son,s girlfriend, (b) (6) .(b) (6) is a medical student & was in MD for her OB/GYN clerkship. I was visiting my son in (b) (6) . His routine is to give Major a treat after her morning walk. I gave her a piece of the aforementioned Chicken Jerky the following day. She probably had 5 pieces total before developing jaundice. My son took her to the vet, and she is currently in a veterinary hospital being treated for liver failure, due to ingestion of a toxic substance. The only thing DIFFERENT that the dog had was WAGGIN TRAIN CHICKEN JERKY treats.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Lhasa Apso	13	Years	Female	25	Pound	Fed both my dogs chicken strip treats from Costco. My older dog, (b) (6) 13 yrs appx, was aging but in excellent health. She started slowing down, walking slow, vomiting etc. Took her to the vet and she was in kidney failure. I was not aware of the issues with dried chicken breast treats from China. So I assumed it was her age. My 2nd dog became deathly sick in 12/2011. My vet has not been able to figure out exactly what is wrong w/him. He sent me to a specailist last week. He asked what (b) (6) has eaten since becoming sick in 12/2011. He immediately said throw away the The Costco Chicken treats from China and never feed those to my animals again. At first, when (b) (6) came down with sudden kidney failure, I thought it was just her age. Now that my 2nd dog is gravely ill, I have to wonder if it was these treats and now I get to live with wondering if I poisoned my own pets! I know you are trying to figure out what is in these treats, but why have they not been recalled and why are stores able to still sell them? I have the almost empty bad that both dogs had eaten from and I have a 2nd bag I bought last month that only (b) (6) has eaten from. I would like to mail these two bags to you if possible!
BEEFEATERS CHICKEN FILLETS NATURAL DOG TREATS	Dog	Mixed (Dog)	11	Years	Female	13	Pound	(b) (6) was given small portions of the checken fillet treat several times daily. Assumption is there was a cumulative effect:(b) (6) defecated during the night in the house 3 nights in a row. In the approximately 8 years we have her she has NEVER done this before. Also observed her to 'ask' to be taken out for a walk much more frequently than is her usual. and noted her to be somewhat sluggish in behavior and not wanting to be out of my site.
Cadet Real Chicken Treats Gourmet Chicken Breasts	Dog	Mixed (Dog)	2	Years	Male	11	Pound	After consuming chicken jerky from China (Cadet brand) he quit eating food - even things he previously couldn't resist. He vomited, became lethargic, drank copious amounts of water. Upon having blood tests at the Vet, he was found to be in kidney failure. Treatment followed but no improvement in three days.
Milo's Chicken Jerky	Dog	Chihuahua	7	Years	Female	10	Pound	I had been giving (b) (6) the Milo's chicken Jerky Strip treats for several months, I noticed recently she was having loose, dark bowel movements, occasionally vomiting and did not have her normal appetite. I took her for an examination and ther ewere no apparent signs of a physical problem. I saw an article on Yahoo dealing with a Vet in Tampa that had found what appeared to be kidney / liver problem in a dog that had been given chicken jerky treats. I did more research and found that the FDA was concerned about these treats that were manufactured in China. I stopped giving(b) (6) the treats and she appears to be normal again.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Collie - Border	12	Years	Female	72	Pound	(b) (6) had her yearly checkup in July 2011 and was found to be fit and healthy for her age. In December 2011 I began seeing a lack of energy, excessive thirst, progressively heavier breathing and what seemed to be a bit of depression. Just after Christmas 2011 her condition became noticeably worse and I took her into our Vet. The Vet examined her and suggested x-rays which showed fluid in both her abdomen and chest as well as masses in both cavities. He told me that with the masses in both cavities surgery and further treatment was not in her best interest. (b) (6) died on January 11, 2012. The only difference introduced in the last year was the chicken jerkey treats I had given her prior to finding out that they could be toxic in October 2011. Her daily diet consisted of weight maintenance Blue Buffalo dog food. I held onto the last bag of chicken jerkey strips when I found out what they can do just in case so that is still in my posession.
sweet potato & fish formula treats	Dog	Shepherd Dog - German	6	Years	Male	76	Pound	severe diarrhea
Beefeaters BBQ'S	Dog	Chihuahua	5		Male	12		Gave dog chicken rawhide dog treat on two separate occasions and on both occasions the dog got diarrhea and acted in discomfort.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Jack Russell	9	Years	Male	40	Pound	After Feeding Waggin Train Chicken Dog Treats His Kidneys shut down and Had to be Hospitalized, It got to the point that it was all he would eat is these treats. then he started drinking 6 to 7 liters of water a day and soaking 6 or 8 Pad's a day. could not keep anything down. and was close to death.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	2	Years	Female	9	Pound	(b) (6) has coughing/gagging spells. Sometimes vomitting foamy stuff. Having diarrhea and drinking a lot of water.sleeps a lot for such a young dog.
Waggin Train wholesome Chicken Jerky Tenders	Dog	Schnauzer - Miniature	11		Female	12	Pound	Owner feeding Wagon Trail Chicken Tenders made in china. owner noticed increased drinking and urination since starting Waggin trail treats in June 2011. Highly cellular urinary sediment- this may be secondary to Urinary tract infection but also may be caused by Waggin Treats according to Canada Veterinarian reports and internet reports.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	15	Years	Male	9	Pound	After eating Waggin Train chicken Jerky Tenders he experienced : lethargy, hunched over, vomiting, excessive drinking and urination. This has happened before I took the treats away thinking that they were the cause.... He felt better after a few days. I did not throw the bag away....The dog was given the treats by someone who did not know...and again he got very sick...up all night. After calling the company, they told me to throw the bag away they would send me coupons for new ones. I asked them if they had any complaints of this and the man said no. After that I got on the computer and did some research and realized that there are thousands of complaints. Its noted that the product has been tested and there is not of yet any findings. I find this very hard to believe. I'm am taking my boy to the vet later this afternoon for blood tests and whatever the vet recommends. The gov't. should have these products taken off the market.
Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Beagle	3	Years	Female	43	Pound	On 1-26-2012 We discovered our dog would not eat, had severe chills, high fever 104.4, drinking lots of water & was lethargic. On 1-27-2012 we took her to our vet and learned she was mildly dehydrated, had elevated ALT (578) & ALP (194). X-rays were taken, has enlarged liver. (b) (6) got SQ fluids and prescription for Metronidazole & Amoxicillin. Dr submitted leptospirosis titer, waiting for urine culture. 1-28-2012 Temp continues to increase - not eating, still very lethargic, drinking excessive amounts of water 1-29-2012 (b) (6) taken to Animal Emergency Clinic due to 104.7 temperature, vomiting and heavy panting. (b) (6) admitted to hospital for IV fluids. Discharged from emergency hospital 24 hours later on 1-30-2012 with temp of 102.8. Two hours after discharge temp spiked to 103.9, rushed to rDVM at temp reached 104.4. rDVM advised us to take (b) (6) to (b) (6) DVM, DACVIM saw (b) (6). (b) (6) ordered an ultrasound- the liver is mildly increased in size and has mixed exhogenicity. The urinary bladder, kidneys, adrena glands, spleen, galladder pancreas and intestinal tract appears within normal limits. Apsirate of the liver showed moderate to marked mixed inflammation & chemistry panel showed: Glucose 67, AST 240, ALT 533 ALP 455 BUN 7 Problem/Diagnosis: Fever of unknown origin, Mild hepatomegaly and mild increases in liver values, polyuria and polydipsia (b) (6) is currently taking Doxycycline 100 mg tablets, one every 12 hours & Baytril 136 mg tablets, one per day as well as an appetite stimulant. (b) (6) continues to drink water excessively and is finally starting to eat. She is carefully eating baby food & some small amount of dog food.
Kingdom Pets Chicken Jerky	Dog	Chihuahua	7	Years	Female	4	Pound	The large dog is 65 pound dalmation mix, she had uncontrollable diarrhea for a day. The smaller dog, chihuahua wasn't eating, was crying and her stomach was bloated. She spent the night at the vet clinic which they diagnosed her with an intestinal infection called Gastroenteritis.
Milo's Kitchen Chicken Strip Treats	Dog	Spaniel - Cocker American	10	Years	Female	55	Pound	We would give (b) (6) Milo's Kitchen chicken strip treats. After some time (b) (6) got where she would not eat her regular dog food and the only thing we could get her to eat was the Milo's chicken strip treats. The more we fed her the treats the sicker she got. Then she started to pass out and loose control of her bladder. We took her to our vet, (b) (6) and he diagnosed her with Immune-Mediated Hemolytic Anemia and put her on medications for that. He said it affected her liver enzymes and did not have a good chance of surviving. We gave (b) (6) her meds as prescribed and more treats because that was the only thing she would eat. The vet said that it was not the treats causing the problem. During the next week (b) (6) continued to get worse. She would get up to go outside and pass out. Her oxygen levels were 30%. By the end of the week (b) (6) could not even get up to go outside. Then she stopped eating and drinking all together. It was after hours and we ended up taking her to (b) (6) there they examined her and she had an oxygen level if 10%. They said she was so bad they could not save her. We could not let (b) (6) suffer any more. A week after we had Abby put to rest (b) (6) called and asked if we had any of (b) (6) treats left that he could test. Unfortunately we did not. The pain of loosing our beloved (b) (6) was to much to handle and we got rid of all the food and treats. (b) (6) proceeded to tell us that he had three other dogs that exhibited the same symptoms as (b) (6) and that the only common thread between all the Dogs were the Milo's kitchen Chicken Strip Treats. So I want to get it out to everyone that the Milo's Kitchen dog treats and food is killing our pets.

dogswell happy hips chicken breast glucosamine and chondroitin	Dog	Boxer (German Boxer)	2	Years	Female	60		i had my dog on nature's balance regular pet food for months and started giving her treats (Happy Hips Glucosamine/Chondroitin Chicken Jerky Treats - from CHINA) for training purposes. She got sick about 1-2 weeks after giving her them. No other change in diet, no table food, to scraps, etc. She began to have diarrhea for a week, problems with loss of bladder control and some vomiting. I took her to the vet after one month of this and with the diarrhea getting to the point of watery stools with mucous in it. The vet gave antibiotics and we stopped the treats. They did bloodwork, but she was still incontinent of urine at times. Months later, we are still dealing with the incontinence of urine. The vet said her urine was diluted. She was drinking water incessantly and urinating like crazy - thought she had diabetes, but bloodwork showed no sign of it. The date this started is approximate - I would have to look into her vet records for the exact dates. I am currently dealing with her issues of incontinence which the vet said is very unusual for a pup her age.
Canyon Creek Ranch Brand Wholesome Chicken Breast Tenders Snack	Dog	Terrier - Yorkshire	6	Years	Male	14	Pound	My Yorkie was perfectly healthy until I gave him Canyon Creek Ranch Brand * Wholesome * Chicken Breast Tenders Snack. I gave him 1 treat per day over the course of a week and skipped a few days. The package said he could consume up to 6 per day based on his weight, I did not come close to that. A week later, he stopped eating. A day after that, he was suffering from acute kidney failure. He was hospitalized for about 6 days and treated and he died on Friday January 27th, 2012. I also gave this very same product to my Lab on the very same day(s) and he suffered from severe diarrhea. He was treated and is slowly getting better but since the death of my Yorkie on Friday, our vet now wants to test the Lab as a precaution. He is going in this morning for blood work.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Spaniel - King Charles Cavalier	3	Years	Male	24	Pound	We bought (b) (6) a new treat, Waggin Train Chicken Jerky Tenders and after he had been eating them for a few days, he became very ill. He vomited only once but he had diarrhea so badly that he was bleeding from his bottom. After several days of this we took him to the veterinarians in which the Dr. asked what was different with his diet. The only change were these treats. The dog had a fever of 101 degrees and was given two types of medication. After a week, (b) (6) was back to his normal self. I still have the remainder treats but fear to give him any more.
Cadet Gourmet Chicken Breast www.ims.pet.com product of China IMS Pet Ind Inc. 34 Passaic Street Wood-Ridge NJ 07075 date stamp 04-11-2013 lot 102053	Dog	Siberian Husky	14	Years	Male	58	Pound	First day (Sunday) given one-two pieces of jerky. No obvious signs of trouble. Second day (Monday), found dog had vomited while away. Didn't attribute it to jerky, gave him a few pieces. Third day (Tuesday), found vomit again, he started becoming lethargic. Still didn't attribute it to jerky. Gave one to two pieces. Fourth day (Wednesday), found vomit, still lethargic, eating less. Gave rest of package to him since he liked them and ate something. Fifth day (Thursday), vomit again. Called Vet. Friday (today 27JAN2012) at vet found blood work to be extremely elevated for BUN and creatinine. Found FDA warning about jerky. (b) (6) is staying at vet over the weekend with an IV line to flush him out and blood work to be done on Monday. 30JAN2012.
WAGGIN' TRAIN YAM GOOD WHOLESOME CHICKEN WRAPPED YAMS, WAGGIN' TRAIN WHOLESOME WESTERN GRILL MIXED FAVORITES	Dog	Terrier - Fox Smooth	9	Years	Male	35	Pound	Over a few months, (b) (6) was becoming lethargic, less active, ate less, urinated a lot. I took him to the vet on 01/05/2012 - I thought maybe he had a toothache because he was now just nosing his food away. The doc said his teeth were fine, and he took blood tests. The shocking results indicated imminent kidney failure. For the next 8 days, he had IV fluids all day, then I took him home at night. His blood work never improved enough for him to be out of the woods. He threw up often, bile, then mucus and blood clots. The last time that he vomited when there was anything in it (on 01/05/2012), there were pieces of partially digested material. (I saved those pieces to show to the vet) After hearing about the danger of Chicken Jerky treats from China, specifically Waggin' Train, I realized that that is what was in his vomit. Those are the exact treats that I had been giving him, in fact it was one of the few things he still ate (when he was still eating).
Waggin' Train Jerky Tenders	Dog	Beagle	1	Years	Male	35	Pound	I gave my dog Waggin Train Jerky Treats about mid day, he seemed relatively lethargic compared to how he usually acts (he is a purebred Beagle--young, and typically has loads of energy). Later in the afternoon, he began to throw up his dog food (which he has been eating--this was not a new bag of dog food (Purina) he usually eats the dog food and has shown no health concerns after consuming it)--he was crying and ended up throwing up multiple times. I was warned about the Chicken Jerky treats from China, however, I gave it little thought because of the apparently low incidence of complaints, however, I am concerned that they may have been contaminated and disposed of them.
benni & penni jerky wraps, Milo's Kitchen Home-style dog treats Chicken Jerkey	Dog	Poodle (unspecified)	2	Years	Female	20	Pound	Diarrhea, thirst and lethargic
Canyon Creek Ranch brand Chicken Tenders	Dog	Rottweiler	10	Years	Female	75	Pound	After reading the warning about chicken jerky from China this shed some light on my dog's illness a few weeks back. She was lethargic, vomiting with diarrhea. She was drinking an inordinate amount of water and not eating any solid food. This was completely unexplained until reading this. She had most symptoms, if not all symptoms associated with eating chicken jerky from Canyon Creek Ranch. I typically would give her one, on occasion two per day.

Waggin' Train wholesome chicken Jerky Tenders	Dog	Terrier - Bull	5	Years	Female	80	Pound	After ingesting three Chicken Jerky treats, my dog exhibited signs of stomach distress. She was lethargic, expelling flatus that was very smelly. This occurred about twenty minutes after eating the treat. She continued being gassy, later had diarrhea that was liquid, and in the morning she vomited a yellow liquid. Would not eat. Not her usual self afterwards, sleeping. awaking to vomit again, a small amount of yellow gravy. Back to sleep again. no interest in activity.
WAGGIN' TRAIN	Dog	Dachshund - Miniature	8		Female	9		lethargy for 3 days. would not wake up. diarrhea, anorexia for 4 days. took her to vet after reading about wagon' train chicken treats. blood work showed extreme dehydration, kidney and liver problems. IV'S for 2 days and ate one bite of food. released to home on antibiotics. temp. was 100.9. is now drinking but still weak and one bite of food is all she will eat. started her on this product one month prior. has never had a treat ever until then and only had a small fraction each twice daily when she went outside. easy to find the casue since she eats organic food her whole life and just added the treat. will have blood work repeated this week. (b) (6). lot number J4CA3838A.. I AM HAVING IT TESTED
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Bulldog	1	Years	Female	50	Pound	Within a few hours of giving my dogs Waggin Train Jerky Chicken Tenders they both started throwing up, had bloody liquidy stool and were very lathargic into the next day. I didn't know that the FDA had given a warning on this product til my daughter told me and then I looked it up online. I emailed the company, they replied with a stock email. I know it had to be The Waggin Train Jerky Treats cause besides their regular food, that was all that they were given.
Waggin' Train Wholesome Chicken Jerky Tenders-Chicken Dog Treats	Dog	Terrier - Yorkshire	3	Years	Female	5	Pound	(b) (6) was brought to the vet on January 2, 2012. The dog was not acting normal as she was sleeping a lot, she began to vomit, excessive drinking, on and off liquid stool unrelated to actual diet as her diet has not changed and she appeared to have pain in her hind legs. Blood work was done at the vet and revealed elevated Urea/Nitrogen levels of 64 where normal is 6-21. Also she had elevated Creatinine levels. Condition was said to be critical/grave. I remembered hearing something on TV about a recall on Jerky treats and immediately stopped giving the Waggin' Train Chicken Jerky Tender dog treats to (b) (6). We followed up as the vet recommended (ten days later) for an Ultra Sound at a specialty vet's office to look at the dog's kidney's. Since the visit with the second vet I have noticed a great improvement in the dog's overall well being. She is eating well and acting as usual. Results of the Ultra Sound showed no kidney disfunction and repeat bloodwork was done and showed market improvement. The doctor recommended to stop feeding Waggin' Train treats that were made in China to the dog. Bloodwork was going to be repeated in a month which would show that the kidney problem was related to the Chicken Jerky Treats.
Waggin Train Jerky Tenders	Dog	Spaniel - Cocker American	8	Months	Male	25	Pound	About 45 minutes to 1 hour after eating Waggin Train Jerky Tenders, my dog's head and body began to shake uncontrollably. He also had difficulty moving his hind legs.
Waggin Train Chik'n Biscuits	Dog	Terrier - Rat	3	Years	Male	8	Pound	Within days of being fed Waggin Train Chik'n Biscuit which contains chicken jerky for the first time in his life my toy rat terrier collapsed and almost died. His blood pressure and body temperature were so low that he was going into organ failure. He was ill for over 10 days and spent 2 nites in an emergency hospital at the cost of over \$2400. We would do anything to save our dog and he is finally on the mend but not out of the woods. These treats are dangerous and those of us who love our pets need to know that our government is there to have our backs, to protect our family members from harm. The packaging on this product is deceitful, it makes you think that the product is made and manufactured in Anderson, South Carolina but elsewhere on the packaging it states Made in China. I had to beg borrow and plead for money to save my dog and we may lose my home because we were forced to use our house payment funds to pay veterinary bills. Please have these products removed from store shelves. Save your own pet!
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shar Pei	8	Months	Male	45	Pound	A while after feeding our dog 2 "Waggin Train Chicken Jerky Tenders" our dog seemed uncomfortable, he developed bad gas, was very thirsty, and later defecated diarrhea on our floor. He has not had any accidents in 4 months, it was very unusual. We didn't relate it to the chicken jerky until after giving it to him on two separate days (after the first incident) he experienced similar symptoms.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	3	Years	Male	5	Pound	Animal was sleeping/resting in my lap. (b) (6) suddenly started having spasms with legs jerking which caused him to fall off my lap. The attack continued with legs and body having major spasms. Slight spittle from mouth and what appeared to be his breathing becoming labored and stopping. I gave him chest compressions and he seemed to respond to the compressions. This was on a Sunday evening and no vet care was readily in area. after a period of 20 minutes he appeared to greatly improve although he wanted to be held. In the days prior to this episode all three dogs i own were drinking more water than normal. I provided two types of treats to my pets. One is a small biscuit made by Iams "Iams Proactive Health" biscuit. The other Waggin Train Chicken Strips. The treats were never fed whole, the chicken strips were broken into pieces under 2 inches so the total daily amount was approximately one complete strip. The small biscuits were broken in half and would be equal to two biscuits. My other two dogs, both Italian Greyhounds each had identical symptoms after the attack the chihuahua had, all taking place over a two week period. the grayhounds were fed a whole small biscuit and half a chicken strip.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Setter - Irish Red	7	Years	Male	85	Pound	Sudden onset PU/PD. Intermittent flare-ups persist to date.
Waggin' Train Chicken Jerky Treats	Dog	Mixed (Dog)	12	Years	Female	13	Pound	We had another dog who just died of kidney failure due to Waggin Train chicken jerky treats. Prior to that (b) (6) got sick first back in August 2012. She was lethargic, vomiting, not eating, and leaking urine as she slept. We immediately took her to the vet who told us she was diabetic. After researching our other dog's death, we found out about Fanconi Syndrome which is often misdiagnosed as diabetes. We also found out that treating this as diabetes can be fatal to dogs. She still suffers from occasional vomiting, and not eating. We are extremely concerned about her health. She ate Waggin' Train Chicken jerky until she became sick.

Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Pit Bull	12	Years	Male	50	Pound	A family member bought a bag of Canyon Creek Ranch Duck Tenders for my dog as a christmas present. I started giving him the treats on the 26th of Dec. 2011, he's 50lbs and the bag said he may have 5 treats a day so i abided by that. [There have been no other changes in his life or diet (he has always had Brita filtered water to drink, his whole life)]. On the 13th day of Jan 2012 he began vomiting and shooting out black watery liquid/bile, with a trace of blood-every two to three hrs. This is still ongoing day and night for 72 hours. He cannot keep any food or liquids down-he vomits everything up along with a gel like goop. He is exhausted, back legs are weak from squatting and he is beginning to cry when he tries to squat and gathers all of his muscles to strain and push this black bile out of his rectum. I have been advised that he is in the process of kidney and liver failure-I have no transportation to the vet and lack the 1000 dollars the vet quoted at the minimal price to try and give my dog a few more months to live. All I can do is give my dog salt, vitamin c, and lemon water enemas to maintain hydration [(since he can't keep anything down orally), the vet said my dog will retain the enema rather than discharging it and this will help replenish the blood]. All I can do is keep my dog comfortable and loved until he slips into a coma and dies.
Waggin Train Chicken Jerky Tenders sample	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	5	Years	Male	60	Pound	We have received a free bag of Waggin Train Chicken Jerky Tenders in each bag of our Purina dog food and fed 2 bags of them, which contain 4 or 5 treats in each bag, to him over the course of a week or so and he started vomiting, didn't want to eat, but still drank heavily. He would be really sick for a couple of days and be ok for a couple of days. After a couple of weeks he'd lost a considerable amount of weight and became very lethargic. We took him to the vet and they found that his gut bacteria was too high in bad bacteria and too low in good bacteria, and a blood test revealed deathly high creatinine levels. Healthy kidneys function at about 25 and his were 224. We had him on IV fluids and lots of drugs for a week, but only brought the kidney number down to 111 which is still over the failing number of 45. We agonized over the decision to euthanize, but did so. The vet suspected that he ingested something toxic, but we couldn't think of anything at the time that was out of the ordinary. It was after a news article that we realized that we'd fed these sample bags of treats to him.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Shepherd Dog - Belgian (unspecified)	12		Male	130		We purchased a large bag of Purina Dog Food from Walmart that contained a free bag of Waggin Train Chicken Jerky Treat. We feed our dog a half of a slither of the treat. The following day, our dog began vomiting and had diarrhea. Within a couple of days of this episode, he began to get weak, high heart rate, lethargic, blood in his urine and stool. We took him to the vet and he gave the dog medicine to stop the vomiting and diarrhea. He bounced back to normal, within a few more days his condition repeated itself and he was a little bit worse including excessive drinking of water, weight loss, he would try to walk and he would fall down, he also had an odor and his hair looked extremely dull. Vet treated him with B12, Dexasone and antibiotic. Urine test at first showed nothing irregular, retest showed an irregularity. My dog would bounce back and a few days later he would decline worse than the last time. This started in November and he lost his battle this past Sunday.
Waggin' Train County Style Drumettes	Dog	Chihuahua	1	Years	Female	6	Pound	Patient developed vomiting and diarrhea after eating one treat that day.
Waggin' Train PBJ Peanut Butter Flavored Biscuits Wrapped with Chicken	Dog	Other Canine/dog	9	Years	Female	50	Pound	My dog has had sever diarrhea after giving her the PBJ Favlored Biscuits Wrapped with Chicken Jerky made by Waggin' Train. This product is made in China
ever pet jerky strips								was giving my dog a treat and found hard plastic pieces in it when i broke it apart
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chow Chow	7	Years	Male	50	Pound	(b) (6) was given a Chicken jerky treat on November 18, 2011. 3 AM ,five hours later he started vomiting, again at 6 A.M. he vomited all food and water weekend of November 19 and 20. We took him to his Vet monday, Nov. 21. He was given fluids SQ and meds to stop vomiting. He would not eat for the next five days. He was taken to Emergency Animal Clinic on November 25,2011. He was given more fluids SQ and meds for vomiting, liver protection, antibiotics, and fluids SQ for home. We returned to clinic Nov. 28 for sonogram and blood test. Sonogram revealed liquid in abdomen and infection in Pancreas, liver failure. (b) (6) was admitted to stay for a few days. Tuesday, true cut biopsies were recommended. Upon arrival, Nov. 30, we were informed that he might be too weak for surgery, and lab results indicated small improvement. An infusion of Albumen was recommended to help leakage into abdomen. We agreed. Thursday, Dec. 1,2011, we received a call that his labs had fallen, and the Vets had nowhere to go except bioopsy. We returned to Clinic for discussion. We asled to see (b) (6), and he had to be helped to walk with a towel under his abdomen. When we placed him on an exam table, on a pad, he was too weak to sit up, his legs shaking He was extremely lethargic and weak. He could not endure the surgery. Our options at that point was Euthanasia or allow hin to die slowly on his own. The decision was tough, but he had suffered enough. I chose Euthanasia.
milo's kitchen chicken jerky	Dog	Bichon Frise	7	Years	Female	15	Pound	(b) (6) became violently sick after consuming Milo's Kitchen chicken jerky. She was diagnosed with Hemorrhagic Gastroenteritis.
Happy Hips Chicken Breasts with Glucosamine & Chondroitin	Dog	Corgi - Welsh Pembroke	8	Years	Female	30	Pound	Both dogs were given Dogswell Happy Hips chicken breast jerky. They were not given the chicken as food, but only as occasional treats. We followed the instructins on the bag. (b) (6) was the first to go on Feb 5, 2011 (b) (6) died April 9, 2011. Both were treated at the (b) (6). Both were in late stage renal failure. Our Vets tried to save them both but were unable to as the diagnosis was made too late.
Milos Kitchen home style dog treats Chicken Jerky	Dog	Shepherd (unspecified)	12	Years	Female	52	Pound	diarrhea and excess water consumption, urination in house, diarrhea in house.

Milo's Kitchen home-style dog treats	Dog	Retriever - Labrador	10	Years	Female	80	Pound	Approximately 1 hour after ingesting the third chicken jerky treat of the day, our dog became quite sick, drooling, pacing about and generally unwell. We took her to the vets and they proceeded to run a number of tests amounting to over \$900. We had been with her all day and she had eaten only her normal food and the chicken jerky.
Waggin Train Jerky Tenders	Dog	Greyhound - Italian	7	Years	Female	17	Pound	Pet started drinking excessive amounts of water and urinating often. Vomits often and is very lazy. I assumed she was developing diabetes, but was told by the vet her kidneys were starting to fail.
I don't have it! I threw it away after putting it in a storage container. I know I bought it at Costco and it was a product of China.	Dog	Spaniel - King Charles Cavalier	4	Years	Female	18	Pound	She started throwing up, had diarrhea, was lethargic and lost her appetite. These symptoms came and went for a couple of weeks before I took her to the vet. After many tests she was found to have pancreatitis and inflamed intestines which were causing a blockage as found through barium xrays. She was hospitalized for 3 nights at a total cost of over \$1,400.
Waggin Tails chicken Jerky	Dog	Poodle (unspecified)	10	Months	Female	9	Pound	I bought The Waggin Train Jerky Treats at VG'S market in (b) (6) at 10:30 pm on Dec 30 2011.. Gave my dog a treat when I got home around 11pm. The following day she seemed lethargic but ok. She is a puppy and always wants to play but was laying around most of the day. She would not eat any of her food either. She started vomiting a pink foam that smelled almost metallic like and continued to do so for about 4 hours every half hour to hour. We monitored her and fell asleep with her on the floor. I then woke up around 5am to see bloody diarrhea on the kitchen floor and her under the table which is where she goes when she does something mischievous because she knows to go outside and basically always has. We took her to the emergency vet at 6am on Jan 1st where she was tested for certain diseases and given antibiotics and something to coat her stomach and was to be given to her twice a day for 7 days.
Milo's Kitchen Chicken Jerky Treats, Waggin Tails Chicken Jerky Treats	Dog	Terrier - Yorkshire	3	Years	Male	8	Pound	I have bought Milo's CHicken Jerky TReats and Waggin Tails Chicken Jerky Treats for the last year and have noticed that my dog now has to urinate during the night, he is thirsty more than usual and lethargic. I thought I was giving him healthy treats because on the bag it says that there are no preservatives and no artificial flavors in these treats-- I now believe that these treats MADE IN CHINA are causing a change in my dogs health. I URGE THE US FDA TO PULL ALL MADE IN CHINA DOG PRODUCTS OFF our store shelves....I will never purchase another made in china pet item again!!! Please do not allow our pets to be harmed any further. I urge you to recall such products and anything made in China for the sake of our pets' health.
Waggin' Train Chicken Tenders	Dog	Chihuahua	3	Years	Female	9	Pound	I have been buying Waggin' Train Chicken Jerky treats for my dogs for about one year. No huge problems had occurred until last week. I gave (b) (6) chicken treats. She ate them and soon started vomitting. That's all she ate that day. She couldn't ate anything else after eating the treats. It never crossed my mind that it could be the chicken treats making her sick. But looking back, the days she started feeling better, she didn't vomit, have diarrhea, was acting normal. I gave her another treat and soon she started vomiting and the diarrhea started all over again. Now my other chihuahua, (b) (6) is experiencing the same thing. Since she is a little chubby, she has been on a diet and cannot have treats all the time. But that day she was being such a good girl that I gave her that treat. To this day she still has diarrhea.
Doctors Foster and Smith Fruit Wraps for Dogs Variety mix	Dog	Terrier - Yorkshire	11	Years	Male	6	Pound	Trouble urinatinig, decreased appetite, Frequent attempts to urinate
Waggin Trail Wholesome Western Grill Mixed Favorites	Dog	Dachshund - Miniature	11	Years	Female	10	Pound	(b) (6) was given Waggin Train Western Grill Mixed Favorites bought from Wal-mart over several days. She began to vomit a little then got severe diarrhea. She has now been diagnosed with Immune Mediated Hemolytic Disease which I believe was caused by these dog treats. She was in excellent health before this event and now her health has decreased rapidly and has made her so anemic that she needs a blood transfusion. Please inquire the public NOT to buy any treats from China.
Waggin Train Jerky Tenders	Dog	American Pit Bull Terrier	7	Months	Female	46	Pound	We gave both dogs about a 1-2 inch piece of the Chicken Jerky Treat 1x after dinner. The next morning we gave them both same amount after breakfast. About 1.5 hours after eating (b) (6) threw up. Immediately she broke out in huge hives all over her body and her eyes swelled shut. Her breathing became very labored. I didn't know what was happening I thought her blood vessels were getting ready to burst. It was a Sunday so I started to look up an emergency vet then I thought I would try and see what these lumps were and I found pictures like what she had and it said hives and that you could give a benadryl. So I gave her one and within about 5 minutes the hives started disappearing. I still wanted to get to the bottom of what could have caused such a violent reaction and I looked up Come and Get It and then found the Wagon Train Chicken Jerky treats and all of the dogs that have gotten sick and how many have died. PLEASE issue a recall on this product. Why would you just sit on this information and not recall this product when over 355 dogs have become sick and how many more probably hundreds that don't even know it's the Chicken Jerky treats that have caused their dogs to die. I was lucky my dog had an allergic reaction before we had given her enough to shut her kidneys down! We depend on the FDA to protect us and you have this information and are doing nothing about it. I don't care if you can or cannot figure out exactly what in the CJT is causing sickness and death. Who cares after this many incidents you have to warn people not to buy them or take them off the market. Shame on you! How can you sleep at night knowing this is happening to all of these famlies!

Waggin Train Western Grill Dog Treats	Dog	Retriever - Golden	3	Years	Male	90	Pound	Waggin Train treats were just purchased and opened on New Year's Eve. Our dog was fed two of the treats. Within a couple of hours he began scratching, shaking his body and ears non-stop. He was rubbing his face on the carpet non-stop as well. He was up all night scratching, rubbing, etc. By morning his right eye was almost swollen shut, and his body was completely swelled. Due to him shaking his ears we looked in them and there were open sores oozing blood and puss non-stop. He had light red bumps on his stomach area as well. We watched him for a few hours, and his breathing was getting shallow so we took him into the emergency vet, as it was new years day at this point. The vet stated it looked as though he had been poisoned, but could not pin point exactly what it was. He was given a prescription for steroids and antibiotics. He appeared to be getting better after starting the medications, and had returned for the most part to himself. His ears were healing, the spots and swelling had gone down significantly. Because we did not know the cause of the reaction, we were very careful about letting him outside, checked the home for things he could have gotten into etc. On Thursday night the 5th, we gave him two more of the Waggin Train treats, not thinking it could ever be treats sold in stores and on the shelves. Within hours of giving him two of the treats he began to scratch his body, shake his head, rub his face all over again and could not get to sleep. I checked him and found his face and eye was beginning to swell again, his stomach had broke out in what appeared to be hives, very bright red and swollen spots. I found these also appeared under his fur all over his underside, and most prominently under his legs where they connect to his body. I immediately gave him a half a steroid although he was starting to be weaned off of them and down to 1/2 a pill a day. The next morning I took him into our regular vet along with the bag of treats and she stated she firmly believed it was the treats that caused the reaction, as had seen many dogs very sick off of the treats made in China. Particularly treats made from chicken in China. Our dog had to be put on a stronger dose of steroids, and start a prescription all over again until he can be weaned from them. He continued on the anitbiotics he had already been prescribed and been taking.
Kingdom Pets Chicken Jerky	Dog	Retriever - Golden	9	Years	Female	55	Pound	(b) (6) was getting chronic kidney infections. After a month or two on antibiotics and special diet, the vet started looking into what else she was eating. We stopped giving her the chicken jerky treats and her kidney infection cleared up shortly after. The second dog who was also eating the treats, weighs about 85 lbs. She did not get a kidney infection but she weighs a LOT more than the dog that got sick.
Waggin Train Wholesome Chicken Jerky Tenders								I gave my dog who is an 8 year old toy yorkie one chicken treat a day. He loved them I thought it would be good for his teeth and gums. He's a small dog and sometimes he gets upset and he'll vomit,so when he vomited I didn't get to worried. Then he started not eating his regular food and peeing on the floor something was very wrong !!!!! We heard about these dog chicken treats on the news we stoped giving them to our dog and he seems to be eating better and not getting sick. I hope he's ok I'm going to keep an eye on him!!!!
Milo's Kitchen Chicken Jerky	Dog	Papillon - Spaniel Continental Toy (with erect ears or with dropped ears (Phal	2		Male	16		On December 12, 2011, I had given him the Milo's Kitchen Chicken Meatballs. Within a day, he started vomiting and had diarrhea and became extremely lethargic. I took him to the Vet. I do not have the information on the Chicken Meatballs, because I threw them out. The same thing happened again on January 4, 2012 after eating Milo's Kitchen Chicken Jerky. I took him back to the Vet on January 5, 2012.
Canyon Creek Ranch Brand Natural Chicken Tenders (Lot #W1CA5141A)	Dog	Dachshund (unspecified)	7	Years	Male	14	Pound	Dog ate Canyon Creek Ranch Brand Natural Chicken Tenders (Lot #W1CA5141A) which were produced in China. Dog first ate the product around 12/25/11. He was seen for bruising by his primary veterinarian on 12/30/11 and diagnosed with thrombocytopenia. Dog came to our emergency facility on 1/1/12 for vomiting blood. Despite 6 days of hospitalization, aggressive treatment, and multiple transfusions of packed red blood cells and fresh frozen plasma the dog did not respond to treatment and eventually passed away. We are unsure if the chicken jerky product caused this unusual reaction or not.
Waggin Tails Chicken Treats	Dog	Beagle	9	Years	Female	33	Pound	Both our dogs have eaten waggin tails chicken jerkey occasionally over the last 3-4 months. (b) (6) ate more than our small dog. She has progressively had more and more problems with frequent and excessive unriation and lethargy. Last month I took a urine sample to the vet thinking she might have a bladder infection, but it turned out she is showing an imbalance the vet said indicates kidney disease/failure. Our small dog is now showing the same symptoms and I discovered I am not the only dog owner who has tied these treats to kidney failure and other problems in their pets. My children are devistated. Please take these off comsumer shelves.
Happy Hips Duck Breasts-Jerky	Dog	Maltese	2	Years	Female	6	Pound	Dog was given "happy hips" jerky (after seeing report on msnbc found in small print on bag-- made in china. Observed dog and she had no problem swallowing the treat. Next morning she was lethargic, diarrhea,vomiting. I rushed her to after hours emergency clinic. After tests received a diagnosis of pancreatitis. Today little dog remains ill. Will probably take her some where for another opinion and wait till my vet is open. This little dog is my life!!! I have no family and I just can't lose her too.

Waggin Train Chicken Stix Chicken and Rawhide Snack	Dog	Retriever - Labrador	4	Months	Female	20	Pound	My wife gave (b) (6) a Waggin Train Chicken Stix Thursday, December 15th. Late that night, (b) (6) developed severe diarrhea that lasted through Sunday, December 18th. We took (b) (6) to the vet Sunday, December 18th on an emergency basis. She became very lethargic during this time frame and had spells of diarrhea at least once an hour. At the time, we did not think anything about the Waggin Train Stix that we gave her. We feel it is awfully coincidental that she got sick right after eating the recalled dog treats. We did not put all the facts together until we heard of the recall on the news. (b) (6) was given a medication to help ease the diarrhea. She took the meds for 10 days and it seems like she has recovered from the incident.
Kingdom Pets Chicken Jerky	Dog	Terrier - Rat	2	Years	Female	6	Pound	We bought a new bag of chicken jerky for pets at Costco. Fed the dog a small amount every day for about 2 weeks. Then she was given a larger amount one day [1 whole strip] and the next day she got very ill. First diahrea for about 5 hours then vomiting and diahrea chills and fever for 6 more hours. Not Knowing the cause , a few days later she was fed some chicken jerky again and responded in this exact way.
Waggin Train Chicken Jerky Tenders	Dog	Terrier - Jack Russell	11	Years	Female	12	Pound	When we woke Tuesday, 1/3/2012 my dog looked very bad, he refused to eat and wanted just to lay down. We found some "throw-up in the living room. We worked Tuesday so at 7:00 AM we left her out and she went #1. I returned home to check on her at 9:00 AM. Shae looked worst then I have ever seen her, I left her out and she was throwing up and doing #2 at the same time. I called and made an apointment with our vet and stayed home with her. At 2:00 PM I took her to the vet for her apointment and the vet said she was dehydrated. He injected water under her skin at her shoulder and gave a rectal exam. He then gave her Maropitant Citrate injection and Cerenia, Citrate injection 24mg pills, as well as Matronidazole anti biotic pills to give her the next 5 days. He said not to feed her Tuesday and gradually increase a bland diet after that. Each day she seemed a little better. Currently she seems almost her old self. As I said I worked from home Tuesday after 9:00 AM and my wife stayed home with her on Wednesday. My boss asked me on Friday if we had given her any chickeb jerky as he had read an article on MSN about the Chicken Jerky issue. He said my ogs simptoms seemed the same. It surposed me when he said that because I don't normally give her checken jerky but we had gotten some for Christmas. We are very careful how we fed her. I gave her 1 pc on Christmas morning, she threw up later in the day, we assumed that because of the excitment she hadn't chewed it properly. Then on Monday, 1/2/2012 I gave her another pc. We purposely made sure that we got here back on her schedule because of going back to work. The only different thing that we fed here was the chicken jerky. This is why it struck me when my boss asked me about it. I then looked up the simptoms online and they fit.
Waggin Train wholesome chicken jerky treats	Dog	Pug	10	Years	Female	26	Pound	Please help me, My father died last January after he died I took in his dog and my brother bought her a bag of the Waggin Train chicken jerky treats made in China, after I gave the dog back to my mother I continued to buy the same treats for my 10 year old pug. In the summer my dog started urinating more by fall she started losing weight and in the beginning of November she was not eating, vomiting, diarrhea, decreased activity, I took her to the vet on November 12th blood tests were taken and two days later we got the call that she had kidney failure, we put her on medication & fluids from 9-4 pm that day and by the end of the day she was worse so we had her put down because our next step was a kidney transplant. A week after my dog was gone our friend gave us a new puppy and I was feeding her the chicken jerky treats too from the same bag the pug ate from, last week I seen the FDA warning on those treats from China, I went to the bag and seen I had Waggin Train made from China, first I took the bag and the FDA warning to my vet and he believed I could be right that this is what took my pug because she had all those symptoms. I called the company and gave them the details on the pug and told them that the puppy was eating them too, they opened up a case on the pug and said claims would contact me and they wanted me to mail them my bag, I haven't done so yet because I wanted to speak with you first and keep playing phone tag with the FDA's 1-800 number, two days ago my puppy was not acting herself and yesterday she started throwing up, today my husband took her to the same vet and the blood test came back the same as the pug (kidney failure) the puppy is in the hospital for the weekend on fluids & medication in serious condition, I called Waggin Train back & again they want their bag & treats back and they opened a case on the puppy, I told her I needed to speak with a few people one being the FDA before I would release the bag. When someone has a chance could you please give me a call? I can be reached at (b) (6). If it's Monday through Friday I work from 7:30- 4 pm, I'm on lunch from 11:30-12 pm (If you call then please call me right at 11:30 so I have time to talk. Thank you (b) (6)
Waggin Train Chicken Jerky	Dog	Maltese	3	Years	Female	23	Pound	I gave my dog Waggin' Train Brand, Chicken Jerky treats on Christmas day. My dog (b) (6) health has been deteriorating since this event. Following the week after Christmas she has not been herself. My dog lies all day in bed, whimpers throughout the day, lost of appetite, and has been having termors. I took her to the vet this past wednesday, January 4th and received blood work last night. Vet diagnosed that my dog's liver is not working properly. She also said that due to her liver malfunction, she now has significant increase in white blood cells and is anemic. Antibiotics have been prescribed and I am watching her progress but it is too soon to tell. This is the only type of treat that I give to my dogs and it needs to be recalled asap before other animals health is affected.

Catswell chicken Jerky	Cat	Oriental	1	Years	Male	7	Pound	In July of 2011, I bought chicken jerky treats from 'Catswell' from Centinela Pet Food in (b) (6). Two of our five cats liked them and requested treats several times a day. (b) (6) ate more than our other cat, (b) (6). We gave them these treats for a few days and, all of a sudden, both of them lost their appetite, became inactive, started vomiting and had diarrhea - with blood. They both started drinking quite a lot of water. We went to the vet with both of them and he said that they might suffer from food poisoning. He also gave us medicine to improve liver and kidney function. We immediately switched out all food and fed them Innova, one of the brands our vet recommended. Unfortunately, we didn't think of the chicken jerky treats (didn't even mention those to our vet) and since both of them requested these treats, we continued to give these to them - we had no idea that that might have been the issue... we were 'happy' that they at least wanted to eat "something." They both got sicker, we went to the vet again and again, who became concerned after blood tests showed that the liver was getting worse.. and we had to force-feed both, (b) (6) and (b) (6). At that point, they didn't even want to eat the treats anymore. (b) (6) mom, (b) (6), who is 3 years old, slowly got better but (b) (6) died on August 21, 2011. Since non of our other three cats (who did not eat the Catswell chicken jerky treats) got sick my husband and I came to the conclusion that this must have been the problem. (b) (6) was only 1 1/2 years old and we were/are extremely sad that this extremely healthy young boy had to leave us so early in his life. I put together a video to create awareness regarding pet food and informed my friends on Facebook to be careful what they feed their pets - I did not know where else to report this until a friend on Facebook gave me this link today. I'll be happy to give you more information if needed.
Waggin' Train Chicken Jerky Treats	Dog	Retriever - Flat-coated	5	Years	Female	55	Pound	My dogs, (b) (6) and (b) (6), have enjoyed Waggin' Train Chicken Jerky Treats for over one year that I purchase at my local Sam's Club in (b) (6). No problems as reported by FDA. Opened new bag on Monday, January 2, 2012. By that evening, (b) (6) began drinking bowlfuls of water. This is VERY uncharacteristic of her. I remembered the article about the FDA warning concerning chicken jerky treats and have not given them any more. (b) (6) still drinking a lot of water. Looked up the article again and reviewed the symptoms. Called my local vet. The vet I talked to was unfamiliar with the warning, but after review the information did tell me to not give them to my dogs anymore. She also wanted me to bring (b) (6) in for blood and urine test to make sure she was okay given the excess water consumption. (b) (6) was completely fine with no symptoms prior to this newest bag of Waggin' Train Chicken Jerky Treats being opened last Monday.
Canyon Creek Ranch Brand Tasty and Delicious Apple & Chicken Wraps	Dog	Mixed (Dog)	9	Months	Male	23	Pound	I gave (b) (6) 1 treat per day on Saturday, Dec 24, Sunday, Dec 25 and Monday, Dec 26. By Monday afternoon he was acting sluggish and not eating. On Tuesday morning he had severe diahrea, would not eat and drank several bowls of water one after the other. I associated it with the treats being too rich, but then later in the day saw an MSN article involving chicken jerky from China. These treats are made in China. I contacted his vet and she said it would be difficult to tell if the reaction was from the treats themselves or simply dietary discretion because I had introduced a new treat to him that he hadn't had before.
Waggin' Trail Natural Chicken Fillets wholesome chicken jerky tenders chicken dog treats 97% fat free made in China	Dog	Dalmatian	12	Years	Female	60	Pound	Dog being introduced to wheelchair, using 3 chicken strips broken into small pieces to entice dog to move toward chicken treat. This was Dec 24th, 2011. Awakened next morning to find dog in pool of foul-smelling diarrhea in bed. Dog and surroundings cleaned up. Dog visibly sickened all day. Two days later vomiting. Return to vet; urine culture. Return of e-Coli urinary tract infection discovered and recommend more antibiotic therapy (6 weeks).
Dogswell Vitality Chicken Breast	Dog	Terrier - Rat	15	Years	Female	8	Pound	Dog was completely healthy. Over a period of 2 weeks she was given chicken jerky. She then developed kidney failure and died.
Wagon Train Chicken Crispy Puffs Treats for Dog	Dog	Dachshund - Miniature	2		Male	16		Bought our dog a treat on Dec. 9th. Opened the package on Dec. 22 and gave him 2 treats from the package. Fri. and Sat. he had a tremor. Christmas day he started have more tremors and throwing up. Took him in to our Vets the 27th of Dec.
Canyon Creek dried yam	Dog	Retriever - Golden	2	Years	Female	68	Pound	A neighbor brought a bag of Canyon Creek dried yam slices for a holiday gift for my dog. She fed the dog 4 treats, and her face swelled up within 3 minutes of eating them. I called the vet, and gave the dog some Benedryl, which seemed to reduce the swelling a bit. However, within 6 hours, the dog was covered in hives, and was itching and scratching constantly. This was during the night, so first thing in the morning I took her to the office. She was given a shot, and blood work was recommended to test if her liver was ok. It took her tow days before she was not swollen or itchy. She was on Benedryl and Pepcid for 5 days as a precaution. She is fine now. This was a frightening and expensive experience.
Happy Hips	Dog	Maltese	2	Years	Female	10	Pound	After eating Happy Hipps strips she began vomiting and pooping blood
Chicken Jerky Treats	Dog	Terrier - Yorkshire	9	Years	Female	15	Pound	Excessive urination - wet the bed in her sleep. This occurred a few times then I saw a report about the Chicken Jerky Treats causing animal to be sick on our local news station. I give my dogs these treats all the time but will not purchase any more. The news reported these treats were made in China and have been given a warning on two different times since 2007.
Canyon Creek Ranch natural chicken tenders	Dog	Akita	8	Years	Female	58	Pound	My dog developed diarrhea about 2 days after eating the Canyon Creek chicken tenders. She has also been unusually thirsty.
Waggin Train wholesome Chicken Jerky Tenders	Dog	Akita	8	Years	Male	122	Pound	We noticed after feeding (b) (6) the chicken jerky he would vomit and later consume plenty of water. His activity level would also decrease throughout the day. We took him to the Vet and he gave us medication for the vomiting.
Waggin Train Chicken Jerky Tenders	Dog	Newfoundland	18	Months	Male	118	Pound	(b) (6) was/is throwing up several times daily, even after discontinuing the treats. His appetite has diminished to the point where he only eats one meal (he usually eats 2x's daily) every other day. He's drinking a lot of water and throwing that up too. He's very lethargic and started whimpering last night like he was in pain.

Waggin Train Yam Good wholesome chicken wrapped yams	Dog	Terrier - Yorkshire	2	Years	Male	9	Pound	Gave Yam wrapped chicken treats from 12-28-2011. Presented the next day with vomiting and bloody diarrhea. put on ranitidine, amoxicillin and gave vit K1 inject and Depomedrol. Got better and the first thing the dog ate was the treat and had bloody diarrhea again the next day
petshoppe chicken jerky premium chicken dog treats	Dog	Spaniel - Springer English	7	Years	Male	48	Pound	For 4 days after receiving two strips of chicken jerky (made in China), (b) (6) had diarrhea.
Waggin'train wholesome chicken jerky tenders	Dog	Mixed (Dog)	5	Years	Male	11	Pound	no appetite, severe diarrhea, lethargic, for several days, contacted emergency vet clinic by phone, was told to put on bland diet. problem resolved with strict bland diet
waggin'train jerky tenders	Dog	Spaniel - Cocker American			Male			severe diarrhea for 5 days, no appetite, and very lethargic
Dogswell Happy Hips Chicken Breast with Glucosamine & Chondroitin, Milos Kitchen home-stle dog trests Chicken Jerky	Dog	Boxer (German Boxer)	2	Years	Female	75	Pound	I opened two bags of Chicken Jerky Treats at the same time. One is Dogswell Happy Hips Chicken Breast, the other Milos Kitchen Chicken Jerky on December 29, 2011. I gave (b) (6) 2 treats from each bag. During the night (b) (6) had severe Diaherra. We could not figure out why. Again, on December 30, I gave (b) (6) a total of 2 treats from each bag. Again, during the night she had severe diaherra. She didn't seem to feel good. My daughter told me about the problems with Chicken Products made in China. She had seen it on MSM on line. We took the treats away immediately, and I went to the FDA Website and saw the caution. Today is Monday, Jan. 2, 2012, and (b) (6) is 100% back to her old self.
Waggin' Train Chik'n Biscuits	Dog	Retriever - Golden	11	Years	Female	75	Pound	First, I noticed a change in her fur from thick and glossy to brittle. People used to comment on her hair. Then it started falling out in clumps. Five vacuum bags in a week. That would be abnormal for a spring shedding and it was December when her fur she become thicker. Her downy under fur fell out completely. She started drinking 2 to 3 times as much water and asking to go out during the night and then she started vomiting. Coincidentally, the news reported a problem with chicken jerky treats for dogs! Sure enough, we had started giving her that brand about 6 months ago and all of these problems have developed since then.
waggin train chicken jerky	Dog	Great Dane	8	Years	Female	136		For about 3 weeks prior to the incident being reported my dog had become incontinent of urine in her sleep about 1-2 days in a row approximately weekly. During these days she would go off her food and have diarrhea. On the date in question she started vomiting, having diarrhea, and lethargy. By 4 am she couldn't even walk. Rushed to emergency. Given subcutaneous IV,(because I could not afford the \$1000/day in patient care quoted to me), Medications, Xrays. 2 more emergency/specialist visits, then 3 visits with regular vet. Total 2 xrays, 1 cat scan, 5 urinalysis, 3 bloodwork and \$2500 bill.
Happy Hips Chicken Breast	Dog	Terrier - Yorkshire	8	Years	Male	20		We had been giving (b) (6) about 1 Happy Hips chicken jerky a day, half after his morning walk and half after his late afternoon walk. It did seem to help with his hip problem. We have noticed that he has become increasingly irritable, has been drinking more water and urinating more frequently. Also, where his appetite was always good to voracious, he was increasingly leaving food in his bowl. His skin and hair also do not look as healthy as they have been and he has been experiencing significant itching. We stopped feeding him the jerky on Jan 2, 2011 and are now seeking an alternative supplement for his hip.
vitalife plus chicken tenders healthy heart and eyes	Dog	Dachshund - Miniature	5	Years	Female	20	Pound	Received chicken jerky(about 4-5 pieces) on Dec 25 and was violently ill on morning of Dec 29. Diarrhea, vomiting and shivering uncontrollably. Recovered by the end of Dec 30. Only suspicious thing was jerky. Other (bigger) dog may have received one piece but didn't get sick.
Veggie Life Happy Hips with Glucosamine & Chondroitin	Dog	Shih Tzu	1	Years	Male	15	Pound	Hello, I would like to inform you that every time I gave my dog the "Veggie Life Happy Hips" Chicken & Sweet Potato treat he threw up. I gave it to him about 5-6 times since last month, and most recently today and i'm 100% sure its from the treats because its the only thing thats the same each time he threw up! I read about chicken jerky made in china having a problem and I think this might also be poor quality. We purchased this expensive 15oz bag from Wag.com, especially because it says "natural" on the front so the fact that its making my dog sick is alarming. The expiration on it is 8/06/13 SEW11CP0622/01 bar code is 8424413513 Please let me know if there is any other information you need to get this problem resolved. Thanks for your help! (b) (6)

Canyon Creek Ranch Yam Good Duck, Milo's Kitchen Chicken Jerky Strips	Dog	Dachshund - Standard Smooth-haired	4 Years	Male	28 Pound	We got up on Saturday morning and Weber was vomiting. Through out the day he continued to vomit was drinking a large amount of water. He had always been a very active dog, but Saturday he would not get up unless we coaxed him to get up. By Sunday morning he had quit drinking water and would not eat. We took him to an emergency vet clinic. The vet said he seemed to have been poisoned. We discussed any possibilities but did not know about the chicken treats. Monday morning the emergency clinic had us take (b) (6) to our vet. Our vet examined (b) (6) and immediately told us we needed to take (b) (6) to a near by (b) (6). The doctors there said the same thing, some type of poison, but could not come up with what type. Again, discussions of any possibilities that we could think of, and we never mentions that (b) (6) got a treat every day of either Milo's Chicken Jerky or Canyon Creek Ranch Duck Yam Good treats. I had never seen you precautionary warning until a friend mentioned it to us last night. After reading the warning the symptoms were the same as what (b) (6) had. Weber was in intensive care for 3 days. On Wednesday he went into a comma and had to be euthanized. I have already sent emails to Del Monte and Canyon Creek Ranch and plan to go to WalMart where I purchased Milo's and Pets Mart where I purchased Canyon Creek and ask both to consider removing any pet food products that have ingredients made in China. (b) (6) was a very special member of our family, and after spending over \$7000.00 on all the treatment I feel that I have been betrayed by our US companies because they put profits before safety. I hope you can get these products removed.
Sweet Potato snacks for dogs	Dog	Maltese	7 Years	Female	11 Pound	We bought new bags of sweet potatoe treats (fries). They were made differently than the previous batches. Prior batches were dried sweet potatoes. These 3 new bags were processed and cut into fries. Instead of being somewhat soft, they are very hard and the dogs found them difficult to eat. One of the dogs, (b) (6) started vomiting, had a fever, stopped eating, was drink hugh quantities of water, was lethargic. Her last stool had undigested sweet potatoes. Two days later on Monday we took her to the vet. The blood tests comfirmed that she had pancreatitis and was spilling sugar in her urine. She was given a antinausea drug along with an antibiotic, since she had a temperature of 104 degrees. We took her home for several days. She did not get better, no eating etc. She was taken back to the vet and hospitalized for 5 days on IV etc. She is better now, however, she is still drinking lots of water and spilling sugar in her urine.
Waggin Train Jergy Tenders (Chicken) and (Duck)	Dog	Terrier - Jack Russell	7 Years	Mixed Populati on of Female and Male	18 Pound	Last year gave this product to my dogs and they were scratching and itching a lot and thought it might be from outside contaminants but stopped food and seemed to help then about four months later began treats again and symptoms started again one of the dogs had loose stools am concerned this product has been exposed to unknown products causing this condition reporting just in case others are havinig similiar problems our pets are like family am stopping product due to others reporting symptoms would like an official report made to follow up these symptoms in pets ie dogs
Milo's Kitchen Home Style Dog Treats chicken jerky	Dog	Mixed (Dog)	2 Years	Male	51 Pound	a little vomiting a week ago(yellow foamy liquid) but on 12/29/11 vomited large amount of yellow foamy liquid. Had lacked his normal huge amount of energy, tired easily when exercised. Luckily I heard on the news on 12/28/11 that there had been problems with chicken jerky processed in China. I looked on the label of the product that I had purchased for him and it was processed in China. I took him to the vet to be examined. They did blood work on him, but we were unable to get a urine sample. His blood test results were normal. He was given a bland diet for 3 days. He seems to be ok now.
WAGGIN' TRAIN brand "wholesome chicken Jerky Tenders"	Dog	Bichon Frise	9 Years	Male	17 Pound	fed the Waggin' Train "chicken jerky tenders" to our dog (b) (6)(bichon frise) twice, about a week apart. (b) (6)began (1) throwing up (2) developed diarrhea (3) became lethargic and remained so for over a day both times. We did not make the link to the chicken jerky treat until the second occurrence.
Kingdom Pets Chicken Jerky 48 oz size	Dog	Mixed (Dog)	12 Years	Male	45 Pound	I fed my dog Kingdom Pets Chicken Jerky treats that I purchased from CostCo here in (b) (6). This was the first time I had purchased this product. He became ill and had severe diarrhea and vomiting for three days. He is OK now. The treats mentioned above were the only change in his diet or environment during that period.
Wagon Train Chicken Jerky	Dog	Akita	8	Mixed Populati on of Female and Male		Gave two of my three dogs 2 jerky trats each. The 2 both became very ill with diareah and vomitting. Third dog that did not have the treat is fine. Male dog is getting better while female is still having problems.



Product Name	Specie	Breed	Age	Age UC	Gender	Weig	Weight	Description
Dogswell Vitality Chicken Breast with Flaxseed & Vitamins	Dog	Dachshund - Miniature	3	Years	Male	13	Pound	Both dachshunds were fed approximately 3 strips of the treats each over a period of 3 days, both have become violently ill, one with vomiting and lethargy and the other with diarrhea.
Canyon Creek Ranch Brand YAMS	Dog	Retriever - Labrador	4	Years	Female	104	Pound	Day following being given 1 Canyon Creek Yam treat our dog developed vomiting (3 - 4 times for one day) and diarrhea for 1 week. We immediately began a bland diet until we talked to the vet. We saw our vet 5 days 4 days later and diagnosed as a "sensitivity" to the treat. We began Flagyl (antibiotic) and Imodal (pet imodium). Symptoms seem to have abated now and bowels seem to be working well. I believe we are past our issues at this point.
Waggin'Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	92	Pound	<p>(b) (6) started to have very soft stools on 8/15/12 by next day she has full blown diarrhea. We stopped giving her, and her brother (b) (6), any treats and fed only rice and boiled ground beef / chicken breast. Since (b) (6) had diarrhea before at first we were not very concerned. Our vet had previously suggested to give her small dosage of Imodium that would help to control the problem. However, on 8/18, Saturday, (b) (6) also started to have soft stools and then diarrhea. We still were thinking they must ate something in the backyard that caused the problem. On Sunday, 8/19 when I talked to (b) (6) he mentioned that (b) (6) is starting to have soft stools, we were very concerned and went to pick up (b) (6). (Our friend (b) (6) is paraplegic and has a service dog name (b) (6). Since (b) (6) is on a very limited income, we are assisting (b) (6) to take care of (b) (6) for all medical cares) Now we have three dogs that were lethargy, two have full blown diarrhea and mild symptom of vomiting, one had very soft stools. We took sample of the stool to our vet, (b) (6) (b) (6), on Monday morning, 8/20, and the result was negative for any worms. Our vet then prescribed Fori-Flora Canine FalsH Packet and metrdnidazole 250 mg for all three dogs. As today, 8/22, the diarrhea appeared to have stopped, the stools are still a little soft and the color still a little light but looks healthy enough. Dogs' energy level is coming back. A few more days should be back to normal.</p> <p>Prior to the visit to the vet, we were contemplating what could have happened that would lead to all three dogs being sick the same time, particularly (b) (6) and (b) (6) lives with us while (b) (6) is living with (b) (6). The only item that they have shared is the treat -- Waggin'Train wholesome chicken Jerky tenders. . (When (b) (6) come visit me at work, I will give (b) (6) a few strips of the chicken jerky that came from the same bag as (b) (6) have at our home).</p> <p>During our visit to the vet, we saw a warning from your office in regards to the chicken jerky. Although we have no solid prove that this IS the cause but everything fits. Also, our vet has told us so far the reported symptoms are mostly related to kidney failures but may be most of the dog owners, such as us, will NOT think vomit and diarre were related to this type of treat. We would never have suspected the possibility if not because this chicken jerky treat IS the only common tie among three dogs for the past whole month.</p> <p>A final note. (b) (6) have been having Chicken Jerky as treats for the past 1.5 years. Since the lable indicated as real chicken, no additive, we presumed this is a better alternative than some other product on the market. As we think back, (b) (6) had had minor problem with soft stools and small throw up, but not at the same time, since we started to give them the chicken jerky as treats. Because it was minor we did not pay much attention to find out what was the cause. We are just very lucky, or unlucky, to have this most recent episod to make us aware of the problem with the Chicken Jerky.</p>
Waggin'Train Chicken Jerky Tenders - 40oz.	Dog	Puli	13	Years	Female	18	Pound	Started drinking water excessively...pet said she had started developing kidney problems...she passed away November 2010
Milo's Kitchen Chicken Jerky Treats	Dog	Terrier (unspecified)	6	Years	Female	13	Pound	My dog was active, healthy until I gave her Milo's Kitchen dog treats. She developed diharrea so I stopped giving her the treats. I thought they didn't agree with her so I threw the bag out. The diarrhea contined and then she started vomiting and not eating but drinking lots of water. Took to the vet on 8/13/12 for an exam. She was given a shot to bring back her appetite. Took her home and she declined from there. Brought her back to the vet on 8/20/12 where she still is 3 days later. My vet bills have now surpassed \$1,000 and she's still very sick. We may have to put her down if she doesn't improve. She has kidney & liver problems.
VitaLife chicken tenders	Dog	Mixed (Dog)	23	Months	Male	18	Pound	The dog was just fine and we decided to buy these chicken jerky treats as a change. We gave him one a day for about 3 days. The dog started to have diahrreah and vomited/regurgitated a few times. It was very odd. We stopped giving the treats to him after reading about them online. He has been "ok" lately.



EON

Displaying 743 issues at 06/Feb/13 03:03 PM.

Product Name	Species	Breed	Age	Age UOI	Gender	Weight	Description
Milo's Kitchen home-style dog treats	Dog	Crossbred Canine/dog	6	Years	Female	41 Pound	Within 45 minutes of first ingestion Chicken Jerky, she went outside ate grass vomitted violently. (b) (6) was lethargic and anorexic the rest of the evening. Vomitted one subsequent time, which consisted of bile. During the evening she started licking at her forelimbs and rubbing eyes excessively. The owner was awakened by (b) (6) restlessness in the middle of the night and noticed that her lips and the skin on her muzzle was swollen.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Siberian Husky	12	Years	Female	35 Pound	Dog became noticeably lethargic, inactive, drank water excessively, and did not eat dog food normally approximately three days before hospitalization. The dog has always been in excellent health, fed a strict and proper diet, and walked/exercised every day - daily walks are at a minimum of 2 miles/day. Exercise limitation is the owner, not the dog! The night before hospitalization, the dog uncontrollably vomited bile (no solids) and slept peacefully on her dog bed the entire night inside the house (atypical behavior because this was over Labor Day weekend and because of the summer heat, the dog is mostly nocturnally active). Early in the morning the dog was found, slumped on the porch stairs (has doggie door access to inside/outside home) completely non-responsive, eyes open, tongue hanging out, and breathing so shallow I initially thought she was dead. The dog was immediately brought to a veterinarian clinic where the prognosis was not good. The dog was stabilized and transported to an animal hospital. The dog was touch and go (wouldn't take food, diagnosed with complete kidney failure, and a kidney/urinary tract infection) for three days - exploratory surgery was a discussed option. The dog started to recover and was released in "guarded" condition after 5 days of hospitalization. The dog has recovered since this episode. Only identified problem dog ever had is a gluten allergy. This is the reason why she has a specific diet and the only treats ever given was chicken jerky or other non-filler meat treats. I am posting this scenario because I only recently found out about the Chicken Jerky recall and the associated reports issues dating as far back as 2007. My dog has been given these treats since before 2007 - it would have been nice if the FDA was more vocal about reporting any of the food related concerns for pets. I also believe the 2200 reports and 360 deaths associated to this product is probably way under reported so add my dog to the list! Properly informing the public would have saved me from a lot of family anxiety and concern over a beloved family member and a lot of expensive treatment costs.
Milo's Kitchen home-style dog treats (Chicken Jerky)	Dog	Spaniel - Cocker American	6	Years	Male	32 Pound	(b) (6) started vomiting and had diarrhea intermittently over a period of several weeks. It would come and go, but continued, so we brought him to the vet where he was treated. His vet could find no underlying cause. We realized recently that our dogs were eating chicken jerky treats that had been recalled and believe both became ill and had to be treated. Our dogs live in 2 different states (GA and NC) as one of our dogs is with our daughter who is at college in NC. We realized that the same thing must be causing an illness in both of them.
Waggin Train Big Blast Pork Skin Twist with Chicken Liver	Dog	Retriever - Labrador	4	Years	Female	64 Pound	(b) (6) had this product from a newly opened bag on Jaunaary 17 and January 18, 2013. On the morning of January 19, she threw up birght yellow foam with solid pieces in it. In the following days, she developed mucusy reddish orange stool and by January 21 had diarrhea which became very bloody on January 22. In the early evening on January 22, she began to also vomit and began to have blood in her vomit that evening. She had both bloody vomit and bloody diarrhea until about 1 am on January 23. She finally fell asleep and did not have diarrhea again unitil about 8 am that morning. This diarrhea had so much blood that it looked like slightly runny ketchup (I took a photo). I took a sample of this diarrhea to my vet that same morning. (b) (6) did not vomit again and had two more bloody diarrheas that day. On the morning of January 24, the stool sample came back to the vet negative for all parasites and they commented that there was so much blood that she should come in if she was still vomiting as well. She has not had diarrhea or vomit since then, but she does seem to be drinking more water now. Although, I did take in her stool sample to be checked, I did not take her to the vet for an appointment since she stopped having the vomiting and diarrhea under my care.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Golden	6	Years	Male	84 Pound	Vomited for 24 hours, eventually vomited what appeared to be brownish bloody substance. No appetite, extreme thirst, lethargy, and fixed gaze. I expected my dog would pass away at any point during this time. After 12 hours of vomiting, went to his Vet, she administered a shot to stop the vomiting. Introduced water by 1/4 cup, threw up for another 12 hours. Eventually started keeping the water down, slowly ate chicken & rice over the next 3 days. 5 days out from initial illness dog is feeling a bit better, but still not back to normal.
Canyon Creek Duck Tenders							Canyon Creek Duck Tenders made my dog sick on several occasions. At first she was fine with them but then began to throw up almost immediately after ingesting them. She would stay slightly listless for a while after eating as well. I have, of coarse, stopped giving the treats to her and have had no future problems.
Waggin Tails Chicken Jerky	Dog	Terrier - Yorkshire	10	Years	Male	9 Pound	Back in May 2012 my dog started drinking and urinating excessively. I took him to the vet, thinking diabetes. She did tests and said no it looked like possibly Cushings disease. She needed to do more tests. After doing the test she couldn't say conclusively it was Cushings but they were still leaning towards that. She redid the test and still it was not conclusive. After consulting with another vet, they recommended that we start on medication for Cushings. After 3 pills (b) (6) went from an active dog to barely being able to lift his head off the pillow. It was at this point that I made the decision to put him down. Still feeding my lab the jerky treats he loved, we could no longer find them in the stores. I assumed they were sold out and went online to try and get some. That is where I read about the recall. The one site I looked at said that symptoms resemble fanconi (?)disease which is sometimes mistaken for cushings disease. My heart sank. To think that a treat we were feeding them (and paying good money for) might possibly have made him sick.

Milo's Kitchen Chicken treats (various types)	Dog	Unknown	12 Years	Male	27 Pound	<p>We understand Milo's dog treats made in China are under recall. Early in 2012 our dog got very sick we believe from eating this product. Our dog had the following symptoms:</p> <ul style="list-style-type: none"> Lethargic Extreme diarrhea Bloody stools Vomiting No appetite. He was drinking water. <p>He was so ill we took him to the vet on several occasions and spent several hundred dollars on x-ray and blood work. The doctor was not able to find a cause for his illness. We took him to the Vet with the same symptoms on:</p> <ul style="list-style-type: none"> 4-2-2012 8-6-2012 11-5-2012 <p>We stopped all treats after the illness of 11-5-2012 and purchased all new dog food.</p> <p>We still have a small amount of the latest package of Millo's treats we purchased. If you are interested in analyzing this package, let us know and we would be happy to send it to you.</p> <p>If this product is the underlying reason for our dogs illness, it should be determined what is in the product causing the symptoms. Is it possible it could cause health issues for humans?</p> <p>Thank you for your time.</p> <p>(b) (6)</p>
Jerkey Treats	Dog	Terrier - Jack Russell	9 Years	Female	10 Pound	<p>Our dog began to have severe thirst followed by a bloating stomach. This happened very quickly. The vet had scheduled a series of tests to be done but before this could happen she began getting lethargic and would not eat, only drink a lot of water and urinate constantly. Her stomach was bloated and her breath became rancid. She died on Christmas Day 2011.</p>
Waggon Train Chicken Jerky Treats						<p>After feeding my dog Wagon Train Chicken Jerky Treats, he experienced very bad diarrhea, and wasn't eating or drinking. He has been off of them for 2 weeks, and is back to normal, but I don't want to see any other pet owners subject their pet to this pain. Please don't allow these to be sold anymore!</p>
Waggin Train Big Blast Pork Skin Twists with Chicken Liver	Dog	Retriever - Labrador	9 Years	Male	95 Pound	<p>(b) (6) had this product from a newly opened bag. He had one treat on January 17 and rejected the treat on January 18. On January 19 he had a large volume of diarrhea with blood through out the day. He continued to have diarrhea through January 22. He did not have any more of this product after the diarrhea began on January 19. He is still drinking a lot of water to this day.</p>
Milo's chicken jerky	Dog	Corgi (unspecified)	7 Years	Female	35 Pound	<p>I had bought Milo's chicken jerky treats for my sons dog. Us being home and her being extremely good I fed her 5 pieces of jerky over a 3 day period. On the third day after giving her the 5th treat, she only ate half of the treat and went to her bed unable to move like she was sick or had poisoned, knowing what this looks like, because I've had dogs poisoned before. I informed my son he needed to take her to the vet and see what's wrong with her. The vet advised her kidneys were failing and she probably would not make it. 5 days later she passed away. I was informed through a friend that the dog treats made in china were responsible for multiple dog deaths, and the FDA had a warning on the treats. I informed the vet, he did investigate, and said this was probably the problem. The vet put out a Youtube video. I contacted Delmonte foods to file a complaint. The company has looked at all the evidence, and said they need further review. If you wish to see the video I will email you the link. There is no doubt that these treats killed our (b) (6) (The week before my son brought the dog to get her heart worm pills, and had her checked out at vet, vet said she was extremely healthy.)</p>
Milos Kitchen Chicken Jerky	Dog	Schnauzer - Miniature	7 Years	Female	18 Pound	<p>I purchased Milos Kitchen Chicken Jerky treats for my dogs in 2012. In Jan 2013 my family had to euthanize our pet (b) (6). I read today of this product being recalled and began to research this further. I was sad to discover that the symptoms our dog had were aligned with the many deaths reported because of this product. I believe my dog was affected by this product. I was shocked to see the number of reports and the length of time since the reports began. If I had known of this I would NEVER bought, nor given, our dogs these treats. Now, after learning of the dire affects this product had, I will have to take our other dog in for complete diagnostics as a very steep expense. I am also very disappointed that a product with this track record was still acceptable to be sold. If this was a product affected/killing humans this would have been pulled immediately. What steps can I take to be reimbursed for the care we had to pay for our dog that had died (b) (6) and our dog that will now have to be completely examined for affects (b) (6)?</p>

Waggin Train Wholesome Duck Jerk Tenders	Dog	Retriever (unspecified)	8 Years	Female	60 Pound	<p>For the past three months I have been feeding my 8 year old (b) (6) retriever Waggin Train Duck Jerk Tenders that I bought on sale at the local Wal-Mart. She has been having lots of explosive watery (sometimes yellow) diarrhea for some time although I cannot say for sure this started when I began buying the wholesale 16oz duck jerky treats at Wal-Mart. Approximately early December I noticed she was becoming lethargic, wouldn't get up to greet me when I came home, laid on the floor instead of the couch, and seemed to be having respiratory trouble which included panting at random times for no obvious reasons and loud breathing when she was lying down with expiratory wheezes that seemed to cycle in intensity every couple days. Some strange things I observed were frequent very loud gurgling/rumbling sounds coming from her abdomen. Also she kept going under the bed and kitchen table for long periods of time. It is my opinion that this is photophobia because she only does it when I have the lights on full brightness-when I dim them or turn them off she comes out from under the bed and table. I do not know if this behavior is related but looking back it did start after I started giving her the treats daily. On 12/16/2012 I also bought Waggin Train Big Blast Duck Wrapped Pork Skin Twists with Chicken Liver and Waggin Train Ham Slices and was giving her one or two of these treats a day in addition to a couple of the duck tenders. On 12/24/2012 my dogs lethargy and breathing difficulty became so bad that I took her to (b) (6) emergency clinic in the middle of the night. At falls road they could find no reason for the breathing trouble or lethargy, X-rays showed no sign of pneumonia or infection, she did not have a fever, Urinalysis was normal, blood work was essentially normal except for mildly elevated liver enzymes - ALT of 124 (normal is 12-118), EKG showed 1st degree heart block (a benign condition), no signs of heart failure. I was later told by the vet the official radiology report included the possibilities of inflammation or infection of the trachea, lungworm, or a slight degree of tracheal collapse, but none conclusively, and which may or may not be related to her present condition. The vet recommended a cardiovascular evaluation due the incidental finding of a faint 1/6 heart murmur she heard and to return for more blood work in a month to test liver function because of the slight elevation. When I returned home I immediately stopped all of the dogs jerky treats until I could find out the cause of her illness - feeding her only her normal dry food. I also ordered Fenbendazole online to cover lungworm and pressed the vet for antibiotics just in case she did have a lower respiratory infection not picked up on the X-ray. After some research online I emailed Waggin Train asking them what the source of the glycerin in the jerky was from and asked for reassurance it was not produced from the poisonous Jatropa plant. I received no response. Within 1-2 weeks of removing the jerky treats from her diet and treatment with antibiotics and fenbendazole her respiratory issues started slowly improving. For the first time in months she was having normal solid bowel movements and much more energy. After her improvement on 1/18/2013 she had her cardiology work up at (b) (6). Her echocardiogram revealed a functional ejection murmur and trace mitral and tricuspid valve regurgitation with an ejection fraction of 70% (very good EF). The vet concluded her respiratory trouble definitely was not related to her heart. He viewed the previous X-rays and did not think there was an obvious tracheal abnormality. Relieved by her normal cardiology exam and improvement in her diarrhea and respiratory health I decided to resume feeding her only 1-2 of the Waggin Train Duck Jerk tenders daily - only because I had some still left over from before her original vet visit 12/24/12. The FDA reports I read online were mostly from chicken, not duck so I assumed it was probably ok. Within a couple days her watery yellow explosive diarrhea returned, she once again was panting, wheezing, and lying flat on the carpet all the time, lethargic, not eating much, and disengaged. She also started going under the bed and kitchen table again when all the lights were on. Yesterday I called Nestle Purina and asked for a refund on the rest of the duck treats and once again asked about the source of the glycerin used in the treats and asked if it was derived from the Jatropa plant. The manager was consulted and I was told they could not give me an answer. The only ingredients in the jerky are duck and glycerin. Nestle Purina does not know what one of the two main ingredients in their product is derived from? I find that very hard to believe. Today I inspected her stool and noticed blood in her diarrhea. She currently continues to be lethargic and have respiratory trouble and diarrhea, but not to the degree when I had to take her to the vet 12/24. At this time she is not getting worse. I have no doubt in my mind at least some if not all of her health issues are related to the Waggin Train Duck Jerky treats. I take them away and she gets better. I start giving them to her again and she gets worse. The reason I was feeding her duck jerky (instead of chicken jerky) was because she had what I thought was pancreatitis from overfeeding/allergic reaction to Waggin Train Chicken Jerky treats one year ago! At that time she had constant vomiting of green-yellow liquid, diarrhea all over my apartment, drinking bowl after bowl of water, lethargy, and two seizures (one witnessed by my friend) with the onset exactly a day after I gave her a handful of the Waggin Train Chicken Jerky! I thought it was because she may have allergies to chicken, I never even suspected the actual jerky/brand could be related to that event. Now, after reading dozens of identical reports online I do not doubt it was caused by the treats. She recovered from that incident in a little over a week refusing to eat anything for several of these days. Anyways, I am taking her again to the vet this week because of the blood in her diarrhea and to recheck liver function. My veterinary bills so far total over \$2,000.</p>
Wagon Train Chicken Jerky Treats	Dog	Siberian Husky	11 Years	Male	53 Pound	<p>In November he peed on a chair in the house. This was not normal for him so I took him to the vet. He has also been extremely thirsty and urinates more often than normal. He has since become very lethargic. The vet did a series of tests and bloodwork, since his urine was so diluted the results were non conclusive but his calcium levels were high. He has since had 2 of 4 of his parathyroid glands surgically removed. His health continues to decline. His favorite treats were WAGON TRAIN CHICKEN JERLY. He ate about 5-8 of these daily. All current tests at the vet are still inconclusive and all symptoms remain. (b) (6) was an extremely healthy dog who very active. His weight, bones, and spirit before this incident were that of a 6 yr old dog. His entire life I have either prepared his food or he has eaten organic dry meal. the WAGON Jerky treats and greenies (which he only had about twice a week) were his go to treats. I am having further urin and kidney tests done this week. His vets name is (b) (6)</p>
Yam Good wholesome yams wrapped with chicken	Dog	Other Canine/dog	11 Years	Female	78 Pound	<p>We noticed our dog became weak, blood in stool, bruising, short of breath, couldn't go for a walk, increased panting, and would just collapse on the floor. The only thing different were the new treats Waggin Train Yam Good wrapped with chicken. with all this happening she than also suffered a slight stroke from it and has weakness from that. For some reason I had a feeling it may be the treats and put them away and noticed today at the grocery store there was a recall. At the time I was worried the treats may of been contaminated in some way with rat poison or something. The dog was taken to the vet and they did lots of testing and found the one thing that was very abnormal was her platelet count was dangerously low. They wanted us to take her to the Emergency Vet Hospital for a blood transfusion. They put her on antibiotics for 2 weeks and prednisone and she is doing better. She still has some effects from the stroke and has difficulty going upstairs and vision issues.</p>
Waggin Train Jerky Tenders Chicken	Dog	Mastiff - Tibetan	8 Years	Male	107 Pound	<p>August 12, 2012 after eating approximately one third of a 40 oz bag of Waggin Train CHicken jerky/tenders, he suffered a grand mal seizure. January 28, 2013, after consuming more than normal but less than in August, he suffered another grand mal seizure. His bloodline is known and shows no evidence of seizures problems or disorders. He was back to normal within 48 hours both times.</p>
Kingdom Pets Chicken & Sweet Potato (Delicious Jerky Treats - All Natural Ingredients)	Dog	Schnauzer - Miniature	6 Years	Female	23 Pound	<p>We adopted (b) (6) from PAWS rescue in December 2007. At that time, she had delivered a litter of puppies and had urinary stones. After healing, she was in excellent health and had a great amount of energy and vitality. In 2011, (b) (6) was rewarded with Kingdom Pets Sweet Potato treats twice a day for about 30 days. By December 2011, she almost went into total kidney failure. Our other dog, (b) (6) died from kidney failure since she was older and had a more compromised system from years of prior abuse at a breeding farm. (b) (6) was a fit and health dog, but since ingesting these treats we have had to place her on a special kidney diet, and put her on daily medication. Just this week, she has gotten worse and we are today treating her with intravenous fluids at our veterinarian. I believe that both (b) (6) kidney issues are totally due to their eating these Kingdom Pets Sweet Potato treats since they both developed similar symptoms. (b) (6) s health has been tenuous, but improving, but she is currently in decline. I am very unhappy that Costco continues to sell these treats since despite the reports of them being safe, I believe they are the direct cause of both of my dog's health problems.</p> <p>It is now a month later and (b) (6) is days away from our decision to put her to sleep. We have spent thousands of dollars to try to maintain her as long as possible, but her kidney values are going up and we are losing the battle. I truly believe that these treats are the direct cause of her demise and of our other rescue dog, (b) (6) since they both are going to die after eating the same product.</p>
Wagon trail chicken jerky	Dog	Pit Bull	9 Days	Female	46 Pound	<p>She developed liver failure after eating wagon trail chicken jerky. She died</p>

President's Choice Nutrition First Premiere For Skin and Coat chicken strips	Dog	Other Canine/dog	5 Years	Male	60 Pound	(b) (6) was a 5 year old male dog of mixed breed. He was strong and healthy and had no previous health issues (b) (6) was rewarded with a couple of President's Choice Nutrition First Premier for Skin and Coat Chicken Strips on December 24th and then again on December 25th during a morning walk. I had purchased the chicken strips from a (b) (6) Canada and brought the strips to Costa Rica thinking they were safe. When we were returning from the walk (b) (6) had diarrhea. By the middle of December 25, (b) (6) had begun vomiting and we noticed that there were undigested pieces of the chicken strips in his vomit. He lost his appetite. His health continued to deteriorate over the next couple of days as evidenced by his lack of appetite and thirst, as well as lethargy. We decided to take him to the vet on December 28th because we had not seen any improvement in his constitution. The vet informed us that (b) (6) was severely dehydrated and treated him with intravenous fluids. They kept (b) (6) overnight. The next day December 29th, (b) (6) liver function was tested. The liver test came back normal and the vet believed that (b) (6) would recover on his own. We took (b) (6) home that afternoon and he appeared to be feeling much better. His energy had returned and he was excited to be home. That evening (b) (6) exhibited a normal appetite and we were hopeful that the situation had been resolved. Dec 30th (b) (6) condition deteriorated. He no longer had an appetite or would he drink water. In the early afternoon we began to notice that (b) (6) was displaying weakness in his hind legs and within the hour he was unable to stand. We rushed him back to the vet. We were informed that he was dehydrated again. We requested that the vet test (b) (6) kidneys to ensure that they were functioning properly. The vet kept (b) (6) overnight and again provided him with intravenous fluids. When we returned the following day we were informed that (b) (6) had kidney damage. The extent of the damage could only be confirmed by ultrasound which meant (b) (6) would have to endure a 2 hr drive over rough roads. The results of the ultrasound would not change the treatment. Due to his lower kidney function, (b) (6) would be required to survive on a modified, low-protein diet specially formulated for dogs with kidney problems. He would also have to consume a greater volume of water to replace fluids lost through increased urination. We purchased the food and electrolyte powder from the vet and returned home with (b) (6). It was now late afternoon on December 31, 2012 and we had plans to travel for a few days to a different part of the country. We were scheduled to depart early New Year's Day and had arranged to have a neighbour look after (b) (6) while we were away. We were extremely concerned that (b) (6) condition would deteriorate again when his hydration level dropped. We provided the neighbour with several litres of electrolyte-infused water and the low-protein food purchased from the vet. We also instructed her to bring (b) (6) to the vet if he experienced any complications. As communicated by our neighbour, (b) (6) condition appeared to stabilize over the next few days. He adjusted to the low-protein diet and seemed to be consuming a sufficient volume of water. While we knew that (b) (6) kidney disease was a long-term condition that would require constant monitoring, we were hopeful that he would be able to live a relatively normal life. However, during a phone call with the neighbour on January 4, we learned that (b) (6) was not doing well and that she had decided to take (b) (6) back to the vet. The vet said he ate and drank that night. At 1:13 am on Jan 5th, (b) (6) woke the vet as he was crying and panting. A few minutes later he died. The vet gave him cardiopulmonary resuscitation but couldn't bring him back.
Milos Kitchen chicken grillers, Waggin Train chicken jerky tenders	Dog	Retriever - Labrador	10 Years	Female	69 Pound	throwing up, would not eat, got so she would not move, just layed around.
Hartz Oinkies Pig Skin Twists Original	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	3 Years	Female	35 Pound	Gave Oinkies chew sticks about 8pm, pet woke up at 3am vomitting then had diarrhea several times after.
Waggin Train Big Blast Pork Skin Twists with Chicken Liver	Dog	Shepherd Dog - German	2 Years	Female	62 Pound	She had a large volume of diarrhea starting the day after consuming this product from a new package and continuing through January 22. She was fed this product twice more on January 17 and 18, always one per day.
Milo's Kitchen Chicken Jerky	Dog	Spaniel - Cocker American	9 Years	Male	38 Kilogram	Our 2 cocker spaniels have never been sick and have never been boarded so they do not come in contact with other animals. One of our dogs (b) (6) started vomiting and had diarrhea on and off beginning in November 2012 and to be seen and treated by our vet. She could not determine the cause of the illness. In January 2012 our other cocker started getting lethargic, drinking a lot of water, not eating, and had diarrhea, and we could also tell he was feverish. I immediately took him to the vet where they kept him for observation, gave him fluids to get his fever down, and placed him on antibiotics. They could not find the cause of the illness in (b) (6) either. While I was leaving (b) (6) at the vet's, I attempted to purchase Milo's Kitchen jerky treats and was then informed they had been recalled. I spoke to the vet immediately and told her we had been feeding the jerky treats to both dogs and in fact still have some of the treats left at home. She felt that since both dogs (living in 2 different locations - one in Georgia - and the other with our daughter in North Carolina) had been sick with similar symptoms and been fed the jerky treats every day, the treats could be the cause. We immediately stopped feeding them the treats and they are recovering. They have remained on the same dog food (Pinnacle Trout and Sweet Potato) for several years and were given no other food.
Milo's Chicken Jerky Strips	Dog	Beagle	7 Years	Female	60 Pound	After ingesting Milo's Chicken Jerky Strips, sudden onset of vomiting, diarrhea, lethargy, no appetite. Within 24 hours of being admitted to the hospital, she passed on.
Chicken Breast Tenders	Dog	Poodle (unspecified)	10 Years	Female	15 Pound	Persistent glucosuria began with housemate dog "(b) (6)" a 5yr old 21lb FS cockapoo in August 2012. "(b) (6)" is having similar symptoms and is doing poorly.
waggin tails	Dog	Mixed (Dog)	9 Years	Female	120 Pound	my dor went into renal kidney failer and died in 5 days with no reason was at vet for bianully exam a few months before with no problems have feed her these treats for years loved them always purchased at walmart they both need to be held accountable

Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Corgi - Welsh Pembroke	6 Years	Female	23 Pound	<p>About Dec. 21, I noticed that one of our two dogs was vomiting a little bit, but was unsure which one. Once I realized it was (b) (6), I tried some clear chicken broth to see if maybe her stomach was just a little irritated with regular dog food. When she vomited that back up, I got her to the vet quickly. He did some tests and informed us that her liver enzymes were elevated "off the chart", along with high bilirubin numbers. He sent us to (b) (6), here in (b) (6), TX.</p> <p>She was a patient with (b) (6) for several days as they tried to determine a diagnosis and what they could do to help our dog. They started I.V. fluids, took blood samples for bile acids, did an abdominal ultrasound, and began treatments of "IVF, GI protectants, liver protectants", etc.</p> <p>By Dec. 27, after extreme measures were taken to help our dog, and after performing all kinds of tests, she clearly was dying, and nothing more could be done to save her. We held her and loved her as she was euthanized, and then my husband and I transported our little girl, ourselves, directly to the vet school at (b) (6). Our family vet had made arrangements on our behalf for them to do a necropsy on our pet.</p> <p>I wanted a necropsy performed because I wanted to know what had killed our dog.</p> <p>The results that came back from (b) (6) were incomplete and not specific to any one cause. So that's where we've left it.</p> <p>TODAY, I read that illnesses and deaths have been linked, unofficially, I guess, to dog treats manufactured in China. A bell went off: I'd bought at least two packages (maybe even three or four over time?) of Canyon Creek "Tenders" preceding my dog's illness, and given these "treats" to her.</p> <p>TODAY, in the back of my pantry, I found what's left of one of those bags. Sure enough, it was made in China, it's "Canyon Creek Ranch Natural Chicken Tenders". Here's the LOT NO.: G1CA3716A</p> <p>I realize I've given informal and inexact information here, but perhaps it might be possible to gather (b) (6) actual medical records from 1) the family vet, 2) (b) (6), and/or the vet school at (b) (6) that performed the necropsy. However, about 13 months has passed now, so perhaps the records have been deleted or otherwise destroyed.</p> <p>That's where it stands NOW. I'd still like to know what killed my dog.</p> <p>Thanks.</p>
Waggin' Train Western Style Chicken Bites Honey Basted	Dog	Dachshund - Miniature	3 Years	Mixed Population of Female and Male	15 Pound	All three dogs had vomiting and several bouts of diarrhea, then they were lethargic until the next day.
Waggin train wholesome big blast pork skin twists with chicken liver	Dog	Mixed (Dog)	11 Years	Female	63 Pound	Has had mucousy green diarrhea that comes on suddenly several times throughout the past 48 hours. Little appetite, tolerated some biscuits, drank some water. Refusing dog food. Excessive thirst at times. Condition remains same at present.
Waggon Train Chicken Jerky Tenders	Dog	Mixed (Dog)	7 Years	Female	15 Ounce	In the middle of December, my dog, (b) (6) developed constipation so I tried to give her Metamucil to help her go to the bathroom. When that didn't work and I noticed she was having trouble going up and down stairs, we took her to the vet. Without drawing blood, he diagnosed a kidney infection and put her on antibiotics. A few days later, on Monday, January 14, 2013, when there was no sign she was getting better, only weaker, we took her back to the vet where blood was drawn and it was determined that her kidneys were failing. The doctor prescribed a 3-day diuresis to flush out her kidneys in the hopes of regenerating cells. On the 3rd day, (b) (6) seemed to be coming back to her old self. The vet said we should be cautiously optimistic - and in a side note, mentioned that many dogs had been having kidney failure due to Waggon Train Chicken Jerky Tenders. She came home and ate some boiled chicken, drank water, peed, didn't vomit, begged for treats, etc. Unfortunately, by the next day, she was back to lying around, not eating, and barely drinking water. Over the next several days, we tried everything we could to rehydrate her and settle her nausea, but it was no use. She ended up vomiting up blood and died in her sleep later that same night, Sunday, January 20, 2013.
Smokehouse chicken breast strips	Dog	Pointing Dog - German Short-haired	7 Years	Female	68 Pound	<p>Husband decided to purchase treats in the spirit of Christmas holiday. We NEVER buy dog treats! we only feed carrots, apple, and bananas as treats. A few days after the holiday my husband gave all three of our dogs the treats. (b) (6) being a large dog received multiple treats while our other 2 dogs a Chihuahua 11 pounds and a terrier mix 7.4 pounds each only received 1 treat total. A day or so passes and my husband gives (b) (6) more of the treats...the other dogs none. My husband thinks he only gave them to (b) (6) 3-4 days total.</p> <p>I thought we noticed (b) (6) drinking more water than usual but did not mention it to my husband. A day or so later (b) (6) is drinking and my husband stated he thought she seemed to be drinking more water than usual.</p> <p>I immediately went to the jerky treat bag and saw on the back lower corner that they are made in China. Front of the bag has a sticker stating Tested in the USA! The next day I got an emergency vet appointment and had 2 of the dogs tested because my husband didnt want to tell me he gave to all three dogs. (b) (6) (terrier mix 7.4 pound) get bloodwork done. Liver and kidney function tests.</p> <p>Vet calls to tell me (b) (6) is in Acute liver Failure. I do not have any copies of the labs. The date was 1/11/13. I immediately took (b) (6) to (b) (6) small animal hospital in (b) (6). (b) (6) was admitted to the hospital for the elevated liver enzymes, low platelets. IV fluids, platelets, and medications to support her liver started. Lab testes revealed negative results for other tick born illnesses that would lead to elevated liver enzymes and her Lyme titer was considered low meaning she did not have active Lyme disease that would cause elevated liver enzymes. Spleen biopsy was done to rule out cancers that would cause liver enzyme elevation. Over the course of 3 days (b) (6) liver enzymes started to decrease. (b) (6) was discharged on 1/13/13 and was on supportive care since her discharge (b) (6) continues to have follow up blood testes to monitor her liver. Her enzymes are slowly coming back to normal.</p>

Dentley's wrapped rawhide sticks with real chicken	Dog	Mixed (Dog)	4	Years	Female	8.7	Pound	I have a 4 year old (b) (6) (Maltese/Yorkie mix). She has always been a finicky dog but the one thing she loved were chicken treats and she had been given them since she was about 6 months old. I gave her all brands and varieties. All were from China, I now have discovered. Around Nov. of 2012, I tried Dentley's rawhide sticks wrapped in chicken. She never ate the rawhide, but loved chewing the chicken off of these sticks. She loved these so much that I would give her them throughout the day, sometimes the entire bag of ten. I didn't see any limit on how many you could give, and the chicken on these rawhide sticks was very thin, so I figured that the amount of chicken she was eating was equal to about two large chicken strips. On Jan 11th, my dog stopped eating. We were having a number of family stresses at the time, so I thought she may have been reacting to our stress. But she started vomiting and was drinking and urinating more than usual. I started giving her a concentrated nutrient/energy paste supplement and took her to my vet on Jan 20th. My vet x-rayed her and did blood work and found both normal. So she was hydrated and given Cerenia for nausea. I was told to feed her chicken and rice and was told that she had depression based on my history. (I told the vet that I gave her these treats everyday but she, like myself, was unaware of the warnings). My dog continued not to eat and on Jan 22nd I took her to the hospital. There she was found to be dehydrated and tests showed she had glucose in her urine, as well as low potassium and low blood sugar. She had the classic symptoms of Fanconi syndrome and based on her history and the fact that she is not a breed that gets this genetically, it is believed that it was acquired from the treats made in China. She spent two days in the hospital. She is home now but is still not herself. She has very little energy and continues to drink and urinate a lot. The sad part of this is that I had no idea these treats were dangerous. Upon researching this on the internet, I am now aware that there have been reports of dogs becoming ill on chicken jerky from China since 2007. I read a number of stories of people who lost their dogs to this problem, and it just breaks my heart. I don't understand why you don't demand these treats be removed from the shelves. We depend on you to protect us. I understand that the reason there was not a recall was that it was not known why dogs were getting sick and dying. But if potato chips were making humans sick and die, would you wait to find out what it was about the potato chip before removing them from the shelves? I understand that Australia banned these products from China and Vietnam and the cases of Fanconi Syndrome abated. I was clueless and so was my Vet. On Jan. 9th, three major manufacturers of these treats did a voluntary recall. No mention of dogs getting sick was in that recall. It sounded like they were just being cautious. So people still are not taking this as something to be worried about. My vet bill so far is \$3000. And her life, if she survives this, will most likely be shortened and consist of continual visits for lab work and follow up appointments. I would do anything for her. I thought I was giving healthy treats. And the brand I was poisoning my dog with is still on the shelves. Please don't let another dog owner go through what I am going through right now. If the voluntary recalls were done after it was discovered that there were traces of antibiotics found in the chicken, and we now know that the Chinese feed their chickens these antibiotics, I think we can assume that this is probably the problem. It would make sense that dehydrating chicken meat from chickens fed antibiotics may be the problem. Especially knowing that there are cases of antibiotics causing Fanconi syndrome in dogs. So please recall all of these treats. Every brand should be off the shelves. And any product made in the USA that uses ingredients from China should be made to put that on their packaging. Right now I can go to Pet Smart and buy the product that caused my dog's illness. I just want to add that I have been told that the FDA posted a warning. Where does one have to go to see this warning? Do I have to Google search things I buy for warnings online? If there is a risk of illness, and you don't issue a recall, shouldn't that warning be on the packaging of the products that are dangerous? Please do something about this. Please protect us. Thank you
Waggin Train chicken jerky also Milo's chicken jerky	Dog	Mixed (Dog)	7	Years	Female	83	Pound	Notable water intake and increased urination. Little leakage and soften stool.
Milo's Chicken Jerky	Dog	Dachshund - Standard Long-haired	2	Years	Female	16	Pound	loss of appetite, diarrhea, vomiting and would just lay around-no energy. Just a sip of water would go right through her.
Waggin train Yam Good treats	Dog	Spaniel - Cocker American	1	Years	Mixed Population of Female and Male	15	Pound	My 7 yr old cocker vomited with diarrhea for 2 days, then got better, the younger dog, continued vomiting and had to go to the vet. the dog treats waggin trail yam good jerky treats were still on the shelf at our local walmart at this time the dates are an estimate.
Wagon Train Wholesome Chicken Jerky Tenders	Dog	Bichon Frise	12	Years	Male	15	Pound	Two weeks before death dog had above problems but was doing relatively ok. He was eating and drinking and active. Owner bought Wagon Train Wholesome Chicken Jerky Tenders and fed them in moderate amounts for two weeks. Dog presented for vomiting and diarrhea and not eating. Blood tests revealed severe azotemia and dog was hospitalized and given IV fluids. He also had a seizure and another smaller one once hospitalized that responded to diazepam. Leptospirosis tests (PCR) were negative. Dog continued to deteriorate and died in the hospital three days later. A necropsy was done and kidney, bladder, and liver tissues submitted to (b) (6). Kidneys: A) Chronic interstitial nephritis. B) Glomerulonephritis Bladder: Minimal cystitis Liver: Hepatopathy characterized by marked vacular congestion and mild hepatocellular swelling and hepatocellular vacuolation (hepatocellular degeneration).
Waggin Train Chicken Jerky Treats	Dog	Terrier - Jack Russell	10	Years	Male	30	Pound	Thursday, Dec 27, 2012, went to work - (b) (6) was fine - playing, barking - no sign of illness. Got home from work about 4 p.m., he was listless and acted like he didn't feel good. About 7-8 p.m. started vomiting. Would drink water, but wouldn't eat. Layed around all evening. I woke up about 1 a.m. and found him breathing rapidly and moaning whenever I touched him. I took him to the Emergency Vet then. They did blood work, gave him IV fluids and pain medicine. By about 4 a.m., he was having loose stool with blood noted. By 6 a.m., he was bleeding orally and was basically non-responsive. I took him to our regular vet at 8 a.m. They did x-rays and found blood in his belly; the vet said he either ruptured his gallbladder or had bleeding from his liver. He was in extreme pain by this time and even the pain med they gave him did not help. I had to make the hardest decision of my life and ended up having him euthanized. Less than 24 hrs. had transpired and my beloved dog was dead. He was an indoor-outdoor dog, stayed only in our yard (had an underground fence), no visible signs of injury. Did not relate his death to the chicken jerky treats until a recall was started. Our dogs ate at least 3 jerky treats daily. We feel terrible knowing that we contributed to his death. Knowing that this company knew what was happening is outrageous and is unconscionable. If we can help one animal from becoming sick or dying, we are ready to help however we can. Going thru this was torture for our dog and ourselves. He is missed every day. His companion dog is still wandering from room to room looking for his "brother". The sadness persists - waiting for him to greet us at the door, letting us know he was ready to eat and just being a source of comfort. We no longer have that comfort because of these "treats".

Beefeaters Sweet Potato Snacks for Dogs	Dog	Sheepdog - Shetland	2	Years	Female	23	Kilogram	<p>Purchased Beefeaters Sweet Potato Snacks from (b) (6), NY.</p> <p>Opened bag - gave treats to my dog. After a few days, (dog ate about 2 or more a day) - my dog, (b) (6) - stopped eating. She became lethargic. Stopped drinking.</p> <p>Took to vet on Thursday, 1/17, and on Saturday 1/19. Vet took bloodwork and xrays. Couldn't find out what was wrong, and the dog was presenting worse by Saturday. Referred to 24/7 animal hospital.</p> <p>Took (b) (6) to Animal Hospital on Sunday, 1/20. They did more tests, bloodwork, urine analysis, etc. Decided to keep her overnight, tests showed some issues related to kidney function.</p> <p>Went home - looked up Beefeaters Sweet Potato Snacks for dogs on google. Noticed an article related to kidney failure w/ dogs who ate these snacks. Called the animal hospital to inform them of what we had been feeding our dog prior to her falling ill.</p> <p>Met w/ internal medicine vet & ER vet on Monday, 1/21. They agreed the cause of (b) (6) health problems was a direct result of contaminated treats, and we showed them the treats. They stated they would write me a letter indicating this was the cause of her illness & that she might have kidney damage. They are hoping the effects are reversible.</p> <p>She stayed overnight for 2 nights, and we are taking her home today. We have to inject her w/ fluids 1 x per day until her next check up on Saturday. At this time, we do not know if the kidney damage is permanent, but we are hoping for the best.</p> <p>In the meantime, I have racked up over \$2,000 in medical bills.</p>
American Kennel Club Chicken Jerky								Bought American Kennel Club Chicken Jerky-a foreign object appearing to be a thick string of some sort found in a jerky my dog had been trying to chew. Results the string was found, dog is alright but is still a safety hazard if i had not found it.
Milos Kitchen home-style dog treats Chicken Jerky	Dog	Shepherd Dog - German	11	Years	Male	101	Pound	Diarrhia, some bloody
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Mixed (Dog)	10	Years	Male	16	Pound	On 1/17/13 Presented for anorexia x 1 day for his dog food, but would eat the jerky treats they had been giving him. No urination that day, no straining. Thought they saw "white material" at the urethrostomy site. Dog had lost 4 lbs (19.5 to 15.5) since surgery 3 weeks prior. Urinary catheter passed easily, looked grossly normal, but did urine dipstick to look for occult blood. All was negative, except urine glucose was of the scale!!! Repeated to be sue. Blood suga was 131. In researching, found that Fanconi type syndrome was a sequelae of Chicken Jerky toxicosis. Owner advised to stop feeding the chicken jerky, and dog has improved.
waggin trail 1/20/13 lassos pork and chicken doggie treats	Dog	Dachshund - Miniature	11	Years	Female	12	Pound	(b) (6) ate a waggin trail treat that was made from chicken from china...she then developed pancreatitis and spent 3 days at the vets office and was given treatment...total cost was \$305.00
Waggin Train Chik'n Biscuit Recipe	Dog	Poodle - Toy	9	Years	Male	10	Pound	My little poodle died on 1/20/13. I gave him Waggin Wheel chicken biscuits. After 3 days he started throwing up and wouldn't eat anything. He continually got sicker and wouldn't even try to walk. He just lay on his pillow. He was always a very lively dog and loved to eat. Finally on 1/20/13 at 9:44PM he took his last breath.
Waggin' Train and Canyon Creek Ranch chicken jerky	Dog	Pekingese	5	Years	Male	22	Pound	Had an allergic reaction, scratched a raw path on his head, threw up multiple time. Was lethargic and had seizures. Vet said he is going blind - gave topical meds did not do blood work.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	2	Years	Male	10	Pound	My dogs have eaten Waggin Train Chicken Jerky treats daily for 1.5 yrs but this time they experienced Diarrhea w/ blood, vomiting, wouldn't eat for 4 days. Symptoms lasted for 4 days for my Yorkie (b) (6). The symptoms started a day later for (b) (6) (b) (6). Similare symptoms w/ diarrhea w/ blood, vomiting, wouldn't eat for a few days. He wasn't as sick as my yorkie. He is bigger at 15lbs vs. 10lbs. This could be the reason. However, they were both really sick and they have been on the same food/treats for 2 yrs so I know the Waggin Train Chicken Jerky was the cause of their illness. Especially when I was told they were recalled.
Waggin tails chicken jerky treats	Dog	Terrier (unspecified)	4	Years	Female	22	Pound	Dog had uncontrollable diareaha diarrhea and was lethargic for 2 days after eating chicken jerky treat by waggin tails purchased at Walmart. Did not realize illness was from treats so gave her another treat When she was feeling better and it started all over again. Finally took her to vet who put her on antibiotics and threw treats away. Few days later I saw reports about waggin tail treats. Luckily my dog survived.
Nature's Deli Chicken Jerky Dog Treats	Dog	Retriever - Labrador	3	Years	Male	85	Pound	Gave the dog a Nature's Deli chicken jerky treat. The next day he threw up. Didn't give him treats for two days. Gave him a treat again, and then again, he threw up yellow bile-type vomit. Checked for recalls and saw the warnings. Why are they allowed to continue selling these tainted products???
Canyon Creek Ranch Brand Big Blast Pork Skin Twists with Chicken Liver	Dog	Mixed (Dog)						I gave my pet a Big Blast Pork Skin Twist with Chicken Liver made by Canyon Creek Ranch brand and I noticed while he was eating it there was a very funny smell. The next morning he had vomited the entire thing up on the stairs.
Milo chicken jerky	Dog	Poodle - Toy	8	Years	Female	6	Pound	My husband commented that (b) (6) had been drinking a lot lately. The next day on Facebook I saw a warning about dog treats from china that were making dogs sick. On the list was Milo's Chicken Jerky. We had bought a small bag to see if (b) (6) would eat them. She had eaten all of them over a couple of wks. We had just bought a big bag but she hadn't eaten but a few of those. I looked up to see what the symptoms were. One was excessive drinking and frequent urination.. (b) (6) usually goes to bathroom right before bed and doesn't go again until morning. That night she went before bed twice on paper during night and again in the morning. We called our vet and took (b) (6) in. Our vet checked urine and did blood test. Her liver and kidney numbers were up from test done 2 years ago. We have (b) (6) on a low protien diet. We are making sure she drinks a lot and we will take her back in 6 wks if we don't need to bring her back in sooner. We took (b) (6) to the vet on January the 9 of 2013.
Milo's Kitchen Chicken Grillers	Dog	Mixed (Dog)	10	Years	Male	22	Pound	The owner gave (b) (6) two treats that he had not had before. About 30-45 minutes later, (b) (6) had a seizure-like episode in which he fell on his side and had generalized tremors and vocalizations. The seizure lasted about 2 minutes. Afterward, his legs trembled slightly for a period of time. (b) (6) appetite has not been very good for about 5 days, and he has also had bad gas since the event. The owner is concerned because on January 15, 2013, the product given to (b) (6) was voluntarily recalled due to residual antibiotics.

Dentley's Natural Flavor Rawhide Chew Chips	Dog	Mixed (Dog)	14	Years	Female	40	Pound	<p>there have been 3 separate days when I gave her a whole piece, she ate it and had a seizure that evening. this was about a month ago.</p> <p>there have been 2 separate days where she has gotten a hold of the same treats chewed on them for up to an hour (because I was unaware she had it), but they were taken away before she could eat it entirely, and those evenings she had a seizure. 1 day where she had gotten a hold of one for a few minutes (i had to pull the pieces out of her mouth and throat) she had a very short/minor seizure that evening this was all this week.</p> <p>in this same week 2 other dogs were given these same treats (same bag) , but no noticeable side effects and no seizures.</p>
Waggin' Train and Canyon Creek Ranch Chicken Jerky								<p>We brought our Boston Terrier on 12/24/10 and she was 8 weeks old. In 3/27/11 we gave her Chicken Jerky from Wlamart to chew on and one piece about the size of a fifty cent piece got lodged in her throat. We took her to the Vet and they ran X-rays to see what was wrong with her. They did several different treatments and nothing was doing the trick to dislodge it. We spent almost \$1000.00 dollars and then we were told they would have to do exploratory sure and it would be over \$1800.00 more. I can tell we are so extremely upset but we are normal people and spending thousands of dollar is not available to us. We told our Vet we would give it until Monday which was two more days. On Sunday 4/3/11 we took her for a ride in the car and she was so ill we took her home as we were walking into our home she started to throw up and up came the piece of the chicken jerky which had been in her throat for 8 days. Crazy how something could be in her body and when it came out the structure was still the same. I will never allow any person I know to buy or use that product again. While in that state for 8 days it has caused my stomach issues that we still deal with today. We have had to continue with giving her stomach medicine and the Vet today is not sure if the issues she had during that 8 days have lead to her allergies. When I total up our medical bills for our 2 year old dog, We are at over \$5000.00.</p>
Cadet Gourmet Ducky Jerky	Dog	Beagle	7	Years	Female	22	Pound	<p>I bought this product in late July 2012 and gave it to (b) (6). (b) (6) is a 90lb and was almost 11 at the time. I also gave the jerky to (b) (6) who is a 60 lb dog and was about 10.5 at the time. Both of those dogs violently vomitted about an hour after eating the jerky. They vomitted in a way I have never seen in all their lives nor have they ever again. I immediately stopped giving the jerky and contacted the distributor. (b) (6), however, visibly began to lose weight about the middle of August/early September and then became lethargic. I took her to the vet and the vet began by doing a fecal and testing for Lyme's and heartworm. The tests were negative. Her decline continued and so the vet did a full blood panel. We got the results indicating acute renal failure. The doctor told me that she probably had lost 75% of her kidney function and that she was going to die. We made the decision to humanely euthanize her the day after we got the results from the vet. We are currently working with Dr. Renate Remschuessel, Dr. Olgica Ceric and Dr. Anna Maria Castiglia at the FDA. We have had regular contact.</p>
Milo Chicken jerky treats	Dog	Other Canine/dog	10	Years	Female	5	Pound	<p>Gave dog Milo's chicken jerky treats purchased at Walmart She went in to seizures and would not ever unseize. Went to Emergency vet and she had gone into severe kidney failure. We had to put her to sleep. Broke my heart. This was a most beloved and cherished pet and this was so unexpected.</p>
Canyon Creek Ranch Brand Chicken Tenders Low Fat Genuine Treats for Dogs	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	18	Months	Female	22	Pound	<p>Product: Nestle Purina Canyon Creek Ranch 30 oz. Chicken Tenders 2220T027 101CK1 B/B Aug 2014 CA 6986 Aug 2012</p> <p>Emergency Vet: (b) (6)</p> <p>Regular Vet: (b) (6)</p> <p>Purchased early Dec 2012 (b) (6)</p> <p>Fed 1 strip per day (bag recommends 2 per day) to healthy energetic 18mo old, 22lb female mini cattle dog.</p> <p>After feeding for approx 30 days, dog became listless with vomiting on Jan 10, 2013 with loose stool. On morning of Jan 11, 2013 vomiting continued with unproductive bowel straining resulting in fresh red blood coming from rectum. Same day visit to regular vet who observed fresh blood in rectum. Prescribed Flagyl and sent stool to lab for parasite, giardia tests. Same day dog quit eating everything except the CC chicken strip(1) and was extremely listless with more vomiting.</p> <p>Vet called on Jan 12, 2013 with lab test on stool all negative. Suggested to feed baby food, dog drinking lots of water and urinating, continued vomiting and listlessness. Jan 12 thru the am of Jan 14, 2013, dog refused all food but continued drinking water and urinating.</p> <p>Morning of Jan 15, 2013 dog extremely listless, vomiting, refusing food, shivering. Vet performed blood profile work and called later in the evening recommending I take the dog to Emergency treatment as the liver and kidney enzymes were "off the chart".</p> <p>Evening of Jan 13, 2013 dog admitted to (b) (6) ER for treatment. At 1:00am on Jan 14, 2013 Vet called me at home to say dog was in crisis, heart rate of 38, and was currently stabilized. While talking to her, the dog went back into crisis and vet had to call me back after re-stabilizing the dog.</p> <p>On morning of Jan 15, 2013 the dog was transferred to the day care of regular vet for continued observation and IV fluids. That evening dog returned to ER for maintenance and recheck of electrolytes. Condition was slowing improving and on the morning of Jan 16, 2013 the dog was readmitted to reg vet for IV fluids. The afternoon of Jan 16, 2013 we brought the dog home where she is slowly recovering. She lost 4 lbs in 4 days.</p> <p>On Jan 16, 2013 the blood profile tested for Addison's disease with almost total adrenal failure. Dog is prescribed prednisone 2X per day and percorten injection every 25 days for life.</p> <p>I still have the uneaten CC chicken tenders (5) in the original bag. I did not learn of the recall until the morning of Jan 14, 2013.</p> <p>I think someone ethical should test the remaining treats in the bag. My dog was completely healthy prior to eating these contaminated treats and has never been treated for any health issues.</p> <p>I did report this to the Petsmart store and was given a full refund. The manager told me they would destroy the returned unopened bags of treats. I am keeping the original opened bag for myself in the hope some testing can be done.</p> <p>The manager was not interested in the lot number of the opened bag. The store shelf did have a sign posted that the treats had been recalled and none were on the shelf. I am also reporting this to the State Dept of Agriculture/Oregon</p>
waggin train	Dog	Retriever - Labrador	11	Years	Female	70	Pound	<p>i gave my dog a waggin train dog treat that was peanut butter wrapped with rawhide the wrapped with chicken jerky approximately 5 hours later i took her to vet (b) (6)</p> <p>due to severe abdominal pain. they x-rayed her and asked me to bring her back the next day for an ultra sound.</p> <p>the ultra sound showed fluid in her abdomen. and they immediately did surgery.</p> <p>they prescribed her amoxicillain and tremadol as well as pepcid ac and a diet of lean meat and rice</p> <p>she seemed to improve but had no appetite .</p> <p>After 3 days I called dr labonde and he suggested I start using baby food to stimulate her appetite</p> <p>this seem to work but after a few weeks she seem to be relapsing</p> <p>on Jan 3rd I called dr labonde on the 4th of jan. and he suggested to give her some pepcid ac and if she didn't get better by Monday bring her in.</p> <p>the next day I rushed her to the vets office as she was declining fast.</p> <p>(b) (6) saw (b) (6) and immediately took in back to give her fluids and ask me to call in 2 hours</p> <p>2 hours later he called and said I had to take her to a critical care hospital</p> <p>I lost her at 3 am Sunday morning.</p>

Waggin Train Chicken chews and strips	Dog	Mixed (Dog)	9	Years	Mixed Population of Female and Male	15	Pound	The symptoms vomiting, loose bowels, uncontrolled bladder, seizures, lost of hair, ear and throat infections, tumors, addiction to the product. the dogs got terribly sick after the holidays, 2012, and in January 9, 2013, I had to put them down at vet's office
canyon creek duck yams	Dog	Whippet	9	Years	Female	27	Pound	after eating the treats (which Santa brought them for Christmas) she became so thirsty and had to urinate frequently - had accidents in the house which she NEVER does. . . vet tests to follow.
Waggin Train Wrapples 2 treats in 1 3.5 oz bag from Target	Dog	Mixed (Dog)	3	Years	Female	55	Pound	drinking large quantities and at more frequent intervals frequent urination threw up punky feeling, not active,
Milos Kitchen Chicken Grillers	Dog	Coton de Tuléar	7	Years	Female	11	Pound	After (b) (6) ate Milo's Chicken Grillers she started acting strangely, vomited a lot of bile up and pieces of the treats, took her to the vets, she was in kidney failure, I rushed her to the Intensive Care Unit in another city, she had extensive testing, was on IV for 3 days, all tests show no signs of infection however the blood work and her ultrasound show she is in kidney failure and the vet confirmed it was from toxins, all other possibilities were ruled out. (b) (6) is a coton de tulear, their normal life is 16 - 20 years, I had blood work done this past summer and she was fine. (b) (6) remains listless, she is not eating and she has a very high amount of protein in her urine. I am beyond anger and I have saved the toxic treats, I plan to have them tested, I have also saved all of her medical records.
Waggin' Train Chicken Jerky Treats Canyon Creek Chicken Jerky Treats	Dog	Retriever - Labrador	13	Years	Female	90	Pound	Dog had diabetes under control for two years. Dog had been given Waggin' Trails and Canyon Creek brand chicken tenders which she would eat. Dog became lethargic and not wanting to eat normal kibble/moist food meals. Dog became unsteady on feet and would fall over. Vet diagnosed kidney failure. The vet did not understand how this came on so suddenly when the dog had been in good health prior. In fact, the dog was in good enough health to have had \$6,000 worth of catarac surgery just prior to this happening. Dog died tragically from renal failure.
Waggin Train chicken jerky treats	Dog	Chihuahua	7	Months	Female	10	Pound	Liver enzymes over 900 count - got UTI and ear infection as well
Waggin Tails	Dog	Other Canine/dog	7	Months	Female	14	Pound	After feeding my dog these treats she started passing blood in her urine.
WAGGIN TRAIN	Dog	Sheepdog - Shetland	11	Years	Male	31	Pound	I WAS FEEDING HIM THE WAGGIN TRAILS TREATS DAILY. ABOUT TWO TO THREE PER DAY. HE WENT FROM ENJOYING THEM TO NOT WANTING ANY AT ALL. SEVERAL WEEKS LATER IT WAS DETERMINED THAT HE HAD A STROKE OR A BRAIN aneurysm. UNFORTUNATLY WE HAD TO PUT HIM DOWN. HE WAS UNABLE TO SEE IF HIS HEAD WAS TILTED DOWN AND UNABLE TO FUNCTION
Treats 100%natural Chicken Breast Tenders 100% chicken Breast Fillets CPI Brand	Dog	Chihuahua	8	Months	Male	12	Pound	After eating chicken jerky the chihuahua vomited the whole treat. No other problem detected as treat was not given again. This treat was made in China distributed by Pet Center Inc, L.A. Ca.
Cadet Brand Chicken Jerky, Waggin Train chicken jerky	Dog	Shar Pei	9	Years	Male	136	Pound	He stopped eating and lost a lot of weight. He was throwing up a lot. I took him to the vet and they said he was in kidney failure and he died five days later.
Milo's Kitchen Chicken Jerky	Dog	Samoyed	10	Years	Female	45	Pound	After giving my dog the treats, she increased the amount of water she was drinking and was unable to control her bladder. There appeared to be blood in her urine. After this continued for two weeks and due to her age, we put her to sleep.
Waggin Train Wholesome Duck Jerky Tenders	Dog	Shepherd Dog - German	4	Years	Female	80	Pound	She ate the treat before bed on Fri evening. On Sat morning I let her out and she urinated and came back in. I noticed she was licking herself frequently and around 10:30 am was laying in a puddle of urine. I had her get up and go outside. On her way out she was dripping urine. She went outside and relieved herself again. I brought her in wiped her down and dried her off then started cleaning up the spot she had been laying in. I looked over and she has in a puddle again. I took her to the Emergency Vet Clinic. The ran a quick dip test that showed no infection but an increase in protein and low specific gravity. So they did an x-ray to see if she had any stones that could be causing this. The x-ray showed everything to be fine. So they ran a blood panel to check her kidney values. Her blood panel came back fine. There was no medical reason for the incontinence. The only thing we can think may have caused the incident is the treats. They were a brand new bag. She only had 4 (daily max on bag says 5). They were the Waggin Train Wholesome Duck Jerky Tenders best before Dec 20013. Other date codes include CA6693 Jun 2012 2177T028 0101WG2
Milo Chicken strips	Dog	Shepherd Dog - Australian	10	Years	Female	50	Pound	We had recently switched from a different treat exclusively to Milo Chicken strips which she absolutely loved. This went on for approximately 3-4 months during which she contracted a severe urinary infection requiring numerous visits to Vet and multiple medications. She would wake up at all hours crying and would need to go out. After 2 weeks of Bayril we seem to have gotten her condition under control. We have stopped the Milo treats. My dog has NEVER previously been sick, and never even required a visit to the vet other than normal checkups and shots. I had never seen her so uncomfortable and in so much pain.

Milos Kitchen home style dog treats	Dog	Spaniel - Cocker American	6 Years	Female	25 Pound	I have been feeding my dog, (b) (6), Milo's Chicken Jerky's for a long time 6months or longer. She had gotten sick about a month ago with vomiting, gastrointestinal issues such as vomiting up blood, her leg was so swollen that she couldn't walk on it, it was bleeding out of her leg. Very depressed state and unable to eat for a week,lost a lot of weight at the time prob 6 pounds. Took her to family doctor, then she got worse with vomiting blood, took her to the emergent animal clinical and then the next day back to my family doctor and then referred over to (b) (6) for follow up on blood work. Her white blood count cells were very low and then wanted to admit her and do a blood transfusion. They were not sure what the problem was, that thought that she had eaten something that she shouldn't have. They said her blood was not coagulating for some reason They wanted to admitted her for blood transfused but I was scared and asked if there was anything else we could do for her at home. They put her on various medications,about six different ones, to treat this problem that they didn't know what it was. It took her two weeks to recover from this incident and I thought I was going to lose her. I spent about 1500.00 or more on hospital visits and doctors appt and medications only to find out they didn't know what it was, but I do believe now that it was from the Milos' Chicken Jerky she has been ingesting.
Milo's Kitchen Chicken Jerky	Dog	Pug	3 Years	Female	24 Pound	After giving the treat for 2 consecutive days she started having severe diarrhea. Had to take her to the vet where he did a stool sample and blood work. Without performing additional tests he concluded it was from the treat.
Canyon Creek Ranch Big Blast Pork Skin Twists wrapped with duck jerky with chicken liver	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	9 Months	Female	27 Pound	Pet ate 4-5 Canyon Creek Ranch Big Blast Pork Skin Twists (wrapped with duck jerky with chicken liver). Pet developed uncontrolled urination and thirst. Pet was taken to the vet and kidney failure was diagnosed. Stage III kidney failure.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Water Dog - Frisian	12 Years	Female	80 Pound	After eating the treats she vomitted 4 times over night, became very lethargic, had no appetite, drank large amounts of water, and urinated frequently.
Waggin train wholesome chicken jerky tenders	Dog	Mixed (Dog)	11 Years	Male	85 Pound	Animal stopped eating, became lethargic, drinking excessive water. Was taken to the vet and diagnosed with kidney problems. The vet notified me of a potential issue with the chicken jerky that dog was consuming.
milos kitchen	Dog	Terrier (unspecified)	13 Years	Female	28 Pound	I started giving (b) (6) treats made by Milos Kitchen in August 2011. She didn't like the jerky, so I started giving her the cutlets. Within two weeks after introducing each product, she refused to take the treat out of my hand. By mid September, she became listless. By the end of September, she started wetting areas that she slept in. We took her to the vet, who told us that kidney damage had started. The vet put her on medicine. We took her back to the vet after 10 days and the damage was increasing. October 3rd, 2011 our family member had to be put down because her kidneys shut down. I told the vet what I suspected right from the beginning. (b) (6) had never stopped eating treats or her regular food. We still grieve the loss of our perfect little girl. I was angered every time I saw Milos Kitchen commercials or in the grocery. I now check ALL foods that are made out of the U. S. Please stop allowing food products from other counties to enter our borders.
Milo's Kitchen Chicken Jerky	Dog	Beagle	7 Months	Male	11 Pound	I gave my Beagle some Milo's Kitchen Chicken Jerky treats in the afternoon and early evening of 1/2/13. He would not eat any food for dinner and then he began moaning as if in pain in the late evening of 1/2/13. I thought that his teething may have been the cause. He moaned all night long and by morning on 1/3/13 his moans began being followed by barks. Again he would not eat. I called for the earliest appointment with his veterinarian and got scheduled for early afternoon on 1/3/13. He threw up five times before leaving for the appointment and moaning/barking continued. I noticed chunks of Milo's Kitchen Chicken Jerky in his vomit. Once at the vet's office, his condition became increasingly worse. They ran several tests including Parvovirus, CBC, Chem. profile/electrolytes, radiograph and intestinal parasite screen, but could not determine what was wrong. They suspected it was some sort of toxin from something he had ate, but blood work came back normal. He was terribly weak and seemed to lose his vision. He no longer moaned, just barked profusely as if in terrible pain. The vet gave him fluids, steroids and antibiotics and sent him home with instructions of how to care for him during the night. I was to update the vet with his status first thing in the morning. When I got him home, he was even more weak. He could barely stand, and when he tried to walk he would stumble as if he was intoxicated. He began urinating uncontrollably and vomiting returned as well. He developed diarrhea later in the night and at this point, he would cry out in pain with a bark with each and every breath. This continued throughout the night until the early morning of 1/4/13. I gave him his oral antibiotic, Clavamox, as instructed by the vet, but his condition had not improved. I tried to contact the vet but had to leave a message instead. Without wanting to wait, I then took him to a local pet hospital. He was tested again for Parvovirus and it came back negative. He then passed away, at about 10:20am on 1/4/13, before any other tests could be performed. The hospital offered to perform an autopsy and I gave them the go ahead. The autopsy determined that his heart, lungs and liver seemed to be normal. He had small traces of round worm in his stomach, but not enough to cause any serious bacterial infections. A very small bone was found in his stomach as well, but they said it was not blocking anything, nor did they think it could have due to it's small size. They concluded that he must have ingested something toxic, but they did not have the required equipment to test a tissue sample to determine the exact cause. Whatever the cause, it took hold and ended his life within 36 to 48 hours.
Canyon Creek Ranch Brand - Western Style Cowboy Steaks	Dog	Chihuahua	6 Years	Male	5.5 Pound	Dog, (b) (6), ate 1 Canyon Creek Ranch Cowboy Steak, made with chicken jerky, on 1/6/13. The next day, 1/7/13 he began experiencing the following symptoms, vomiting, diarrhea and loss of appetite. He experienced these symptoms until 1/11/13 and has no recovered fully. He was taken to the veterinarian on 1/9/13 and his vitals came back normal and they indicated it must be something he ingested. Outside of his normal food, this treat was the only thing he consumed.
Waggin Train Chik'n Biscuits Recipe	Dog	Shih Tzu	12 Years	Female	15 Pound	(b) (6) was given Waggin Train Chik'n Biscuits Recipe dog treats within 60 days of her getting very sick, eventually, she wouldn't eat, but she continued to eat the treats. I did not know that I was continuing to hurt her health by doing so, but since she wouldn't eat anything else, I thought something was better than nothing. I have read all of the consumer report online postings of over 145 individuals that gave their dog these same treats, they all have complained of the same symptoms that my dog experience. I can't help but think that this could not be a coincidance. The single number one symptom that occurred with all of these dogs was that they would no longer eat, something in the treats, was poisoning their system. My dog started vomiting, had diarrhea, kidney issues of constantly dringing water and urinating. Later, as she continued to get sicker and sicker, she begin to pant heavily, shaking, gurgling in her stomach, became sleepy and had low energy level. The vet diagnosed her with a kidney failure. I did not know at the time that the China made treats were being recalled at the time and did not suspect them as the cause of my dog's illness. Only as of November 9, 2013 did I hear about the recall on my local news channel in Cedar Park, Texas. I am just heart broken that my little dog is gone, that something that was to be a treat, apparently helped to end her life or did end her life
SmokeHouse brand Chicken Breast Strips	Dog	Terrier (unspecified)	7 Years	Female	68 Pound	Dogs have become lethargic and drinking excessive amounts of water. Dogs are being taken to vets today. I am reporting this now so it is on record. I will update put status.

Barnsdale Farms Chicken Jerky	Dog	Maltese	6 Years	Male	12 Pound	crystal in the urine, liver enzymes sky high, internal hemorrhaging, diarrhea, some vomit, limp, no energy, retinal detachment, blood pressure almost double, more thirsty and complete kidney failure. Symptoms start slowly showing about a wk before he died. Different habits, like for e.g., not sleepin in bed with me for the last 2 wks. More thirsty, longer pees, then diarrhea, not so good on his feet, like he was losing control a bit sometimes, not too steady. Not going down the stairs as much, looking up at the ceiling. One morning I thought he was dead, he was so limp, took me a while to wake him. Found out later he had hemorrhaged behind both eyes, (retinal detachment). Vets said he had fanconi syndrome symptoms, but never saw anything in their 30 yrs of practice so severe, On dialysis 2 days and they had to put him down. Vet asked what I had been feeding him. One of the things I had been giving him was Barnsdale Farms Chicken Jerky, only half a bag over 2 months period. He thought that is what killed him, giving him complete kidney failure...
Dingo Dental Mega Bones	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	9 Years	Female	40 Pound	Saturday 12/29/12: gave her a newly opened Dingo Dental Mega Bones. After she ate half of it I took it away from her to save for the following day. Sunday 12/30/12: I gave her the remaining half of the Dingo Dental Mega Bone and she finished it. Monday 12/31/12: she ate dry dog food in the morning as usual but by that evening she was uninterested in her dry dog food dinner and would only eat some dry dog food with coaxing. This is unusual for her. Tuesday 1/1/2013: early in the morning she defecated in the house. She has never done this before. When she was outside she was lethargic and eating grass. She refused to eat her dry dog food breakfast. I offered her yogurt and she refused that too. That also has never happened before. By early afternoon she was vomiting white, foamy bile and grass, at least 3 times. She wouldn't leave the yard when I tried to walk her. By mid-afternoon she defecated bloody diarrhea in the house. Between 4 and 10pm she vomited white, foamy bile 3 more times and eliminated a blood (75%)/water (25%) mix from her rectum every 45-60 minutes 6 times. All evening she was lethargic, lying down, shaking, with her eyes half open. I got 1 dose of Pepto Bismol into her. Wednesday 1/2/2013: She was given a second dose of Pepto-Bismol and continued to drink water and urinate - but she continued to refuse to walk or eat (dry dog food or yogurt). By later in the day she was standing/walking again without coaxing and wagging her tail. Thursday 1/3/2013: She was given a third dose of Pepto-Bismol and continued to drink water but refused her morning dry dog food. In the evening she finally ate a small serving of boiled fresh chicken and white rice. This was her first meal since Monday 12/31. Friday 1/4/2013: She had bloody diarrhea in the house twice and urinated in the house twice. Food was stopped again and an appointment was made with the veterinarian for the following morning. Saturday 1/5/2013: She woke me to go outside 3 times between midnight and 6am and eliminated more bloody diarrhea. More bloody diarrhea on the way to the vet. The vet who examined her said she was mildly dehydrated. Fecal and blood tests done. Red blood cells (PCV) were elevated at 65%. I was told she had Hemorrhagic GastroEnteritis (HGE). The vet offered to admit her but because it was the weekend staff would only be in the office to administer medications, not for observation. I was given instructions to withhold food for another 24 hours, administer 150ml of saline subcutaneously two times per day and give the following medications two times per day: Sucralfate 1gm, Metronidazole 250 mg, and Amoxicillin 250 mg. I was also given Cerenia 60 mg tablets to administer in the event of nausea. The bill for her services was \$240.41. Sunday 1/6/2013: Saline and medications continued as instructed. No elimination. Small amounts of fresh, boiled chicken and white rice were given. She tolerated it well. Monday 1/7/2013: Saline and medications continued as instructed. Slightly larger amounts of fresh, boiled chicken and white rice were given. She tolerated it well. Tuesday 1/7/2013: Saline and medications continued as instructed. Small amounts of her regular dry dog food were added to the fresh, boiled chicken and white rice. She has had her last dose of Sucralfate. She is to be on the Metronidazole and Amoxicillin until Tuesday 1/15/2013
waggin train chicken jerky	Dog	Maltese	2 Years	Female	5 Pound	gave my dog the waggin train chicken jerky nod Milo's chicken jerky for the past year, now my dog has liver problems associated with the treats.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mastiff	6 Years	Female	195 Pound	I have been feeding the Wagon Train chicken jerky treats for years. About 6 months ago I increased her treat to a full treat instead of a small amount. In Sept/Oct she was diagnosed with Kidney Failure. I have been told that she has months to live and I give her fluids everyday. I had NO idea the risks of these treats as they are available at Wal Mart. If there is a problem you should pull these off the shelf!
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	4 Years	Female	42 Pound	On Jan 3 2013 at 5:00am, (b) (6) was whining and woke me up. I found that she had pooped in the house, near the door. The stool was partially formed and then a lot of liquid diarrhea. I let her outside and she had explosive liquid diarrhea. She had no change in her food or the possibility of getting into anything. She acted fatigued and disinterested and slept the rest of the morning. I went home at lunch and she continued to have moderate amounts of liquid stool. That night she stopped multiple times on her walk for small amounts of liquid stool. I fed her some rice with a small amount of soft food later that evening. She was fine through the night and ate breakfast in the morning and was acting her normal self again. I gave her some chicken jerky when I put her in her crate for the day. When I got home she had 2 large liquid stools in her crate. She continued to have medium liquid stools that evening. I gave her a Pepto-bismol that night and only gave her small amounts of food over the weekend. Her stool returned to normal and she was behaving normally. I did not give her any treats all weekend. On Tuesday 08 January she was given a couple of pieces of the Milo's chicken jerky. On Wednesday 09 January, she again woke me up in the early morning to have explosive diarrhea. I felt like there was something wrong with that bag of treats but couldn't quite figure out what other than to say that I couldn't find a big whole piece in the bag. They all seemed small and odd pieces. I suspected there was something off but then just saw the news report about the recall and I will definitely not feed her any more.
Milo Kitchen Chicken Jerky and Chicken Grillers	Dog	Collie - Border	1 Years	Female	31 Pound	I was picking up my 1 year 8 month old puppy when I noticed she had some diarrhea in her crate, upon inspection it was a massive amount. Upon learning this I called her vet and we collectively decided to monitor her for the night. Upon getting her home and she went outside to poop, she had more diarrhea this time it had blood. Her regular vet was closed so I rushed her to an emergency vet and they decided she had some gastrointestinal "bug" so she was sent home with antibiotics. We followed up with her regular vet the next day and a fecal sample was submitted. My pup does not normally have a sensitive stomach, so it was out of the ordinary she had diarrhea especially had it all over her crate.
waggin train chicken jerky	Dog	Pinscher - Miniature	10 Years	Male	14 Pound	(b) (6) has siesures when given a jerky treat
MILO'S KITCHEN CHICKEN GRILLERS	Dog	Maltese	6 Years	Female	13 Pound	Each time had one was never fully digested it and would vomit piece of Milo's Kitchen Chicken Grillers in same size it was eaten as. Would occur within 2-3 hours after having treat. First couple times thought was activity she was doing after treat of running, but put bag to side and rarely gave to her, had just recently in last 30-60 days purchased this and out of the 6 or so times given to her she has vomited it up hours later.
Waggin Train Chik'n biscuits	Dog	Terrier - Yorkshire	3 Years	Female	3 Pound	(b) (6) had been having stomach issues with vomiting, diarrhea, lack of appetite, and not her usual happy self. She had been to the Vet various times but we never really knew what was wrong. In July of 2012 she got worse and was at the Vet hospital for about 10 days before her organs finally shut down. They did everything to try to save her but she was suffering too much and I decided it was time to put her to sleep. I never realized that it was the Wagon Trail Dog treats (chicken biscuits and chicken jerky) until we got another dog and noticed the same yellow vomit, diarrhea and other symptoms after feeding him the treats about two weeks ago. I then had a conversation with an acquaintance that have the very same experience and had one of her dogs recently die. She said she reported it with with the manufacturer and FDA, so I felt it was my duty to report it too.
Milos Kitchen Home-Style Dog Treats Chicken Jerky, Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	10 Years	Female	8 Pound	After beginning a regimen of 1 small chicken jerky treat (Waggin Train) on a daily basis I noticed that the animals (I have 3 dogs, 2 cats) began drinking more water than usual. I assumed this might be due to one of the ingredients in this specific treat so I began alternating it with several others containing beef or other ingredients and prepared differently than the jerky. I also tried another brand (Milos Kitchen) to see if it made a difference. It did not. Recently, within the last week, one of the animals ((b) (6)) began acting lethargic, diminished appetite, and sleeping more than usual. At that point I began surfing the web to look for information and discovered that your agency was conducting an investigation into these products. I then contacted the manufacturers and inquired about any action they were taking. I did receive a response from Nestle (Waggin Train) offering me a full refund on what remained of their product and informing me of what I already knew about the investigation. They did emphasize that this was a "voluntary" action and that no official recall had been instituted. As of this writing I have not received a repsonse from the makers of Milos Kitchen products.

Canyon Creek Ranch Brand Duck Tenders	Dog	Terrier - Yorkshire	12	Months	Female	5	Pound	Petco I recently purchased "Canyon Creek Ranch" brand "Duck Tenders" by manufacturer "Waggin' Train" from a Petco store in (b) (6). I have been purchasing products from Petco stores for my Yorkshire Terrier since we got her as a puppy a year ago. I thought that this would be a nice treat for her training needs. I purchased a bag and began "rewarding" her with a jerky treat about once a day (instructions tell me that I can give more, but one is enough). After only two days, my Yorkshire Terrier began to exhibit severe vomiting and diarrhea lasting through the second evening, night and into the next morning. She became lethargic and unresponsive that next morning. She was immediately taken to her veterinarian who began a treatment based on the symptoms and product description (we brought the product to office with us). Our terrier ((b) (6)) was placed on intravenous medication to flush her system and reverse renal failure. On her 2nd day of treatment to try to bring her out of renal failure. Treatment was continued for two days until the pet stabilized. The only change to our pets very stable diet was the introduction of these treats. Our Veterinarian recommended that we not ever use pet food that had been imported from China. I contacted "Waggin Train" via telephone, as well as their website and facebook page. I also have contacted Petco, where we purchased the product. After some research on the internet, it appears that this is a well known issue with this product, and has even been reported by the FDA.
Wagon Trail Chicken Treats	Dog	Mixed (Dog)	11	Years	Female	78	Pound	(b) (6) began to lose weight over a month long period from January 1, 2012 to February 4, 2012. She became disinterested in food and increased her water intake. We had been using the Wagon Trail Chicken Jerky treats for a period of months before this. Her condition was somewhat gradual in that we did not notice a sudden change - a month long questioning about her weight became serious when she finally refused to eat at all. She had been active, vital, muscular and absolutely no health problems whatsoever. We took her to the vet, a blood test revealed kidney failure and within 2 weeks she was gone. Chicken treats are the only suspect. Although she was eleven, many of her 10 siblings are still thriving. She was by far the youngest looking for her age. No way to know if the chicken treats were the cause as I learned of this issue soon after her passing as I was sharing our story.
Waggin Train	Dog	Chihuahua	7	Years	Male	13	Pound	They have all started to have very loose and slimy repetitive diarrhea and excessive drinking of water by all 4.
Canyon Creek Ranch Wrapovers Apples Wrapped With Chicken	Dog	Greyhound	8	Years	Female	65	Pound	The day after consuming Canyon Creek Ranch "Wrapovers" (Apples wrapped with chicken), our dog refused to eat and has been unusually lethargic - even for a greyhound.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shepherd (unspecified)	6	Years	Male	71	Pound	Vomiting, bloodwork shows elevated BUN, Creatine, Phosphorus and low SG in urine
Milo's Kitchen Chicken Jerky	Dog	Pinscher - Miniature	15	Years	Female	20	Pound	Pet began to drink excessive amounts of water; frequently urinating and showing sporadic loss of appetite. This began after giving the pet the product. When we stopped symptoms abated for a short period of time, but returned resulting in death.
Milo's Kitchen home style dog treats	Dog	Shepherd (unspecified)	4	Years	Female	50	Pound	PU/PD. Fanconi Syndrome
Kingdom Pets	Dog	Lhasa Apso	9	Years	Male	20	Pound	nausea, lethargy, diarrhea, drinking a lot of water
Vitality Duck Breast with Flaxseed & Vitamins	Dog	Mixed (Dog)	5	Years	Male	5.5	Kilogram	(b) (6) was presented for evaluation for protein losing nephropathy (PLN). Infectious disease testing was positive for Lyme and Bartonella and (b) (6) was started on treatment for PLN and suspected immune-mediated glomerular nephritis. However, the owner reported that she had been feeding jerky treats and was concerned that the treats could have caused proteinuria.
Milos Chicken Jerky	Dog	Retriever - Labrador	15	Years	Male	58	Pound	Over the period of a few weeks we fed Milos chicken jerky to our dog. He became ill and had bloody diarrhea, vomiting, lethargy and loss of appetite. We took him to the vet and they checked is blood. His liver enzymes were over 1500. They put him on a medication to help lower his enzymes and gave him something for the diarrhea. We took him back in for a 2 week checkup of his liver enzymes. They were cut in half by the medication. He was feeling better. We gave him more treats, not knowing that was the thing causing the problem. He passed away 4 days later.
MILO'S KITCHEN chicken treats and chicken meatballs	Dog	Dachshund - Miniature	4	Years	Female	12	Pound	Prior to consuming MILO'S KITCHEN chicken treats and chicken meatballs, (b) (6) was a very healthy, very active 4 year old 11.5 lb miniature dacshund. I noticed she was drinking and urinating more often which is a sign of diabetes. As an RN, I was able to check her urine and it showed trace glucose in her urine. She was brought to the Veteranarian for a complete physical and blood workup. Her blood glucose was within normal range however her urine still showed glucose. The veteranarian discovered via the FDA these symptoms were appearing on pet foods manufactured in China and MILO'S KITCHEN was among the culprets. (b) (6) is now continuing with (Polydispsia and Polyuria) , listless and has to be coaxed to eat. There is a toxin in the food manufactured in China that causes kidney dysfunctioning and large polymers such as glucose are not able to filter through the kidneys. This excess glucose causes increased thirst, increased urination, listlessness and predisposes the animal to increased risk for infection. MILO'S KITCHEN is directly resposible, and should be held accountable for the comprimised and deteriorating health of an otherwise healthy dog. I will be using social media to spread the word to NEVER USE ANY ANIMAL PRODUCTS MADE IN CHINA ESPECIALLY MILO'S KITCHEN.
Milo's Kitchen Home Style Dog Treats Chicken Grillers	Dog	Terrier - Jack Russell	2	Years	Male	21	Pound	Within past 5 days purchased and gave Milo's Kitchen Home-Style Dog Treats. Starting 1.4.13 decreased appetite and 1.5.13 severe hematemesis and lethargy. No other changes in diet or environment
Waggin' Train brand - products given: Chicken Jerky Freshies PBJ Yam Good Country Crunch	Dog	Mixed (Dog)	11	Years	Female	67	Pound	(b) (6) became lethargic suddenly in the afternoon - had difficult standing up from a lay down position - walked a few steps and seemed to just fall down. Appeared uncomfortable, in pain - was not her usual self. Contacted our Vet who had us bring her in - was diagnosed with Pancreatitis.
Wagaon Train jerky - we dont currently have them in the house. The chicken strips the chew sticks and the yams are ones we had.	Dog	Mixed (Dog)	6	Years	Female	5	Pound	We have two dogs. Both like the Wagon Train jerky treats. They are very picky dogs, but they will eat these treats. One of our dogs LOVES them and will sit near the cupboard where we keep them and bark and bark til given one or told to stop. She may have 2 or 3 small strips a day. The other dog has 1 every so often. Our dog who loves them had severe diarrhea for nearly a week. She was also was unusually thirsty. We thought she had caught a bug that had been going around our family. During this time I only fed her a bland diet and she didn't get any treats. Now I am thinking that perhaps they were the cause.
Cadet Gourmet Salmon Snack	Dog	Terrier - Yorkshire	3	Years	Female	5	Pound	I purchased Cadet Gourmet Salmon Dog treats from Costco. I fed my Yorkie--after breaking into small pieces--2 fish shaped treats as I was working with her on training (i.e. sick, lay down, etc.) Within 30 minutes of consuming the toxin laced treats made in China she had a decreased appetite--and she hadn't eaten all day; decreased activity--she wouldn't hardly move and if you touched her she wobbles, decreased water consumption and while laying on a blanket she urinated (she's completely house broken) but when taken outside stood on only three legs wobbling and refused to go to the bathroom when she normally never has any issues. Just before I fed her these treats she was playing and running around and had lots of energy. After she urinated in the blanket we gave her a bath and while drying her she fell over. I'm very scarred for the well being of my dog and I cannot take her to the vet until the morning at 7:30am.

Canyon Creek Ranch Brand Natural Duck Tenders treats for dogs	Dog	Lhasa Apso	8 Years	Male	20 Pound	Excessive thirst/drinking/urination once I started feeding Canyon Creek Ranch Duck Tenders to my dog. He doesn't even get dog toys made in China...I have no idea how I missed that these treats are made in China, and part of the problematic ones dogs have been getting sick from.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	8 Years	Male	60 Pound	We fed our dog (b) (6) Waggin trail jerky tenders, and today I saw a post about a warning of illness and death from these. My daughter & son in laws dog just had to be put down a few weeks ago from kidney failure and we fed him the waggin train jerky tenders!! He was only 8 1/2 years old. It is so sad that may have caused the demise of our pet. He was brought to the vet and after test we were told he had kidney failure, they gave him an iv and meds but nothing helped. So we had to make a hard decision to let our (b) (6) go and suffer no more. Now we have an almost \$1,200 vet bill to deal with.
Catswell Vitakitty chicken breast w/ flaxseed and vitamins	Cat	Domestic Mediumhair	9 Years	Female	11 Pound	Healthy until this time, has lost 4 of 11 lbs, vomits frequently, no appetite
Waggin Train Chicken Jerky	Dog	Chihuahua	13 Years	Female	7 Pound	less than 24 hours after eating treat she became Lethargic, stopped eating, and would not drink water.
CHEWMASTERS Chicken Strips	Dog	Poodle - Standard	2 Years	Male	50 Pound	Gave our dog Chicken Jerky treats made by Chew Masters, obtained from Costco. The next day our dog became sick, symptoms worsened with time. Symptoms include vomiting, diarrhea, diarrhea with blood, lethargic, excessive thirst. He did still have an appetite. Took him to the veterinarian, they analyzed a stool sample, placed him on an easy to digest diet, and gave him a week's supply of antibiotics. The veterinarian could not determine what the cause of his illness was. The stool sample was negative for parasites. He became better after he was on his special diet and not eating his normal food or treats. We reintroduced his normal food slowly. He was doing well. Once he was completely off the special diet, and fully on his normal diet, he was still doing excellent. We reintroduced his treats (chicken jerky) and he instantly became sick again. We placed him back on the special diet and he eventually regained normal health. We did not give him any more chicken jerky treats. He has been on his normal food for approximately 1.5 months and he is doing great. It is very clear that the cause of his illness was the chicken treats, as we have returned him to his normal diet; the only thing that has changed is the absence of the chicken jerky treats. He has consumed chicken that was cooked for human consumption, and had no reaction to the cooked 'human' chicken.
WagginTrain Wholesome Chicken Jerky Tenders	Dog	Spaniel - Cocker English	15 Years	Female	44 Pound	I received these treats from my sister for a Christmas present for my dog and I gave her one right after Christmas and she had some loose stools but I did not think too much of it as she is an older dog and sometimes that has happened, but then this past weekend I gave her one on Saturday and one on Monday and then she got severe diarrhea and did not want to eat.
Milo's Kitchen Chicken Jerky	Dog	Poodle (unspecified)	2 Years	Male	13 Pound	vomiting and diarea. Decreased appetitie.
Milo's Kitchen® - Home-style Dog Treats	Dog	Maltese	5 Months	Male	7 Pound	Shortly after buying the product Milo's Chicken Jerky Treats (for dogs) we realized our dog was getting skin irritation (an allergic reaction of some sort), where he started getting scabs on his skin and itching them profusely. This went on for a couple of weeks. The last episode happened when he was given his last treat of Milo's Chicken Jerky and he froze and looked in pain. He started whimpering and could not move, he was frozen like a popsicle but kept crying like he was being tortured. At first we thought he was choking and maybe had the treat stuck to his throat. We took him immediately to the Vet Hospital where his X-rays came back normal and there was nothing in his air vent. We are still waiting on the test results. Our vet advised us to keep our dogs from any jerky treats made in China because they are making dogs very ill. Our dog is doing much better today after we stopped feeding him the treats. His coat is much healthier and he stopped biting/itching himself.
Kingdom Pets	Dog	Poodle (unspecified)	2 Years	Male	13 Pound	(b) (6) has had repeated vomiting and diarea and decreasing appetite.
meijer main choice chicken jerky for dogs	Dog	Chihuahua	4 Months	Male	6 Pound	Gave chicken jerky, without knowing that there was a problem, days later the symptoms started of not eating, a little vomit and diarrhea, and over the course of the next month and a half condition worsened until had to be put to sleep on 12/30/12
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Hound (unspecified)	17 Months	Male	71 Pound	I purchased Waggin Train brand chicken jerky dog treats from my local Ingles supermarket. I gave my dog (b) (6) two pieces the first day and that night he awakened me throwing up a yellow slimy material. Otherwise he acted normal. Two days later I gave him another treat and within four hours he was throwing up again. Same vile yellow substance. He threw up two more time and now his right lips and part of his muzzle are red and inflamed looking. He is lethargic and doesn't act like he feels well at all.
Chicken Strips from Trader Joes	Dog	Terrier - Jack Russell	10 Years	Female	14 Pound	Both times she ate chicken jerky, She first started shaking and panting very fast, she then started scooting all over the floor, but it seemed that she could not stand up. She continued to shake and then threw-up blood and some dark yellow color, then she urinated, and had very severe diarrhea. Her eyes were very glassy and her pupils were very large. After about 20 minutes she was able to stand again. However, she was not herself for days. She still had diarrhea and could not keep food down. She was very quiet, weak and had a hard time holding her urine.
Canyon Creek Ranch® Chicken Tenders Dog Treats, Canyon Creek Ranch Cowboy Steaks Dog Treats	Dog	Akita	6 Years	Female	100 Pound	After feeding my Akita (100lbs) 3 of the Canyon Creek cowboy steaks she became extremely ill within hours! She started vomiting uncontrollably and than defecated and urinated at the same time. This was the second day she had the treat. I had previously tired Canyon Creek Chicken Tenders with her and that too made my dog ill with diarrhea. After doing some research online I found many websites with the same complaints. How can you allow PetsMart and other national stores in the US carry such a terrible product!! What a horrible experience my family and pet had to endure. No family should have to deal with this!!
Waggin' Train Chik'n Biscuits Recipe wrapped with chicken breast	Dog	Shepherd Dog - Australian	10 Years	Female	65 Pound	Was fed 2-3 Waggin' Train Chik'n Biscuits Recipe treats on Christmas morning and within an hour, she went into a type of seizure where her eyeballs rolled into her head and her head was twisting to the left side uncontrollably. She couldn't stand and fell into an end table in the living room. We got her to sit and tried comforting her and petting her while we were completely confused about her condition. After a couple minutes her body began to relax, her eyes began to focus and she started panting. We then called the Vet who listened to these symptoms and asked us to keep her quiet and watch for recurring seizures or a pattern that he might evaluate. There have been no further episodes. We began thinking that these treats might be the problem and in researching this product have seen many complaints about this company specifically (Waggin' Train) and the health issues for dogs consuming their products, mostly those with chicken jerky imported from China. Just wanted to let someone know of our experience with this product for future health pet concerns.
Yam Good Yams Wrapped With Duck	Dog	Terrier - Scottish	2 Years	Male	18 Pound	Suspected seizure. My other dog would not eat the product.

Canyon Creek Ranch Brand Duck Tenders	Dog	Maltese	3 Years	Male	9.5 Pound	Bought home from groomer(Pet Smart) last week and purchased a bag of Canyon Creek Duck Treats. He has never had them before. Starting feeding them on Saturday. By Tuesday noticed change in (b) (6). He started acting lethargic. Thursday started vomiting but got better on Friday as he had no treats on Thursday. Was still eating, voiding and having regular stools. On Friday he was given another treat and later he was vomiting and refusing to eat that continued into Saturday when he was taken to the vet. He was dehydrated and given fluids and a shot for nausea and vomiting. The vet suggested a battery of test to rule out pancreatitis and kidney problems but we decided to see if he improved after the initial treatment.
Kingdom Pets Chicken Jerky	Dog	Poodle - Standard	3 Years	Male	70 Pound	I purchased Kindom Pets chicken jerky products. My husband wrapped 3 bags to give to neighbor dogs and left them on the counter. They each had approximately 6 treats in them - 18 total. We left the house and my dog took them off the counter, opened the bag and ate them all..approximately 18. Being that they are supposed to be a 100% chicken product, the dog should not have gotten sick but he did. For approximately 48 hours he had severe diarrhea, vomiting and bright red blood in his stool and he could not control his bladder and peed all over. Obviously there is something other than chicken in this poisonous treat. from CHINA. After some internet research, I have learned that this has been going on for several years, yet the FDA does nothing to take this poison of the market...WHY????
Dogswell Chicken & Sweet Potato	Dog	Terrier - Yorkshire	6 Years	Female	10 Pound	My Yorkshire Terrior became very ill ... and I had to take her to the emergency vet at 2:00 AM. She had vomited 3x the evening before. She was very lethargic the 24 hours prior. She had diarrhea the evening before. By 2:00 AM, her breathing had become labored and I found an "accident" where she had blood in her stool (and it was runny). When I took her to the vet, she was almost dehydrated. If I had waited til morning, the vet would have most likely put her on IVs.
Waggin' Train Apple & Chicken Wraps	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	5 Years	Female	51 Pound	I gave her 1 treat 12/24/12, around 2:00 pm, my husband gave her 1 treat around 2:30. She then would not eat her dinner that night or breakfast the next day. I know she vomitted outside at least once, possibly more. She did start eating again the evening of 12/25/12.
Waggin' Train Apple & Chicken Wraps	Dog	Retriever - Labrador	11 Years	Female	66 Pound	I gave her 3 treats, she vomited 3 times in the house during 2 days. I'm not sure if she vomited more outside. She still wanted to eat, but not her usual amount.
waggin train wholesome chicken jerky tenders	Dog	Beagle	12 Years	Female	45 Pound	She started having seizure like actions and then basically collapsed. Took her to emergency vet clinic who advised she was bleeding internally and also had cancer. At that time i chose to euthanize her. I strongly believe that the irradiated waggin train dog treats had some degree of cause for her sudden decrease in health and death. She had been eating the treats for a while then suddenly started refusing to eat them and within a month she was gone. I do not know if these treats have always been made in china and have always been irradiated but i have noticed a different texture and structure to the treats in the past several months.
Happy Hips Chicken Jerky; Happy Hips Duck Jerky	Dog	Other Canine/dog	13 Years	Male	17 Kilogram	I am a law professor who specializes in FDA law. As a litigator, I did product liability / product defect law. I am an informed consumer and a devoted "mom" to our family's beloved (b) (6). He loves "Happy Hips" jerky treats and lately, we have stupidly been indulging him with these, thinking that the advertised glucosamine / chondroitin supplements would help his joints. My dog is presently in (b) (6) with advanced renal failure and is probably dying. I am devastated and I am FURIOUS that these products are allowed access to U.S. markets after years of poorly advertised reports of similar complaints from dog owners who are spending \$1000's and suffering immeasurable heartbreak due to these toxin-laced products from China.
Bulk Smokehouse Chicken Jerky Strap	Dog	Chow Chow	5 Years	Male	70 Pound	I came home on Friday Dec 14, 2012 and took my dog for a walk like I normally do. He vomited undigested food twice on the short walk. The next day he continued to get worse but the vomit turned to yellowish bile with foam. I called the vet on Sun 12/16 because he was still vomiting on a pretty regular basis- every 3-4hrs. I took him in for an appt on Mon 12/17. He was given anti-nausea injections and fluids. The next morning he was visibly worse and could no longer open his eyes. I took him in immediately and he put on IV fluids and blood was drawn. Subsequent tests revealed that he was experiencing severe acute kidney failure. I watch my dog constantly and knew there was no possibility that he got into antifreeze or ibruprofen or raisins or grapes. I suspected his dog food because I had recently purchased a new bag of food and he had only been eating from it for several days. I purchase Premium Edge Lamb & Rice Meal made by Diamond. They recently had yet another recall on their dog food, this time due to a Salmonella outbreak. I called the number on the bag on Thurs 12/20 and spoke with a customer service rep named Carla and a veterinarian named (b) (6). (b) (6) assured me that the food I had purchased was not under recall and asked instead about treats. She mentioned that (b) (6) symptoms sounded a lot like "fanconi syndrome" that dogs were experiencing from eating Chicken Jerky treats. I had also purchased three Smokehouse Chicken Jerky Straps the day I bought the dog food. I had fed some, but not all, of the product to my dog in the days preceding his illness. A subsequent search revealed that the FDA was investigating the danger of these treats to dogs (which have caused thousands of illnesses and many deaths). I relayed the information to my vet (b) (6), and supplied (b) (6) with information for contacting the FDA and also a piece of the jerky to be sent in for testing. I also have an additional piece of the treat my dog ate, plus the other two treats that were purchased. After leaving the vet hospital I went to the store where I purchased the items, Denson's Feed & Supply in Corvallis OR. I spoke with the owner and they in turn spoke with the distributor and informed me the jerky treats I purchased in bulk were manufactured/distributed by Smokehouse and were made in the US. However, additional research has shown that Smokehouse also imports part of it's stock from China. I requested that the Chicken Jerky Straps be removed and sent back to the manufacturer and that a warning sign be placed to alert unsuspecting shoppers from purchasing these potentially lethal treats for their pets.
Waggin' Train	Dog	Dachshund - Standard Smooth-haired	3 Years	Female	9 Pound	On November 6, 2012 (b) (6) presented for lethargy of just over 1 week duration. Inappropriate urination in home. Hyporexic, PU-PD. Renal &/or prerenal azotemia (BUN 132 mg/dL; creatinine 4.2 mg/dL); hyperglobulinemia (5.6; decreased A/G 0.5; hypercholesterolemia (370 mg/dL); hyperproteinemia (8.4 g/dL); hyperphosphatemia (7.4 mg/dL); increased B/C ratio (31.4); eosinopenia (0.9)
Waggin train wholesome chicken jerky tenders	Dog	Terrier - West Highland White	10 Years	Male	21 Pound	I have been feeding him several chicken tenders a day for the last 1 1/2 weeks. I have noticed excessive thirst, lack of energy and an inability to climb stairs

VitaLife Chicken Tenders	Dog	Terrier - Boston	8	Years	Male	15	Pound	(b) (6) passed away from Kidney Failure due to eating VitaLife Chicken Tenders (Jerky Treats). He was a happy, healthy 8 year old pup until August when I fed him a jerky treat a day for one month. He was sick and had symptoms but sadly Kidney Disease is hard to detect until it's too late. His regular diet was nothing but a pure homemade diet of fresh meats and vegetables and the treats appeared to be a wholesome and healthy snack. They were marketed as 100% NATURAL, NO CHEMICALS, 100% CHICKEN. The packaging had a certification stamp that read "Quality Certified in CANADA" - since then they have placed a sticker covering this stamp that now reads "Proudly Made in our facility in THAILAND". I was fooled and manipulated by marketing. (b) (6) death came way too early.
Waggon Trail chicken Jerky								Bought the waggon trail chicken jerky treats and they made my dog sick to her stomach--throw-up. I threw the rest out because they smelled bad/looked bad and I told the Walmart manager about it.
Waggin Train Jerky Treats	Dog	Terrier (unspecified)	3	Years	Male	20	Pound	Our dog was a consistent diet of quality pet food and milk bones which did not change before or after the incident. He did not have additional treats or table scraps. The only other item in his diet was Waggin Train Jerky treats when he became violently ill and had uncontrollable vomiting. The first time he vomited it was a partially digested jerky treat and no other food. After 24 hours the dog had stopped eating and would vomit any water that he consumed. He was taken to the emergency clinic who unable to diagnose a problem but he was held over night and was rehydrated via a drip. He recovered and the jerky treats were removed from his diet, there has been no additional problems.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Havanese	3	Years	Male	14	Pound	We purchased the chicken jerky treats at Costco several months ago. We noticed the dog was throwing up quite often. We changed his dog food and changed his treats. Symptoms got better. Then, the next time I was at Costco, I purchased the dog treats again (assuming that it was probably the food we were giving him that was causing his throwing up). A few days ago we realized he has been throwing up EVERY morning. We stopped giving him the treats for a couple of days and the throwing up stopped. Gave it to him again yesterday and he threw up this morning. I went to his groomer today and asked her what kind of treats she would recommend. I mentioned that we had been giving him the Chicken Jerky treats from our Costco store and her eyes got big. She said that they were made in China and that there may be a problem with the treats. I actually thought maybe she was a little crazy. But, when I came home and checked the bag; they are distributed by a company in the US but made in China. I then did a google search and see that there may have been several reports of possible problems. So, here I am, adding my 2 cents into the pile. I am fairly sure he will throw up in the morning; since I gave him some earlier today ---before I talked to the groomer. :(Would you like me to save the vomit for you????
Kingdom Pets Chicken Jerky	Dog	Retriever - Golden	2	Years	Male	86	Pound	(b) (6) was apparently normal for a majority of the day on 12/17/12. His owners gave him a Kingdom Pets Chicken Jerky treat at about 8pm. By 10pm (b) (6) had begun to act restless and was groaning. Then he began to vomit and become more lethargic during the course of the night. On presentation at (b) (6) today, (b) (6) was mildly tachypnic, lethargic and mildly dehydrated. Blood work revealed an elevated white blood cell count and mild hypokalemia. Treatment has been instituted with IV fluids, antibiotics and anti-emetics.
Canyon Creek Ranch	Dog	Maltese	16	Years	Female	8	Pound	I brought (b) (6) to her Vet on Dec 3rd because she was coughing. The vet said it may be kennel cough and prescribed antibiotics and cough syrup. On Dec 12th at 11:30pm, I came home, gave both dogs a Chicken Breast treat and started to clean up diarrhea from one of the dogs. I then noticed that sugar was wheezing and coughing. She had clear white liquid and foam coming from her mouth. I brought her to an Emergency and they gave her something for her stomach and I said I would take her to her doctor in the am. I went to her vet at 7:30 am. They kept her for the day and did xrays of her chest and saw something a mass in there. He couldn't tell what it was. He said to take her tomorrow to a specialist http://www.mvshospital.com/ . He said tell them it is an emergency to see the doctor quickly. I took her instead that night at 7pm. They took xrays and said that the mass looked better, broken up. The next morning is when the surgeon (b) (6) came and he did surgery to see what was there. He said it was a form of food. She died on the table. I had a biopsy done to see what it was and it was the chicken breast treat from Canyon Creek Ranch.
Pet Shoppe Mixed Dog Treats	Dog	Black Forest Hound	4	Months	Male	15	Pound	MY 4 month old puppy has same symptoms Fanconi Syndrome. Without my knowledge of Made In China Chicken Jerky, I gave him treats from Pett Shoppe bought at Walgreens and all symptoms go hand in hand as Wagon Train Treats, Made in China. Heres the eye opener: Both products are on the same shelf at Walgreens. Are all Chicken Jerky Treats Made in China making our dogs sick here in America...Anyone else living this nightmare?at Walgreens and all symptoms go hand in hand as Wagon Train Treats, Made in China. Heres the eye opener: Both products are on the same shelf at Walgreens. Are all Chicken Jerky Treats Made in China making our dogs sick here in America...Anyone else living this nightmare?merica...Anyone else living this nightmare?Why is this important to you? (Optional)
Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	Maltese	8	Years	Male			Presented 10-15-12 non-specific pain. Poor response to anti-inflammatory Prednisolone, Tramadol and Methocarbamol therapy. Represented 10-17-12 vomiting. Discontinued Prednisolone and Methocarbamol, treated with Cerenia, Metoclopramide and bland diet. 10-18-12 not better. Spec CPL negative for Pancreatitis. Labwork submitted including urinalysis, CBC, chemistries, Heartworm Test and Ova/Parasite with Giardia IFA. Leukocytosis (20600) found, Creatinine elevated (5.9) and BUN elevated (156). Urine Sp Gr 1.019 and no bacteria seen, but trace Glucosuria. History suggested pet had been getting 1 Milo's Kitchen Chicken Jerky Treat daily for the last 3 months. Diet Nutro Natural Choice and Iams. Other treat had been a "Vitabone" twice weekly. No exposure to ethylene glycol or other known toxins. Only medication was a heartworm preventative monthly (Ivermectin/Pyrantel). Had no prior history to suggest renal disease. Had not been losing weight prior to clinical signs, and was not polyuric/polydypsic. PCR submitted for Leptospirosis (blood and urine) as well as tick borne disease serology...all tests negative for disease or prior exposure. Over the next 10 days, (b) (6) was hospitalized twice for diuresis. He was anorectic and continued low grade vomiting. He was also painful about the dorsal abdomen suggestive of potential renal pain. Over the 10 day period, his signs subsided. Labs on 10-24-12 had Creatinine at 3.0, BUN 53. On 10-22-12, Creatinine was down to 2.2 and BUN 46. Clinically, (b) (6) is now doing fine. We have not had any further labwork or follow up to date. I suspect (but cannot prove) that the Milo's Kitchen Chicken Jerky Treats may have been involved in his nephropathy and trace glucosuria (and suspected renal pain). I still have the last bag of product the owner had in my possession. A report has been filed with the manufacturer.

Waggin Train Wholesome Duck Jerky Tenders	Dog	Siberian Husky	4	Years	Female	70	Pound	One evening our dog started limping, her back legs were giving out and she stumbling when trying to walk. She was very lethargic and we could not get her to walk. Her pupils were dilated and not responding or contracting to light. eyes were shut tight because of this. She was like this about 24 hours and we took her to the vet and they said it was a neurological problem and she had most likely ingested something toxic but could not do any tests to prove it.
Milo Kitchen Chicken Jerky Treats made in China	Dog	Mixed (Dog)	5	Years	Female	140	Pound	I gave (b) (6) Milo Kitchen chicken jerky treats. Did not realize until later that they were made in China. Within 30 minutes, she was frantically eating grass to make herself throw up. She vomited a total of four times. She also had allergic reaction - rubbed her muzzle until it was swollen. Vet is running blood tests to make sure there is no kidney problem.
Milo's Kitchen home-style dog treats Chicken Grillers	Dog	Mixed (Dog)	14	Years	Male	11	Pound	fed Milo's Kitchen dog treats Chicken Grillers. Died Euthanized
Doctors Foster and Smith Healthy Snax Sweet Potatoes Snacks	Dog	Retriever - Golden	10	Years	Male	90	Pound	After giving my dog several of the sweet potatoe treats, he had an immediated reaction with foaming at the mouth, excessive salivation, vomiting and diarrhea.
Waggin Train chicken jerky	Dog	Maltese	12	Years	Male	11	Pound	After consuming small pieces of chicken jerky treat over a period of approx. one month the dog became lethargic, had vomiting, diarrhea and lungs filled up with fluid. He was treated by a vet and seemed to be improving when his abdominal became swollen and distended. Was treated by vet again of excess fluid in abdominal cavity. Continued diarrhea, then started having seizures and difficulty walking. (He had 5 pounds of fluid) last day of life he was crying out with pain at intervals. Deceased December 10,2012
Milo's Kitchen chicken grillers	Dog	Shih Tzu	8	Years	Male	12	Pound	Allergic skin disease. Shorty has been healthy. We do not have a previous urinalysis for comparison but presented yesterday for increased thirst. Urinalysis showed 1+ glucose and when questioned the owner reported having started feeding Milo's Chicken Grillers as treats approx 1 month ago. Due to previous association of glucosuria and eating chicken jerky treats, decided to report this eventSee above PU/PD and glucosuria with normal blood glucose. Recently started feeding Milo's Chicken Grillers.
MILOS KITCHEN	Dog	Beagle	7	Years	Female	39	Pound	After feeding my dog a treat of Milos Kitchen Chicken Jerky she had diarrhea and blood in stool. I found a piece of bone in the dogs stool. Had to take her to the vet.
Milo's Kitchen Chicken Jerky treats	Dog	Unknown	8	Years	Male	33	Pound	Use of chicken jery treats from Milo's kitchen as snack. Acute onset frequent urination, glucose in urine. Fanconi like syndrome.
nature's deli chicken jerky	Dog	Terrier - Yorkshire	7	Years	Female	16	Pound	Pets were fed Nature's Deli Chicken Jerky and had severe diarrhea with blood for 1 week. Spent \$300 at the Vet and he gave them antibiotics and they were better after 1 week of treatment
Waggin' Train Wholeome Chicken Jerky Tender	Dog	Mixed (Dog)	10	Years	Female	23	Pound	After giving my dog this treat almost daily for approximately 5 months last week she started to vomit and began sleeping all day. I took her to the vet and after extensive testing it was discovered she is in kidney failure, with only 25% of the kidney functioning now. I take all my pets to the vet regularly and truly believe there is no other reason for this fast kidney failure. I have now seen online many people with sick and or dead dogs due to this product, I only wish I had seen it before. My dog is now on medication but is not expected to live a long natural life, and will probably die within the next 6 months.
Waggin' Train Fiddlestix	Dog	Shih Tzu	3	Years	Male	16	Pound	I had given (b) (6) a few treats and the next day, He began vomiting white thick vomit and having green diarrhea for three days. He has been lethargic and basically sleeping non stop.
Wagon Train Wholesome Chichen Jerky Tenders	Dog	Hound - Italian	6	Years	Male	17	Pound	started having bouts of diarrhea, itching around anus, decreased appetitwe, decreased activity, increased water consumption and increased urination.
Canyon Creek Ranch Yam Good	Dog	Mixed (Dog)	11	Years	Female	85	Pound	Dog became ill approx 6 hours after given a yam good chicken wrap. She threw up her food that she ate that evening. Next day she had no appetite and skipped eating. Gave her 1/2 of another treat the next morning. After eating her dinner about 6 hours later she again threw up. Now she is not eating, throwing up and defecating large quantities of blood.
Premium Pet all natural dog treats duck sticks	Dog	Chihuahua	16	Years	Female	7	Pound	Our beloved dog stopped eating and was vomiting and had uncontrollable mucousy watery stools dripping from her bottom. Her blood test results were off the charts and was suffering from kidney failure and pancreatitis. She could not keep her water down so I had to take it away. We went to the Pet ER twice for fluids and anti nausea medicine. She suffered tremendously before we put her down. She was an older dog but very healthy. I know her death was caused by these treats. I believe she was slowly poisoned
Waggin' Train Wholesome Chicken Jerky Tenders, Milo's Kitchen Chicken Grillers	Dog	Shih Tzu	9	Years	Female	12	Pound	Dog began vomiting and had diarrhea which lasted for a month. Vet did blood work and discovered elevated ATL levels. Put her on Denamarin and brought her back for a retest in a month. ATL levels were higher even though vomiting and diarrhea had stopped. Did an xray which showed an undersized liver. Did a bile acid test which showed elevated pre test levels, but normal post test levels. Believe that liver damage is from chicken jerky treats. Has been eating one a day of the Waggin' Train and/or Milo's Kitchen for close to a year. Stopped treats and will retest in a month.
Milo's Kitchen home-style dog treats Chicken Grillers	Dog	Lhasa Apso	4	Years	Female	17	Pound	After (b) (6) bout of vomiting and diarrhea in June 2012, the owner stopped feeding table foods and started buying a new type of dog treat she had never eaten before called Milo's Kitchen Chicken Grillers. In October 2012 she presented for acute polyuria/polydipsia (PU/PD) and decreased appetite of 3-4 days duration. Urinalysis revealed significant glucosuria but her CBC/Chemistry results were normal (normoglycemia). Both blood and urine testing were repeated with new samples and the results still revealed glucosuria with normoglycemia. After doing research on possible causes for these symptoms and results, differential diagnoses included Acquired Fanconi's-like syndrome and so the owner was questioned on everything (b) (6) was eating and it was revealed that she was eating chicken treats that originated in China. The owner stopped feeding these treats and (b) (6) symptoms have since resolved (no longer PU/PD, appetite is normal again and no longer glucosuric) although she is still experiencing issues with urinary tract infections.
Mini "Dingo" Jerky Chewz chicken chips	Dog	Bichon Frise	2	Years	Male	17	Pound	I would give a treat usually once a day, and I started to notice that his stomach was getting big. A few days later he started vomiting about every other day. By this time I had stopped giving him the jerky treats, knowing something wasn't right. He was very lethargic also. I saw a report on the news about the "made in China" dog jerky and looked at the bag to confirm they were from China. He vomited for a few more days, then stopped, and his bloating went down, and he feels fine now. I still have the bag of treats- over half full- and the receipt. Please let me know what I should do with them. Thank you (b) (6)
Wagon Train	Dog	Poodle (unspecifed)	1	Years	Female	7	Pound	Vomitting a sea with bright red blood in diarrhea. Vet put her on special GI restore food and some meds. Told me to feed only special food. On the road to recovery everything was great until. Two days later she found one of the wagon train treats and ate half before I realized it.,and now the symptoms are back again!!!

kingdom pets chicken jerky item 169728	Dog	Chow Chow	12	Years	Female	55	Pound	I bought a new package of jerky treats from costco and the next day, 8-26-12, the dog became very ill. I took the dog to the emergency clinic and they ran numerous tests and told me she was not in imminent danger and to take her to her regular vet on 8-27-12. The vet ran numerous tests on her and said she might not live. I saw a notice on the door about the chicken jerky and thought that might be the problem. The vet concurred. She was fine before I gave her the jerky. She survived. I have the rest of the jerky in my possession. Please advise. Thanks, (b) (6)
Waggin' Train	Dog	Shar Pei	12	Years	Female	50	Pound	(b) (6) started acting dizzy and off balance and that was the first sign she was getting ill. After that, her bladder was not functioning properly as she was having many accidents in the house. Vomiting and weight loss followed. She started having hallucinations and was biting into the air (Fly catching as the vet called this). She was taken to the vet and her Blood test (Pun level was over 200) indicating Chronic Kidney Failure.
Milo's Chicken Grillers, Milo's Kitchen home-style dog treats: Chicken Jerky	Dog	Chihuahua	5	Years	Female	10	Pound	Pet developed Fanconi syndrome (PU/PD; weight loss, glucosuria without hyperglycemia, Severe amino aciduria; verified via Univ of Penn Fanconi Screen). O had been feeding both Milo's chicken treats and Waggin Train chicken jerky treats.
Milo's Kitchen HomeStyle Dog Treats Chicken Grillers	Dog	Lhasa Apso	14	Years	Male	22	Pound	On 11/20/12 (b) (6) was presented for urinating and drinking a large amount. His physical exam was essentially within normal limits. We submitted blood work. (b) (6) blood work was suggestive of Fanconi syndrome. I asked the owners if (b) (6) was eating any dehydrated chicken treats. The owners reported that they were feeding Milo's Kitchen treats,
Wagon Train Chicken Jerky Treats	Dog	Retriever - Labrador	8	Years	Female	172	Pound	Vomitting clear thick mucas. Blood, fecal and urine test all came back normal. Prescribed anti vomit meds 4 days. When meds completed vomiting returned but was dark with fowl smell. Vet suggested it was bile as it was mid day and her morning food has been digested. Prescribed anti acid treatment by Vet. White and red cell blood work done and came back normal. Continue anti acid meds, with the next steps xray and ultra sound.
Cadet Sweet Potato & Duck Wraps	Dog	Retriever - Chesapeake Bay	2	Years	Female	65	Pound	2 hours after eating 2 treats (Cadet brand Sweet Potato & Duck Wraps), (b) (6) became extremely lethargic, did not eat, did not drink, and only got up to go outside to potty. Came back in immediately and laid back down. She was worse the next day, feverish and shaking. We then took her to vet, and she is receiving fluids and slowly recovering. CBC normal.
Milo Kitchen Chicken Jerky Treats	Dog	Terrier - Yorkshire	5	Years	Female	11	Pound	Dog came in for skin issues and was placed on antibiotics and steroids. 2 weeks later, she began having episodes of dyspnea. Bloodwork, abdominal ultrasound, and echocardiogram were unremarkable. It was, however, discovered that she was extremely hypertensive and had a severe protein-losing nephropathy. Urine Protein/Creatinine ratio= 5.8. ACTH stim test was normal. She did not have any glucose in her urine. Specific gravity was 1.037. Urine culture is pending. The owners mentioned that she had been eating Milo Chicken Jerky treats and the ingredients stated that the chicken came from China. She had been eating them for 6 months. The owners had already thrown out the bag when they told me this, as they had seen something about kidney issues and the treats on the internet.
milo's chicken jerky	Dog	Beagle	12	Years	Male	38	Pound	after eating Milo's chicken jerky dog became very sick,, he had trouble with his bowels throwing up and always sleeping
waggin train chicken tenders	Dog	Shih Tzu	5	Years	Male	11	Pound	Fed dog some jerky treats. Dog became very lethargic. Began vomiting everything up. Could hardly walk. Took him to the vet, advised to give only water and special food- hills science diet canned food. He took a few days and was back to old self. Gave him 1 jerky treat not knowing that this was what was poisoning him. Dog got ill again a few hours after injecting product. Could not walk. Took several months to recover completely. Not sure if he has anylong term effects This crap is poison and must be removed from store shelves!!
Waggin' Train Wholesome Duck Jerky Tenders	Dog	Shih Tzu	3	Years	Male	13	Pound	My dog had five pieces of Waggin' Train Duck Jerky Tenders over the course of two days. Then he stopped eating for two days. After this, he began to have frequent bloody diarrhea, later diagnosed as hemorrhagic gastroenteritis. In addition, he vomitted twice. Since this happened over Thanksgiving weekend, I was unable to see a veterinarian until he had been sick for four days. My vet prescribed several medications to treat my dog's condition. I believe the jerky treats were the cause of his illness, since this was the only new food item given to my dog during that time. I am very confident that my dog did not consume anything that I was unaware of during this time. My dog is current on all of his shots and received a flu shot in September. He is still unable to eat, but I expect him to recover.
Sergeant's Canine Prime Naturally Roasted Bullwrinkles	Dog	Terrier - Yorkshire	5	Years	Male	5.6	Kilogram	developed glucosuria with normal blood glucose and azotemia - suspect Fanconi-like syndrome or proximal renal tubular injury. He has been eating the Seargent's Canine Prime Bullwrinkles daily for 2-3 ears.
Cadet gourmet sweet potato & chicken wraps	Dog	Coonhound -	1	Years	Male	79	Pound	Loss of appetite, dark urine, lethargic, vomiting.

VitaLife Chicken Tenders	Dog	Terrier - Boston	8	Minutes	Male	15	Pound	<p>I am writing to you today to address an issue of great concern and urgency that is very personal to me and my family as we have 1 dog who is suffering kidney failure due to eating VitaLife Jerky Treats. After 2 months of suffering I will need to put him down this week. Pet treats imported from China continue to sicken and kill pets at an alarming rate - a tragedy that can be prevented if the FDA takes three important and available steps.</p> <p>By the FDA's own count, there are well over 360 deaths and over 2200 illnesses currently linked to these treats. In truth, the ACTUAL number of pets that have perished or become ill, but whose owners have failed to make any association, may very well reach into the tens of thousands. The known numbers alone warrant action.</p> <p>In 2011 President Obama signed into law the FSMA. The FDA now has the tools with which to put a halt to the death and chronic illnesses being suffered by our family pets. I am asking you to take these steps:</p> <ul style="list-style-type: none"> - Deny Entry Under FSMA, if a food producer in another country does not permit the FDA to inspect its facility, the FDA can refuse to allow food from that facility into the United States. In April 2012, Chinese government officials overseeing plants that make chicken jerky pet treats refused to allow U.S. inspectors to collect samples for independent analysis. This act by Chinese officials gives the FDA the right to deny entry to the USA for products produced in these facilities, as provided under FSMA. - In addition, Section 801 of the Federal Food Drug and Cosmetic Act gives the FDA the power to refuse import of animal feeds if they even appear to be adulterated. Section 801 also allows the FDA to make admissibility decisions using information and evidence from sources other than their own examinations, such as the test results from Germany provided to the FDA in September 2012 from CBC Marketplace. These test results showed that some samples of chicken jerky dog treats contain an unknown compound; something that should not be there and that wasn't in the control group of samples - evidence that some jerky products for dogs are adulterated. The same jerky treats that contain the compound had been fed to dogs that then had to have emergency vet care to survive what presents as toxic poisoning. Dogs continue to have serious health issues & this confirms the evidence provided by the thousands of reports of kidney disease, liver disease, Fanconi-like Syndrome, and death in dogs that have consumed imported jerky products. I am asking that the FDA invoke that power and refuse import to any jerky products for dogs that are manufactured in China until the manufacturers can identify the compound and show proof that it has been eliminated entirely from their products. - Enforce a Mandatory Recall Direct quote from the FDA website: 'Before FSMA, FDA had to rely on a firm's voluntary decision to remove food from the marketplace that could be hazardous to humans or animals. Under the new law, the agency can order a recall if the company does not cease distribution itself and recall its product. If there is reason to believe that the food is adulterated or misbranded and that use of the product could result in serious illness or death, FDA can order that distribution be halted and all implicated products recalled.' <p>The FDA now has the authority AND a preponderance of evidence to enact a recall. Hundreds of deaths, thousands of illnesses, an unknown compound identified and submitted to the FDA and the fact that the Chinese refused the FDA samples to be independently tested; these facts are all RED FLAGS that, in the VERY least, suggest that these imported pet products should no longer be GRAS!</p> <ul style="list-style-type: none"> - POS Warning There are 3 major petitions started by victims of imported chicken jerky that have garnered over 165,000 signatures to date. These people are crying out for the right to have the expectation that, when they shop in a store in the USA, they are buying safe products. If the FDA chooses not to enforce a recall, then it is incumbent upon the agency to exert due diligence in alerting the public to the investigation of these products. Many pet owners have already made the connection, either through painful circumstance or publication, but there are many thousands of others who have not. Such pet parents deserve the right to make informed decisions for themselves. It is within your purview to require that all retailers of said product conspicuously post a cautionary notice AT POINT OF SALE. Such a notice should state that the FDA and CVM are currently conducting investigations regarding the safety of these foreign-sourced products, known symptoms and where to contact the FDA to report a death or illness. This notice will need to be posted regardless of denial of entry unless the recall is enforced and all product is pulled from the market. Thank you for your consideration. I would very much appreciate a personal response to each individual request - as I stated this issue is very personal to me - as well as thousands of other affected pet parents. If only this information had been available to me, my dog and my family could have avoided a great deal of suffering and over \$6000.00 in veterinary care. Please help others avoid my fate by upholding the FDA's commitment to the American (Canadian) public and assert the power and responsibility afforded by the FSMA: 'working to ensure that unsafe foods are not distributed in the first place.'
Waggin' Train Cowboy Steaks	Dog	Terrier - Yorkshire	7	Years	Female	7.5	Pound	<p>At 5pm on 11/24/12, I went grocery shopping at Gristede's on Columbus(I've called them to request they take the brand off the shelves), and decided to give Waggin Train Cowboy Steaks(has chicken in it) a try. I looked at the packaging to make sure it wasn't made in China(after all the problems with dog food in China, I've been very wary) and I saw a big label that said it was Manufactured for and Distributed by a company in Anderson, S. Carolina. I fed (b) (6) one of the treats at 6pm. Between 6pm and when I went to bed, (b) (6) was already acting strangely. She didn't want to sit next to me..she actually sat very far away from me on the couch which is atypical for her. She seemed very sleepy. At 2am on 11/25/12, I was awoken abruptly to (b) (6) violently vomiting. She vomited at least 8 times within 1.5 hours and so I thought maybe it was the treat since it was the only thing different that I fed her. I looked, and in smaller, hardly legible font, the treats said, "Made in China". I looked up this brand online to see if it was recalled, and read about many cases of dogs getting sick from this brand and even dying! I immediately called the Emergency Vet in NYC to rush her to the hospital and tests were performed and she was given a a shot in her back for hydration. She seemed to have stabilized. My orders are to keep her on a bland diet, monitor for troubled urination, increased water consumption, lethargy etc.</p> <p>I am currently monitoring her to see if her condition improves. She has not thrown up in the past few hours, but she is licking her lips a lot(a sign of nausea in dogs). She seems "okay" but she is still lethargic and has been resting a lot. I am withholding water and food. I will be introducing W/D(sort of a bland diet from the Vet) in a few hours if she does not throw up the water I give her. I have made an appointment with my regular Vet tomorrow to do blood work and check her kidney and liver stats, since Waggin' Train treats are allegedly responsible for some incidents of kidney failure in canines.</p> <p>Please feel free to contact me if you need anymore information via phone. I'd be more than happy to help prevent more dogs from getting unnecessarily sick. I read that the FDA did perform some tests on this brand's treats, but the toxin in this treat is probably something we wouldn't expect or normally test for...I still have the treats I gave her on a shelf(as evidence) so if you would like me to give you those, I can give you those as well.</p>
Milo's Kitchen Chicken Grillers	Dog	Terrier - Scottish	10	Years	Female	22	Pound	<p>We began giving (b) (6) Milo's Kitchen Chicken Grillers periodically which she had never had before. We did not change her food or medication other than the Chicken Grillers during this time. We gave her about 3 pieces per day and toward the end of the bag (about 5 or 6 days later) she began vomiting and fainted. She also cried when her abdomen was touched. We took her to the doctor and she was diagnosed with pancreatitis.</p>
Waggin' Train Chicken Jerky	Dog	Beagle	11	Years	Female	17	Pound	<p>After several months of receiving small pieces of Waggin' Train chicken jerky--to or three small chunks per day--(b) (6) was diagnosed with kidney disease in October 2011. She wasted away over the past thirteen months, kept alive by special diet and extensive medication. She went from 39 lb in October 2011 to 17 lb this week; she died last night, 11/22/12, nothing but skin and bones, too weak to even stand up.</p>
Canyon Creek Ranch Brand Duck Tenders	Dog	Spaniel - Springer English	10	Years	Female	58	Pound	<p>After feeding my dog 3-4 Canyon Creek Ranch brand duck tenders every other day for about two weeks she became lethargic and had difficulty breathing. Additionally, her appetite has been reduced and she no longer comes to the door to greet people. She seems "off". The veterinarian says she is currently stable and we are awaiting blood tests, although they suspect kidney or liver problems.</p>
Sam's Yams sweet potato dog chewz	Dog	Shepherd Dog - Australian	4	Years	Male	62	Pound	<p>Purchased "sweet potato dog chewz" make by Front Porch Pets Inc. and gave about 1 per day as a treat. After several weeks, the dog became very ill. The vet determined he had a gastric obstruction and performed emergency surgery. The stomach contained numerous pieces of the product, which was the cause of the obstruction.</p>

Pet Shoppe Chicken Jerky Premium Chicken Dog Treats	Dog	Chihuahua	1 Years	Male	4.7 Pound	Friend with new (3 mos.) Jack Russell puppy shared newly purchased Pet Shoppe Chicken Jerky treats purchased at Walgreens with my Poodle mix (9 yrs, 18lbs) & Chihuahua (1 yr, 5lbs). Chihuahua began having diarrhea hours later and was taken to the vet after 24 hours of continual diarrhea. The jerky treat was the only thing consumed that was different from every normal feeding. Vet fecal sample confirmed bacteria, blood work confirmed high white count, low protein. Vet said that she thought it was the jerky treats as she has seen these symptoms in several dogs. I let the owner of the Jack Russell know, he has not seen any diarrhea. My poodle mix has not had diarrhea. The vet confirmed that not all dogs have problems with the jerky treats, but the ones that do can get very sick.
EverPet Real Chicken Chicken Chins	Dog	Bichon Frise	8 Years	Male	34 Pound	See attached medical notes
Waggin Train	Dog	Corgi (unspecified)	8 Years	Male	18 Pound	My grandmother bought Waggin' Train dog treats, the chicken flavored. She gave them to my dog (b) (6) when I would visit her once a week. This went on for about 1 month until I was informed about the chicken from China killing dogs. I told her to stop and threw the treats out. (b) (6) ate about 3 chicken strips each time I went to her house, so he probably consumed about 15 total. I started noticing that he was drinking excessive amounts of water and peeing a lot, every hour, when he usually would only pee 3-4 times a day. He is house trained and has been for years, but started peeing inside. I took him to the vet and they said his kidneys were going bad. I switched his food to an all natural diet with no grain, wheat, or phosphorus. He seemed to be getting better after a few weeks. He wasn't peeing inside anymore. But then I noticed he wasn't peeing a lot at all. Maybe twice a day. This happened the past week; in the past week he has decreased in his urination and water consumption (after it went back to normal) and hasn't eaten anything. Every morning he throws up yellow bile and if he does eat a little he throws it up within 1-3 hours. I took him to the vet and his numbers are insane, the vet said he was in renal failure and the only thing I could do is give him fluids through a shot for the rest of his short life. The vet said he could live for days or months, it's hard to tell. His BUN level is 138 and it is supposed to be 7-25. I know this is from the Waggin Train treats because I have had many people tell me their healthy dog was fine until they ate these treats. My dog was in perfect health until he ate these treats. YOU NEED TO TAKE THESE OFF THE MARKET THEY ARE KILLING PETS!! How many pets have to die?
Waggin Tails wholesome duck jerky tenders	Dog	Shih Tzu	4 Years	Male	16 Pound	(b) (6) began vomiting and not eating his supper like usual. We were not sure why, we thought at first it might be the stress of the hurricane, but once we heard about the problem with the product and stopped using it he slowly showed signs of improvement
American Kennel Club Lamb Jerky, Waggin' Train Wholesome Duck Jerky Tendens	Dog	Basenji	7 Years	Male	26 Pound	Patient presented to our hospital following a 4 - 5 days history of lethargy, hyporexia, and vomiting. The owner reported patient had been having polydipsia and polyuria for several weeks. Bloodwork performed on site showed patient was severely azotemic and in acute kidney failure. A urinalysis sent to Idexx laboratory confirmed glucosuria in the absence of hyperglycemia, as well as proteinuria. A leptospirosis panel on the patient was negative. Based on these findings, a diagnosis of Fanconi syndrome was made. The patient was hospitalized on IV fluid therapy however his kidney values failed to improve over a 48 hour period. Based on financial constraints of owner and (b) (6) failure to respond to fluid therapy, humane euthanasia was performed. The same day (b) (6) was euthanized, another housemate of (b) (6) (also a Basenji but unrelated to (b) (6)) who had been fed the same treats presented for sudden onset polyuria and polydipsia. On examination, this housemate (b) (6) had normal kidney values (BUN, Creatinine were normal) but did display glucosuria and proteinuria in the absence of hyperglycemia.
Waggin Train	Dog	Spitz (unspecified)	7 Years	Female	15 Pound	Dog became lethargic, stopped eating, vomited, had diarrhea and wouldn't eat.
Beefeaters Chicken Fillets Natural Dog Treats	Dog	Dachshund - Miniature	1 Years	Female	9 Pound	<p>Only snack she received was chicken jerky strips, which were supposed to be healthy as they were 98% fat free. All of a sudden, she started not playing, not eating, vomiting, having diarrhea, drinking water excessively, and then after a couple of days she had no control of her kidneys at all. Dog would walk across room and just pee as she was walking. Or she would be sleeping and area was dry one minute, then completely wet the next as she had peed in her sleep and didn't know it. Took her to our Veterinarian and he ran blood tests. They came back as complete kidney failure. We tried 5 days of pumping fluid under the skin to flush the renal system and 3 kinds of antibiotics. Instead of getting better, she got worse in the space of a week. We had to put her down as there was nothing else the Vet could do and we didn't want her to suffer with a body full of toxins due to kidney shutdown.</p> <p>FDA really dropped the ball on making sure these types of foods for dogs or humans were safe to eat. I didn't realize that there was an issue back in 2011 or earlier. These things should have been taken off the market completely since there was an issue!</p> <p>In my opinion, the FDA owes me \$1,000 for the cost of a purebred miniature dachshund at \$500, and another \$490 for Vet services. That doesn't take into consideration the emotional trauma you put my husband and I through losing an extremely young dog that we loved like a child. Or the trauma we had to put the dog through to try and save her.</p> <p>Truly, I expect a check from someone for \$1,000 as reimbursement for something that should have never happened in the first place. I'm sick over the fact that FDA didn't take these chicken jerky strips off the market.</p> <p>My sister also has a dog (black lab) that had kidney failure and all she was getting for snacks is the chicken jerky too. Luckily being a larger dog, her system didn't go into such drastic illness and their Vet was able to bring the dog back around. But none of us should have to go through this if you were doing your jobs and inspections correctly.</p>
Waggin' Train Wholesome Chicken Jerky Tendens	Dog	Retriever - Labrador	6 Years	Male	80 Pound	Dog has been sick several times in the last 8-12 weeks. He gets sick after eating Waggin' Train Jerky Tendens chicken dog treats. Symptoms are: drooling, vomiting, lethargic. Will be taking to vet tomorrow morning.
Waggin' Train Wholesome Chicken Jerky Tendens	Dog	Shih Tzu	1 Years	Female	15 Pound	We were on our second bag of Waggin Train Chicken Jerky Tendens. Our dog probably gets 2 strips per day, usually when we have to leave her home alone during the day. Last week I noticed she was being unusually somber acting and lethargic, which is totally unlike her. Later that evening she all of a sudden started violently vomiting all over the house. I noticed there were chunks of what appeared to be her jerky treats. I thought that maybe she had gotten into something that made her sick to her tummy. Although I couldn't figure out how she would have gotten into anything because she is an inside dog and is always being watched when she is outside. The next day she was still a little somber acting but after a few days she was back to her playful, rambunctious self. I didn't give her any of the treats for a few days just because I didn't want to give her anything that might be hard to digest. After a few days, I gave her another treat when I left in the morning for work and again that evening when I left to pick up my daughter. Later that night, she started throwing up again. This time it was just the chunks of treat along with a clear liquid (she hadn't really been eating much after the first episode). I was totally baffled as to what was going on with her. Then my daughter told me that she had heard they were recalling the treats that we give our dogs. I looked it up online but couldn't find any official recall. Tonight I was watching our local news and they had a story on the dog treats and sicknesses it was causing. All of the symptoms they discussed were exactly what our dog experienced.
Waggin Train Wholesome Chicken Jerky Tendens	Dog	Pinscher - Miniature	7 Years	Female	8 Pound	(b) (6) got a bladder infection, then stopped eating and starting drinking constantly, and begin peeing excessively. When taken to vet he had sugar in his urine and not in his blood. So the vet starting running tests to see what the problem was and was diagnose with Fanconi Syndrome

Waggin Train Big Blast pork skin twists with chicken liver	Dog	Retriever - Labrador	4	Years	Female	55	Pound	(b) (6) was given treats, one each day for three consecutive days. On day three, (b) (6) had an enormous increase in drinking and in urination, to the point where she even had an "accident" in the house in the morning of the fourth day, something that has not happened for several years. A friend mentioned hearing on the news something about a recall.
Canyon Creen Chicken jerky treats	Dog	Doberman	7	Years	Female	32	Kilogram	Owner came home to find (b) (6) dead in the garage, with evidence of a seizure: stool all over her, including in her collar buckle. She was over 105 degrees on admission, despite having been dead for over 1/2 hour at that point. The other dog was fine. With questioning, it was noted that she had increased frequency and number of chicken strips, made by Canyon Creek. Her owner had been feeding several per day over the past couple of months, intermittently.
Waggin' Train Chicken Jerky. Made in China	Dog	Basset - Fawn Brittany			Mixed Population of Female and Male			Re Dogs dying after ingestion of small amount of Waggin' Train Chicken Jerky. Death is directly, repetitively, after eating this product. Can you immediately recall with this unmistakable evidence, please? As owners of consequential, dead dogs, are still reporting seeing this product on shelves of Safeway & several other stores. I am particularly emailing you to please investigate this product by microscopic means, or investigation/revelation of all contained ingredients, performed by Analysts and NOT by poor unfortunate 'subject' animals, tested on and then euthanized. Please don't find the latter necessary when Food Analysts can identify offending ingredients with help of Science. This will provide proof without deaths.
oinkies pig skin twists (original hartz)	Dog	Dachshund (unspecified)	6	Years	Male	10	Pound	both dogs were healthy before given the treat. within 2 days both of my dogs experienced uncontrollable diarrhea and one has blood in feces. never before have i had problems with any treats before. one more day and i am going to take them to vet.
Pork skin twist with liver center	Dog	Retriever - Labrador						Dog got sick, then died
Milo's Kitchen Home Style Treats Dog Treats Chicken Jerky	Fish		3	Years	Female	48	Pound	Have been feeding Milo's Kitchen Chicken Jerky treat for about 1 year prior then stopped feeding around April 2012. With the last bag purchased (b) (6) threw up twice after being given the Jerky treats.
Treat samples have already been submitted								Purchased dog jerky treats and found out they were produced in China. My dog was not her self and I stopped giving her the treats and she is now back to normal. I am requesting an analysis be done on these treats, examples already submitted, to determine if the treats are safe or should they be added to the list of dangerous treats for dogs.
Veggie Life Vitality with Flaxseed & Vitamins Sweet Potato	Dog	Doberman	2	Years	Male	89	Pound	Around 30-45 minutes after giving him one of these sweet potato treats last night, our dog (who is an extremely healthy and active two-year-old) suddenly vomited and began acting ill. As of this morning, he is still clearly not feeling well, whining for no reason, moving weakly, and showing no interest in treats and toys he is usually excited about. Until giving him the suspect treat last night, he was completely alert, happy, playful, exhibiting no signs of illness or distress.
The product name is on the sample submitted for analysis								I am submitting jerky treats that I have purchased for my dogs to determine if there are any potential health issues associated to the product. .
Canyon Creek Ranch Brand chicken tenders	Dog	Terrier - Boston	17	Weeks	Female	11	Pound	(b) (6) was having trouble walking. Her head was bobbing and she was very dizzy. I thought she was going to pass out. I rushed her to my vet. They gave her oxygen and fluids. The doctor was not there, but was on the phone. She told the tech to send us to the emergency. When I got to the emergency they thought she had a possible allergic reaction or toxicity. She was given an xray to see if she had any foreign body. That was negative. They thought she had gotten some oleander. i was sure that she hadn't. (b) (6) was released the next day. She was fine until the next morning when the symptoms reappeared. I rushed her to my vet. (b) (6) had read the report sent to her by the emergency and wanted to know what brand of chicken jerky she was eating. After checking on the internet it was the same brand that was making dogs sick and dying. My other dog refused the treat. In fact they ate the same food except for the chicken jerky. Basically I only used the jerky as a treat for paper training. These two visits cost me \$1577. The vet told me to freeze the remaining jerky treats.

Milo's Kitchen home-style dog treats - Chicken Jerky	Dog	Poodle - Standard	4 Years	Female	19 Pound	<p>I bought a bag of chicken jerky treats manufactured by Milo's kitchen home style dog treats about a week ago. After about 15-20 minutes of her ingesting, it, my dog started gagging & vomited. She was not previously ill at all. Two days ago, I gave her a chicken jerky treat from the same bag. The same thing happened-after about 15-20 minutes of ingestion, she started gagging & vomited. That is when I thought that I gave her the treat the week before & she had vomited after the treat. I became suspicious-again, she not ill & is a healthy dog. I checked the expiration date which was 11-13. I then googled the treats. I was shocked & appalled to find that they "were responsible for causing canine deaths & illnesses". I immediately sent a letter of complaint to the company. There are numerous negative articles regarding these products on the internet, including the one that I have included at the end of my letter. I am shocked & appalled that major stores-such as Walmart are still selling these products.A thorough investigation needs to be performed. My dog is very precious to me. She is fine now, but vomited twice that last time I gave her the treat. Then she was fine. It was not a coincidence that 2 times she ate it, 2 times she got sick after 15-20 minutes of ingesting the product. Please help us pet owners that cannot do what you can do for our precious pets. I am so grateful that my dog is fine, but what about the other dog owners & the helpless pets that are not? I thought I was giving her a HEALTHY snack. I could have harmed her irreparably. Thank you for your time & consideration regarding this matter. I look forward to hearing from you soon. Sincerely, (b) (6)</p> <p>FDA: Nearly 1,000 Pets Sickened by China-Made Dog Treats By Terri PousMy 23, 2012Add a Comment inShare63</p> <p>Related Nearly 1,000 dogs now sick from jerky treats, FDA reports say MSNBC Follow @timenewsfeed</p> <p>Suddenly, ¿sick as a dog¿ isn't so colloquial. According to updated records kept by the Food and Drug Administration, chicken jerky pet treats from China have sickened nearly 1,000 dogs in the U.S. in recent months. The FDA has logged 900 reports of illnesses and deaths from vets and concerned pet owners since November, when it issued warnings about health problems associated with the products known variously as chicken jerky strips, treats and nuggets. Recorded problems stemming from the treats range from vomiting and diarrhea to kidney failure and death. The complaints have contributed to mounting pressure on the FDA to address the issue. Despite repeated tests, however, FDA scientists have been unable to detect any toxin responsible for the animal illnesses, officials said. And no results of a review conducted at Chinese treat manufacturing plants earlier this year are yet available, according to FDA spokeswoman Tamara Ward. China's spotty record on food safety only complicates the issue: in recent years the country has dealt with numerous food scandals, involving toxic baby formula, tainted pork products, rice contaminated with heavy metals and the reuse of discarded cooking grease nauseatingly known as ¿gutter oil¿ . In 2007, more than 100 pets in North America reportedly died after eating pet food whose China-sourced ingredients were tainted with the plastic melamine, prompting a massive recall. No wonder folks are quick to worry. The three top brands of chicken jerky treats among those most recently cited in complaints included Waggin¿ Train and Canyon Creek Ranch brands, produced by Nestle Purina PetCare Co., and Milo¿s Kitchen Home-style Dog Treats, produced by the Del Monte Corp. According to the msnbc.com report, Waggin¿ Train and Canyon Creek Ranch are both produced and supplied by JOC Great Wall Corp. Ltd. of Nanjing, China.</p>
dingo chip mixc chicken in the middle	Dog	Great Dane	9 Weeks	Male	25 Pound	He ate 4 treats in one week, then got a fever, not eating, whined, diarrhea, sleepy. Vet asked if he had ate any toxins.
Boots and Barley Chicken Rawhide Twists	Dog	Schnauzer - Miniature	5 Years	Female	15 Pound	(b) (6) began vomiting in the middle of the night 6-8 times. She was vomited bile until she could only dry heave. She was extremely lethargic and had a low temperature of 99 degrees. She started to shake and became extremely lethargic. She refused food or water for two days and continued to vomit 3-4 times each day. After two days she was interested in food again, so I gave her a rawhide chew for a treat. She drank profusely that evening. Late that evening she began to vomit thick yellow mucus profusely 6-8 times. For the next three days she refused to eat or drink, and was extremely lethargic with dilated eyes. I had to give her water with a syringe. She was extremely dehydrated, lost over three pounds, and became unresponsive and too weak to walk. Her gums were almost white and dry to the touch.
Waggin Train Chicken Jerky	Dog	Spaniel - Cocker American	9 Years	Mixed Population of Female and Male	27 Pound	After eating the waggin train chicken jerky treats both dogs developed GI upset. Both had vomiting and bloody stools. The male dog stopped eating. I thought the fault was the dogs not chewing the treats and gulping them. I gave the treats to my daughter for her mother in law's siberian husky. A few months later I purchased the treats again and they both were sick that evening again with vomiting and bloody stools. I recently found out the Siberian Husky was sick with GI symptoms after eating the treats. All dogs have recovered, thankfully I discontinued the treats immediately after the second episode and will never purchase them again.

Waggin' Trail Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	37	Pound	<p>She has been getting Waggin' Tails chicken jerky a few times a week for the past year and pretty much every day starting in August 2012.</p> <p>September 18, 2012- She became extremely lethargic and stopped eating or drinking. She was taken to the vet the morning of September 19th and had a fever of 106.1. They did blood tests and x-rays and ultimately diagnosed her with pancreatitis. She was treated with IV fluids and IV antibiotics for 3 days. She was given 136 mg/day of Baytril for 3 days followed by 68 mg/day for 7 days to continue the antibiotic treatment at home. We put her on a restricted diet of boiled chicken, veggies, and rice for two weeks.</p> <p>The situation seemed to resolve itself and she was mostly back to normal by early October, so she went back to her regular diet (Nutro dog food) and started getting chicken jerky treats again.</p> <p>October 20, 2012- She didn't eat her dinner and seemed a little slow. Over the course of October 21, she started becoming lethargic again and wouldn't eat or drink. We returned to the vet the morning of October 22. After repeat x-rays, she was referred to a specialist for an ultrasound. IV fluids and IV antibiotics were given again for two days. Here are the vet's notes from that visit:</p> <p>"Abdominal ultrasound was done upon initial presentation. It was overall within normal limits for a dog (b) (6) age. The liver did appear coarse and needle aspirates were taken. The sample came back within normal limits - a possible elevation in the lymphocyte count was noted (this is a diagnosis made by biopsy). There was a scant amount of fluid around the gall bladder. Urine was obtained for USG (1.015) and bacterial culture and sensitivity. This test is pending. Changes in antibiotic treatment may be needed once culture is received. Blood was drawn and (b) (6) kidney enzymes were elevated. This combined with low USG indicated mild to moderate kidney failure. (b) (6) was hospitalized for supportive care and has improved during her stay - both in her demeanor and appetite as well as her kidney values. Her fever broke soon after treatment was begun."</p> <p>The result of her urine test was normal, so she was on put of 500mg/day of Clavamox and 170 mg/day Baytril for 7 days. The situation has again appeared to resolve itself.</p> <p>November 7, 2012- She had follow-up blood and urine tests. The urine test showed her urine was not concentrating the way it's supposed to and the vet emailed me this her blood tests: "The chemistry panel looks good overall. Her kidney values are normal. She has some elevations in amylase/lipase/triglycerides which may be related to what she has been eating lately."</p> <p>Tonight (November 8) I came across an article commenting on the FDA's warning regarding chicken jerky, which lead to this report.</p>
Milo's Kitchen Chicken Grillers	Dog	Dachshund - Miniature	8	Years	Female	6.5	Pound	Ingestion of treats from new bag of treats - vomiting/hemorrhagic diarrhea/hypoglycemia/glucoosuria
Kingdom Pets Chicken Jerky								<p>My lab which weights 65 lbs developed severe hot spots after feeding him Kingdom Pets chicken Jerky purchased from Costco in (b) (6). At the recommendation of the vet I stopped feeding him the treats and within five days the hot spots were reduced to just areas that he felt sensitive and within 10 days all signs were gone.</p> <p>I contacted Costco where I purchased the product and the distributor Globalinx Pet, LLC of Newport Beach, Ca. I was called and requested to send in the bag which I declined and sent in instead a sample for testing to Golbalinx. I have the original packaging and about 1/2 the original product.</p>
Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Mixed (Dog)	11	Years	Male	116	Pound	On two incedents I had given the animal approximatly 3 canyon creek duck jerky treats about an hour after he had eaten his dinner. (about 8pm on 11/04/2012 & 11/06/2012) The next morning he had vomited his stomach contents.
Waggin Tails Chicken Tenders	Dog	Maltese	3	Years	Female	5.2	Pound	<p>I started feeding my dog Waggin Tails chicken tender treats which I purchased at PetSmart as a reward for potty and good behavior. About a month after feeding the treats she started having stomach issues and was throwing up foamy yellow/green stuff. At this time we had no idea the treats was what was making her sick and we took her to the vet. They said she had an upset tummy and gave her meds to coat the stomach and throat since the bile in the throw up had burnt her esophagus and stomach lining. It took several weeks to get her back to eating her dog food again since she was on Gerber Baby food for her stomach issues. Once she was better and started eating again, we gave her the treats again because she loved them and was using them as rewards again. After about another month she started the same thing over and yet again, we were back at the vet. This time she had severe hair loss on her back and was also throwing up again. This was an everyday event usually 1-2 times a day. At this time, the vet decided to run some test and found that her liver enzymes was elevated and and she had a kidney infection. The vet also suggested she may have food allergies that was irritaing her tummy/ gastro tract and could also be causing the hair loss. They put her on a perscription diet that was very expensive and more meds to coat her tummy to get her back to a regular diet again. We then asked about the treats and he did not seem concerned but the problem with these treats had not leaked to the media yet. After getting her well again, the hair loss got worse, her eyes became cloudy and she just was not herself and it was a fight to get her to eat. We once again gave the dog treats as rewards and this time she became deathly ill. She was throwing up bright green and uncontrollable diarrhea that was also green. We took her to our regular vet and he immediately called (b) (6) and said we had to get her there at once or she was not going to make it. We drove 30 min to the clinic and they took her out of my arms as we came in the door since they were expecting her and I did not see her again for 6 long days. She was on the brink of death. She was severely dehydrated from being sick that day while we were at work. Our house was covered in this green diarrhea and throw up from her being sick. They told us they had to get her stable in order to run test but the main goal was to just get her stable for now. She had around the clock care for 24 hrs and started to show signs of improvement but sill very sick. The gastrologist told us to prepare for the worst because she was so small and little dogs didn't have a good success rate when they were this sick. On the third day she was stable enough to run test and run a light down her little throat to look into her tummy. What we were told was that her esophagus and stomach lining was severely burnt from the acid from being sick and her kidneys were not functioning properly. They asked us to give them a list of all meds, foods, treats etc that she had taken so they could try to find out what caused her to be so ill and at that time, was only 2 years old. In the end and over \$2500 later, we were told they had other similar situations with other dogs and the cause was the dog treats. The damage that was caused to her stomach was so damaging that she is now on a perscription medicine everyday for the rest of her life. Her hairloss issue worsened and now she has very thin hair and you can see bare skin all over her trunk area. What fell out ,came back wirey and grey. Her skin on her back is a purplish color and stays dry and cracked. She is very sensitive on her back and is also on perscription dog food now that is a chore to get it forced down her everyday. (b) (6) is not the happy little dog we had before all of this happened and it breaks my heart that these treats are still on store shelves.</p>
Ol' Roy Dog Treats Grilled Chicken Strips, Ol'Roy PigZ N Blankets	Dog	Boxer (German Boxer)	7	Years	Female	75	Pound	<p>Her whole body lymph glands became swollen, respiratory distress and swollen stomach (b) (6) was examined by her Vet. (b) (6). Vet. submitted blood specimen to (b) (6) results Lymphoma cancer.</p> <p>This is the second dog in the last 7 years now that has died. They both ate Wal-Mart Ol'Roy Chicken Dog Treats. For extended amounts of years prior to their deaths.</p> <p>Neither animal had any other history of illness other than cancer.</p> <p>I believe from my college chemistry that of the listed ingredients that long term use of the ingredient: PROPYLENE GLYCOL is responsible for the cause of Cancer in my dogs.</p>

EXER-HIDES Rawhide Munchy Dumbells. Wrapped with chicken jerky.	Dog	Mixed (Dog)	5 Months	Male	11 Pound	<p>Dog had an ongoing history of mild gastritis (some mild vomiting, decreased appetite, diarrhea) beginning on 10-3-12. Dog never fully recovered per owners. On 11-2-12 dog had some vomiting, lethargy and on 11-5-12 owners returned with dog because of perceived pain. Dog was bright, alert, responsive with normal temperature during all exams. Dog would eat small chicken treats. Bloodwork was done on 11-6-12 and showed increased BUN, creatinine, and phosphorus with a urine specific gravity of 1.010 and significant debris in sediment. Owners elected euthanasia based on prognosis.</p> <p>Necropsy showed small, lumpy kidneys with abnormal texture.</p> <p>Owners often reported that the preferred food was chicken with chicken jerky being a major part of the treats.</p>
CANYON CREEK RANCH - DUCK JERKY & SWEET POTATO JERKY, WAGGIN TAILS JERKY TENDERS - CHICKEN	Dog	Other Canine/dog	10 Years	Male	9.5 Pound	<p>(b) (6) was a very healthy Pomeranian who was given 1 Waggin Tails chicken, yam & chicken jerky per day since he was 3 years old in 2005. In late 2008, (b) (6) was very ill with excessive vomiting & diarrhea. He became very lethargic and was rushed to our vet (b) (6). The vet observed a huge growth internally with low albumin levels. He immediately sent (b) (6) to (b) (6) removed a 2.5 growth which was attached to his internal organs (liver, kidneys) in Jan 2009. Post surgery he was placed on bland diet and protein change in feeding. NO MORE CHICKEN JERKY. NOW (b) (6) HAS LIVER DISEASE FROM THIS JERKY!</p> <p>We did not know about bad jerky and have given him DUCK jerky and sweet potato jerky from 2009-2012. NOW, If he eats any of the duck, sweet potato (all within his dietary restrictions) he gets immediately ill with vomiting & diarrhea and MUST be taken predison daily for this issue.</p> <p>WE HAD A HEALTHY DOG - TRUST "WHOLESOME" TREATS AND IT HAS CAUSED PERMANENT DAMAGE NOT TO MENTION EXTREME VET BILLS WITH ROUTINE BLOOD DRAWS AND \$4000 SURGERY!</p> <p>(b) (6) our 8 year old Pomeranian also gets vomiting & diarrhea if she eats jerky.</p> <p>ALL MEDICAL BILLS AVAILABLE UPON REQUEST.</p>
happy Hips with glucosamine and chondroitin Chicken and Sweet Potato	Dog	Black Mouth Cur	6 Years	Female	50 Pound	<p>After giving our dog (b) (6) several of these treats on separate occasions she vomitted profusely until it was bile. She was very ill and lethargic. We immediately stopped giving her the treats and gave her very bland food until she regained strength and was able to keep food down. She had never been ill prior to being given the treats.</p>
Canyon Creek Ranch Brand Duck Wrapped "Big Blast" pork skin with liver center	Dog	Crossbred Canine/dog	3 Years	Female	12 Pound	<p>The incident happened several months ago but a recently saw a local news story regarding dog treats made in China. I read the FDA report and realized that my dog had a similar experience with a dog treat. I still have the product so I looked at the bag that I kept and realized they were treats made in China and wrapped in Duck Jerky.</p> <p>I purchased a chew bone type treat that is pork skin covering liver with Duck Jerky wrapped around the pork skin from a local PetSmart. I gave one to each of my dogs and within a couple hours the one dog began suffering from severe mucousy diarrhea with blood. Knowing that the only new food item introduced was the chew bone, I removed both and threw them away immediately. I fed the dog hamburger and rice until the diarrhea was resolved and she has been fine since. I have not given her or any other dog anymore of the treats however, I kept the remaining product for some reason. I didn't give the incident much thought since she has recovered without medical intervention until I saw the news story about treats imported from China. That is when I pulled the bag out of the back of my cabinet and saw what they were made of. The date below is approximate since I can't remember the exact date the incident occurred. I do still have the product.</p>
Waggin Train Jerky tenders	Dog	Lhasa Apso	5 Years	Male	27 Pound	<p>On Oct. 24th gave both of my dogs waggin train duck jerky treat. While other dog got seriously ill, this dog, benji was on;y sick one day. The afternoon of the day he ate the jerky, he vomited on the couch and recliner. Laid around all day, but seemed better in the evening.</p>
Waggin Train Jerky Tenders	Dog	Poodle - Medium size	13 Years	Female	24 Pound	<p>Gave Waggin Train duck jerky treat Wed. am, October 24th. the next day, Thursday, October 25th, she started vomiting and had diarrhea. Friday, October 26th, she would not eat, continued with diarrhea about 6 times that day. Dog slept all Thought she was better on Saturday, but late in day diarrhea and vomiting. Had not eaten since Thurs., Oct 25. Sunday brought her to emergency vet clinic. She was diagnosed with Pancreatitis from duck jerky treats! Vet kept bag of treats. Dof received fluids under skin, and sent home with antibiotics. Vet wanted to keep her overnight for an extra \$1000.00. I said no. I would bring her to her regular vet next day. I would do anything for my dogs....but I can not believe these treats caused her to be so sick I thought I was losing her! So one duck jerky treat from Waggin Train almost took the life of my dog plus cost me \$634.00</p>
Waggin' Train Big Blast Pork Skin Twists with Chicken Liver	Dog	Akita	9 Years	Male	80 Pound	<p>Dog started becoming lethargic, weak in the legs and drank excessive amounts of water. As time went on, he became more weak with excessive urination and finally couldn't walk or even hold his head up to eat or drink. Being new to the area, I attempted to locate a veterinarian who would make a house call without charging me an arm and a leg, all to no avail (I have severe Aorta Problems and can't lift more than 15 lbs myself). The dog continued to worsen, hanging on as best he could, until he died on the 22nd of September. I learned of the problem with Pet Treats after he started getting sick.</p>
Waggin' Train Big Blast Pork Skin Twists with Chicken Liver	Dog	Akita	7 Years	Female	50 Pound	<p>Dog started becoming lethargic and her legs seemed weak. Drank a tremendous amount of water, but ate her usual amount. As days progressed, she became weaker and weaker, still drinking large amounts of water, until finally was unable to walk. I spent the last week holding her head up to drink and eat her food. Her urination also became excessive. Finally, she died.</p>

Beefeaters Chickentops rawhide roll with Chicken Meat	Dog	Retriever - Labrador	4 Years	Female	104 Pound	(b) (6) presented with a urinary tract infection with bloody urine beginning around Sept 21, 2012. She is being treated with Baytril and now has been diagnosed with Fanconi Syndrome with 4+protein and 4+sugar in her urine. Blood glucose is normal. She has a history of ingesting Beefeaters ChickenTops Rawhide (produced in China) It is a rawhide roll that has chicken wrapped on the outside. I FIRMLY believe that is something with the Beefeaters product has induced the Fanconi Syndrome. Her doctor will be performing electrolyte blood levels to determine the degree of damage to her kidneys. Her prognosis is unknown at this time. Prior to this she was very healthy and active. These products SHOULD BE TAKEN OFF THE MARKET ALONG WITH ALL PET PRODUCTS FROM CHINA!
Barnsdale Farms Chicken Jerky	Dog	Maltese	7 Years	Male	8 Pound	Mid-September, 2012, (b) (6) had his usual booster shot. One week after that we stayed at the cottage for 1 week and he seemed great....appetite, energy. Excited to be in a new environment. The first week of October, at home, I never actually saw it, but because we have ceramic floors, I would hear what sounded like (b) (6) being real skiddish on his hind feet. I wouldnt hear a sound and then out of nowhere, I would hear his little nails kind of sliding on the floor, like he was having some kind of a twitch or tremor. I heard this numerous times, for almost 2 wks before he unfortunately had to be euthanized. He would also start drinking larger amounts of water, and instead of taking several mini pees, would take one long one and want to come inside. His pee was very dark yellowy at times and seemed not as diluted as my other dogs; leaving a dark stain on his underside sometimes. Also, a couple weeks before he passed, I noticed he seemed kind of cautious about going down our stairs, which is only 6 steps, as if he was having trouble seeing or judging how he should go down. I've never seen him do that before....only when he was a pup and first learning how to go down them. One thing that really got me worried, was the fact that he would sometimes look upward as if seeing something near the ceiling. I've never seen him do that before either. About 5 days before he passed, I had to give all of my dogs Advantage for fleas, as I spotted one on (b) (6) and also the poodle. I have given them all that in the past, no problems. He seemed to go downhill after that. Real sluggish, very little appetite, drank a larger quantity of water at one time. I noticed a change in him mid-September though too, when he came home from the vet after been given his booster shot. As usual, he would be super sluggish, and had diarrhea. I remember that, because I was worried about the car ride to the cottage and if he would be feeling up to going...but the diarrhea cleared up and he seemed a little more energetic. But after I gave him the flea medicine 1 month later, he went downhill very fast. The diarrhea was severe, I mean almost black, very dark looking, which he's never had before. When I washed the little mat that he had the dark diarrhea on, it left a very noticeable dark yellowy/orange stain. It did not come out. I carried him outside, usually I dont carry him, but he seemed weak and I was so worried about him. This is very hard for me to say because it left me terried. I let (b) (6) on a dry area under our gasebo and it seemed like he was walking into things, kind of feeling his way around. He finally took a little pee, and because it was daylight out, I could see things more clearly because it was kind of bright even though it was slightly raining. When I picked his little body up, I looked into his eyes, and they were completely black, could not even see a pupil. (b) (6) had beautiful light brown eyes, almost golden in the light. For some reason, the first thing that came to my mind was blood. We rushed him to emergency, as it was a Sunday. His blood pressure was 240, sugar up, creatinine up, then, after the emergency clinic we took him to our regular vet Monday at 8 am because the Emergency clinic closed that morning at 8 am. Both vets said they had never seen anything so severe. Our family vet has been in practice for 30 years. Both clinics tried so hard to save him, but couldnt. My family vet, (b) (6), said he had all the symptoms of Faconi Syndrome.....and asked me if we fed him chicken jerky at all. In all the years I've had (b) (6) and my 2 other dogs, I only bought 1 bag of chicken jerky ever. My 2 other dogs didnt care for them, but (b) (6) would be given about 1 strip per week, as they seemed very oily. I bought them July 7, 2012, at a Zellers store. Barnsdale Farms Chicken Jerky, made in New Hamburg., Ontario. My 2 other dogs would get the odd diarrhea from time to time, but I dont know if they had a chicken jerky that day or not. Like I said, they didnt care for them. They would just drop it on the floor. (b) (6) would get 1 jerky strip broken in half, twice a week, if that. I know he did not get into anti-freeze, rat poison, etc. When I did walk him outside, he was not even the kind of dog to stop and sniff and investigate. He would just lift his little leg and carry on. I never let them run free..I am always watching them, except for when they are in the backyard sometimes which is only for a short time, because they never like to be away from me for too long. Poor (b) (6)s kidneys were shutting down, and he was bleeding internally. I will never, as long as I live, forget the two last days of his life. I wanted to almost die along with him. He was so tiny and innocent. I have a very strong feeling it might have been the dreaded Chicken Jerky. Please keep this on file. I hope no other innocent beautiful dog gets what (b) (6) had, I miss him so much. Sincerely, (b) (6). I have given you all the details I can think of for now. My vetrinarian was very, very concerned about what happened to my dog. You would have to get a hold of him for further information. (b) (6), his clinic is the (b) (6) in (b) (6), Ontario.
Waggin' Train Wholesome Western Grill Assorted Dog Treats	Dog	Mixed (Dog)	7 Years	Female	20 Pound	Gave my 10 lb. female dog a Waggin' Train Chicken Drumette - after 2 hours and finishing it all, she seems fine. Gave my 20 lb. female dog a Waggin' Train Big Blast Pork Skin Twist. After about 15 minutes, I heard a thud in the living room (I was in the kitchen) - thought it was the wind blowing against the front door. Then I heard it again, and I went into the living room and (b) (6) was down on the floor shaking and drooling. I picked up the remainder of the twist (she probably ate no more than 1/3 of it). Gave (b) (6) some hydrogen peroxide so she would throw up, which she did after about 10 minutes. (The throw up was kind of gelatinous). She drank some water and moved to a sitting up position. I took her for a walk - she had some diarrheal issues. We got back - they are both up on the couch snoozing. Hope this will be it for both of them.
Waggin Train Chicken Jerky Treats	Dog	Terrier - Yorkshire	4 Years	Female	10 Pound	Fed her Waggin Train Chicken Jerky Treats. She ate these for 2 years. When we heard of warning of health prolems caused from them we stopped buying them. (b) (6) now has health problems caused from kidney failure. The vet says all her health problems are stemmed from her kidney problems. There seems to be no hope for her to live much longer. The vet is consulting specialist in hopes of finding something he can do.
Wagon Train Chicken Jerky	Dog	Terrier - Boston	9 Years	Male	35 Pound	After eating 2 maybe 3 Wagon Train Chicken Jerky treats over a 1 week period of time my dog became violently ill; he had insatiable thirst, severe vomiting, lethergy, absence of appetite and difficulty walking. I had to spoon feed him water to maintain his hydration as every time he drank he vomited. It was 5 days before he returned to eating and again I was spoon feeding him boiled chicken or beef to ease the stress on his system.
Waggin Train	Dog	Unknown	10 Years	Male	105 Pound	My dog ate chicken jerky purchased at Walmart and he only vomited once but he would not take any food or water for 14 hours. He constantly was licking his lips. We took him to our vet and his blood tests showed increased levels in the liver and pancreas. His liver number should have been 117 and his were 1784. He was on IV's for fluids and antibiotics for 24 hours. It was about two days before he would eat but he started taking water after about 48 hours. I am certain it was the treats because our dog is not a grazer and his food consists of science diet, meat which we also consumed, and Purina Healthy Pet. I give him the chix treats nightly but had never had a problem or heard of any. I don't know if it was just one treat, or the fact he eats them every night. But, this was a sudden attack because he was behaving normally the day before, and when we woke up, he was acting depressed. We didn't realize he was ill until that evening when he would not eat, or drink. We took him to the vet the next day.
Milo's Kitchen homestyle dog treats beef jerky	Dog	Mixed (Dog)	9 Months	Male	7 Pound	Dog was given Milo's Kitchen beef jerky a few times and vomited the next morning. The dog also became very thirsty as a result of eating the jerky.

Milo's Kitchen home-style dog treats Chicken Grillers, Waggin Train Jerky Tenders	Dog	Terrier (unspecified)	5 Years	Female	28 Pound	On Sunday 10/21/12 I fed (b) (6) several small bits of Waggin Train chicken jerky and one piece of Milo's Kitchen chicken grillers. She vomited at least 4 times that night, then was lethargic and avoided food and water on 10/22/12. On the evening of 10/22/12 and morning of 10/23/12 she had bloody diarrhea, and was obviously very sick and shaking with pain. I brought her to the vet on the morning of 10/23/12 and she received an IV antibiotic and pain meds. Then on 10/24/12 and 10/25/12 she stayed at the vet office and received IV fluids each day, along with antibiotics and pain meds. She was unwilling to eat anything until the evening of 10/25/12, and as of now (10/27/12 AM) she's only intermittently interested in food, but otherwise she seems normal and not in pain.
Sweet Potato and Fish Formula Treats Natural Balance L.I.T. small breed., Salmon Jerky , Blue Buffalo Wilderness Trail Treats	Dog	Terrier - West Highland White	13 Months	Female	5.9 Kilogram	Began intermittent vomiting with diarrhea over a 3 week period. Clinical signs worsened to vomiting after each meal. Laboratory blood panels and autoimmune tests were within normal limits. Radiographic studies including a barium series were wnl. Laparotomy was normal except for thickened bowel and small intestines and enlarged mesenteric lymph nodes. Clinical signs worsened after surgery and pancreatic enzymes spiked. Biopsy report did not establish a cause but the tissue changes were consistent with allergic reaction to food. Cause of death is considered to be from pancreatic changes from inflammation or duct blockage
Milo's Kitchen home style dog treats	Dog	Terrier - Boston	7 Years	Male	27 Pound	My dog became lethargic, confused, loss of balance, consuming more water. malaise
Waggin Train Chicken Jerky Tenders	Dog	Shepherd Dog - German	6 Years	Male	115 Pound	My dog (b) (6) was fed Waggin Train Chicken Jerky purchased at Costco over a period of several years. He would periodically have diarrhea or vomit bile during this period. We attributed this to the sensitive nature of German Shepherds to diet and could not be certain any specific food had caused this. During the summer of 2012 he began to act lethargic and losing weight. In mid August we bought more Waggin Train chicken jerky because he normally enjoyed eating that. He was fed a few pieces of the chicken jerky during that week. By the end of that week he became severely ill and we had to take him to a night emergency clinic where they stated he had Kidney failure and his condition was guarded. We then had him examined at the (b) (6), and the internal veterinary doctor said his Kidney function was below 4%, and he would likely only survive a brief period. Two days later he was continuously vomiting and we tried intravenous fluid treatment which briefly helped. He had to be euthanized after slightly after a week past the treatment when his symptoms got severe.
Waggin Train Chicken Jerky Tenders	Dog	Dachshund - Miniature	3 Years	Male	15 Pound	We bought the treats on Wednesday October 17, 2012 at the Walgreens in West Los Angeles, CA. We fed 1 treat to our dog on that same day early evening. Thursday morning the dog had diarrhea, we fed the dog plain white rice and boiled chicken, he threw it up 20 min after he ate it. He would throw up any water he drank. We did not give him any food, we gave him pedialyte as directed by the vet and he would also throw that up. Early Friday morning at 3 am the dog had diarrhea with blood. The bloody diarrhea happened every 2-3 hours. We took the dog to the vet on Friday at noon. He was given an anti vomiting shot and anti diarrhea shot and antibiotic shot. We were given medicine to give him for a week. Friday night at midnight he had continuous severe bloody diarrhea and he was extremely lethargic so we took him to the ER vet. His temp was down to 92 degrees. They put heating blankets on him and gave him an IV. We got a call from the vet at 7 am that he had stopped breathing and was dead. The Chicken Jerky treats were the last thing that he had eaten. We never fed him anything but Natural Balance. He had been eating that food for 2 years. He was a perfectly healthy and young dog that ate that treat and died 3 days later. He was current on all his vaccinations.
Beefeaters Sweet Potato snacks for dogs	Dog	Dachshund - Miniature	3 Years	Female	10 Pound	Dog started urinating in house, very dilute urine. Unable to control her urine output. Polydypsia. Took her to vet- glucosurea but not high blood glucose. Blood panel okay.
Canyon creek ranch brand trail chews wrapped with chicken	Dog	Schnauzer (unspecified)	8 Years	Female	30 Pound	My dog died suddenly after eating Canyon creek ranch trail chews - wrapped with chicken. She had been given these for a 2-3 months as a treat. She had no symptoms except an occasional loose stool. She was fine the day before she died. I found her in the morning. I had heard nothing during the night and was taken totally by surprise. I had no idea what had happened to her until my daughter started doing research about the food and treats I was giving her. By the time I discovered that the treats were probably the cause she had already been buried.
Smokeyhouse Chicken Chips	Dog	Terrier - Yorkshire	13 Years	Female	8 Pound	Our little Yorkie was always finicky with food, but loved the Smokeyhouse Chicken Chips as a treat only. We probably gave her 1-2 of the chicken chips/day as a treat for telling us when she had to go out. We started noticing she had some diarrhea problems, so converted to a "grain free" diet, but continuing with the treats. We then noticed she was starting to slow down, but attributed this to age; however there were days when she had more energy. She started throwing up more frequently, which was mostly bile, but thought it was because she quit eating on a regular basis. Her normal schedule was to eat 1/2 c. 2x daily, then she went to 1/2 c. 1x daily and then to about every other day. We also noticed her drinking lots of water---much more than usual. We were scheduled to go back to Kansas with her on a trip, so tried to get her in to our vet, but couldn't on such short notice. Once back in Kansas we took her to a vet there. We were concerned with the extreme water she was drinking she might have diabetes. The vet did a blood test and said she didn't have diabetes, but was between Stage 3-4 of kidney failure. We cancelled the remainder of our trip and brought her back home to Colorado immediately as per our vet's recommendation. She looked at the tests done and confirmed kidney failure. We tried 2 treatments of laser to stimulate her kidney cells and appetite, but to no avail. At this point, (b) (6) had not eaten for 5 days and was getting very weak. We made the determination not to put her through any more procedures and since the vet determined she couldn't be cured at this stage, we had her put down. Our vet asked us if we had been giving her any chicken jerky treats from China. We checked and found that we had and threw the bag away; however, the pet supplier is still selling these treats through KV Supply over the internet and by catalog. When I checked the internet this morning about chicken jerky from China causing kidney failure, we were devastated to learn we may have caused our pet's problem. PLEASE ISSUE SOME RECALLS AND DO WHATEVER YOU CAN TO STOP THIS FROM HAPPENING TO OTHER PEOPLE! (b) (6) was a member of our family.
Waggin' Train Jerky Tenders chicken	Dog	Pug	9 Years	Female	13 Pound	every time I gave (b) (6) a piece of Waggin' Train chicken jerky tenders she had orange colored diarrhea. It took a couple of days for her stool to return to normal color and consistency. When I realized that the jerky was causing the problem above, I threw away multiple bags of the product so that there was no chance of further problems. Therefore, I do not have the specific package information.

Milos Kitchen home style dog treats	Dog	Retriever - Labrador	10	Years	Female	180	Pound	My dog was sleeping and all of a sudden went into shakes and struggled for air and looked like she was having a siesure with mouth wide open and shaking foaming at the mouth. She deficated on the rug laying down and came to and started breating normaly again after about a minute. I have been feeding her Milos Kitchen home style dog treats and heard from a friend to stop for there was a story about jerky treats in china making dogs sick. She has neverhad an episode like that nor had an episode since. I had her in the vet for a full check up about a month earlier and everything was fine. The dog is 10 and I first thought it was a siesure but now not so sure. I thought she was going to pass away. Now she is fine. I called the 1 800 number on the bag to see if there were any recalls or problems and they said no. The only issue they ever had was about a year ago. After googling the product and it popped up I got angry that the manufacturer would not release that information that I read on line. I do think this treat made my dog violently ill. I still have the product.
Waggin Train Wholesome Big Blast Pork Skin Twists with Chicken Liver	Dog	American Pit Bull Terrier	2	Years	Male	57	Pound	On Sat 10/13/12 I noticed that "(b) (6)" was trembling (in the rear) - he did not eat his dinner but was drinking a lot of water. On Sun 10/14/12 the trembling was All Over so I rushed him to the vets office. "(b) (6)" was put on fluids, antibiotics and pain meds - he was removed from ICU the next day and had started eating again. I picked him up on 10/16/12 and took him home - cause was not determined. Once home he seemed fine; however on Monday 10/22/12 the trembling started again and by morning had not stopped - back to the vet. "(b) (6)" is still there with an inflamed pancreas and possible "renal failure". The only thing in his life that has changed is these treats (my other dogs will not touch them). I purchased them several days before "(b) (6)" first episode and continued to give them to him until he was rushed back to the vet on 10/22/12.
Canyon Creek Ranch Duck Tenders, Dogswell Breathies chicken breast with mint & parsley	Dog	Siberian Husky	12	Years	Male	70	Pound	(b) (6) started drinking excessive amounts of water. Took him to Vet who thought he had cushings disease. Did blood work and liver ultrasound. All came back negative. Gave dog Denamarin (milk thistle & SAME) to regulate liver enzymes. Saw the recall and stopped feeding him the treats. Liver enzymes starting to come back down to normal levels.
Waggin Trails Chicken Biscuits, Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	14	Years	Female	65	Pound	She has been diagnosed with cronic kidney disease. After discussing her diet, I told the vet that I had been feeding her chicken jerky treats from Waggin Trails and the Costco brand(Pet Kingdom). Both where made in China. My vet on a recent visit informed me that these treats are being investigated for causing kidney failure.
Dogswell Vitality Chicken Breast with Flaxseed & Vitamins	Dog	Terrier - Rat	4	Years	Male	23	Pound	On Monday, October 8, 2012, around mid-morning, I opened a new bag of dog treats which I purchased at a grocery store. I gave (b) (6) one piece of chicken jerky. By about 1pm (b) (6) was visibly in distress. He was shaking, and had a very high heart rate. I took him to the vet where his heart rate was found to be 200 bpm. Neither I nor the vet knew what was causing this. He was given fluids sub-cutaneously and returned home with me. By evening he seemed pretty much ok. Two days later, on Wednesday, October 10, again around mid-morning I gave (b) (6) another piece of the chicken jerky. That afternoon I noticed him hovering around me and trembling again, with a very high heart rate. I thought to offer him a treat to comfort him but then I realized the chicken jerky might be part of the problem. I gave him a bowl of bland beef broth to get fluids in him to help flush his system. By evening he was pretty much fine agian.
Waggin Train Chicken Jerky Strips	Dog	Mixed (Dog)	12	Years	Female	15	Pound	(b) (6) loved the chicken strips, so I gave her a couple every day. She did not have a good appetite, and often I would have the Vet give her a B-12 shot for energy. She often had diahareea. She drank a lot of water. I was working out of town when my husband called me on 6/21/12 and said he had found (b) (6) dead. I had heard about the chicken strips issue a while back and actually called the company who assured me this was unfounded. Recently my daughter was telling me about the issue with Waggin Train and dogs dying after eating this product from China. I have been wondering if this is what happened to (b) (6).
Milos Kitchen home-style dog treats	Dog	Shih Tzu	12	Years	Female	12	Pound	The animal was given Milos kitchen chicken jerky and was quiet and not eating for 2 days before starting to drool. I took her to the vet on the Sat, Sunday and Monday as she was not improving. On the monday she was admitted to the emergency vet where she received extensive treatment for her condition.
Milos Kitchen home-style dog treats	Dog	Lhasa Apso	13	Years	Male	23	Pound	I bought and fed Milos chicken jerky to my pet and he became ill, after a day of being quiet and lathargic he started vomiting. He was vomiting clear liquid which continued throughout the night. Next morning I left him alone for 3-4 hours and when I arrived home he had passed bloody diarrhea and mucus from his rectum and had died.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	3	Years	Female	10	Pound	(b) (6) was given a Waggin Train chicken jerky treat on October 18, 2012. At about 4:30 am on October 19th (b) (6) started to cry in her crate, so she was taken out, which was when she had very bad diarrhea. She had diarrhea again at 6:30am and then at 8:30am. She will not eat and is drinking very little on her own. The treats were the only thing that changed about her diet so they must be the culprit.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Beagle	8	Years	Male			I bought the product two weeks ago from Sam's club (10/04/12). First time ever buying this brand/type (was my first time in a sam's club in years too). I gave my dog two treats a day (one in the morning and one in the evening). Within a week he started acting funny. He wasn't getting up, wasn't eating, wasn't drinking, and wasn't going to the bathroom. He started yelping like he was in pain. I kept feeding him the treats because it was the only thing I could get him to eat. I never thought they would be what was causing it. I saw the recall ad for the other chicken jerky treats and started researching what was going on. My dog has the same symptoms as the other dogs who were taking the recalled treats. I didn't think about it but he finally went poop today and it was YELLOW. I'm scared to death. I can't afford to take him to the vet. He's showing signs that he's in pain. Something is wrong with these treats and they need to be investigated and/or recalled.

Milo's Kitchen Home-style Dog Treats; Chicken Jerky	Dog	Retriever - Labrador	14 Months	Male	80 Pound	My dog developed GI distress in the form of vomiting after receiving Milo's Kitchen chicken jerky treats. We brought him to the veterinarian after 3 full days of vomiting and he underwent an exploratory laparotomy based on Xray imaging which showed a potential bowel obstruction. However, the doctor was unable to find an obstruction and noted that the intestines were extremely inflamed with friable vasculature. He was diagnosed with hemorrhagic gastroenteritis and put on IV and then oral antibiotics, to which he has responded well.
Milos kitchen home style dog treats, milos kitchen home style dog treats	Dog	Chihuahua	8 Years	Female	10 Pound	starting 3 weeks ago, she started acting different than she has ever acted, constantly drinking water, not eating normally much less, throwing up water all over the house and urinating in the house. She is totally trained for 8 years and only barked when she had to go outside, not any problems ever, not even a vet visit in 8 years. Took her to the vet oct 13. 2012, 3 weeks after the 3 weeks of problems. They ran all the blood and urine test with no conclusion, gave me some antibiodics. As I was leaving, I brought up food, they than said what treats do you give her, I said 1 treat-2 treats aday and they said is it made in China, I said I wasn't sure. When we got home we went on line, was I surprised to see it was Milos kitchen home style, that was tainted, just what I had been feeding her for 3 weeks. I stopped giving them to her immediately and all problems disappeared right away. I never gave her any of the anti biodics they gave me, so I know it was the Milos.
Milo's Kitchen	Dog	Crossbred Canine/dog	5 Years	Female	11 Pound	My dog's thirst level seemed to increase steadily over the course of a few weeks in which she consumed a bag of Milo's Kitchen Chicken treats. I thought maybe they were too salty and didn't give her as many and then finally threw the bag away with a couple still inside. This was their largest size bag that retails for 11.99. I noticed that her thirst didn't get better and she even started urinating in the house. Where she would normally drink one bowl of water a day (we would dump and give her fresh a couple of times but she would never finish), now she goes through 4-5 bowls of water. I took her to the vet today and they detected glucose in her urine. We are waiting the blood test results. After doing some online research, I found that Milo's treats are made in China and that they are part of a group of treats that have allegedly caused Fanconi-like symptoms (glucose in urine) in dogs.
Meijer Main Choice Chicken Jerky for dogs	Dog	Bichon Frise	3 Years	Female	10 Pound	I gave her a piece of the Chicken Jerky treat as I put her in her kennel. The next day she whined and cried a lot and didn't want to eat or drink. I gave her a small piece for bed . She vomited blood and had diarrhea , would not eat and took only a small amount of water upon rising. I called MedVets and described her symptoms, unfortunately her Dr. was out of the office. they called me back and said I should take her to my regular vet and not to wait. I took her to my regular vet office and they diagnosed her as having food poisoning. (sp
canyon creeek ranch brand	Dog	Retriever - Curly-coated	4 Months	Male	32 Pound	My dog vomitted after being given a chicken jerky on two different occassions
Kingdom Pets Chicken Jerky , Milo's Kitchen chicken Jerky Treats	Dog	Shepherd Dog - German	10 Years	Male	55 Pound	I never buy dog treats, but on a whim, purchased a large bag of Kingdom Pets Chicken Jerky from Costco in Fort Worth about 2 months ago. I gave my dog about 1 treat a day for the next few months until they ran out. And then purchased a smaller bag of Milo's Kitchen Chicken Jerky from Target because I thought my dog had enjoyed the previous ones. During that time, he threw up a couple of times, but I didn't think much of it. That said, looking back, I can't remember the last time my dog threw up previous to this. Four days ago, I noticed he had a sore paw so I took him into the Vet to have it looked at. It was determined that he needed surgery to remove a small growth and as a matter of procedure had his blood work run. That's when I found out my dog was in severe kidney failure. The vet was shocked at his numbers and asked if he had gotten into any antifreeze or prescription pain medication. Knowing my dog (never a chewer and rarely a trash sneak) and knowing my house (I have three small children and anything toxic is behind a child lock) I knew this dog had not gotten into anything. He said the only possibilities for his kidney failure were old age or toxicity related, but with his shocking numbers, likely toxicity. I was devastated. I couldn't believe that my seemingly healthy dog was on death's door. After the first day of IV fluid treatment, the vet and I were talking and he said,"There's one more possibility... have you been giving your dog Chicken Jerky Treats?" I was shocked. I told him I had been giving him 1 a day for the last 2 months. He then proceeded to tell me about all the controversy related to these products. Four days of IV treatment and \$1500 later, my dog is doing much better. However, he will have to continue to be given IV (Sub Q) fluids at home indefinitely until we can stabilize his numbers and will be on a special diet for the rest of his life. FDA!!!! Please, get this stuff off the shelves. Do the study... do whatever it takes, but if a dog can eat one bag (and part of another) of these and almost die... there is a problem! I am a college educated responsible dog owner who had no idea this was an issue. My husband is an Assistant U.S. Attorney here in Fort Worth. Please listen to our story and contact us anytime for more details.
Smokehouse Duck & Sweet Potato Combo	Dog	Maltese	8 Months	Female	4.6 Kilogram	Glucosuria with WNL BG, clinically healthy.
Milo's Kitchen homestyle chicken Jerky Milo's kitchen beef sausage slices with rice Milo's kitchen homestyle chicken grillers.	Dog	Mixed (Dog)	3 Years	Female	24 Pound	My dog became ill 2 months ago with severe vomiting and diahrrea. The vet thought she got into some kind of poison. Last Saturday, we fed her 3 Milo's kitchen treats before bed. One was the sausage, one was a grilled chicken, and the other was a chicken jerky. 1 hr after she ate these, she started vomiting profusely for 12 hours, there was blood in her vomit. That day, she started having bloody stools. 2 days later, she has now started eating and drinking again but stares off into space and is very lethargic. I googled her symptoms, and found that these treats ARE making animals ill. If I had known, I would NEVER have fed her these treats... I hope she comes out of this...
Milo's Kitchen hom-style dog treats Chicken Jerky	Dog	Beagle	2 Years	Male	45 Pound	Dog ate one Milo's Kitchen Chicken Jerky treat and vomited approximately 5 minutes later. I returned the product and went on-line to find the FDA had put out a warning about this product earlier this year and numerous reports of dog's sickened or fatal due to ingesting this product. Please consider issuing another warning or a recall before more dogs are killed by this product. I was lucky that my dog vomited it back up quickly. He has not vomited anything else prior to or since.

Waggin train chicken jerky tender treats for dogs 2146T031-0101WG1 - owner observed darker color of the jerkies compared to previous packages	Dog	Boxer (German Boxer)	13	Years	Male	89	Pound	Musculoskeletal problem (chronic, progressively getting worse). Drinking and urinating excessively. CBC, chemistry and UA on 9/1/12. Deteriorated and was euthanized in 10/12/2012.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Boxer (German Boxer)	2	Years	Female	48	Pound	After giving the chicken jerky treats, 1 per day for about a week, the dog all of a sudden became lethargic and stopped eating and was barely drinking water. She would cry and whine like she was hurting.
Waggin Train Wholesome Duck Jerky Tenders	Dog	Havanese	7	Years	Male	16	Pound	A routine urinalysis revealed very dilute urine plus elevated levels of protein and glucose, despite normal serum glucose levels. Upon questioning, the owner reported using Waggin Train brand duck jerky-tenders treats for dogs; a food product that has been implicated in Fanconi-like disease. Diagnostic testing is proceeding to quantify the degree of renal damage, but at present the dog compensates for the kidney damage by drinking and urinating at a minimum of every three hours.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Unknown	8	Years	Female	30	Pound	She ate these treats for years. My daughter told us of the problem with them so we stopped giving them to her. She loved her one jerky tender as a treat for eating her dinner, so we resumed giving them to her. About two weeks later, she stopped eating, started vomiting and was very lethargic. She was diagnosed with kidney disease, has an enlarged kidney, protein and blood in her urine. I filed a claim with Ralston Purina (Sedgwick co. is representing them) Today they rejected the claim saying there is no confirmed link to their product.
petshoppe chicken jerky premium dog treats	Dog	Maltese	6	Years	Female	11	Pound	I purchased 2 bags of Walgreens Petshoppe Chicken Jerky dog treats Sunday, October 7, 2012. The first piece I gave (b) (6) was Monday morning. She refused to eat it, so I took it away and gave it to her later in the day. She ate it and vomited within minutes. I did notice that when I pulled it out of the bag it seemed sticky. I had purchased a total of 3 bags one each for the months July, August and September. Every piece I pulled from the first 3 bags was very dry (not sticky) as I would expect them to be. Not knowing it was the chicken treat I repeated giving them to her Tuesday and today Wednesday. She refused it early and just to check I cut off a small piece and gave it to her. Within minutes she vomited. I am convinced it is the treats. I called Walgreens and explained this to the customer service representative their 800 number. The woman was very polite and said someone would call me in 2 days. I asked her to pull the product off the shelf in the Championsgate, FL store where I bought them. I also gave her the UPC code and the Lot #Y107J28A12775.
Milo's Kitchen home-style dog treats - beef sausage slices with rice	Dog	Maltese	2	Years	Male	6.5	Pound	On 10-9-12 at about 3:00pm, (b) (6) was given "milo's kitchen beef dog treats", one treat, broken in half. By the next morning, he was very sick. He wouldn't eat or drink, wouldn't go potty, and was stiff and moving very slowly, as if he were in a lot of pain. I took him to the vet, (b) (6) at 7:30am. They ran blood tests, which were all normal, and did an xray of his belly, which was painful. The stomach look normal, but the vet luckily noticed that the bottom part of his esophagus did not look quite right, it looked dilated. She did an xray of the chest with barium which showed a large foreign body in the bottom of his esophagus, just above the opening to the stomach. (b) (6) was referred to (b) (6), as he was the closest vet with an endoscope. (b) (6) tried for 45 minutes to remove what was stuck in his esophagus, but the substance just broke apart in little pieces. He also tried to push the substance into the stomach, without success. (b) (6) had to open up (b) (6) stomach, and surgically go in through the stomach and esophagus. He was finally able to dislodge the substance, which turned out to be two undigested pieces of meat, that were essentially the same size as the dog treats he had been given some 27 hours prior. Apparently, they would not digest or pass on to the stomach. We were lucky that (b) (6) noticed that (b) (6) esophagus did not look quite right, and that she ordered the second xray with contrast. (b) (6) is doing fine today, just in pain and tired. We are hopeful that he makes a full recovery. I was very alarmed to find out that these same treats have been linked to hundreds of dog deaths. I hope that this information is helpful in your investigation, and that these "treats" will be taken off of the market to prevent further deaths and dog injuries.
Waggin Train Sweet Potato Treats	Dog	Mixed (Dog)	5	Years		45	Pound	Violent vomiting with bile and large quantity of clotted blood
American Kennel Club Duck Jerky, American Kennel Club Duck Jerkey	Dog	Terrier - Jack Russell	9	Years	Female	20	Pound	Fed (b) (6) American Kennel Club Duck Jerkey treats in May, Jun, July of 2012. Aprox 2 per day. She had an episode of bloody stool and vomiting in July, 2012. We thought she had recovered, but in September of 2012 she has had kidney issues according to a local vet and been treated with cortizone and antibiotics. She has developed tumors and seizures. She continues to vomit bile every 3 or 4 days and has serious balance problems. We are in a remote area with limited financial means and vet is at a loss here due to limited facilities to operate and we cannot afford further testing until next month, if she survives She also eats Pedigree dry food, purina 1 various with rice, and IFA farm and dog biscuits.
Mini Dingo...Meat in the middle 21 pack	Dog	Terrier - Jack Russell	8	Years	Male	16	Pound	8am gave (b) (6) a Mini Dingo treat like I have been for 7 years. He chewed it for about 1 minute and then came out of the room he sleeps in and was panting, shaking and could barely walk. He just laid on his side almost unresponsive to me. This lasted for about 30 min and then he started to return to normal. I wasn't sure what caused it and thought maybe he had some sort of gall bladder attack or a stone somewhere. 6pm same day after I got home from work I saw the barely eaten Dingo treason the floor and I gave it to him since I didn't think there was a issue with it since he never had a reaction to one. Two minutes later he came out of the room again with same symptoms and even worse. I though I was gonna lose him for a little while. He just laid on his side shaking with tongue out and his heart racing. I now obviously realized it was the treat I gave him. I'm not sure if they have been contaminated or sprayed with some chemical but he had a reaction as if he was almost poisoned. The 2nd time it lasted about 30 min and then back to normal. Very scary.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Terrier - Rat	3	Years	Female	12	Pound	About an hour after eating the treat she started vomiting. Was sick for a day and a half, wouldn't eat anything during that time.

Doctors Foster and Smith Veggie Wraps low fat treats for dogs	Dog	Havanese	5 Years	Female	12 Pound	<p>I received a new order on 09.08.12 of treats from DrsFosterSmith.com. There was one new treat in this order we'd never had before. It was their private label Veggie Wraps: Chicken & Carrot Item # 75910 CRT. These are dried carrot sticks with dried chicken (jerky) wrapped around them. I thought I was getting my girls good nutritious treats.</p> <p>During the next 2 weeks both my dogs got sick a couple of times. They had been given this treat (?) 6-8 times during that 2 week period. When (b) (6) got sick the first time, we quit giving them these since they were the only thing that was new. Then, everything seemed ok, so resumed a few days later. But that wasn't the end of it. There was both vomiting and diarrhea. The second episode for (b) (6) found in the hallway one morning, I couldn't tell for certain if it was vomit or diarrhea w/ undigested food, but there were chunks of carrot in it. I know this was from (b) (6) because she tends to not chew her food as well. My other one, chews everything very slowly and carefully and wouldn't have had any "chunks" this large. There had been another episode of vomiting a (?) - a week (+/-) earlier. If there was more diarrhea outside, I don't recall and may not have seen it if someone else had taken her out. On the 14th day after receiving these treats, and both dogs being sick... I stopped giving them to them, but hadn't thrown the bag away yet.</p> <p>We heard another news report on Tues., 10.02.12, about jerky treats from China making dogs sick. I went back to their website to see where these had come from. It didn't occur to me to simply look at the package .. duh! Finally, outside the description and ingredient boxes on the web page and below some other ads and links for social media sites, I found a link for Questions & Answers. There had been 1 previous question regarding this product. Where did it come from? The answer was China. I was livid! Had I known that, I never would have ordered these treats. I proceeded to write them a scathing email and sent it off via their website. That information should have been clearly visible and included with all the other information regarding this product! I also requested that if they wanted these back, they needed to let me know immediately, before I threw them away.</p> <p>I've received 2 phone messages from them- one the following day, on Wed, and another yesterday. Today I finally spoke to a Customer Service Supervisor. I'd suggested they pull these products, and all food products from China, from their website and quit selling them. I was so angry both my girls had been made sick. They could get their products manuf. here, in the USA -- with USA ingredients, creating jobs and helping the economy, as well as, providing safe treats for our pets. While speaking with her, I found out that their Sweet Potato Treats, I'd also bought a bag of, comes from China as well. Both bags of treats are being thrown away and they are issuing a refund.</p> <p>I'm not certain of the dates the girls got sick except the last time.... see (b) (6) report. I'm hoping that there are no lasting effects. Also, don't know if, as in food poisoning, was result of treat given that day or a day or two before....</p> <p>FYI Just noticed on Bag when getting information off it for this form.....This product was treated by irradiation. Something else that would have been nice to know and should have been noted on the website with the Description and Ingredients.</p>
canyon creek ranch natural duck tenders	Dog	Coton de Tuléar	4 Years	Female	15 Pound	dog had vomiting and diarrhea for 14 hrs after having snacks took her the vet twice treating her for vomiting took 6 days for her to recover she also drank alot of water and urinated alot she was lethargic also
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Boxer (German Boxer)	5 Months	Female	26 Pound	To begin, over the last 4 months, her diet has been unchanged, just kirkland puppy food with which she has had no problems. The only change has been the addition of these "Waggin Train LLC" Wholesome Chicken Jerky Tenders purchased from costco approximately 1 month ago. The batch number on the bag is 2147T021 and upc code 807020777482. since I purchased the product my puppy has received these treats daily, and according to the schedule chart on the product bag for her weight she has had no more than 3 pieces of jerky a day. After the first week I noticed decreased appetite in my dog, slightly less at first and now significantly less to the point she is losing weight. Now this week on oct 1 and since she has developed chronic diarrreah and vomiting within an hour after eating these treats. Needless to say she will receive no more of these ever, but I will be watching her condition over the next couple days to see if there is any improvement.
EverPet real chicken Chicken Chips DOG TREATS, EverPet Jerky twists with Sweet Potato & Chicken TREATS FOR DOGS	Dog	Mixed (Dog)	4 Years	Male	15 Pound	<p>Patient presented for boarding 9/27/12 for boarding. Owner brought treats but none were given in hospital</p> <p>9/28/12 vomited a about 1/8 - 1/4 cup of clear colorless vomit, then the same amount of vomit with blood flecks, then about 1/4 to 1/2 cup of foamy vomit with a large amount of fresh blood within 1 hour of initial vomiting episode. Famotidine 5 mg was given subcutaneously, and 300 mg Sucralfate was given by mouth. Cerenia 0.75 mg was given subcutaneously. No more vomiting occurred until water was offered at about 3:30 p.m.. Then about 1 cup of brown tinged fluid was vomited. Water was withheld again and 150mls 0.9% NaCl was given subcutaneously. The patient was painful in the abdomen so Torbugesic was given (1 mg) subcutaneously. along with repeated doses of Famotidine and Sucralfate. The respiration and heart rate were mildly elevated. Mucous membranes remained pink with a CRT of less than 2 seconds. When we returned in the morning, the patient was deceased with large amounts of bloody vomit and rusty diarrhea in cage. Tissues were sented to ARUP reference lab for histopath which revealed a large amount of rod shaped bacteria in the intestinal tract. Tissue samples were also frozen in 0.9% NaCl. Urine and Stomach contents were obtained and frozen. After informing owner that patient had died, owner stated that (b) (6) had vomited the day before he came in one time but was acting normally. He had also applied Frontline that he purchased at the co-op. He had used that product without problems in the past.</p>

Boots & Barkley American Chicken Jerky	Dog	Shepherd Dog - German	9 Months	Male	74 Pound	<p>8/11/12 or 8/12/12 - had one Boots and Barkley American Chicken Jerky piece.</p> <p>8/13/12 - picked at his lunch. A few hours later vomited bile 3-4 times in rapid succession.</p> <p>8/14/12 - Vet advised Pepcid for 4-5 days; bring dog in if not getting better</p> <p>8/18/12 - No better, diarrhea, saw vet. steroid and antibiotic injection, Flagyl for 10 days; very anxious at vet</p> <p>8/22/12 - Vomited bile several times upon arrival home from class; was preparing to take him to ER, but he suddenly stopped; drank a lot of water all evening.</p> <p>8/23/12 - Saw vet, another shot, continue meds. GI xray taken; looked OK.</p> <p>8/24/12 - Developed pain overnight, possibly from neck/ shoulder. another GI xray and neck/shoulder xray taken; all OK. Injection of Metacam and Robaxin, continue prior meds. Would not eat or take meds that day, but drank water often.</p> <p>8/25/12 - Overnight started pacing and drinking more water; later started vomiting bile. Stopped drinking water and continued vomiting. Few drops of blood in vomit, then increasing amounts. Hospitalized with high kidney numbers; given 1 liter of fluids and meds for vomiting; doing better at 4:30 p.m. Still vomiting at 7 p.m. Passed away around 10:30 p.m.</p>
Canyon River Ranch	Dog	Spaniel - Cocker American	5 Years	Male	32 Pound	The owner feeds Canyon River Ranch jerky treats to the dogs. This one had a small seizure, then shortly after vomited frank blood. The owner brought him in for evaluation and said that the other dog had recently vomited as well but seemed to be fine now. (b) (6) also had soft stool with frank blood in the exam. A complete blood count and chemistry panel were normal. Urinalysis and abdominal radiographs were also unremarkable.
Milo's Kitchen chicken jerky treats	Dog	Retriever - Golden	6 Years	Female	80 Pound	Died after eating a Milo's Kitchen chicken jerky treat
Canyon Creek Chicken Jerky	Dog	Dachshund - Miniature	10 Years	Male	11 Pound	(b) (6) had been eating these treats for several months, but a few days before getting sick he had 4-5 treats over a 2 day period. He became lethargic, had excessive drooling, and was not eating. After 2 days of symptoms we took him to the vet. His ALT liver enzyme was found to be over 1000 and he was diagnosed with acute liver failure. He had to be taken to a specialist clinic and admitted for 10 days of IV fluids and supportive care. He had no evidence of an infection and an ultrasound of his liver showed no evidence of any longstanding liver disease. The vet said that his liver failure was likely due to exposure to a toxin. Leo is an inside dog and had not gotten into anything in the house. We are very lucky that (b) (6) survived and is doing well at this point, but we spent over \$3000 in vet bills to save his life.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Poodle - Toy	10 Years	Male	14 Pound	After giving (b) (6) the Chicken Jerky treats he started having diarrhea, and his appetite has decreased.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Poodle - Miniature	12 Years	Male	28 Pound	After giving (b) (6) and (b) (6) (other poodle) chicken jerky treats for a few days they both started having diarrhea. (b) (6) was also vomiting.
President's Choice Nutrition First - Premiere for Skin and Coat chicken strips	Dog	Chihuahua	7 Years	Male	15 Pound	Fed President's Choice Nutrition First Premiere (Chicken Jerky) for Skin&Coat to both dogs (b) (6), who got sick, and Fritz, a 30 pound Chihuahua mix who is diabetic, had no obvious immediate adverse reaction. (b) (6) ate the treat only twice and shortly afterwards vomited on both occasions. I assume that there was something wrong with those treats to which (b) (6) reacted, since I fed my dogs various kinds of Chicken Jerky and never observed such an immediate adverse reaction, and the feeding of these treats was directly followed by (b) (6) throwing up.
Dingo chicken jerky	Dog	Unknown	7 Years	Male	49 Pound	Last week I had to put my dog to sleep. He was suffering, couldn't eat, breathe or swallow. The vet said he would not last another 2 weeks and he would suffer. The next day a neighbor brought me an article she had received about dog treats being dangerous and even causing deaths to dogs. I had been guilty of giving my dog, (b) (6), 4 of the treats on the list of dangerous treats. The most recent one I gave him was Dingo brand Chicken jerky treats. That was about a week before he began to not seem to be himself. I'm sending this e-mail to those of you who may have dogs or have friends who do so they may be cautious. The treats I gave him on that list were Puperoni, Snausages, Beggin Strips and Dingo chicken Jerky. I asked my son to research the net and see what he could find out for me. His e-mail is below and it will astound you. I hope I have saved at least 1 dog.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	9 Years	Mixed Population of Female and Male	6 Pound	I bought the Waggin Train Jerky Tenders at Walmart and gave the dogs pcs of the treat that night. By the morning my older dog had vomited on my bed. During the day she and my male dog (b) (6) had each vomited again in my family room. (b) (6) lost her appetite and would not eat her dinner that night nor her breakfast the next day. Knowing that the only change to her and (b) (6)'s diet routine was the addition of this treat, I decided to check the bag and discovered this brand of treats was made in China. I had heard about problems being reported about Jerky treats made in China so I decided not to give any of my three dogs any more of these treats. In addition, I took (b) (6) in to the vet the next day and he agree that the treats could be the cause of the vomiting and he advised me to discontinue giving any of the dogs these treats. The vomiting stopped on the third day and both dogs appear to be fine now. I plan on returning the Waggin Train bag to Walmart for a refund this week.
ANY dried chicken treats imported from CHINA	Dog	Collie - Rough-haired				Nothing happened...I'm just trying to get an email to whomever regarding all the poison that we import from China. Why in the name of all that is holy are we importing CHICKEN from China? Are there not enough chickens in the United States to feed our pets? Why are ANY dried chicken jerky treats still on shelves in this country? I don't understand. Can you help me to understand? Why is money so much more important than people or pets in America? How many animals have to be sickened by asian garbage? I'm reading reports of upwards of 3000 dogs sick or dead from this garbage. How many more? Doesn't ANYONE at the FDA own animals? Aren't ANY of you outraged? I'm so tired of asian garbage in this country. SO tired. When is it going to change? When are we ever allowed to feel safe again?
Dogswell Vitality Chicken Breast Jerky Dog Treats	Dog	Retriever - Labrador	17 Years	Female	43 Pound	(b) (6) consumed several bags of Dogswell Chicken Jerky treats before she began to reject them. She was diagnosed by a vet as having CKD about two weeks ago.

Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Maltese	6 Years	Female	9 Pound	Loss of appetite, shaking, and vomiting after eating chicken jerky treats; laboratory results support Fanconi syndrome
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	1 Years	Female	11 Pound	I was giving Waggin Train wholesome chicken Jerky Tenders one per day to my dog, after 6 days, my dog name lucky started having coughing attacks all through the day, I thought at first maybe she had a jerky tender stuck in her throat so I took the bag and the dog to the vet at (b) (6), in California, and they told me there is nothing stuck in her throat, and the Waggin Train Jerky Tenders could be causing her problems, they put my dog on antibiotics, and she had these coughing attacks all day long for 3 days, the antibiotics are working, and she is doing better today. the antibiotics she was given was dextromethorphan/guaifenesin tablets 1/2 tablet every 8 hours, and doxycycline capsules one every 12 hours. She has never had coughing attacks before these treats were given.
WAGGIN' TRAIN CHICKEN JERKY TREATS	Dog	Schnauzer (unspecified)	8 Years	Male	25 Pound	Small symptoms start before you realize there is a problem. When you are made aware, THAT IS A HUGE PROBLEM. BY THEN FULL BLOWN! My pet consumed these treats over long period time now, has led to diagnosed diabetes, cataracts, high glucose, blood in urine, and who knows at this moment WHERE this will lead.... i dont even think i want to continue my HEART FELT SAD reality by detailing at this moment, but i DO CHOSE , to make sure it is reported.
WAGON TRAIN CHICKEN JERKY	Dog	Treeing Feist	Years	Female	30 Pound	she had eaten wagon train chicken jerky for years, she loved them, the last bag I bought her was Aug. 25 2012. she had one piece and got deathly sick from that bag, took her to vet, described what I thought was wrong, they doctored her for blown disc, ulcer and any things other than poisoning. took her back 4 different times because my dog was getting more sick she couldn't walk. they finally did blood work and her red cells and platelets were almost gone. they gave her predisone and ulcer medicine. 4 days later which was Sept 22, 2012 I had to take her to a different vet and pay to have all the tests done over because the vet she first visited was not in office. the blood work from the second vet showed the same that her red blood cells and platelets were extremely low. my (b) (6) died sunday morning on sept. 23, 2012. besides the \$1,500 I paid the vets, my baby died. I am devastated that a simple product can kill something that meant my world, I am just sick. Her stomach was swollen, she had black poop, she was sick and couldn't eat and later to the end couldn't stand. I think this poison should be taken off the shelves, i got mine at walmart and they are still selling. shame! I think Wagon Train should have to pay my expenses and some on the side to pain and suffering. why hasn't this poison been taken off the shelf. They kill my best friend and pal. i miss her so much
Milo's Kitchen Chicken Jerky	Dog	Retriever (unspecified)	14 Weeks	Female	16 Pound	I gave our puppy one piece of chicken jerky before I learned of all the problems associated with this product. Three days later she had to be euthanized due to kidney failure. The vet believes that it could be due to this product.
Milo's Kitchen	Dog	Terrier - Yorkshire	6 Years	Female	12 Pound	(b) (6) was fed Milo's Kitchen chicken jerky from Walmart. The dogs never have had that type of treat before. (b) (6) swallows jerky treats whole. The other dogs are much smaller and have to chew them into little pieces and they eat less of the jerky.) (b) (6) first symptoms were vomiting with severe gas and diarrhea and all had a very foul odor, lethargy and dehydration. She was taken to the vet and they were unsure what was wrong but treated her for pancreatitis. She was admitted into her vets hospital and transferred to the (b) (6) for 3 nights. She was placed on steroids, vitamin B12 shots, antibiotics, iv's and a special diet. She had lost her hair and vision and went from 12 pounds to 5 pounds. (b) (6) has since regained weight and now weighs 8.4 pounds but is blind and is starting to grow hair again. (Almost a year later.)
Waggin Train Wholesome Duck Jerky Tenders	Dog	Retriever - Labrador	5 Years	Female	93 Pound	(b) (6) stopped eating or drinking, she wouldn't walk and couldn't stand up. We took her to the vet and the vet could not diagnose a cause. They thought she had a vestibular disease and deemed it idiopathic. All the blood tests the vet ran came back negative for poison. She was at the vet's office for a week and finally started recovering. That was the last week of July/first week of August. On Friday, September 7th she seemed fine but by Sunday, September 9th she was no longer eating or drinking and couldn't stand up. She died at 10 am on September 10th. We didn't have time to get her to the vet.
Milo's Kitchen home-style dog treats. Chicken Grillers	Dog	Havanese	2 Years	Male	13 Pound	Initial symptoms included profuse urination (large quantities of diluted urine very often), increase in drinking water, and a lack of bladder control. The dog became severely lethargic and was rushed to the veterinarian. Urinalysis and blood work was performed. The dog was stabilized with fluids and supportive therapy. Analysis showed large amount of glucose in urine (4+). The dog lost approximately 10% of its initial weight within a week and subsequently developed a urinary tract infection. Previous to symptoms, the pet had been consuming Milo's Kitchen home style dog treats (Chicken Grillers) on a more than usual basis (pet was undergoing obedience training and the treats were given as rewards often). After stopping giving the treats, the pet has slowly gotten better.
Waggin Train Chicken Jerky Treats, Canyon Creek	Dog	Mixed (Dog)	12 Years	Male	43 Pound	Decreased interest in food, vomiting, diarrhea, lethargy. Sudden onset of Kidney Failure followed by extremely rapid deterioration and onset of what we believed was a fast moving lymphoma - lymph nodes swollen to the point that the dog was in physical pain when his neck was touched. Dog had to be euthanized approximately 1 week after onset of kidney failure.
Kingdom Pets Wholesome Duck & Sweet Potato (above that it says "Premium Treats for Dogs")	Dog	Retriever - Labrador	14 Years	Male	70 Pound	He was fed one Kingdom Pets Duck and Sweet Potato treat on Friday, September 14th. The next day, Saturday, September 15th, he was fed five. He lost his appetite on Sunday, September 16th, and appeared to be in pain. Two days later (Tuesday, September 18th), he was urinating with blood in his urine. He was taken to the vet's on Wednesday, September 19th, who said he had a raging urinary tract infection with evidence of kidney involvement. He had e coli greater than 100,000 organisms per mil of urine. The veterinarian prescribed SMZ TMP 480 mg: four tablets per day for 10 days. He's still taking the medication. Our other three dogs got 2 treats each but have shown no symptoms.
Milo's Kitchen home-style dog treats chicken jerky no artificial flavors or colors	Dog	Mixed (Dog)	5 Years	Male	82 Pound	We have two dogs, one 5 yr old lab mix, one 8 yr old maltese/poodle mix. Both dogs are healthy. Noticed both had EXPLOSIVE diarrhea, increased thirst, increased urination, loss of appetite, dehydration, decrease energy. We thought it was the canine stew I cooked for them. Threw everything out, switched entirely to different meats/veggies from a different store. Didn't get better. Happened to read an article on chicken jerky coming out of China, checked the label, was very surprised that this California company imported their jerky from China. Stopped giving it to them, all the symptoms went away. Tried to give it to them again, all the symptoms came back. Stopped it again, all the symptoms went away. The FDA must do something about this. Issue a formal warning to pet owners to buy at own risk or stop allowing the import of pet foods/treats from China because our pets are becoming quite ill and some are dying.

Waggin Train Yam Good	Dog	Rottweiler	8 Years	Female	84 Pound	Dog became sick after consuming Waggin Train Yam Good dog treats
Waggin' Tails Chicken Jerky	Dog	Sheepdog - Shetland	7 Years	Male	30 Pound	(b) (6) was fed Waggin' Tails chicken jerky treats. He soon stopped eating and was lethargic. The veterinarian diagnosed him with kidney problems. (b) (6) was put on an IV, fed special food and put under 24 hour care of the veterinarian. Within one week, (b) (6) died from kidney failure.
Milo's Kitchen home-style dog treats - Chicken Grillers - Chicken recipe with natural smoke flavor	Dog	Terrier - Yorkshire	6 Years	Female	2 Kilogram	<p>The owners report that (b) (6) appetite declined on 8/8/12 or 8/9/12. The (b) (6) were out of town from 7/31/12 to 8/25/12 and a pet sitter was watching (b) (6). She was fed Milo's Kitchen home-style dog treats on 8/10/12. She was evaluated by the primary veterinarian on 9/10/12 for a poor appetite and blood work was normal. She was placed on amoxicillin and an appetite stimulant at this time. She had an episode of vomiting on 9/21/12 and was rechecked by the primary veterinarian again. Blood work revealed increased kidney values (BUN >130mg/dL and creat 2.4mg/dL), low blood glucose (50) and a snap test for pancreatitis (snap PLI) was abnormal. Urinalysis showed casts. She was transferred to (b) (6) for further evaluation.</p> <p>On presentation to (b) (6) (9/21/12), she was mild to moderately dehydrated. Brief BW revealed BUN > 140, creat 2.4, K 2.3, BG 203 and a metabolic acidosis (pH 7.303, HCO3 12.2). Blood work submitted to Antech revealed azotemia (BUN 105, creat 1.7) and hypocalcemia. Urinalysis revealed dilute urine (USG 1.020) with glucose and trace protein in the urine. She was diagnosed with acute renal failure and probable Fanconi's syndrome. Her renal values have been waxing and waning and her blood glucose has been intermittently decreased. Her renal values have progressed over the last couple of days. She has been treated aggressively with IV fluids with potassium supplementation, ampicillin, an anti-emetic (cerenia), famotidine, and supportive care. The hypoglycemia may be secondary to liver disease. Leptosporosis titers, ACTH stimulation test to evaluate for Addison's, bile acids to evaluate for liver function, and urine culture were all unremarkable.</p> <p>(b) (6) was discharged from the hospital on 9/28/12. The owners will give SQ fluids daily and we will recheck a blood chemistry next week.</p> <p>NOTE: When I filled out the date that her clinical signs started and when the treats were fed, I was unable to submit the form because the decline in appetite started prior to the treats being fed. However, the decline in appetite initially was likely because the owners were out of town. I spoke with (b) (6) and she said to document that her appetite declined on the same day that the treats were fed, so that the form could be submitted.</p>
Waggin Train Ham It Up	Dog	Poodle (unspecified)	5 Years	Male	18 Pound	I started these new treats and within a day or so the dog just wasn't himself, no energy, no eating, didn't want to go for walk, very lethargic, when we went back to the vet on 9/24/12 I thought my dog was going to die.
Waggin Train Wholesome Meat Blast	Dog	Great Dane	6 Years	Male	130 Pound	In the end of Aug. (b) (6) started vomiting, refused to eat, drooling excessively. The next day he developed neurological symptoms. His hind legs stopped working, uncontrolled muscle spasms, etc. After a few weeks he began to recover. On Sept 9th Thor began drooling excessively, difficulty breathing, retching, etc. Within 20 minutes he dropped dead.
Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Terrier (unspecified)	8 Years	Male	33 Pound	Noticed that (b) (6) was drinking more water than normal. Being a veterinary technician in an earlier life, I knew that this could be the beginning of a kidney problem.
Waggin Train wholesome chicken jerky tenders	Dog	Basset - Artesian Norman	5 Years	Male	56 Pound	<p>(b) (6) came home from kennel on Friday evening, Saturday received 1 Waggin Train Chicken Jerky tender. Saturday evening noticed lack of appetite, lethargy, respiratory difficulty/ shuddering of forelimbs. Given small aspirin. Noted vomiting later that night and next morning. Taken to vet prescribed antibiotics and other meds for digestion. Returned to vet 3 times over last two weeks taken to Animal hospital this morning after diarrhea last night and lethargy, shuddering and white gums this morning.</p> <p>(b) (6) is still being worked up at the (b) (6). Initial results show anemia, elevated AST, low WBC, low platelets (72K now) CRE abnormal ascites in abdomen chest Xray normal but abdominal ultrasound shows abnormalities in duodenum, gall bladder and swollen liver albumin low- 1.8 at Vet 1 week ago now 1.2 ALT now 369 was ~200 a week ago. received Awaiting bile acid test and bone marrow analysis and re-test of hepatic and general lab panel.</p>
Dingo Munchy Stix Chicken in the Middle!	Dog	Dachshund - Standard Wire-haired	3 Years	Female	22 Pound	We gave the dog a Dingo Munchy Stix (chicken). That night the dog started throwing up and did so several times during the night and the next morning and is very lethargic. I am currently watching the dog carefully and giving a bland diet to see if it helps.
wagon train chicken jerky tenders, canyon creek ranch brand chicken jerky dog treats	Dog	Shih Tzu	12 Years	Male	15 Pound	(b) (6) became lethargic and had loss of appetite. upon examination by vet it was discovered that he had renal failure. (b) (6) ate contaminated product for over 1 year and a weekly basis, most often several times a week.
Veggie Lite Happy Hips with Glucosamine & Chondroitin Chicken & Sweet Potato- By Dogswell						<p>After our 2 yr old golden retriever had a 2 1/2 week bout of diarrhea that had to be treated with a shot and meds (cause undetermined by the vet) and our 5 yr old border collie had a week and a half of vomiting and lack of appetite (also undetermined cause) treat by vet with 2 injections a family member noticed the treats we had been recently giving. She knew them to be suspect by some animal advocates as causing illness in dogs.</p> <p>After treatment we have also stopped giving these treats and the dogs seem fine.</p> <p>The treats were Happy Hips with Chicken and Sweet Potato by Dogswell- Veggie Life</p> <p>Produce control number SEW 11CP011001/01 Made in China.</p>

Dingo Chip Twists Chicken in the Middle	Dog	Shepherd Dog - Australian	6 Years	Female	45 Pound	Dog has been diagnosed with kidney failure. Has been fed one Dingo brand Chip Twist daily for several years. I noticed the Dingo brand on a tainted treat list after my dog received the diagnosis.
Waggin Trains	Dog	Mixed (Dog)	4 Years	Female	5 Pound	At the age of 3 my dog randomly had a seizure, it occurred at night and the next morning I rushed her into the vet, they did hundreds of dollars worth of testing with no answer as to why she had a seizure. Months went by and she had another. This occurred every 3-4 months since April 2011. I don't like to give her the same treats all the time, I like to switch it up between I'd say 5-6 different kinds. My boyfriend made a point that it seemed it only happened when I fed her Waggin Trains chicken jerky treats. So I stopped buying those ones, however I occasionally got the duck ones or the little cookies wrapped in the jerky. Now I have come across other people stating their dogs have had seizures from eating these treats at all! I stopped giving them to her about 2 months ago and we have been seizure free...Since they were every few months I'm giving it a little more but time at this time I am 99% sure these treats were the culprit!! GET THEM OFF THE SHELF!!!
canyon creek ranch brand natural chicken tenders	Dog	Chihuahua	1 Years	Male	6 Pound	Developed acute multiple episodes of vomiting immediately after ingestion of chicken strip from newly purchased bag. Developed 1 episode of bloody diarrhea. Became lethargic, taken to vet. Found to be profoundly hypotensive, necessitating intravenous fluids, complete blood panel, x-ray, and 1 day hospital stay.
Kingdom Pets Chicken Jerky	Dog	Beagle	8 Years	Female	9 Pound	(b) (6) was diagnosed with hypercalcemia and renal disease after losing a large amount of weight over a period of several weeks. After extensive diagnostics, including an ultrasound that deemed her kidney architecture largely normal, she was asked about chicken jerky treats. The owner turned over 3 large bags that she had been giving to both of her pets. The brand is Kingdom Pets chicken jerky.
Happy Hips Chicken Breast	Dog	Mixed (Dog)	5 Years	Female	17 Pound	Came in for wellness exam and vaccines. Owner stated panting more than usual and drinking more than usual. Bloodwork showed elevated kidney values. BUN-41, Creatinine - 2.3
Waggin Tail	Dog	Terrier (unspecified)	11 Years	Female	10 Pound	(b) (6) started showing symptoms of not eating and very tired, we took him to the vet where he was diagnosed with kidney problems and passed away 2 days later from renal failure
Kingdom Pets Wholesome Duck and Sweet Potato Premium Treats for Dogs.	Dog	Mixed (Dog)	10 Years	Female	25 Ounce	Severe Diarrhea with Mucous coating. Explosive, liquid stool. One week after first consumption. Only consumed 2-3 treats or less x 6 days
Dingo Munchy Stix Chicken in the Middle	Dog	Shepherd (unspecified)	3 Months	Male	13 Pound	(b) (6) was given 1 Dingo Munchy Stix last night. This morning (Monday, the 24th) he wouldn't eat his food. He walked normally on his walk to a vacant lot to run, but he didn't run around. A couple hours later, he was just lying around and wouldn't play with our other dog, who did not get that stix treat. It is 5 pm and Boris still won't touch his food. He is just lying around. Have not seen vomiting. Do not know if he has had any diarrhea, but will be watching for it. When he was given a bit of bread, a favorite, he took it in his mouth for several seconds, then dropped it and walked away to lie down.
Waggin Train Chicken Jerky Tenders	Dog	Mixed (Dog)	9 Years	Male	85 Pound	Sunday Sept. 16, 2012 Had his regular breakfast then gave him a Waggin Train jerky treat. He grabbed our other dog's treat before she could get it so he ate 2 and she had 1. Diarrhea started that evening. Had to go out numerous times during night. Was drinking water. Gave him a pepto tab and a small jerky treat. By morning diarrhea was still bad it was like explosive. Started him on rice with hamburger with little plain yogurt and half Pepcid tab. He was still eating and drinking but I have never seen him have diarrhea this bad. You could tell he had cramps because he kept laying down in different parts of the yard. He never does that. He kept moving to different spots, going, then laying down than moving again. (b) (6) our other dog started with it on Monday evening but just not near as bad as (b) (6). This went on until Wednesday when it started to get a little better. Still diarrhea but less times. I did continue with rice yogurt and pepcid for both dogs the whole time as suggested by the vet on a previous unidentified diarrhea episode. Trying to figure out what may be causing the problem I checked the FDA site for any dog food recalls I found the chicken jerky warnings. I thought it was ok to give them the jerky because it was only chicken. I guess I was wrong. They were both back to normal by Friday the 21st.
waggin train chicken wrapped yams						I had been feeding my small dog waggin train chicken jerky wrapped yams.....and now he has major health issues and is sick a lot.....
Canyon Creek Ranch - "Yam Good" (duck with sweet potatoes) "Yams" (sweet potato fries) "Duck Tenders" (duck jerky) "Cowboy Steak" (chicken with white fish)	Dog	Terrier - West Highland White				For the past month, following ingestion of the treat in question, noticed gastrointestinal upset, accelerated respiration (bordering on hyperventilation), acute thirst, and a propensity to release bladder during subsequent sleep (uncharacteristic of this dog); activity had been atypically lethargic. Since onset of symptoms & awareness of public notice to be wary of dog treats manufactured in China, we stopped administering the treats. Symptoms dissipated over 2 days since termination of the treats, and 7 days later, our dog has resumed normal activity and characteristic behaviors.
canyon creek ranch big blast pork skin twists with chicken liver	Dog	Boxer (German Boxer)	1 Years	Male	62 Pound	vomiting and diarrhea
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	4 Years	Female	55 Pound	Gave dog 3 treats, 1 less than recommended maximum for the dog's weight (over 50, we assume the units are pounds although the product does not specify) in the evening. That night, we awoke to hear our dog vomiting and upon observation for a few hours afterward she seemed sluggish and suffering general malaise, uncharacteristic for her normal behavior.

Canyon Creek Ranch Chicken Tenders	Dog	Retriever - Labrador	8 Years	Male	78 Pound	Fed my dog (b) (6) 3-4 pieces of Canyon Creek Ranch Chicken Tenders made by Waggin' Train, LLC a subsidiary of Nestle Purina over the course of 2-3 weeks and the dog got severe diarrhea and also began vomiting. He has not yet recovered and is being treated by our vet. I've stopped feeding the treats.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Yorkshire	9 Years	Female	5.2 Pound	On 9/20/2012, I gave her a Waggin Train chicken jerky tender treat and during the night she urinated on the floor, which she never does, and also at the door when I was letting her out for the morning. I noticed that she was unusually thirsty. The next day she defecated on the floor and again urinated at the door. As the day progressed she became increasingly lethargic and listless; she didn't want to walk or move about, she just sat around. I noticed that her stomach was bloated and tight and she seemed to be in pain and didn't want to be touched; her anal area was swollen as well and she had a vaginal secretion with a very strong odor. I scheduled an appt. with her vet for the next morning. That evening she began vomiting constantly and when she drank water it came right back up; her breathing became labored, she began shivering and was glassy eyed. At bed time she defecated once again, without even any attempt to go outside. I took her out to see if she would urinate and she seemed to be wanting to squat but couldn't and she just stood still; so I carried her in and took her to the ER at approx. 3:00am (PT) on 9/22, and they ran a blood panel, did x-rays and an ultrasound of her abdomen. All test came back negative. The Dr. said she clearly was ill but he couldn't really determine the cause. However, he did detect traces of what appeared to be an abdominal and vaginal infection in her blood panel. She was diagnosed with and treated for a bacterial infection; she was administered an Ampicillin injection, fluids, anti-nausea medication and prescribed Clavamox drops for 7 days. When I got her home it was as if she had no strength at all. I put her to bed and she stayed in the same position the entire night; she urinated on herself but didn't move. I turned her over to clean her up and she yelped and vomited water but didn't even lift her head from that. She hasn't moved at all and when I lift her, her body seems totally limp. It is now 12:07am (PT) on 9/23/2012 and her state hasn't changed and she's beginning to convulse frequently.
Waggin Train Jerky Tenders	Dog	Poodle - Toy	8 Years	Male	13 Pound	I gave (b) (6) one Waggin Train Jerky Tender chicken treat. The next day he was throwing up, lethargic, and putting his hind quarters up while the front legs were in the laying on the floor. We noticed he was drinking a lot. He was so sick I was worried about him surviving the night. I called the vet the next morning. They did an xray and bloodwork. His blood sugar was over 500. He was given antibiotics as the vet thought he had an infection in his digestive tract. We began treating him for diabetes, even though he had never had these symptoms before. He seemed to go from a healthy energetic dog to an old dog all of the sudden. We gave him about 5 more treats the next week (one a night) until we saw the Chinese Jerky Treat story online. (b) (6) illness began the day after his first treat. We also thought it was odd one night that he didn't finish his jerky treat. We have never known (b) (6) to not finish a treat. He is not the same dog he was before the treats. He is more lethargic, lays on the floor instead of on the couch, pants and breathes hard. He went from a dog who drank very little to a dog who drinks a lot. Even his eyes look different...more like an old dog. We are still giving him 2 insulin injections a day. He has gone from needing 6 units to 3 units twice a day. I don't know if he will ever fully recover. In addition to spending nearly \$1000 on his medical care, I suffer the guilt of knowing he got sick from something I gave him. We do not consider (b) (6) property...he is one of our family and didn't deserve this. It is an outrage that this product is still on the shelves. As consumers, we trust the manufacturers and stores to do the right thing. Neither has happened in this case.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	6 Minutes	Male	65 Pound	started vomiting, which lead us to the vet, who diagnosed him in kidney failure, didn't know what caused this, we tried the auto immune shot, which didn't help, lead to no eating and he died a week later
waggin train	Dog	Beagle	12 Weeks	Female	22 Pound	started giving chicken jerky strips and she loved them. gave her 1/2 the am and 1/2 in the pm. at about 2 weeks noticed decreased appetite, vomiting even when not having eaten anything, (just vomiting bile) then very loose stool. took her to the vet where blood tests were run. liver enzymes were greater than twice what was normal and severe pancreatitis. was treated with liver medication but vomited with each dose. was also given pancreas med. Changed food to a 5 star recommended brand (was already feeding her a 4 star food) and started treating her aggressively for the pancreatitis. kept her home and in calm environment for several weeks to try and recover. It really seemed she was dying right before my eyes. before this she was energetic, playful and loved to travel. next blood test, about 6 weeks later and liver seemed to be recovering but the pancreatitis is still severe and she is on medication before each meal. vet says she will most likely be on this med for the rest of her life. she still vomits occasionally and doesn't eat sometimes. it has now been approx 3 months and she is lethargic only having energy for a short walk twice daily which she loves. Traveling is out, just too stressful, even short trips of 30 miles. we used to go visit relatives in so calif (300 miles) with no problem. all products were made in china and you have to be very careful because label will say distributed in US but fine print says made in china. I will not be buying anything from china if I can help it. They care nothing about the well care of our citizens or our animals. please try to expedite the recall process for these products. too many broken hearts. THANK YOU
Milo's Kitchen Chicken Jerky, Canyon Creek Ranch Duck Tenders	Dog	Retriever - Golden	9 Months	Female	45 Pound	dog was up all night 2 nights in a row with diarrhea and vomiting, drinking lots of water. Had given her chicken jerky ...later read that this may be causing many06
Dogswell Happy Hips	Dog	Chihuahua	9 Years	Male	6 Ounce	For years I have fed my dogs Dogswell Happy Hips Chicken Tenders. Over the last 3 or so years (b) (6) started losing his appetite, became lethargic, had bloody stools off and on and then this past March he passed away from Renal Failure. I thought I was doing the right thing by giving him an all natural chicken product for a daily treat.
Waggin Train Yam Good, Milo's Kitchen Jerky Treats	Dog	Poodle (unspecified)	7 Years	Male	25 Pound	My 7 year old, HEALTHY dog was given both Milo's Kitchen Jerky treats, as well as Waggin Train jerky treats, and Waggin Train Yam Good treats over the past six months. The recommended feeding dose was NOT exceeded. Two weeks ago, he urinated in his sleep two times. I took him to the vet, and they did testing and determined he was in kidney failure. He deteriorated very quickly, and had to be euthanized on September 17th. I do believe that I was sold a bag of one of these treats (definitely purchased at Target) that killed him.

Waggin' Train Jerky Tenders	Dog	Terrier - Jack Russell	9	Years	Male	12	Pound	The patient started vomiting on a regular basis and became less active over about 2-3 weeks. At this time the owner had been feeding a lot of chicken jerky treats for several weeks time. The patient still had a good appetite and appeared to be normal on routine examination. The patient was sent home on an antiemetic for several days. The vomiting improved while on the medication, but returned as soon as they finished giving the meds. The patient returned and labwork was done. Azotemia was present with a normal phosphorous and hematuria was present on urinalysis. The alkaline phosphatase was normal on this labwork, but soon rose dramatically on the next serum chemistry 2 days later. The patient was hospitalized on IV fluids and was started on antibiotics and kept for 2 days. The patient responded to medical treatment and was sent home with dietary changes to a prescription kidney friendly diet. The owner had stopped feeding the jerky treats sometime between the first and second visit. The labwork was checked again about 2 weeks later. The azotemia was still around the same levels as it was when it went home.
Waggin' Train Chicken Jerky , Waggin' Train Yam Good	Dog	Dachshund - Miniature	5	Years	Female	13	Pound	Our dogs developed severe diarrhea, lethargy, and started having urine "accidents" after being fed these treats for several days. Before the dogs were fed them their stool was normal, they were more active, and they rarely if ever had accidents. It took us awhile to decide what we changed that could have caused the change, and ultimately it was the Waggin Train treats. We decided to not giving the dogs Waggin Train treats for several days to see if they improved. As soon as we did that their symptoms were mostly gone in as little as a day.
Milo's chicken jerky...pupperoni...waggin tail jerky treats								My beloved dog (b) (6), passed away last year. Since his passing I've read about the jerky treats and it is devastating to me..because I fed those treats to my (b) (6) everyday. I DID see symptoms of vomiting, listlessness, diarrhea full of mucous. It would happen on and off. One day he'd seem ill...the next he'd be ok. I never ever connected it with those jerky treats. He absolutely loved those...so I bought them all the time for him. Last year he suddenly started to strain to urinate...did seem to want to drink excessively...all of the symptoms described. I of course took him to his vet...who treated him as if he had a UTI...although he never did a culture. (b) (6) never seemed to fully recover. He went on to having severe breathing problems...and had to undergo a thoroctensis to remove fluid from around his lungs. When he did come home he stopped eating...had vomiting..and just did not come out of it. I had taken (b) (6) to 3 hospitals....and to 2 different vets besides his own within 10 days...trying to save him. I never learned for certain what killed (b) (6)...but after reading about the treats...I have to believe...from the symptoms that I saw...that they were the real cause of (b) (6) illness. (b) (6) was my best friend...and a year later...I still cry everyday for what I saw him go through. He was like a child to me. I spent thousands of dollars...trying to save him. I don't care about the money...but I do care that I thought I was giving my little buddy treats that were good for him...and I might have actually caused his death. I can't believe that they show commercials on t.v. showing these treats....making it look as if you're doing a good thing for your pet by giving them those treats. If I had ever known about this...I NEVER would have given those to (b) (6). I'd have made my own from scratch if I had to. I don't understand why the public wasn't made aware of the possible danger. I never saw anything saying there was a problem. And no one I knew had ever told me that they knew about it either.
milo chicken jerky	Dog	Shih Tzu	10	Years	Female	15	Pound	I have two shih-tzus. one is 10 and the other is 8. They both got deathly ill from eating milos chicken jerky treats. Diarrhea and vomiting.
Kingdom Pets Chicken Jerky	Dog	Spaniel - King Charles Cavalier	1	Years	Male	16	Pound	In the morning before leaving for work we would give our dog a chicken jerky treat. When we returned home on several occasions he had vomited or had direhea. Normally he never has a problem with going to the bathroom in the house. After many attempts to understand what is wrong with our dog we called the vet. The vet spoke to us and asked what do we give the dog to eat. When we mentioned the chicken jerky he asked us while he was on the phone to read the lable to him. He asked where were the treats made and at first it appears that they are made in Newport Beach California, that is just the distribution site. The vet asked us to turn the bag to the left and look under the UPC code and there is was MADE IN CHINA. We have stopped giving our dog these treats and since then he has been fine all day no messes in the house. He seems to feel better overall but it has only been a week since we stopped giving the treats.
Canyon Creek Ranch								letargy, depress, vomiting, low appetite
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	9	Years	Male	20	Pound	My dog hurt his leg,so I took him to the vet to have him checked out.The vet informed me that he would need surgery for a torn ligament.The vet perfomed blood workand informed me that Rusty was suffering from kidney failure.The vet kept him for 3 days and tried to help him with iv fluids to no prevail.
Waggin' Train Jerky Tenders	Dog	Terrier - Cairn	12	Years	Male	19	Pound	(b) (6) basic diet was dry kibble with 1 T. moist. Occasional dog biscuit and Waggin' Train chicken dog jerky. Started throwing up small portions of food, once or twice a month. Food consumption decreased, he became listless. Sept. 17, 2011 took to emergency, kidney function was a problem. Was put on intravenous fluids and kept overnight. Put on KD renal diet. (b) (6) r regained some energy, still not able to walk around the block with out carrying part of the way. Fed some chicken jerky to encourage eating. Energy continued to decrease, diet became poor, and personality was lethargic. Dec. 10th called vet as (b) (6) could hardly walk, vet came by our house, looked at his gums - which were white/grey, and immediately said he needed to be euthanized.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	9	Years	Male	110	Pound	I have noticed that he tends to have a bad stomach when the increase in consumption occurs. Most recently, he has been vomitting more frequently. He tends to be lethargic, sleeps alot and loses his appetite. He has shown an increase in water intake.
Vitality	Dog	Whippet	5	Years	Male			The dog developed diarrhea, letharagy, loss of appetite, pancreatitis, diabetes
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Siberian Husky	10	Months	Female	64	Pound	On Sept 4, 2012, I purchased a 30 oz. bag of Canyon Creek Ranch Chicken Tenders from Petsmart in Manassas, VA. Over the next ten days, our dog consumed maybe three to four treats a day. On Sun, Sept 16, we had to seek emergency vet care for our dog. She was extremely lethargic and no appetite. Most concerning were the repeated attacks of bloody diarrhea and vomiting bile. We were shocked to discover that what we had fed her could have caused this. We had no idea that this product was from China, let alone that this treat could be harmful. Five days into this and she is slowly becoming more active, however she has only eaten maybe one cup of boiled chicken and rice.
Canyon Creek Ranch Brand Duck Tenders								On August 14, 2012, I purchased several bags of Canyon Creek Ranch Brand Duck Tenders, 30 oz bag, at Petsmart on Cherry Hill Road in Silver Spring, MD. When I brought them home, I noted that one bag had EXTRAORDINARY HEAT radiating from the deoxidizer pack inside the unopened bag. Assuming this to be a safety issue, I saved the bag and the deoxidizer pack, with the intention of contacting FDA . . . but got distracted! Then on September 16, 2012, I purchased two more bags. Upon bringing them home, I experienced the identical event with one of those bags. I saved that bag unopened. These treats indicate on the bag that they were treated by irradiation.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Pointing Dog - Portuguese	9 Years	Male	78 Pound	After consuming Waggin Train Wholsome Chicken Jerky Tenders my dog started having diareha, throwing up ,loss of appetite. This happened on two occassions.
Waggin Train Chicken Jerky Tenders	Dog	Terrier - Scottish	12 Years	Female	22 Pound	Started giving the dogs Waggin Train Chicken Jerky Tenders from Sam's Club, and/or Walmart about 2 years ago. They became more lethargic all the time. Both started drinking more water and urinating more often, and sleeping most of the day. Yesterday we had a blood test done, and the youngest dog is suffering from kidney failure and liver problems. The older dog's blood picture is OK, but has the same symptoms. They were both started on medication and a special diet dog food KD kidney supporting food, canned and dry. We don't know if we will be able to save the younger dog.
Wagon Train Chicken Jerky Treats	Dog	Terrier - Jack Russell	3 Years	Female		(b) (6) has had two Grand Mal seizures. The first one after eating Wagon Train chicken jerky treats, and the second six months later after she had eated Milos' chicken jerky treats. The second time I rushed her to the Vet and he suggestedd that it may have been the result of the treats. I threw out the whole package both times, and wish now that I hadn't so they could be tested. Both packages were bought at Walmart in Palm Desert. They should be taken off the shelves of all stores carrying these products. I am so LUCKY to still have my dog. She has never had another seizure.
Waggin Tails Chicken Jerky	Dog	Rottweiler	7 Months	Female	60 Pound	Well it took a while to figure out that this product was the cause of my dog's death. This happend in 2008. She was in perfect health and my mother started feeding her the waggin tail chicken strip treats. (b) (6) loved them. She was given the treats on a daily basis for over a month when all of a sudden she started acting strange and lethargic, So we took her to the Vet and we were told that she was dehydrated. So we made sure we were giving her plenty of water. She still did not improve. My mother noticed the only thing she really enjoyed getting up to eat were the chicken strips. But it still did not occur to us these were the problem. A few days later (b) (6) would not get up, on our way up to the vet she died in the car. We were all baffeled. Then the last couple years I started seeing articles about people's pets getting sick or dying from this product. It dawned on us that this is the most likely cause as she was perfectly healthy until this treat took its affect.
Sorry I do not know	Dog	Retriever - Labrador	3 Years	Male	135 Pound	Bought a bad of chicken beef jerky at our local Sams Club in Harrisburg Pa, i apologize I threw the bag away, shortly thereafter we noticed my dog would vomit - we did not put it togehter right away, he started not wanting to eat, not moving his bowels properly, no motivation as normal- however he still wanted the treats. We even changed the dog food to a better brand thinking maybe that was the issue, not knowing about the beef jerkey issue/ when we found out we threw the bag our right away. I just saw the headline on website and decided to write in to notify as another person who's dog had been affected to the beef jerkey as well. He seems to be back to normal now thank God !! :) It did take a bit though honestly..
Milo's Kitchen Chicken Grillers	Dog	Bichon Frise	6 Years	Female	10 Pound	Our 3 dogs, (b) (6), a 6 year old Bichon, (b) (6), a 6 year old Pomeranian, and (b) (6), and 11 year old Pomeranian ate 2-3 (apiece) of the Milo's Kitchen Chicken Grillers on 9/16/12. On 9/17/12, all 3 dogs were lethargic, no appetite, and Destiny was vomiting. We pulled apart of piece of what she had vomited and discovered it was the chicken. None of the 3 dogs ate all day. On 9/18/12, we consulted with the vet, and they were put on a hamburger/rice diet and Pepto Bismol. (b) (6) has reecovered, and (b) (6) and (b) (6) are alowly coming back around. (b) (6) suffered the most, and still does not have a full appetite. Her stomach is still upset. On 9/18/12, our daughter found an article about the chicken imported from China had caused dogs to become ill. The product was made in China. We do have the bag of treats if samples are needed.
chicken jerky	Dog	Great Dane	6 Years	Female	140 Pound	Developed diarria - took to vet - saw warning posted regarding chicken jerky treats - stopped giving treats - diarria stopped
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	15 Years	Male	30 Pound	I began buying him "Waggin Train" chicken Jerky Tenders for dogs from Pet Smart about 5 years ago and gave him one about each day. I did not realize that I was doing him any harm at all. And I did not get any notification about the dangers involved with the product by email or the postal department. I slowly saw my dog changing his eating and drinking habits and he was having accidents in the house, which he never did before. Then he started to eat less and he drpped from 47 pounds to lees than 30 pounds, and I had taken him to his vet and he took a complete blood analysis. He called me and said his kidneys are failing and are nearly shut down. He did a blood transfusion for 2 days, and now I have him at home , but he is continually getting worse. He is so weak I have to carry him up and down the stairs or he will fall down. and he looses his balance sometimes when he walks. his urine is completely clear and he is constantly drinking and peeing. But not eating, only a little of what I feed him. He is supposed to eat the KD food I had to buy but he refuses to eat it in any fashion, so I jst give him healthy food what he likes, just to get something in his stomach and stay alive for as long as possible. Usually boiled chicken and rice. I had him for 15 years and he is all I have. I live alone, and he is by besy friend. I am devistated over this. Now I feel so guilty over what I have done to hime. I cry every day over it, and I will never forgive myself for what I did to him. I love my dog so much. This poison must be removed from the market. Why is Pet Smart still selling this garbage? Why haven't they removed it from their stores? I don't understand? They are killing the poor animals. I am filing a report with my state's FDA Consumer Complaint Coordinators Department. This is what I have been going through the past several months, and it has severely has depressed me. I don't know where to go from here? Please help me with whatever you can do for my loving dog. He is all I have. (b) (6)
wagon train western grill	Dog	Shih Tzu	1 Years	Male	22 Pound	(b) (6) ate Wagon Train Jerky chicken treats and with in 24 hours he became sick with vomiting and diarrhea this lasted for 3 days he is just now starting to recover.
Waggin Train	Dog	Havanese	3 Years	Female	21 Pound	Vomiting, diarrhea, listless
Milo's Chicken Jerky	Dog	Maltese	10 Years	Female	6 Pound	My Maltese was limping and acting lethargic. Took to vet who ran bloodwork. Her creatinine levels were extremely high and my vet was concerned that she was going into kidney failure. He asked if there was anything different or new that we were feeding her. The only change was Milo's chicken jerky treats. After stopping feeding them to her we repeated the bloodwork a month later. Thankfully her kidney values returned to normal. This was all due to Milos dog treats.
Milos Kitchen home style dog treats	Dog	Beagle	8 Years	Female	17 Pound	Constipation and lethargy.
Happy Hips	Dog	Other Canine/dog	14 Years	Female	56 Pound	After receiving and eatting "Happy Hips" the dog became very ill. Took her to the vet, who was unable to determine the cause since all of her tests came back negative. Took her to a second vet who determined she had a strange and very rare liver condition. Recently was told to stop giving the dog "Happy Hips" treats. The dog appears to be getting better but unfortunately the treats have damaged her liver.

Smart Bones Peanut Butter, Canyon Creek PBJ Wrapped with Chicken Jerky, Waggin Train Chicken Jerky Tenders	Dog	Terrier - Yorkshire	7	Months	Female	5.5	Pound	She began to be lethargic, throwing up, loose stools, loss of appetite
Waggin Train Chicken Jerky Dog Treats	Dog	Terrier - Yorkshire	3	Years	Male	12	Pound	I have 2 dogs. On the evening of July 19th, my older dog who is a 45 lb. mixed breed, was found ill at our home. We arrived home to find that she had vomited a foamy white substance multiple times and had appeared to possibly have convulsions based on items that had been knocked over in the house. She was leaning against a recliner and was unable to move at all. Her breathing was labored and she was drooling heavily. We took her to the emergency vet where they were unable to determine what was wrong, but did discover that she was dehydrated and they suspected some type of neurological condition. By the time we left her for overnight observation, she had begun to be able to use her front legs again. The next morning, our 3 year old Yorkie was let outside for his normal morning bathroom trip. When I went out to let him back in the house 20 minutes later, I found him laying flat on the ground with foamy vomit next to him. He was unable to move and his breathing was labored. I called our vet and took him in to be evaluated. By the time that I had gotten him to the vet, he was in shock and his blood pressure had started to drop. They started an IV and gave him some medicine which did help him to improve. He started moving again, but then started to have bloody diarrhea. They decided that they would need to keep him for observation as well. While our older dog improved and recovered, our Yorkie did not survive the night and passed away. The only change that had been made in their diet was that I had bought a pouch of Waggin Train Chicken Jerky dog treats earlier in the week as a special treat for my dogs.
Milo's Chicken Jerky	Dog	Maltese	10	Years	Male	11	Pound	(b) (6) started having issues with appetite.
Waggin Train Chicken Jerky Treats & Canyon Creek Chicken Jerky Treats	Dog	Unknown	3	Years	Female	14	Pound	We got (b) (6) as a rescue in August 2009. She got a clean bill of health from our veterinarian. After exploring various kinds of dog food and treats for her, we found she LOVED chicken jerky treats. Soon after she started consuming the chicken jerky (specifically Waggin' Train first, then Canyon Creek brands), she started urinating in the house. This went on for about 6-8 mos. We finally had her urine tested Oct/10 and realized she had developed a urinary tract infection. She would get antibiotics, it would clear up, but infection would soon return. She also had multiple episodes of diarrhea and vomiting during this time. She had been consuming these treats for approximately 2 years when we heard reports of possible health problems related to the treats. When we discontinued these specific treats, her chronic urinary tract infections ceased & her health is now good (other than the allergies).
Waggin' Tail Chicken Jerky Treats	Dog	Sheepdog - Shetland	11	Years	Female	26	Pound	My dog suffered from kidney failure after eating chicken jerky treats. She now has to have an I.V. twice daily just to prolong her life. This problem almost killed her and has cost thousands of dollars in vet bills.
Milo's kitchen treats	Dog	Beagle	3	Years	Male	25	Pound	started throwing up would not stop
Beefeaters Natural Chicken Fillets	Dog	Beagle	8	Years	Male	135	Pound	(b) (6) loved these chicken jerky treats. Every evening he would consume 2 to 3 strips. After a few months of eating these items (b) (6) became deathly ill. He stopped eating everything and was rushed to the vet. The vet treated (b) (6) for pranciatitis but the diagnosis was not totally conclusive. (b) (6) was hospitalized for 2 days and had to be given intravenous fluids. Thankfully (b) (6) recovered but we are quite convinced his illness was directly related to all these chicken strips -- Beefeaters Natural Chicken Fillets.
Canyon Creek Ranch Natural Duck Tenders	Dog	Ridgeback - Rhodesian	8	Years	Male	115	Pound	First my dog is on a strict diet only eating high quality dog food (inovia), organic treats, and no human food. So when we were given FREE Sample Treats from our PetCo representative that look healthy I thought nothing of it. I fed my dog on Sunday these treats and by Monday afternoon he started having Diarrhea. We simple thought he lick or smell something from his regular walk. By Monday night he diarrhea became liquid and very watery. By Tuesday he started to vomit bile. We were not sure what this was so we carefully watched him. By Tuesday night his diarrhea became full of BLOOD and his vomit started to also carry blood. We rushed him to the doctor where they gave us stool medication and also took a stool sample. By Wednesday early morning at 5:00 AM he started panting very heavily. By 7:00 AM a sniff of food made him vomit bile and more blood. We rushed him to the Vet once again where they ran more test. All test came back Negative. All X-Ray's came back negative. The doctor asked if he ate anything unusual I said no because my dog has NEVER had a reaction to food like this before. It was not until i did some research at home on pet treats that I was made aware of Canyon Creek Ranch dog treats(duck tenders) the recall. These are made from in China and I am positive that they made my dog sick and almost die. My vet bill is over \$1000 and I needed to let the FDA know.
Waggin Train Chicken Jerky Tenders	Dog	Retriever - Labrador	2	Years	Male	76	Pound	Dog presented for lethargy, vomiting and anorexia. Owners were unaware that sone had just started feeding Waggin Train Chicken Jerky treats 2 days prior to event.
Waggin" Train Wholesome Chicken Jerky Tenders Low Fat	Dog	Basset - Griffon Vendeen (unspecifie d)	7	Years	Female	70	Pound	Diarrhea, vomiting, poor appetite, panting, attempts to have a bm without success, laying on tie floor (its cool and she was panting alot)
Milo's Chicken Jerkey	Dog	Retriever - Labrador	8	Years	Male	70	Pound	I gave my dog (b) (6) a Milo's CHicken Jerky treat on 09/09/12, and he did throw up 1 time on, I think 09/10 or 09/11/12 and we didn't think anything of it, just thought he got sick or something, no other simtoms, until we gave him another treat on 09/12/13. Then he threw up 2 times that day. So we thought he was getting sick. But by the weekend we noticed he is getting lethargick, and by Sunday we noticed that he hasn't pooped since Saturday. It has been 4 straight days of constant throwing up, and 3 days of no pooping. Got an appoitment with the vet, and getting tests done.

JERKY TIME CHICKEN JERKY	Dog	Terrier - Boston	12	Years	Male	24	Pound	I GAVE HIM SOME CHICKEN JERKY (JERKY TIME BRAND) BECAME ILL FOR A COUPLE OF DAYS HE HAD BEEN VOMITING WAS LAYING AROUND AND DRINKING WATER...I THOUGHT SINCE HE WAS DRINKING WATER HE WAS HYDRATED AND SINCE HE HAD A SENSITIVE STOMACH I THOUGHT HE JUST NEEDED A LITTLE PEPTO BISMO WHICH I HAD ALWAYS USED IN THE PAST TO SETTLE HIS STOMACH....SINCE I WORK I DIDNT NOTICE VERY MUCH BUT HIM LAYING AROUND THOUGHT HE WAS STILL A BIT ILL UNTIL THURSDAY 8/23/12 HE WAS BREATHING VERY SHALLOW AND THEN HE PASSED AWAY AT 4:21PM WHEN I WAS LOOKING FOR AN ANIMAL EMERGENCY PHONE NUMBER
Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	10	Years	Male	12	Pound	Two events of hemorrhagic gastroenteritis, both of 3 days duration and requiring treatment with Cerenia and fluids. Bloody vomiting and diarrhea, extreme lethargy, and pain on abdominal palpation. The first event was in June, the second in July. Discontinued product use.
Celeb Corp Chicken Jerky (distributor) Costco ref on return 105711 Chicken Jerky	Dog	Terrier - Yorkshire	16	Years	Male	13	Pound	Post 2012/02/29 purchase of the "chicken jerky" @ Costco Ca. (Windsor) (b) (6) had periodic episodes of throwing up yellow green bile & diarrhea which continue & as of the past month can't control his bowel movements. Noting NBC channel 4 news this past week report on the chicken jerky, took him to the Vet (\$92.25) September 15, 2012 who prescribed 20 Metronidazole 100mg tabs 2 Xs daily; appetite was non remarkable other than eating later and later in the day to food (mixture hard and canned soft) served in the AM tho' he prefers table food samples. Threw up yellowish brown water bile this morning and stools were whole mushy tootsie rolls type reddish brown and lethargic on the walk- about not in character w/ his usual self leading the walk (approx. 1 mile). Defecating in the apartment during the night although additional walk-about occurs between 10 & 11 PM. Costco says their inspectors have checked out the Chinese plant distributor Celebrity Products Inc.Toll Free (US & Canada) 1 866 843-4810 (b) (6) (b) (6) Vet says his analysis inclusive and attributes cause to any one of 3 possible causes (b) (6) also prescribed Diet Canine I/D-case 12 \$39.41 (b) (6)
Milo's Kitchen Chicken Jerky	Dog	Dachshund - Miniature	1	Years	Male	16	Pound	After eating the Milo's chicken Jerky (b) (6) had diharrea and vomiting. He was also lithargic.
petshop chicken jerky premium chicken dog treats	Dog	Other Canine/dog	13	Years	Female	40	Pound	diahrea
Smokehouse Brand Pet Products Duck & Sweet Potato Combo	Dog	Retriever - Golden	1	Years	Female	65	Pound	In June, I was giving these treats to my dogs. (b) (6) suddenly became very listless and lethargic, with no appetite and appeared to be running fever. Took her to the vet, where it was determined that she was having kidney issues and that her red blood cells were lysing. We put her on an intense regimen of steroids, antibiotics and fluid flush, but the vet was unsure what the cause could be. I quit using the treats for a period because one of our other dogs would have REALLY bad gas from the treats. Two days ago, I needed treats to entice my Golden Retriever, (b) (6), back in the house and grabbed the Smokehouse Duck & Sweet Potato Combo, as they were close by. I gave her a couple of treats and then again gave her some yesterday. Again, (b) (6) is showing the EXACT symptoms of the episode in June. She won't even drink chicken broth, has no appetite (keep in mind, this is a young golden, she is usually HIGH activity level) and is extremely listless and lethargic. I have thrown the treats away (but kept the bag) and have started the regimen from last time to see if she gets any better, before spending another \$400 at the vet, again (last time's bill). I'm optimistic that I caught the issue soon enough, but can't help but believe that the timing and consumption of the treats are connected. I made sure I had no chicken treats (one of my other dogs is allergic to chicken, so I do NOT purchase chicken treats) after hearing about chicken recalls, but never saw anything until now on the duck treats. :(I'll just be sick if something I did caused my baby to be sick. :(
Waggin Train Chik'n Biscuits Recipe	Dog	Shih Tzu	11	Years	Male	7	Pound	I gave my shih tzu 2 of the treats at 6:00 PM on 9/16/2012 and by 9:00 PM the same day, my dog started having diarrhea and vomiting. The diarrhea continued through the night and seems to be subsiding as of 11:00 AM on 9/17/2012. I contacted Waggin Train LLC at 866-283-2923 to report the sudden onset of illness and asked if there were any known issues with that product. I gave the bar code: 07020 99517, and the manufacturing codes from the bag: 2090T027 0102WH8, Best Before: Sep 2013 and another code: CA6210 Mar 2012. The representative denied any product problems and offered to send me a coupon for additional products. I purchased the treats from WalMart (b) (6) at 4:07 PM on 9/16/2012.
Canyon Creek Ranch Brand Chicken Breast Treats made in China	Dog	Terrier - Yorkshire	9	Years	Female	5.5	Pound	Pet was in good physical condition. Normal Friday evening routine included going out with friends and then brought home. Have been gvng her Caynon Creek chicken treats. Reently switched to This brand from another brand. Have been giving her less than 1 treat each evening for a week-10 days. Within 2 hours she was vomiting repeatedly all food in stomach and then Water/bile, including brownish yellow foamy vomit and mucus. Very lethargic Took to emergency vet. Stomach and intestines were bloated, gassy, distended, tender and very inflamed. \$300 vet bill for IV fluids, anti-nausea medicine and other treatments. Diarrhea started, very watery, and constant for 24 hours. Became bloody. Pet recovered after about 48 hours of Distress and began eating bland food and baby food. Regained some energy.

Waggin Train Jerky Treats	Dog	Retriever - Golden	1	Years	Male	45	Pound	Very healthy almost 1 year old Golden Retriever went into incessant vomiting and cough for over a week. Vet could not identify culprit. Anti-nausea and other medications were of no help. Dog lost much weight, could not hold down any sustenance. Esophagus was enlarged. Tragic.
Milo's CHICKEN Jerky	Dog	Retriever - Labrador	5	Years	Female	105	Pound	After feeding (b) (6) a bag of Milo Chicken jerky treats over a period of 7 days, (b) (6) developed severe diarrhea. She required assistance with going out 4 to 5 times through the night. She also experienced accidents within the house in several areas. A trip to the vet revealed she had bacteria in her stool and that she had been feed something that was contaminated. (b) (6) is on a very strict diet and was not given any table scraps or other treats. She was feed she dry dog food and the treats.
Kingdom Pets Duck and Sweet Potato	Dog	Retriever - Labrador	6	Years	Male	74	Pound	On or about Sept 9th, my dog started having severe diarrhea and vomiting for three days. My dog never says no to food or treats and he would no longer eat or drink and was dehydrated. I took him to the ER vet where they admitted him right away and began a battery of tests. They did xrays which showed nothing had been ingested which would have created a blockage. The vet did extensive blood work and other tests. They put him on an IV drip to get fluids back into his system and he has been on a very bland diet of chicken and rice. (b) (6) has started to come back around and has not been given any of the jerky for a week. The vet knew he ate something but we could not pin point it until I saw an article about jerky from China and this was the the only jerky he has had and I just opened his second bag. Since being off of this treat, he has been responding to the therapy the vet gave him. The product he had been ingesting is Kingdom Pets Duck and Sweet Potato treats from Costco. Lot NO. WPKPDSP03033 Use by date 12/01/2012 P154AG3B2 Costco Item # 661192 Purchased in Albany Oregon in August and September 2012
waggin train western grill	Dog	Terrier - Jack Russell	8	Years	Female	18	Pound	she started to vomit and had diarrhea as well wont eat
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	3	Years	Male	66	Pound	After several months of giving the Waggin Train Jerky Tenders, vomiting, explosive diarrhea and dehydration for several days and is still not fully recovered. Veterinarian did IV fluids and on anti-biotics. Vet feels that the cause of this may be related to the product Waggin Train Jerky Tenders and recommended to give Koda any more of these treats.
Healthy Hide - Triple-Flavor Chews	Dog	Shih Tzu	5	Years	Mixed Population of Female and Male	13	Pound	<p>Both dogs have choked while trying to consume (eat) the Raw-hide chews.</p> <p>Healthy Hide - Triple Flavor Chews - Marketed by Salix Animal Health, LLC Deerfield Beach, FL 33442 Patent # 6,895,900 ISBN 0 91093 82227 3 Item # 82227 Made in China</p> <p>When chewing on a full "raw hide chew", the male swallowed most of the chew, but could not swallow the rest, because of the unsoftened knot at the top of the chew. I pulled the chew completely out of the dog's mouth - including some inches of softened chew, which had already been swallowed. - The dog was unable on it's own to spit up the chew, and was unable on it's own to swallow the chew.</p> <p>The female also had a similar choking problem with the product. She was having extreme difficulty breathing, because of the partially swallowed product.</p> <p>On both dogs, I had to forcibly open their mouths, and grasp the portion of the chew I could find, and forcibly extract it from their mouths, so that they could begin breathing again.</p> <p>The product is unsafe for dogs - because it is too small, but too tough - so that only a portion of the chew at a time becomes softened by the dog's chewing and saliva, and the dog chokes on the unsoftened part - which is tied in a knot.</p> <p>I had to reach into each dog's mouth, and grasp the por</p>

Canyon Creek Ranch Natural Duck Tenders	Dog	Terrier - Bull - Staffordshire	8 Years	Male	102 Pound	(b) (6) (8 yr old Staffordshire Terrier) began having diarrhea after purchasing a new bag of Canyon Creek Ranch Duck Jerky Treats. (b) (6) had allergies to alot of things & one being Chicken. This is why he ate Holistic Select Duck Dog food & I gave him these duck treats. Was packaged as being 98% duck. Was not aware they were made in China (when 1st purchased read larger print that they were manufactured in Anderson South Carolina). A few days after diarrhea began, he became excessively thirsty & was urinating more. In addition his abdomen was swelling like a pot belly pig. Never told any of his vets about eating treats made in China, as was not aware. Took him to (b) (6) & xrays, kidney & liver function tests & urinalysis were done. All test results came back within normal range except a few things. His Platelet count, hematocrit, hemoglobin, and a few liver results (ALT & TBIL) were high. Vet was not concerned about the levels that were high, as his kidney tests were all in normal limits. Was refered to a internist who did a ultrasound & aspirated the fluid building up. Fluid came back as inflammatory fluid, but no abnormal cells. Ultrasound normal, no tumors & heart normal size. No diabetes. Tests done on thyroid , all normal. His appetite remained the same. Continued to give him the duck tenders not knowing any better. Ascitis getting worse & had to be aspirated. Took him for CT scan which gave inaccurate results showing obstruction ocotal vena cava. More fluid aspirated. (b) (6) was restless at night - up/down & wanting to go outside to urinate & drink water. Appetite still good & still giving treats. Took him to (b) (6) to see a cardiologist (b) (6). Was going for consult for noninvasive cardiac cath w/stent placement. Another extensive ultrasound done & was determined circulatory system completely clear & no obstruction. Dr. said he could do an angiogram, but he was 80-90% sure no obstruction at all (false reading on CT scan due to delay of contrast material). His feeling was that (b) (6) had cellular cancer in his omentum as he had a dog recently with same symptoms & test results. Said (b) (6) omentum "looked thick". He had diagnosed this with the other dog during the dogs autopsy. Abdominal surgery w/biopsy's was an option, but was told very risky due to the ascites (plus very expensive). All along (b) (6) continued to eat his dog food & the duck strips for treats. Decided to go with the treatment option of lasix with close monitoring w/blood work & periodic removal of fluid building up (b) (6) Hospital said the other dog he had like (b) (6) lived an additional 9 months with lasix. The next day (b) (6) started not eating dog food, but ate over the normal 3-5 duck strips he typically had per day. Since he acted like he was craving them & would eat them, I think I gave him 12 or so that day. BIG MISTAKE! That night he started vomiting and became lethargic. Still drinking alot of water & urinating though. Still having diarrhea & abdomen continued to fill up. Offered him rice w/boiled hamburger, would not eat. But begged for the duck tenders. (b) (6) deteriorated quickly and the next day we had to make the painful decision to put him to sleep on 8/18/12. Was offered an autopsy, but declined. Now, after the fact It was brought to my attention that his treats were made in China and that other pet had become ill & some died from these same treats. I wish we would have followed through with the autopsy. I am so angry that these treats are still being sold in the USA after all the complaints of illness & death with our pets.(b) (6) was a very special dog to us as my son had brought him home when he was 16 yrs old. (b) (6) were inseparable. Then, right after my son turned 18 yrs old, he was killed by a drunk driver. (b) (6) was there with me through my sons viewing (which he attended & believe it or not he actually understood what had happened to (b) (6)as afterwards, he quit looking for him when he heard someone come thru the door), the grieving, the drivers trial & sentencing, etc..... (b) (6) & I had a bond & I do not know how I would have made it without him. I feel so responsible for giving him those treats! He was a healthy dog & was walked, played with & very well taken care of. How dare the FDA not have these treats removed from the shelf! After watching this hit (b) (6) so quickly and him deteriorate like he did, and go through all that extensive testing with nothing showing absolutely wrong, my gut & heart tell me it was those jerky treats! Sure do wish I could prove it! In addition, I still have that bag of treats. Wish I could get them tested somewhere to!
milos kitchenhome style dog treats	Dog	Bichon Frise	9 Years	Female	15 Pound	on a routine preanesthetic blood test and urinalysis, it was noted the pet has glucosuria and normal blood sugar suggestive of acquired fanconi-like syndrome
Waggin Train (Purina) SHEP Woof Woof Wow! Baconz, Purina Busy Bone, Mighty Dog, Kibbles and Bits, Milk Bones	Dog	Collie - Border	11 Years	Female	50 Pound	She loved chicken jerky treats. I had been feeding them to her for about 5 years. In that time she had thyroid issues first, then she had problems growing her fur back after she was clipped, then she became incontinent. I had started noticing a pattern in the past year or so that when I gave her jerky treats she would be sick a couple of days later. Then for no apparent reason her health seemed to take a turn. We took her to the vet who kept her overnight because her sugar was high, she had a fever, and he kept her overnight. We had her home for one week but she was throwing up outside but we didn't notice it for a way. Glycosuria is what he said she had. He was always thirsty, loss of appetite; which for her was notable... she never has loss of appetite. We took her back to the vet and he had us take her to the (b) (6) because he said it seemed she had gotten something toxic. She lost 10 pounds in the week or so before and at the hospital she had respiratory problems, fever, and her kidneys shut down. This all seemed to happen overnight. She passed away at the end of May 25th. Just two weeks before she was good. We had given her Waggin Train jerky treats. We had bought other brands too but these were the last things she had. We are sure that is what took her from us so quickly. She should have lived a few more years.
Waggin Train Chicken and Biscuits. Milos Kitchen chicken jerky.	Dog	Terrier - Boston	4 Years	Female	25 Pound	My dogs had been vomiting and having diarrhea occasionally. On 9/2/12 one of my dogs became very ill within a few hours. This included diarrhea, vomiting, lethargy, no desire to eat, refusing water, and unresponsive. I took her to emergency where they gave her fluids and medicine. They said the signs were indicative of kidney problems or bacteria related. Earlier this week I came across several news articles stating that jerky treats made in China have been linked to illness and even death in animals. Both of my dogs have been eating Waggin Train and Milos kitchen treats. Unfortunately I did not know this issue has been ongoing since 2007. I assumed that since the products are still on the shelves that they are safe but this is obviously not the case. I am thankful my dog recovered on 9/2/12 and I have stopped giving them these treats. I pray that there will not be any long term damage. Something needs to be done, this problem has been known for years yet the poisonous treats are still being sold.
waggin' tails jerky tenders	Dog	Shepherd (unspecified)	9 Years	Male	95 Pound	had been giving approximately 3-5 pieces of waggin' tail chicken jerky treats bought from Costco almost everyday as reward about 2-3 months ago. my dog started to lose control of one hind leg a month later and then both several weeks later. brought him to vet thinking he had severe hip dysplasia. vet said the problem was with the spine. it was a progressive paralysis. my dog never went home - had to have him put to sleep that day.
Natural Chicken Fillets Waggin' Train Wholesome chicken Jerky Tenders	Dog	Spaniel - Cocker American	2 Years	Male	38 Pound	NOTE: treats are rarely given. Noticed a change in typical drinking and onset of grass eating about 24 hours after treat Waited a few days between each treat and noticed similar changes. Decided to break off small bits to see if product was "too rich" or too much change in diet. In July noticed a sudden development of black spots on belly which cleared in 3 weeks. In late August there was a sudden development of 15 large indurated crusted non-painful lesions on chest and forelegs noticeable increase in drinking and unusual thirst and onset of grass eating change in stool consistency lethargy Takes preventive Trifexis for heartworm prevention/tick and flea control

Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	8 Years	Male	22 Pound	Have been giving my 3 dogs Waggin Train Chicken Jerky Treats for years. Occasionally have given them Waggin Train Yam Chicken treats as well as other types of Waggin Train chicken treats. Took (b) (6) in for yearly check up. A growth was discovered on his gum. He needed to have it removed so they gave him a full blood test to make sure he could tolerate the anesthesia. The blood test came back indicating one of his kidneys was not functioning correctly. The blood test was taken on 6/12/12. After I received the results I stopped feeding my dogs the jerky treats. Not sure if kidney function has anything to do with treats, but now I only buy treats made in USA. P.S. The growth on the gum was benign and they put him on an IV during anesthesia as a precaution. I believe those treats are addicting. Those dogs would do anything for those treats. Ten years ago, you couldn't have told me I would have spent the money I did on those treats, but the dogs love them so much better than anything out there that I did. I will probably ask that another blood test be done next year during his checkup to see if kidney function has gotten better.
Waggin Train Wholesome Chicken Jerky Tenders, Waggin Train Peanut Butter Flavored Biscuit	Dog	Boxer (German Boxer)	5 Years	Male	70 Pound	Our dog ((b) (6)) was found laying in the yard few weeks ago. He ws panting heavily and could not lift himself up. We took him to an emergency vet, where he was treated for the symptoms of anaphylatic shock. His blood pressure was extremely low, and he required several IVs, steriods, and anti-inflammatories. No reason for his sickness could be found by the vet or ourselves. A few days after the incident he started vomiting several times every day and could not eat or drink water. Our vet told us the likely cause is a stomach ulcer. He is now on a stomach acid neutralizer and a special food, but he still vomits occasionally. He has now also developed joint pain and he cannot walk on his right rear leg. The start of the symptoms coincide with the purchase of Waggin Train Chicken Jerky Tenders Lot # B1CA6102A and Waggin Train PBJ Treats Lot # G2CA6212A. We are concerned from recent reports that our dog could have been sickened and eventually die from the treats. We stopped feeding the treats since 9/03/2012, but we have retained the bags and remaining treats. A few of the treats were also given to a 3 month old American Bulldog ((b) (6)), but we have not seen any symptoms in that dog.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Alaskan Malamute	7 Months	Female	68 Pound	We have been giving our pet the Nestle Purina Waggin Train Chicken Jerky. We have been giving her the product for a couple of months. A few weeks ago she developed severe diarrhea and vomiting as well as being disinterested in her normal activities as well as eating. We took her to the vet and they diagnosed Enteritis and Colitis. She was given a week's supply of antibiotics and she began to feel better. At the same time we (by sheer luck) we stopped giving her treats. We gradually started giving her treats this week and she started vomiting again along with very loose bowels. I stopped giving her the jerky treats and she has returned to normal within 24 hours. I had no idea what the problem was until I read the article on the Internet about the deaths of several dogs.
Waggin Train Chicken Jerkey	Dog	Akita	9 Years	Female	80 Pound	((b) (6)) began to lose control of her bladder. She was put on medication. She occassionaly had diarrhea and vomitting. She stopped eating and drinking. She was put on more medication, but within a couple weeks completely stopped eating and drinking and could not stand or walk. I was shocked to learn that she had kidney and liver failure, pancreatitis and fluid in her abdomen. She had to be put down. I had fed her Waggin brand chicken jerky because she loved it and I thought giving her 100% chicken was the best I could feed her. Her sickness was so sudden I was completely taken by surprise. This dog was well cared for by me and our vet.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Maltese	4 Years	Female	7 Pound	Her composure totally changed and she wanted to withdraw from us. Her appetite changed and would not eat or drink water. Her body appeared to be shaped like contorted. She threw up and had diarrhea. She appeared lifeless not wanting to play or even be held.
Milo Chicken Meatballs	Dog	Terrier - Jack Russell	6 Years	Female	8.8 Pound	My jack russell started throwing up slightly after becoming heavier and what I will call a little slower. We started continual vet care and completed tests ranging from blood work to spinal tap, MRIs to muscle biopsy's. I am positive the problem started with the chicken meatballs from Del Monte the Milo brand. I just read the FDA findings and symptoms today and I was speechless. These tests were conducted by three different facilities and approximately 12 different DVMs. I would like to touch base with you on any newer information and to share our experience with you, we tried everything possible to save her and nothing worked, the last tests were for hormone levels and they were no where close to explainable.
Waggin Train Treats	Dog	Spaniel - Cocker American	8 Years	Female	25 Pound	Dog was given Waggin Train jerky treats on multiple occasions before I heard of the problems associated with these products.
chicken jerky and chicken on a stick	Dog	Boxer (German Boxer)	6 Years	Female	30 Pound	I had started buying some chicken on a stick, and chicken jerky. I noticed ((b) (6)) not wanting to go run and she would just lay around, so not like her. Then she lost her appetite. Then the main thing, she started walking around the house bumping into things and getting caught behind a door, and unable to jump on the bed. So I took her to a vet and he did not do anything but told me to put her on a diet with little protien and more fiber, said she might just be toxic and needs to flush it out. In 2 days she was worse, and acted in pain. I called a different vet and he took some blood and said she was poisoned and asked if I had ever given her treats and what kind. I told him the kind she has been having lately and he said they there are cases of sever illness and death from said treats. ((b) (6)) kidneys had failed and her eyes were fully dialated, that's why she was walking into things. She was put to sleep that day.
Waggin Trian wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	Years	Female	88 Pound	we started giving our dog ((b) (6)) the treats. She started getting very tired all the time, her stomach swelled up. We took her to the doctor and he put her on and antibiotics. she was still not feeling much better. we then had to take her for an ultrasound. that is when the doctor tells us that she is at the begining of kidney failure. now she is on a special diet and will need to be for the rest of her life.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Shepherd Dog - Australian	1 Years	Mixed Popula tion of Female and Male	8 Pound	Both dogs were given Canyon Creek Chicken Jerky Treats over a period of 3-4 days. The bigger of the 2 dogs (the Australian Shepherd) then had a large amount of diarrhea while crated during the day. She had diarrhea for 3 days total. On the 2nd day ((b) (6)) a Yorkshire Terrier) also developed diarrhea which persisted for 5 days. The next week ((b) (6)) was taken in for her spay and they discovered her liver enzymes were slightly elevated. Reexamination a month later showed a return to normal.

Waggin Train Jerky Tenders	Dog	Pointing Dog - Hungarian Short-haired (Vizsla)	3 Years	Male	60 Pound	Dog showed typical symptoms such as vomiting, diarrhea with blood, decreased activity.
Jerky Chicken Treats no longer have any packages	Dog	Terrier (unspecified)	6 Years	Female	35 Pound	Started throwing up, eating grass, took her in for testing, kidney functions were compromised. Figured out it was the treats because my husband was giving her a lot during the day, the other dog was only getting about 1 or 2 a day. Stopped giving her the treats, put her on K/D kidney food and chicken. After a year she is much better.
waggin train chicken jerky tenders	Dog	Pit Bull	6 Years	Male	75 Pound	Difficulty standing, and walking, listless and throwing-up with convulsions.
Waggin' Train Wholesome Chicken Jerky Tenders, Waggin' Train Yam Good Wholesome Chicken Wrapped Yams	Dog	Terrier - Yorkshire	11 Years	Female	8 Pound	My dog used to enjoy the Waggin Train Chicken Jerky Treats and Yam Good Treats. She was diagnosed with failed kidneys in February 2012 at a young age for her breed. She has been receiving treatment at the vet and the animal hospital, but she is declining and may not last long. She receives medications twice daily and subcutaneous fluids regularly, usually every other day. Her bloodwork indicates high values for BUN and Creatine and she is also getting a supplement for calcium due to the kidney malfunction. We have spent considerable money on her since she is like family to us. She had seizures earlier this week which required 3 regular vet visits, plus two daytime stays at the vet and two night stays at the animal emergency center. Her condition is still unstable. She had lost weight before the February diagnosis, so I'm not exactly sure what to use for Date Problem Started, so I will use the diagnosis date. The problem would have actually begun before that because I had stopped giving her the treats before February due to the adverse information on the Internet. The Waggin Train Treats were stopped first because the articles I had seen seemed to implicate them.
Tail Waggin Chicken Jerky Treats	Dog	Schnauzer - Miniature	13 Years	Female	14 Pound	Pet was given the tail waggin chicken jerky treats a few times then she started showing signs of illness. Took her to the vet to treat her for GI upset and seem to relieve symptoms briefly then problem just kept re occurring with GI upset vomiting diarrhea lethargy and not acting normally or wanting to eat. Treated her symptomatically while trying to find out what the issue was. After weeks of occurring problems and being hospitalized off and on during this time. All labwork showed up normally at first then changes in labwork values showed that she had kidney and liver issues. Pet was treated daily to determine cause of illness and to treat symptoms to make pet feel better, but pet continued to decline over the next few months then had to be euthanized as a result of all the problems since she had been given these treats. Pet was healthy and doing great up until she was given the tail waggin chicken jerky treats. Sent a few of pieces of the product to FDA in original package with some info in August 2012, but not sure if they received it or not.
Wagontrain Chicken Jerky Treats	Dog	Retriever - Labrador	6 Years	Male	95 Pound	I had been feeding (b) (6) Wagon Train Chicken Jerky treats and noticed he seemed off. He later began to throw up, wanted to go outside far more often and began licking and scratching. Upon taking him to the vet I learned about the reported issues with the Chicken treats being shipped from China. I threw away the remaining treats and kept (b) (6) on Cephalexin for 2 weeks and the problems subsided. I don't understand why these products are still being imported and sold in the US.
Vitalife duck tenders large bags and small, Chewmasters Chicken Jerky	Dog	Saint Bernard Dog	4 Years	Female	120 Pound	Went to the vet because she had collapsed 2x and to my shock she had renal and heart failure. Now 2 weeks later she is dead! Before that I had fed my pack except (b) (6) Chewmasters chicken tenders, they instantly had diarrhea and I stopped, threw out the bag. I did not know till I started researching what made my dogs sick!! Vitalife duck tenders were deemed to be safe and (b) (6) loved the duck. It has killed her..
Canyon Creek Ranch brands	Dog	Chihuahua	4 Years	Male	8 Pound	We had a 10 year old yellow lab that was diagnosed with kidney disease and had to be put to sleep in June of 2012. Now our 4 year old Chihuahua, (b) (6), has been diagnosed with kidney disease and we suspect our, second, 5 year old Chihuahua, (b) (6), is also sick with kidney disease. We had the vet pull blood from (b) (6) for testing today, Friday September 14th 2012. The main "common" food item between all our pets is chicken treats from china.
Kingdom Pets Wholesome Duck and Sweet Potato	Dog	Akita	4 Months	Male	45 Pound	All three dogs were given a couple of duck and sweet potato treats. One dog refused them, one dog developed explosive diarrhea (separate report filed for (b) (6)), third dog vomited throughout the day and then developed diarrhea. Two and a half weeks later he is still having diarrhea despite prescribed meds and a bland diet.
Kingdom Pets Wholesome Duck & Sweet Potato	Dog	Akita	8 Years	Male	110 Pound	All three dogs were given a couple of the duck and sweet potato treats. 2/3 dogs ate their treats, both had diarrhea. This dog, (b) (6), never has intestinal upsets so explosive diarrhea in the middle of the night is VERY unusual for him. It lasted about 24 hrs along with lack of appetite and overall just not feeling good.

Milo's Kitchen Chicken Grillers, waggin Train Duck Jerkey Tenders	Dog	Mixed (Dog)	8 Years	Male	48 Pound	(b) (6) was in very good health, running, playing, chasing rabbits, etc on Sunday, August 26, 2012 on Thursday, August 30, 2012 I had to put him down. I was giving him Milo's Kitchen home-style dog treats, I was also giving him Canyon Creek Ranch Cowboy Steak Drumettes. It began with vomiting, dia then lethargy, he wouldn't eat or drink water. I had to physically carry him to the car and into the vet (this is a dog that absolutely did not like to be carried). The vet kept asking me if he got into anti-freeze or how he was poisoned. He was tested for Addison's Disease - test results came back negative. It only took three days (3 days) for him to be healthy, poisoned and euthanized. (b) (6) an inside pet with a fenced in yard with other pet owners around us. I do not have anti-freeze at my residence and I get along well with my neighbors. There was no poison! The only difference in his food was these treats! (b) (6) died from acute kidney failure caused by poisoning. I had him at the vet for a complete physical on July 20, 2012 and he was in excellent health. This should have never happened. It wasn't after he become sick that I started researching these treats and found that I am not the only pet parent that has lost a pet due to acute kidney failure from these treats. I didn't know that they were manufactured in China - I would NEVER have bought them. Who would ever think that pet treats would be made in China!
Milo's Kltchen home-style dog treats Chicken Jerky	Dog	Beagle	6 Years	Female	34 Pound	I purchased and fed my dog, (b) (6) , Milo's Chicken Jerky Treats for the first time approximately 1 1/2 weeks ago. I had purchased them from the local Walmart in (b) (6) NC. I had only given her 3 of them over a 3 day period when on the 4th day she vomited and had a speck of blood in her vomit. I was concerned that she was not digesting them so I save the rest but did not feed her anymore. Since the first sign of vomiting she has had loss of appetite, some additional vomiting, both normal bowels and diarrhea over the course of the past 1 1/2 weeks. She has also been drinking large amounts of water. I took her to her vet today and they proceeded to do blood work on her to rule out kidney infection. The lab results confirmed no infection present however her Creatinine and BUN were extremely HIGH and I was told she is in kidney failure. The vet told me that the Milo Chicken Jerky Treats have been causing similiar reactions in other dogs and that there was a recall on them. My dog,(b) (6) , has to stay in the vet hospital and receive IV fluids overnite.
Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	American Pit Bull Terrier	11 Years	Male	63 Pound	Within 12 hours of consuming product, canine displayed complete loss of appetite, vomiting, and fatigue. Symptoms peaked at 72 hours and completely resolved within 4 days of withdrawal of product.
Waggin Tails Chicken Jerky Treats	Dog	Bichon Frise	8 Years	Female	12 Pound	My dog was given Waggin Tails Cicken Jerky for approximately 3 weeks when she started vomiting and blood in her urine one day, next day refused food, next morning died.
Dogswell Vitality Chicken breast	Dog	Terrier - Jack Russell	4 Years	Female	14 Pound	acute onset lethargy, vomiting, decreased appetite and increased drinking. Bloodwork consistent with renal failure. <u>History of receiving Dogswell Vitality chicken breast jerky treats within a few days of illness</u>
Waggin' Train WHOLESOME CHICKEN Jerky Tenders Low Fat TREATS FOR DOGS. Real Ingredients	Dog	Terrier (unspecified)	26 Months	Female	6 Pound	Date of event: 09/04/12 I gave (b) (6) my Yorkie Poo, 2.2 years old, @6lbs : 1 chicken jerky treat from a new unopened bag of Waggin' Train Wholesome Chicken Jerky Treats purchased from Sam's Club on 08/24/12. Within a very short period of time she had an allergic reaction with a rash on her belly and very swollen eye lids. She became very hyper trying to rub her face and eyes. That evening she vomitted twice, the next day twice her vomit was very dark. She became very lethargic and quite the opposite of her normal active and playful demeanor. She stopped eating and drinking. May I say here, I do not allow her to run free and I do not ever allow her to eat anything I DO NOT approve of. Worried I took her to my Vet. A Doctor I have had for many many years, one who knows me regarding the love and care I have for my pets. (b) (6) ran blood test with the results to be available the following morning. In the mean time,(b) (6) began drinking an abnormal amount of water. Results indicated kidney failure. I rushed her to the Emergency Vet Hospital where she was admitted. I visited (b) (6) on the same day and on her cage door was posted the following by THE hospital " (b) (6) , Waggin' Train chicken treats, PU/PD-renal failure, melamine tox . THEY know it why don't you??? I almost LOVED my dog to death. If I can help get in touch!
Canyon Creek Ranch Chicken Tenders	Dog	Mixed (Dog)	7 Years	Female	70 Pound	She has a problem holding her urine at times, and excessive thirst and labored breathing at times. Seems to happen after having a chicken tender, and progressively worse in the week, the more she has had them over the week....
Waggin' Train chicken jerky	Dog	Mixed (Dog)	2 Years	Female	67 Pound	In Feb 2012 after being given a Waggin Train chicken jerky treat,(b) (6) started shaking. I rushed her to the vet and by the time I got her there she had to be carried in. They immediately started working on her and sent me home to see if there was something poisonous she could have gotten into. While my husband and I searched the house and yard to not avail, the Vet called and said I needed to get her to the hospital. As I drove her to the hospital, her breathing was extremely fast ans hard and her whole body was shaking uncontrollably. Just after arriving, she started having seizures and they started treating herewith charcoal for poisoning. They worked with her all night and released her the next day and sent her home with medication. She was still suffering and did get energy back for about two weeks. She had been perfectly healthy prior and has not been sick or had seizures since. Nothing was found that could have poisoned her, but she presented with and was treated for poisoning because of the symptoms she presented. Then about two to three months ago we saw a news piece about Waggin Train chicken jerky poisoning dogs. That explained what had happened to (b) (6) . I e-mailed them to let know that our dog obviously had been sickened by that product. They were very quick to respond and opened a claim with the claims firm they have hired. They requested and received the vet info and then denied the claim stating that (b) (6) didn't have the symptoms they claim she would have had. (The vets clearly treated her for poisoning.) They also stated that she could have a seizure disorder (which she doesn't) and that they don't know what I might have around my house or if someone could have sprayed something poisonous in my (fenced) yard. They also said people see the news and "jump on the bandwagon" wanting reimbursement for the bills. I find it very disturbing that they don't want to take responsibility that their product has made animals sick. (b) (6) almost died. I had not made contact with them to get money, but to let them know of another case that is most likely related to the product. That is the only thing that could have made her sick. Thank you.
Waggin Train Wholesome Duck Jerky Tenders	Dog	Maltese	1 Years	Male	13 Ounce	Pet became extremely lethargic and painful; increased thirst/water intake

wagon train chicken jerky treats	Dog	Pinscher - Miniature	5 Years	Female	17 Pound	all my dogs began to get sick, throwing up, drinking lots of water. i had the two girls in with kidney infections on numerous times. my boy dog (b) (6) was rushed to the hospital couldnt stop throwing up he had a pancreas attack. my (b) (6) had continuing diarrhea and they ran numerous tests all to find out her pancreas is getting worse she is now on special food and viakose to try to save her. my dogs were all very healthy before all this. why in the name of god are they still selling these bones when all kinds of dogs are sick and dying. this is killing me to see my babies go threw this when all i have done is trusted in that company and its now killing my baby.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Pinscher - Miniature	10 Years	Female	17 Pound	Patient became acutely ill, very lethargic, anorexic, polydypsic, anemic, dyspneic. No vomiting, no diarrhea.
Waggin Train Wholesome Chicken Jerky tenders Low Fat	Dog	Retriever - Labrador	8 Years	Female	70 Pound	I fed my dog a Waggin Trail chicken jerky treat on Monday around noon - by early afternoon she had very bad diarrhea, going about every 30 minutes , very liquid stool. she was up going outside most of the night. She drank a lot of water - I started feeding her white rice only - she continued with diarrhea , no energy and really thirsty for four days. Her stools are more formed now and she has started eating regular dog food again after almost a week.
waggin train wholesome chicken jerky tenders	Dog	Unknown	7 Years	Mixed Population of Female and Male	70 Pound	I have been giving my dogs these treats for a year with no problem then just this week I noticed that they were not eating or drinking water like they used too. Then Friday the 7th of september, I woke up to several diahera piles in my house and then they started to vomit. This continued the rest of the day and into Saturday and today Sunday the 9th I woke up to another pile of diahera this time with blood in it. I will be making an appointment with my vet on Monday to get this problem treated. Please help me. I can not afford a large vet bill. I live in a small town and we are suffering with the economy worse than larger towns. I am on a limited budget and can not afford large vet bills.
Waggin Train Chicken Jerky Tenders	Dog	Retriever - Flat-coated	5 Years	Male	80 Pound	Aug 30 - (b) (6) started to vomit and show signs of intestinal pain/cramps, after the 5th time vomiting took him the emergency hospital for X-rays, Sonogram, full blood work. All test results showed normal, but while at hospital vomited twice more. Left him there overnight for IV fluids and monitoring. We initially thought the vomiting was due to eating grass or mushrooms in the yard. But event on the 9/6 changed our minds. Aug 31 - Returned home weak and without appetite. On meds to control vomiting and diarrhea. Sept 1st - Sm amount of bland food and water Sept 2st - Sm amount of bland food and water Sept 3rd - Continue with bland food diet Sept 4th - Back to normal diet Sept 5th - Normal diet and energy level Sept 6th - Same as above, gave (b) (6) jerky treat (Waggin Train name brand from Costco) Sept 7th - Started vomiting in early morning thick paste, vomited twice more before seeing vet mid-morning. (b) (6) rec'd injection of anti-vomit meds. No food or water all day. Low energy level Sept 8th - Refused food and only small amounts of water. Low energy level, very weak. Spiting green phlegm, no vomiting.
Hartz Oinkies Pig skin twists	Dog	Retriever - Labrador	6 Years	Male	84 Pound	I gave him a Hartz brand "oinkies" pig skin twist. Within about a half hour, he vomited twice.
Milo's Kitchen home-style dog treats. Chicken Jerky.	Dog	Spitz - American Eskimo Dog	4 Years	Male	18 Pound	I purchased a 20 oz. package of Milo's Kitchen home-style dog treats, Chicken Jerky at my local WalMart. The expiration date is 11/03/13 and the lot number is 2132HV B. Over a two week period I gave my dog, (b) (6) (an 18 pound four and a half year old miniature American Eskimo Dog), no more than 1/2 a strip each day as a treat when I arrived home from work. The packaging recommends 2-3 full strips per day for his weight class. Besides this product there were no other variants to his diet. My dog started vomiting and suffering from non-stop diarrhea throughout the house. He stopped eating and was not drinking normally. He seemed depressed and a bit mortified that he had made messes in the house. He was extremely anxious and kept needing to go outside to strain and squirt liquid. I rushed him to the emergency Vet clinic. They did a full blood panel and exam, but could find no blood levels out of the norm except one indictating he was under stress. The Vet gave him an anti-nausea injection and prescribed and antibiotic and bland diet. (chicken and rice, low-fat cottage cheese) and told me to bring him back if his condition hadn't improved in three days. His vomiting stopped immediately and his stool remained very soft and runny for three days, but he seemed much less stressed and hungry. As I slowly added his regular food (Blue organic brand and Beneful) over the next few days his stool got more firm, but is still not "normal" or as before. He still refuses to go out in the yard by himself as if he's afraid of something and will only defecate when I take him on his two daily walks. His appetite and thirst have returned to normal and his energy and personality are nearly normal.

Milos Kitchen home-style dog treats - Chicken Grillers - Chicken Recipe with Natural Smoke Flavor - No artificial flavors or colors - 100% REAL - wholesome and delicious	Dog	Spaniel - King Charles Cavalier	6	Years	Male	20	Pound	Dog was perfectly healthy, going in for routine blood work to monitor medication levels for epileptic seizures. Suddenly started having a decreased appetite, increased water consumption, more frequent urination, very watery and dark diarrhea. Took to vet who did additional blood work and requested he be brought back in for immediate hospitalization as the dog for some reason had gone into sudden onset advanced kidney disease and was in kidney failure. He was hospitalized for a couple of days, given IV fluid therapy and antibiotics, which helped for a short period of time. After about eight weeks, his condition again started deteriorating and it became evident that he was not going to survive.
Waggin Trani	Dog	Schnauzer - Miniature	3	Years	Female	14	Pound	She vomited after eating the chicken strip. I noticed this happening each time after I gave her a chicken strip. After the 3rd time, I stopped giving her the chicken. The chicken strips were purchased at Costco, under the name Waggin Train.
Smokehouse Chicken Breast Strips	Dog	Dachshund - Miniature	6	Years	Female	13	Pound	Renail failure
Waggin' Train Wholesome Chicken Jerky Tenders Treats for Dogs	Dog	Retriever - Golden	5	Years	Female	37	Kilogram	Dog presented after having vomiting and being ADR for 5 days duration. Dog had history of being out in back yard unattended 5 days prior, but owner could not find anything specific that dog had gotten into. Dog initially vomited some black, unidentified object, but subsequent vomitus was bile and/or food. Dog seemed like she wanted to eat and drink, but could not keep down. Dog was vaccinated 1 month prior to event, vaccines included DHPP, bordetella, leptospirosis, and 1 year rabies. Dog eats Purina Beniful food and was given Waggin' Train Chicken Jerky treats daily. Routine bloodwork, urinalysis, and radiographs were performed. Significant findings included elevated kidney enzymes at BUN 79 and CRE at 5.8. CBC was wnl. Urine showed a dilute urine with glucoseuria, proteinuria, and ketonuria. Many tubular casts were noted on the urine sediment exam, no crystals, white blood cells or bacteria. Urine culture preliminary results are negative for bacterial growth. Abdominal radiographs revealed no significant findings. Fanconi-like syndrome and acute renal failure diagnosed and hospitalized dog. Dog is currently hospitalized on IV fluids, anti-emetics, and antibiotics.
EverPet real chicken Chicken Chips	Dog	Chihuahua	2	Days	Female	6	Pound	Bought EVERPET brand Chicken Chips to give to both my Chihuahua and Dachund. Have been giving them this treat for the last year about 3 times a week. This last batch had white circles on the Chips that I had never seen before. About a week ago my Chihuahua started to yipe when I went to pick her up. Checked her over and no injuries, lumps etc. Then she stopped eating. Then she wouldn't go for a walk with me which she loves to do. Now she wont drink anything. She had a bowel movement yesterday but still will not drink any water. I bought a plastic syringe today to push water into her mouth and she seems to be doing a bit better. She hasn't had any treat for a few days and the Dachund is 18 and off her water too.
Waggin Train Chicken Jerky Treats	Dog	Chihuahua	6	Years	Male	10	Pound	He was vomiting, got progressively worse, the vet dismissed the first time we brought him there in Dec. 2011. He started having good days & bad days, loosing weight, brought him back to vet in June 2012, the vet found elevated levels in his blood work, proceeded with ultrasound & x-rays, found numerous tumors in his liver. He died August 5, 2012. We were feeding him the Waggin Train chicken jerky treats in 2010/ 2011, until we heard about the dogs getting sick. Don't know if it has anything to do with it, but he was very young.
Dogswell Mellow Mut Chicken Breast Natural with Added Vitamin E	Dog	Dachshund - Miniature	4	Years	Female	16	Pound	(b) (6) was given one Mellow Mut treat around 9pm August 30th. Approximately 30 minutes to an hour following, she became restless and appeared very uncomfortable. This continued throughout the night. She could not find a comfortable position and she was very flatulent. The following morning she was listless and lethargic as well and so we decided to call our vet. Our vet was gone because it was the Friday of a holiday weekend and we were directed to contact the local Animal Hospital. We did so and (b) (6) was seen on an emergency basis. Bloodwork was drawn, X-rays were done to rule out foreign body. She was given an antibiotic and Pepcid and we were told to feed her a bland diet. I originally thought it was something else that had made her sick, however, she was feeling better and so on Saturday night September 1st, 2012, we gave her another treat from the same bag. She began with the same symptoms all over again. I can only conclude that it was the chicken jerky treats.
Waggin Train wholesome chicken jerky tenders	Dog	Spitz - German Pomerania	8	Years	Female	9	Pound	We have fed her chicken jerky treats for about two weeks and have noticed vomiting, diarrhea, lethargy, and more frequent urination. We stopped giving them to her yesterday 9/4/12. She had both Kingdom pets and waggin train brands
WAGGIN TRAIN JERKY TENDERS	Dog	Terrier - Jack Russell	3	Years	Male	20	Pound	I had been feeding my dog this treat and did not realize it had been recalled/ FDA had put warnings on it until i researched it myself. My dog loves this treat and is addicted to it which is surprising because he is such a picky eater. He does not eat all treats, yet he loves this one. However I realized after a long time of feeding him this treat that it is making him very very sick. He has intense diarrhea constantly when i feed him this treat. His stool is very very fluid and liquidy. It is so unhealthy for dogs to have intense diarrhea for such long periods of time. I am surprised this product is still on the shelves. This will cause many law suits I'm sure. These poor dogs did not do anything to deserve this. I blame the FDA for not putting a national recall on this product. I had to do my own research to find out there was even a question regarding the safety of this product that is sold EVERYWHERE. My dog is very sick from this product. Please take action!
Waggin Train Chicken Jerky Tenders	Dog	Retriever - Labrador	7	Days	Female	95	Pound	Within 3 hours of getting a Waggin Train Jerky Treat, she threw up 3 times.

Kingdom Pets Jerky treats	Dog	Chihuahua	5	Years	Female	5	Pound	I had been giving (b) (6) chicken jerky treats from the companies Kingdom Pets, and Waggin' Train for months. I had purchased these products from our local Costco. She was given approximately a half a jerky treat a day. All of the sudden in March of 2012 I noticed her vomiting a lot, not wanting to eat anything, and acting unusual (Chewing on herself because she was so nauseated). I took her to my local veterinarian where I had worked for 5 years. They ran some blood tests and an x-ray. Her liver enzyme levels were extremely high and I was told that she was in extreme kidney/liver failure. It was recommended that I get an ultrasound done to see if the cause was cancerous, (which we later found out it was not). She was put on multiple medications to help her liver enzymes come down, and she is still on some of the medications today. I was told that she is lucky to be alive by my vet due to her extremely high blood count. She is recovering slowly, but it has been a long and hard 6 months of recovering for my beloved pet. I hope that these treats are taken off the shelves so that nobody has to go through this kind of pain with their dog.
milos kitchen home-style dog treats	Dog	Other Canine/dog	12	Years	Female	10	Pound	i gave my (b) (6) the milos chicken treats every day, i would buy two bags, not knowing that it's on recall but yet the stores is still stocking them on the shelves, for the reason of this i lost my (b) (6) last thursday on aug 30th 2012, i am so upset and heart broken, i miss my (b) (6) but yet no one is doing anything about this, my (b) (6) was my baby, i have no kids of my own she was my baby, to come home to see her dieing is not a happy or joyful thing, i want some answers, why would you let stores stock them on the shelves, i can't belive i lost my baby that i had for five years. i just dont understand, why?
Canyon Creek Ranch	Dog	Poodle - Miniature	6	Years	Male	20	Pound	After having a treat in the evening, later that night he had both acute/violent vomiting and diarrhea at the same time. There was some blood in the diarrhea in the morning which prompted me to take him to the vet. His exam was otherwise normal and he wasn't acting sick so he thought it was maybe something he ate. (i didn't make the connection with the treat then) the diarrhea lasted for almost four days, but he was eating and drinking normal and did not act sick otherwise. Two days after he recovered I again gave my dogs the chicken jerky and that same night my OTHER dog got sick with the same symptoms. This is what finally made me suspect the treats.
Milo's Kitchen CHicken Jerky	Dog	Mixed (Dog)	2	Years	Female	40	Pound	Milo's kitchen Chicken jerky caused vomiting. Tried again after a few days and thne determined it was the treat that caused her to vomit. Through away the China manufactured treats.
Waggin Tails PBJ	Dog	Mixed (Dog)	6	Years	Female	50	Pound	The day after giving my dog a Waggin Tails PBJ treat she had severe diarrhea and I had to take her to the vet after 24 hours of these symptoms continuuing. The vet gave us Kaopectate and Anti-biotics and the sysmptoms slowly began to diminish.
Milo's Kitchen Home-Style Dog Treats	Dog	Mixed (Dog)	5	Years	Female	55	Pound	(b) (6) and (b) (6) are both Golden Doodle. (b) (6) birthday is Aug. 2nd and (b) (6) is July 2nd. I purchased the Milo Chicken Dog treats at K-Mart for them back in July. Both became ill and threw up and had diarrhea this went on for almost a week that I had to give them hamburger and rice only to eat. They always eat Fromm Adult Gold dog food and we have never had a problem with anything. Only reason why I bought these treats was because it was their birthdays and wanted to do something special for them. I usually always purchase Marro Bones for them and will never purchase another Milo product again.
Milo's Kitchen Chicken Grillers home-style dog treats Chicken Recipe with Natural Smoke Flavor No artificial flavors or colors	Dog	Terrier - Yorkshire	8	Years	Female	4	Pound	She got sick, throwing up, and lethargic, would not eat. I seen the warning on facebook, checked it out to make sure it was legit, and I have the snacks still here, not sure what to do with them...don't want another animal to get a hold of them.
Canyon Creek Ranch Brand Skin & Coat	Dog	Terrier - Rat	8	Years	Male	24	Pound	(b) (6) is a 8 year old rat terrier in excellent health condition prior to giving him the Canyon Creek Ranch Chicken Jerky treats. I gave him a couple of jerky treats and he had excessive diarrhea right away for approximately 24 hours. He recovered completely as far as I can tell. I have not gone to the vet for a kidney analysis yet as there might be kidney damage from news reports that I have read.
Kingdom Pets Duck and Sweet Potato	Dog	Bloodhound	7	Months	Female	66	Pound	My wife bought a bag of Kingdom Pets duck and sweet potato treats for dogs from Costco. I was using them to teach our dog tricks. On Wednesday August 29th I gave the dog several treats in the morning. I noticed later in the day that she became lethargic and spent most of the afternoon laying down. When my wife drove in the drive way the dog couldn't jump and run to the car she could hardly walk and was shaky. We took her to the vet for treatment. They thought that it might be from swimming in our pond which has algae. We kept the dog out of the pond after getting her home. When she was better the next day I was glad she was ok and gave her one more of the duck and sweet potato treats. She started acting weird again after I gave her the treat. She was staggering and having trouble walking. I immediately said no more on the treats. My wife checked and found out that there is reason to suspect this companies products. item 661192 bar code number847130015 Lot numberwkpssp03032
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Retriever (unspecifed)	4	Years	Male	100	Pound	(b) (6) loves treats and he consumed an entire bag of jerky treats in about a three hour time span. He has had diarrhea last night and again twice this morning.

Waggin' Train Yam Good Duck-wrapped yam, Waggin' Train Wrapples, Waggin' Train Lassos Pork Skin Chews Wrapped with Chicken Jerky, Waggin' Train Happy Trails to Chew, Waggin' Train Cowboy Steaks Steak-Shaped Treats	Dog	Dachshund - Miniature	2	Years	Male	14	Pound	I purchased one bag of Waggin' Train Yam Good with duck, Happy Trails to Chew, Chicken and Apples, and 2 bags of Lassos on August 23rd, 2012 from the York Galleria Target Store in York, Pa. This is the only time I have ever bought the yam with duck dog treats; my dogs enjoyed them and no more treats remain in the bag. The empty bag was thrown out. (b) (6), as well as my other healthy miniature dachshund (b) (6), were boarded at a local kennel (b) (6) in York, PA) from the morning of August 24 through the evening of the 26, 2012. Zoe, my mother's dog who also resides in the same household, was kept at a friend's home during this same time period. Approximately 0300 Tuesday, August 28, 2012, (b) (6) woke up and produced 2 episodes of diarrhea and again at approximately 0530. He, as well as (b) (6) and (b) (6), were crated during the workday. (b) (6) again produced multiple episodes of diarrhea through the evening. At approximately 2000 Tuesday evening, (b) (6) was noted with chills/shaking followed by one episode of projectile vomit of a frothy-like liquid. Later that same evening, his behavior seemed to have improved slightly and was drinking water without coaxing. That evening, I spoke with the kennel owner regarding this new onset illness. He had stated no one else had reported such an illness. He stated he has recently experienced some occurrence of kennel cough, but what I was reporting did not appear to be kennel cough. The owner mentioned the possibility of some separation anxiety from the weekend in the kennel. He had suggested to put (b) (6) on a bland diet (rice and hamburger) and encouraged liquids to avoid dehydration and would follow up with me the following evening. (b) (6) continued with diarrhea (yellowish, extremely foul-smelling, watery, and gritty) Wednesday with 1 episode in his crate during the workday and multiple episodes Wednesday evening. However, at this point no other dogs had become ill and his behavior was normal, aside from the loose stools. Thursday evening, I spoke with a receptionist at my vet's office (b) (6) in (b) (6) PA) regarding (b) (6) diarrhea and asked if I could bring a stool sample in to be tested for parasites, worms, bacteria, etc. He suggested bringing (b) (6) in, so I scheduled an appointment for Friday, August 31, 2012 at 1900. (b) (6) continued with diarrhea and low appetite. Friday afternoon, at approximately 1800, (b) (6) had 2 episodes of explosive and watery diarrhea. At the vet's office, no observable illness was noted and a stool sample was sent away for testing. Test results are still pending. However, upon weighing, (b) (6) had lost 2 lbs since his last yearly exam in July 2012. The vet prescribed DiaGel and Metronidazole. Also at that time, I had reported (b) (6) diarrhea. The DiaGel was given Friday evening with more formed stools Saturday morning. By Saturday morning, (b) (6) diarrhea continued with new onset explosive diarrhea from (b) (6). I contacted my vet's office and explained this new situation and the vet provided me with 2 additional doses of DiaGel, one for (b) (6) and one for (b) (6). (b) (6) nor (b) (6) has not had any further episodes of watery diarrhea since been given the DiaGel. (b) (6) vomited after her dose of DiaGel on Saturday afternoon at approximately 1400. (b) (6) diarrhea continued with multiple episodes Saturday and Sunday. She also displays low appetite and lethargy. Monday, September 3, 2012 at approximately 0900 had an episode of projectile vomit and another episode at approximately 0930. She continues with extremely foul-smelling, watery, yellowish with a red tinge at this time. We have tried to determine the exact reason why all three dogs have displayed similar symptoms including the canine influenza, parasites, bad food, etc. All three dogs have been on the rice-hamburger diet since Wednesday with no treats being given. I became concerned regarding the Waggin' Train products when a friend on Facebook posted a picture of a petition to remove Waggin' Train products from pet stores.
Waggin Train Jerky Tenders	Dog	Lhasa Apso	12	Years	Male	18	Pound	After eating the treat, he was sick for nearly three days with vomiting and diarrhea. Have not given him any more, and he has had no more ill effects. Finally started eating again on the third day.
Waggin Train Wholesome Chicken Jerky Tenders (Low Fat)	Dog	Spaniel - Cocker American	1	Years	Male	18	Pound	We began feeding one of the Waggin Train Wholesome Chicken Jerky Tenders a day to our Cockapoo. We purchased this bag in July at Costco in (b) (6), PA. Our dog then began having loose bowl movements, was tired, and had elevated kidney levels. After realizing the issue could be this product after seeing our vet, we stopped feeding them to him immediately and he began acting like himself again. We paid for a vet visit, blood work, and a pill to firm his bowl movements. I would like to report the seriousness of how ill our dog became after consuming this product.
Cadet Gourmet Duck Breast	Dog	Mixed (Dog)	11	Years	Female	64	Pound	Recently had a blood test on her. Liver enzymes abnormally high. Thyroid down very slightly. Tested negative for Cushing's disease. I was doing some research on the Internet and saw that there have been problems with jerky treats made in China. I have been feeding her Cadet Duck jerky (about a half a strip a day for over a month. Could this be the cause? How can it be tested/investigated?
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Female	10	Pound	After feeding chicken jerky treats, she became listless and stopped eating for approximately 4 days with moderate water consumption and infrequent urination.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Shepherd Dog - German	36	Months	Female	90	Pound	Gave the dog some Waggin' Train Chicken Jerky Treats. Overnight, dog had severe diarrhea with blood in stool. This happened about three times as we tried to isolate the cause of the diarrhea.
Waggin' Train	Dog	Spitz (unspecified)			Mixed Population of Female and Male			This is absolutely ridiculous. There are over 1000 confirmed cases of Waggin' Train treats causing harm and death to dogs and nothing happens about it. Multiple people have filed reports and the FDA decides this isn't something they need to concern themselves with. News flash, it is. This is one of the worst side effects of a product available on the market, and instead of doing a recall or having the FDA do some research on the origin of the product (China, did your homework for you) they let our pets suffer. This is completely unacceptable and this will be escalating rather quickly if nothing is done. I know I'm not alone when I say I am more than willing to file a lawsuit against not only the company, but against the organization that is responsible for protecting my family, which includes my pets. You best believe that if this happened to my pet I wouldn't rest until someone opened their eyes and actually did something about this situation. This is more than unacceptable. It shows how corrupt of an organization is really in charge of anything and how they aren't worried about repercussions. This is sick and everyone involved should be ashamed. Something that is intended to make a pet happy ends up being the cause of their death because some greedy person decides they would rather keep stuffing their pockets instead of doing what they are responsible for. The FDA has done some stupid stuff before, biased studies and unproven data being published just for a few examples, but never in my life have I ever seen something as morally wrong as this. To anyone that is involved with this, be ashamed. You deserve no better than what you are subjecting our pets to.
Canyon Creek Ranch Natural Chicken Tenders	Dog	Retriever - Labrador	3	Years	Female	70	Pound	The dog exhibited severe diarrhea and vomiting symptoms, approximated 1-1/2 days after having consumed a Canyon Creek Ranch chicken tender. This happened very early in the day, and later that day she was fine.
Dogswell Mellow Mut Chicken Breast Natural with Added Vitamin E	Dog	Terrier - Jack Russell	2	Years	Male	18	Pound	My Jack Russell terrier (b) (6) has been vomiting in the morning for the past two days and not eating much. I noticed two of his stools were very dark, almost black. I took him to the (b) (6) in Washington on 8/30/12. The veterinarian did some blood tests and found elevated pancreatic enzymes, lipase and amylase. He was also suffering from an infection in his left eye and a swollen lymph node that was biopsied. The vet gave (b) (6) an antibiotic injection, prescribed a low fat dog food, and Sucralfate and Pepcid AC, gave us Neopolydex ointment for his eyes. We have taken him back to the vet for a follow-up visit in a week to test his pancreatic enzymes again. I told the vet that (b) (6) has been given chicken jerky treats on a daily basis, a small piece every morning as a reward for going into his enclosure area while my husband and I are at work all day. We have been giving him the chicken jerky treats for at least 1 year now, today I googled "chicken jerky treats for dogs" and learned about the recall and current FDA investigation regarding chicken jerky treats made in China. The brand we have been buying is Dogswell, Mellow Mut Chicken Breast, Natural with Added Vitamin E, purchased from MudBay Pet Stores in Federal Way, Washington.

Waggin Train Chicken Jerky Tenders	Dog	Siberian Husky	3	Years	Female	45	Pound	After eating the Waggin Train jerky treats she became lethargic and stopped eating. When taken to the vet she was found to be in kidney failure and near death. Through a week of veterinary care, and flushing her kidney's with large amounts of fluids, she began to get better and her BUN and creatinine levels began to fall.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Bichon Frise	3	Years	Female	18	Pound	Taking my dog to the Vet for her shots I asked for a blood test. The test shows abnormal liver and kidney CO2 results. She gets only the very best food except for Waggin Train Jerky Tenders 48 oz code 070207748 about 2 day per her weight I got this from Cosco the best before date is oct 2013 --I would have bought this in the month of Aug 2012. Sadly she has been getting these treats for about 2 years now. I have not given her any more. And I will not. Something is wrong here and I know what the only cause could be. Lucky for me I have gotten this caught early and now under the Vets care she will be getting better. But only because she is young and because this has been found out soon enough to do something about it.
SHEP CHICKEN STRIPS SHEP WOW STICKS	Dog	Other Canine/dog	11	Years	Female	58	Pound	We had a family emergency and had to travel by car to Pittsburgh in June 2012. We stopped at an Aldi grocery store in Pittsburgh for some other things and saw that they also carried dog food and treats like the chicken strips and biscuit treats. We purchased a bag of SHEP WOW, the SHEP Chicken treats and a box of SHEP dog biscuits. Since our dog up to that point was only given homemade food and Milkbone dog biscuits we had no idea there was a possible problem with the new treats. After eating the Aldi brand Shep Wow and Shep chicken strips/treats with chicken from china once a day for a few weeks she began to refuse her regular, non commercial, homemade food that she loved and started drinking 3-4 times the amount of water she previously did, urinating more frequently and seemed to be slowing down which we attributed to her advancing age and previous health problems. At several times she would revert back to her usual eating habits and self and we didnt make the connection between the food and her refusal to eat her regular food. In the past she would get sick and go off her food every once in a while if she had eaten some thing outside on her walks and usually recovered within 24 hours. In July of 2012 she began to continuously refuse her homemade food and started drinking 3-4 times her usual amount regularly and would only prefer the SHEP treats over any other food we tried to give her. She also started vomiting periodically and pooping in the house. Even through her other previous health problems she had never urinated or defecated in the house before. We started doing some internet research to try and determine what was making our dog sick. We stopped giving her any type of store bought treats after finding an article about chicken from china making dogs sick. We looked at the Aldi packaging and sure enough the chicken treats were made from chicken from china. The SHEP WOW sticks list chicken as an ingredient but not that the chicken was from china. The SHEP Chicken Strips do say chicken from china. It was at this point we started ruling out other factors like her ingesting lizards or toads etc and started watching her more closely as far as eating and outside habits. She seemed to get much better and returned to her usual goofy self after we stopped giving her the SHEP products and then 2 weeks ago started refusing all food again and started to get sick again even though she hasnt had any SHEP products recently. We brought her to the vet last week and she was diagnosed with a severe UTI infection and a very high white blood cell count (116,000). At the time we took her to the vet after she had become lethargic and seemed to be failing. she weighed 51lbs, she has now lost another 2 lbs. (12 lbs overall since January 2012 at her last complete check up). She had a clean bill of health at her last regular check up in January 2012. She is now in critical condition with little hope of recovery. I firmly believe it was the SHEP products since she was a healthy older dog before she ate the products. Please help get these tainted treats off the market before more dogs like my (b) (6) get sick and or die. If the medicines - 136mg Baytril (antibiotic) for 14 days and 15mg Mirtazapine (to stimulate appetite) she is currently on dont work we will be forced to euthanize her. We do not have the resources for more invasive testings or treatments.
Dogswell Happy Hips Chicken Jerky treats with Glucosemine	Dog	Chihuahua	14	Years	Female	7.6	Pound	Dog was provided Dogswell Happy Hips Chicken Jerky treats and became ill. Fanconi like symptoms; watery, yellow like bile stools, dramatic increase in thirst and urination, lethargy, vomiting, and dehydration. Treats were withdrawn. Veterinarian testing determined high Creatinine and Phosphorus levels were present. Dog hospitalized; fluids and antibiotics administered. Dog died 3 days after diagnosis, when doctors advised treatment was not helping and condition has worsened exponentially
waggin train jerky tenders	Dog	Papillon - Spaniel - Continental Toy (with erect ears or with dropped ears (Phaléne))	8	Years	Male	14	Pound	(b) (6) has been receiving chicken jerky as treats ever since he was a puppy. He recently was diagnosed metastatic lung cancer and passed away shortly after. (b) (6), a 6 year Boxer, has also been fed the same chicken jerky for the past 4 years. She was diagnosed skin cancer a few months ago and had surgery in July 2012.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattedog)	8	Years	Female	45	Pound	Vomitting, diarrhea, appetite loss
Waggin Train Yam Good Wholesome chicken wrapped yams	Dog	Mixed (Dog)	17	Weeks	Female	17	Pound	She had severe diarrhea, rectal bleeding, lethargy, and vomiting. She became dehydrated and required veterinary treatment in the form of fluid therapy and antibiotic and probiotic prescriptions.

SHEP CHICKEN Breast Fillets Premium Dog Snack	Dog	Terrier - Yorkshire	5 Years	Female	3.8 Pound	(b) (6) had her last health check-up on 04/12/2012. At that time she was in excellent health and weighed 6.2 pounds. (b) (6) started getting the SHEP Chicken Breast Fillets (Chicken Jerky) in June, 2012. We noticed that she began vomiting shortly afterwards. Then she progressed to the symptoms listed in the FDA warning, "decreased appetite, although some may continue to consume the treats to the exclusion of other foods; decreased activity; vomiting; diarrhea, sometimes with blood; and increased water consumption and/or increased urination." (b) (6) was also listless and slept a lot. This week we took her to the vet where she was described with kidney failure and her weight was 3.77 pounds. She was hospitalized and given iv infusions, antibiotics, azodyl along with a special renal low protein diet. She will continue on treatment and will be retested after labor day. The Vet did not find evidence of Fanconi syndrome but did find that her kidneys are not concentrating her urine.
Kingdom Pets Chicken Jerky	Dog	Poodle (unspecified)		Mixed Population of Female and Male		Vomiting, listlessness, bloated stomach
Milo's Kitchen Chicken Balls Beef Strips sausages (3 types) all made in USA	Dog	Mixed (Dog)	6 Years	Female	29 Pound	Rise in Kidney enzymes. Fanconi syndrome with Glucose in urine but no blood elevation of glucose. Anorexia (in a dog that lived to eat). Some vomiting and diarrhea. Lethargy. Weight loss. Overweight, Chronic allergies. Taking Cyclosporin (Atopica 50 mg2-3 times per week. USed Cefpodoxime 100mg 1/2 tab q24 prn infections of skin. Pred 10 mg sid-eod for allergies.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Terrier - Yorkshire	6 Years	Male	10 Pound	Both dogs had diarrhea & vomiting excessively. Both dogs were taken to the vet, one stayed overnight.
Kingdom Pets Chicken Jerky	Dog	Chihuahua	3 Years	Female	14 Pound	<p>My dog ate a Kingdom Pet Chicken Jerky treat on Tuesday evening (8/21), around 7-7:30. The only other thing she had to eat that day was some fresh meat, around 2-3 in the afternoon. I generally feed her fresh food and she likes salad. She ate the jerky treat and about an hour later, she started vomiting. The first thing she vomited was the treat and from that point, it was liquid and dry heaves when there was no more liquid. She then started having bloody diarrhea. I was up with her all night. She vomited/heaved and had diarrhea all night. The next day was not as bad but she was listless and would not eat. Her diarrhea became black. I do not have money for a vet bill so there was not much I could do. Yesterday, Thursday, she appeared a little better. She would wag her tail. I thought she was going to be okay and then today, she started vomiting again and is listless, again, though the diarrhea has not come back. She will not eat. I am devastated. I googled the symptoms and that is how I found out about the chicken jerky. I am guessing that she probably has liver damage and renal failure/damage. I don't know what to do to help her. I can only pray that the body will heal itself, with time. I bought some Pedialyte and I try to get some of that in her. My dog is like my child and if I lose her, I don't know what I am going to do. It was my fault for feeding her the treats. She only eats a half of jerky at a time. It has been more than 48 hours and she is still with me, but I don't know if the damage in her body progresses or gets better, the longer she survives. Please do what you can to get this product off of the market. It is a shame that people are letting you know what is happening and nothing is being do to get rid of the source of the problem. It could be happening to human food, too. We just don't know. We need to stop allowing food from China to enter our borders. We need to keep ourselves safe. All they care about is the dollar. How many tainted products from China do we have to find before we say enough is enough. Please help us.</p> <p>PS...I don't know the exact date the product was purchased or first date given, so I had to guess. There is a half bag left. I am suspecting the toxicity built up in her system and once it got to the damaging point, that is when the symptoms occurred.</p>

Waggin Train Duck Jerky	Dog	Terrier - Yorkshire	11	Years	Female	10	Pound	<p>(b) (6) had become more lethargic during my other dog, (b) (6) illness. (Report ID 12341) I thought she was sensing her companion was sick. After (b) (6) was gone, (Aug 2nd) her energy levels seemed to wane even more. I took her to the vet August 15th, 2012 - full blood panel done. Chronic Renal Failure. SHER BUN/Creatinine/Phos were all very high. Because we had not had good luck with (b) (6) fluid treatment, we were more aggressive with (b) (6). She stayed on IV fluids for five days. On Monday Aug 20th, her vet said her levels were back up and that she had done what she could with fluid therapy. We brought her home and she had stopped eating. We tried to administer sub Q fluids, but she continued to decline, refusing to eat, but drinking a lot of water.</p> <p>By Wednesday night, Aug 22, she was disoriented, and didn't seem to know her way around the house. I took her to the (b) (6), NC. They looked at the work done by her regular vet, said they could run other diagnostic tests and perform their treatments based on those test. However, they cautioned that they might end up at the same conclusion - fluid therapy. She was worse by then, and had started to have small jerks and twitches. By afternoon, she couldn't stand well, and her jerks/twitches were violent enough they would knock her off her feet.</p> <p>We made the trip back to the Veterinary Specialty hospital to have her put to sleep.</p>
Western Family Chicken Jerky Treats	Dog	Chihuahua	12	Months	Female	4	Pound	<p>On August 19/12, i rushed my mini dachshund to emergency for severe vomiting & diarrhea. He actually had dark blood literally spewing out of his bottom. This started about 1 hr after I had given him chicken jerky treats made by western family, purchased at price smart foods. He was admitted, treated and then diagnosed with pancreatitis and is still recovering. He has been eating the same brand of dog food for almost 10 yrs, (royal Canine) and has never had any problems EVER. The treats were taken back to the store where the manager agreed to send to lab for testing. Now my new puppy, (b) (6), has been admitted to emergency with the same kinds of symptoms & the vet saying it looks as though she might also have pancreatitis. There is no doubt at all that it is these chicken jerky treats have made both of my dogs severely ill. Just last week i filled this out for my (b) (6), now for my baby (b) (6). It baffles me that you people are allowing poison to be sold to our family members. How many pets have to die before you people do something????</p>
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	7	Years	Female	8	Pound	<p>(b) (6) would throw up or have diarrhea every time she ate the treat.</p>

Generated at Wed Feb 06 15:03:11 EST 2013 by Palmer, Lee Anne using JIRA 4.0.2#472.

Milo's Chicken Jerky	Dog	Retriever - Labrador	4	Years	Female	82	Pound	I gave (b) (6) a Milo's Chicken Jerky treat. The next day she had severe Diarrhea and Vomitting. She had this for approx. 2 days. She had been fine prior to this. My thought was it must be the treats. I did not give her anymore and threw them away. I was on facebook last night and someone had posted about the treats. I can't believe that there has NOT been a recall on this. I got online and saw all the complaints regarding these treats. Please recall these treats. (b) (6) is my baby and I am appalled that there has not been anything done about this.
wagontrain chicken jerky tenders	Dog	Retriever - Golden	4		Male	105		excessive thirst, urination, vomiting, extreme lethargy, kidney failure- same/similiar symptoms found all over the internet on this product yet FDA has a warning and no recall ????
Kingdom Pets All Natural INGredients Chicken Jerky	Dog	Schnauzer - Miniature	2	Years	Male	35	Pound	I have taken my dog as usual everyday at the park, (b) (6) was a very energetic, fun, young, very healthy and all of a sudden he collapsed on the grass. I took him home right away to take him to his bed. After a while he stated throwing up. Soon he started to have trouble breathing and was shaking very hard. So I took him to the emergency vet. He couldn't every walk by himself. I held on to him carrying to rush in as fast as I can. The vet tech's started the procedure and trying to put a I.V. shot but couldn't find a vain after 30 minutes. (b) (6) temperature dropped immediately. Lower than its supposed to be for a normal temperature. The Veterinarian ran test on (b) (6) that most likely he ate something poison, he got kidney and liver failure. After 3 hours of being in the emergency, the Veterinarian told us he was not going to make it. (b) (6) state was too critical that he was having seizures. I walked in the room with my family seeing him barely breathing his last bits of air. After saying good bye to him on the table, petting his head that its going to be okay, (b) (6) passed away.
Waggin' Train Wholesome chicken Jerky Treats	Dog	Greyhound	12	Years	Mixed Population of Female and Male	70	Pound	My greyhounds have been on Waggin' Trail Jerky (chicken) Tenders, for a treat, for about 6 months. In this time I noticed them start refusing their regular dog food. Then came n/v/d and very dark urine. They became very dehydrated and weak ! I thought our 12 yo Greyhound, (b) (6) was going to die !! (b) (6) a 6 yo greyhound, was also seriously ill ! After fluids and IV's and nutritious small meals they are recovering, but still crave these, in my opinion, poisonous ?treats? !! Please help dogs, who do not have a VOICE, and have these ?treats? pulled from store shelves.
Waggon Train	Dog	Greyhound - Italian	11	Years	Male	23	Pound	My greyhound eats a slice of chicken Jerky 2 X a day. We noticed that he started drinking and urinating an unusal amount. At first we took him to the vet and thought maybe diabetes. He was tested and does not have that. We have since taken him off the jerky. We had our vet test him and he does not appear to have kidney problems. He seems to have gotten better and does not drink or urinate as much.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	22	Months	Male	24	Pound	Our dog has had four bouts of mucous stool, bloody sometimes, which I am concerned my be tied to this product. Have taken to the vet twice. They prescribed antibiotics, but culture of the stool was negative for bacteria. Most recent was 8/13. Did NOT take to vet this time. We have tried to pay attention to what proceeds the illness. It always seems to follow a period where we have given him jerky treats. We give him one treat, torn into smaller pieces to entice him into his crate. He does not like the crate. He does not get sick each time he is crated, and I've noticed a connection with this treat as opposed to others. The date in the box below is for the most recent incident. Did not go to the vet for this. I am having difficulty with this form. I saved to look for receipt, because I remember I bought it at same time as something else. The form is no longer showing me that part of the entry. I am positive I bought this on June 18th at KMart in Hyattsville, MD 6411 Riggs Road, 20783. I will save the product in case you want it for testing.
Waggin Tail Chicken Jerky treats	Dog	Retriever (unspecified)	4	Months	Male	17	Pound	I gave 2 peices of waggin tail chicken jerky and he threw up all day and night. I didn't give him any more and the vomiting stopped, i took product and returned it. I lost a dog in the dogfood mess a few years ago. So I am very sensitive to foods that make pets sick.

Canyon Creek Ranch Chicken Tenders	Dog	Elkhound - Norwegian Grey	6	Years	Male	45	Pound	Norwegian Elkhound purebred dog was a normal healthy pet, weight was 45- 50 pounds, ate well, slept well with no issues. Within a period of 2- 3 weeks he began regurgitating food, had diahrea and went from 45 - 50 pounds to 35-38 pounds very quickly. Dog was diagnosed with severe, acute kidney failure and had to be put to sleep on July 18, 2012. Three days later I was told of an investigation on several treats which included the ONLY treat I had fed my dog: Canyon Creek Ranch jerky treats purchased at PetSmart in Bainbridge, Ohio. No other changes in diet or circumstances were observed or instituted.
Kingdom Pets Chicken Jerky	Dog	Hovawart	5	Years	Female	55	Pound	Previously very energetic and food motivated dog became first tired and then lost appetite. This period took about four weeks from the time that we had changed the dogs treats to Kingdom Pets Chicken Jerky. Then we noticed diarrhea and even more tiredness. Then came violent vomiting and the dog stopped eating altogether. At this point the dog stopped getting chicken jerky. This period of extreme weakness and vomiting took two weeks. Dog lost 30 pounds of weight. Now the dog is a little better and has started to eat but still urinates and drinks more than usually.
Waggin Train PBJ Biscuits peanut butter flavored biscuits wrapped in chicken jerky.	Dog	Beagle	4	Years	Female	19	Pound	(b) (6) started vomiting, then had diarrhea which turned to blood. She had a fever, was lethargic, wouldn't eat anything or drink anything and constantly shivering. It started quickly, was brought to the Vet, given meds to calm her vomiting. Next day was brought back in, had IV given, x-rays, stayed overnight. She's still there today, she was brought back in this morning. She has anemia per blood work. She's never had a reaction such as this ever. We' praying and hoping she'll recover.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chow Chow	2	Years	Female			On August 14th, 2012, I fed my dog Jade two chicken jerky treats, as stated as the recommended daily feeding amount on the back of the package [Waggin' Train]. Later that night, I found that her stool was runny, like diarrhea, and contained blood. The next two, to three stools were also bloody diarrhea. I thought of the last thing that she ate, and remembered that I had given her the chicken jerky treats. She had never before had this problem prior to eating the treats. I immediately threw away the package of treats. I am continuing to monitor her. She does not appear to be lethargic or in any other way affected, but I am continuing to keep an eye on her for fear that her condition may worsen. Hopefully her bloody stools go back to normal soon.
WAGIN TRAIN JERKI TENDERS	Dog	Hound - Italian	10	Years	Female	21	Pound	LIMP; LISTLESS; DEHYDRATED; DOES NOT WANT TO EAT OR DRINK;NO ENERGY;PAIN CAUSED BY LIGHT TOUCHING.
Waggin Train DUCK Jerky	Dog	Terrier - Yorkshire	12	Years	Female	6	Pound	I started giving (b) (6) Waggin Train DUCK Jerky treats (not chicken because of their allergies). They consumed these treats daily - for about a year. I started giving them this new treat in 2010 when (b) (6) was approx 10 and (b) (6) was approx 9. Then, my sister-in-law sent me a link about the treats from China last year in Sept or Oct 2011 - stating it could cause kidney failure. I had noticed both dogs had started to consume a lot more water. I stopped giving them the treats. Early spring I began to notice (b) (6) was staggering on her back legs - seemed unsteady. I noticed her urine was very clear compared to (b) (6). Then in July, (2012) she went off her food. She was throwing up. I took her to the vet July 18th - blood work indicated Chronic Renal Failure (CRF) and she had lost a pound since February. She was already a small dog (smaller than (b) (6) She weighed 6.0 lbs approx and her normal weight was 7.0 to 7.5. Subcutaneous fluids were administered for six days - blood work indicated her levels were still going up, her eating was sporadic at best. IV fluids for two days - levels still climbing, ate a little, not much. Vet indicated end stage renal failure. I administered subcutaneous fluids at home for two days (July 31-Aug 1 2012) On August 2, her breathing became labored, she couldn't stand. We had to put her to sleep. 2nd dog (to date)(b) (6) had become more lethargic during (b) (6) illness. I thought she was sensing her companion was sick. After (b) (6) was gone, her energy levels seemed to wane even more. I took her to the vet yesterday, August 15th, 2012 - full blood panel done. Chronic Renal Failure - less than a month after (b) (6) diagnosis!! She is currently at the vet on an IV. Her BUN/Creatinine/Phos were all very high. Her prognosis may be a tad better for at least some time left as she is still eating. (b) (6) wasn't eating much when we took her to the vet...

Kingdom Pets Chicken Jerky	Dog	Retriever - Labrador	2	Years	Male	85	Pound	dog given chicken jerky treats for occasional snacks for last 2 weeks. Dog began vomiting, diarrhea with blood. Symptoms continued for 4 days, took dog to vet for treatment. Dog in excellent health, does not associate with other dogs and lives in house and backyard and did not encounter anything that would have caused symptoms. Vet believes Kingdom Pets Chicken Jerky treats were the culprit. Dog receiving medication and appears to be doing better at this point.
Beefeaters Sweet potato Dog Treats	Dog	Retriever - Labrador	6	Years	Male	55	Pound	(b) (6) was given "Beefeater Sweet Potato Treats" and absolutely loved them. We bought them in June. In late June, he started to be a little less energetic but nothing severe so we thought he was just starting to get older. By early July, he was vomiting and having trouble walking. He was diagnosed with full blown kidney disease. (In Decemeber he had blood work done and his kidney function was perfect). (b) (6) also tested positive for Lyme Disease. Two vets said that although kidney disease can be related to Lyme, the onset is more gradual. On August 2nd, (b) (6) was euthanized.
Milo's Kitchen Home-Style Dog Treats	Dog	Mixed (Dog)	11		Male	63	Pound	Dog given "Milo Dog Treats" and became ill with severe diarrhea for over a week. Vet gave medication for a week. Dog got better. Week later gave dog the Milo dog treat brand and diarrhea returned.
Waggin Trail Ham It Up Delicious Ham Slices	Dog	Chinese Crested Dog & Powder Puff with veil coat	20	Months	Male	12	Pound	On August 9, 2012, I gave (b) (6) one piece of Waggin Trail Ham It Up. On August 10, 2012, I noticed that he had not eaten his breakfast and he was very still and lethargic. Again he did not touch a bite of his dinner food. This is a dog that is filled with energy and loves to eat. That night, on the internet, I found a site where a lady had warned everyone not to use the product, that it could make the dogs sick or even death. I immediately discontinued the Waggin Trail Ham It Up treats.
Canyon Creek Ranch Natural Duck Tenders, Waggon Train LLC. Jerky Tenders Duck	Dog	Terrier - Yorkshire	12	Years	Female	7	Pound	She has been getting 1 to 2 pieces of originally chicken jerky and now duck jerky (Canyon Creek Ranch brand and Waggon Train) for at least 2 years. (She is diabetic, but she was diagnosed with this well after she had been eating these treats.) The last three days I have been noticing mainly towards the evening hours loose stools with blood, to the point that I have had to wipe her bottom. I was going to be calling the vet to make an appointment when I noticed posted on their Facebook page a notice about jerky products made in China and adverse reactions that have been occurring. I thought it best I submit a report.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Rottweiler	5	Minutes	Female	33	Pound	Gave single Waggin Train Wholesome Chicken Jerky Tenders treat in the evening. The next morning, (b) (6) did not want to eat or drink or barely move. We immediately took her to the vet where they began immediate IV and told us she was deathly sick and in a lot of abdominal pain. If she did not eat or still had severe pain, the vet assumed she had ingested something. She had fluid in the stomach on x-ray and no gas which is unusual and usually indicates some sort of blockage. The next morning since she was not better, they did surgery, but could not find anything. Thankfully, (b) (6) has recovered (she has staples on her little belly from top to bottom). The vet has concluded in his medical opinion that it was absolutely the treat she was given the night before that made her deathly sick. If we had not taken her to the vet that morning, the vet feels she would have died.

Waggin Train - Wholesome Big Blast Pork Skins with Chicken Liver	Dog	Retriever - Labrador	5	Years	Female	120	Pound	I opened a sealed package of pork skin dog treats filled with Chicken liver, and was about to hand them to my Dogs, when 2 - 3inch long, by 1 inch wide cockroaches fell out of the center of two of the treats. I threw a plate on one of them, and it was smushed beyond saving, but I did manage to spray the other one to save it. It landed on my foot, I have not been able to eat, drink, or sleep since this incident, and I am extremely unsettled by this company. It does come from China, but the main office is in the states. What condition is that plant in to have bugs like THAT? I want that product OFF the shelves and inspected. When you research this company, Waggin Train, they are related to over 100K complaints online, and in forums about their products and causing dog deaths. I am willing to send you what I have, and work with you in anyway that I can. Please let me know how I can help. I will be contacting the Health Department, WalMart, and will try to find an attorney again before I contact the company. Unless you tell me otherwise. I spoke to one attorney, and they told me that they see Dogs as "property"... and not living things, so they were not able to help with consumer law. I will be contacting the ASPCA, HS, and the Any animal rights advocate that I can get a hold of. Please let me know what all you need from me. Thank you!
Healty Hide triple-flavor chews	Dog	Chihuahua	7	Years	Female	14	Pound	Owner purchaed Healty Hide triple-flavor chews (pork, beef and chicken) from Costco Wholestore in Tumwater, WA about a month ago. (b) (6) started having symtoms but owner didn't know what it was caused from. She had no appetite, not normal energy. Se would eat little if owner gave her a new flavor of food. Owner took (b) (6) to vet on August 7 because she stopped eating completely. We noticed a swelling in (b) (6) neck and vet was going to do surgery to see what was going on. Upon doing the pre-op blood work vet found something going on with kidney. She immediately started (b) (6) on antibiotics but she was not responding. (b) (6) kidney numbers were extremely high and vet thought she must have gotten into something toxic. Owner was do a search on internet on kidney failure for dogs and saw the recall information on chicken jerky. At that time owner realized that the treats purchased three weeks prior had this chicken jerky in it made from China. Vet confirmed that this was what was causing (b) (6)symptoms. (b) (6)is currently at home on fluid IV's twice a day by owner and being hand fed by owner so she will eat something. Owner and vet still don't know at this point if (b) (6)will pull through or if she will have to be put to sleep. Tests will be run end of week of August 13
Waggin Train Jerky Tenders	Dog	Shih Tzu	10	Years	Male	22	Pound	He developed liver desease that the Vet said was most likely a result of the Chicken Jerky Treats. He had 2 sonar scans, on pain meds, antibiotics, and probotics. Food was given by syrenge. He did drink water. His state of health was so poor that we all expected him to die. We cared for him, gave him love and nourishment and he started to improve. He is still not 100% but is much better.
canyon creek ranch brand chicken tenders	Dog	Terrier - Jack Russell	20	Months	Female	12	Pound	dog developed franconi type syndrome, elevated kidney and liver function tests. she is ok, and needs to go back for follow up blood work in 6 weeks
Waggin Train Jerky Tenders Natural Chicken Fillets	Dog	Terrier - Yorkshire	5	Years	Female	10	Pound	A lot of vomiting and lethargy off and on recently. I have been giving her Waggin Train chicken jerky treats and I understand they have been making dogs very sick.
Canyon Creek Ranch Chicken Tenders Low Fat	Dog	Siberian Husky	9	Years	Female	65	Pound	She has chronic diarrhea and has been lethargic recently. Have been feeding her Canyon Creek Ranch Chicken Tenders purchased from Petsmart, Nanuet, NY. Label states 2135T027 0101CK1, Best Before May 2014. CA6528, May 2012. Product of China
Milo's Kitchen Home-Style Dog Treats - Chicken Jerky	Dog	Great Dane	2	Years	Female	130	Pound	My name is (b) (6) I reside in the (b) (6) area. I purchased some Milo's Kitchen Chicken Jerky treats on Monday evening (August 6, 2012). I proceeded to give my Great Dane one of the jerky strips. Tuesday came around - I gave her another strip. By Wednesday, she wouldn't eat her food. She didn't eat for a day and a half. Finally, I got her to eat her dog food on Thursday night. By Friday morning - she was having explosive diarrhea. I did some online research to find that numerous consumers have complained about their dogs getting ill - and even dying - from these Chicken Jerky Treats, which are manufactured in China. I have the remaining treats - in their original packaging. I've attached the article I am referring to - for your review. http://newsfeed.time.com/2012/05/23/fda-nearly-1000-pets-sickened-by-china-made-dog-treats
Waggin Train Wholesome chicken ierdy tenders	Dog	Schnauzer - Miniature	14	Years	Female	22	Pound	(b) (6) started vomitting loss of energy no appetite she ended up seeing the vet 2 times and this started immediateley after eattng the chichen treats

Dentley's rawhide sticks wrapped in chicken jerky, Mini Dingo Meat in the Middle! Grill House Bac'n Crisps, Canyon Creek Ranch PBJ peanut butter and chicken jerky	Dog	Chihuahua	2	Years	Female	5.1	Pound	Presented 3/13/12 with 3 day history of vomiting, lethargy and inappetance. Labwork revealed proteinuria and glucosuria, normal BG of 130 and USG of 1.059. On consultation with internist, was asked to question owner about jerky chicken treats from China which the owner had been feeding on a daily basis for months. Patient improved for a few days on supportive care (anti-emetic, antibiotics, fluids, bland diet) then rechecked for recurrence of inappetance and development of PU/PD. She was referred to a specialty hospital where a recheck UA revealed a USG of 1.013, ketonuria, glucosuria, and proteinuria, UPC was 2.4, abdominal ultrasound was unremarkable, and blood pH was 7.2. Patient was diagnosed with proximal renal tubular acidosis following ingestion of jerky treats and hospitalized for two nights for supportive care. Discharged on Cerenia, mirtazapine and potassium supplementation. Recheck a few days later revealed continued isosthenuria and glucosuria. Clinically she was doing better and we discontinued Cerenia and mirtazapine and instituted subcutaneous fluids for the owners to do at home. Recheck a week later revealed the patient to be doing well at home, owners had discontinued all treatments other than bland diet. Bloodwork was unremarkable. UA revealed a USG of 1.048, continued glucosuria and the remainder unremarkable. Urine culture was negative.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Bulldog	6	Years	Female	49	Pound	(b) (6) a 6 year old English Bulldog became sick November 2011 and took her to (b) (6) with what vet said was kidney failure and possible pancreatitis. She was admitted to the hospital for 3 days and then also developed seizures during her hospitalization. She was treated and came home. She never seemed herself after that hospitalization, very listless, decreased appetite and some nausea and vomiting at intervals, but became very ill again in January 2012 with again renal failure and seizures. She stayed in the (b) (6) hospital for 3 days again and was sent home where we gave her intravenous fluids to help her kidneys. She never recovered and we had to have her put to sleep after being home 2 days as she got much worse. I then read about the Waggin Train Chicken Jerky treat concerns after she had already died. Sure enough, I checked my cupboard and there they were. I bought them at I believe Giant Eagle or Walmart and she went through 1 and 1/2 bags between Oct 2011 and January when she died. I still have part of the second bag.
Waggin Train	Dog	Other Canine/dog	9	Years	Male	75	Pound	We gave Milo Waggin Train dog treats for a year several times a day. He was found to have multiple tumors in his bowels and had to be put down. There were no other changes to his diet.
Waggin Train	Dog	Boxer (German Boxer)	7	Months	Male	65	Pound	Gave dogs a new name brand chicken jerky, waggin train, purchased from Target, and within 24 hours 2 of 4 dog became sick, 4 male boxer. 5 year old boxer became lethargic and would stare into space for about a day with no interest or appetite. A few hours later 7 month old boxer had diarrhea with vomiting and the same symptoms as previous boxer. 5 year old seemed to recover and watching 7 month old. He seems a little better. Puppy has not shown any interest or curiosity in anything, even landscapers. definitely not usual. 2 of the 4 boxers seem uninfected.
Waggin Train Jerky Tenders	Dog	Other Canine/dog	10	Months	Female	60	Pound	I noticed that both dogs seemed to intermittently lack energy and acted punky. They are young dogs and normally extremely active have had all thier shots, vet exams, etc. They demonstrated lethargy, lack of appetite, gagging, vomiting, and diarrhea. I feed my dogs a very good diet and have never had any problems with them until I started giving them the occasional dog treats, in the form of Waggin Tails chicken jerky tenders. I thought it might be coincidence that they got better on the days that I didn't give them anything but thier regular food (following the punky episodes). Everytime, I cut back on treats and would get ready to take them to the vet for a check up, within the next day or so, they would be back to their normal activity levels, with increased appetites and normal looking stool. We've been on this cycle for several weeks. I am concerned that this product has caused my dogs to be ill and wonder what damage has been caused by this. Please - recall this product.
Waggin Waggin Tails	Dog	Other Canine/dog	22	Months	Female	70	Pound	I noticed that both dogs seemed to intermittently lack energy and acted punky. They are young dogs and normally extremely active have had all thier shots, vet exams, etc. They demonstrated lethargy, lack of appetite, gagging, vomiting, and diarrhea. I feed my dogs a very good diet and have never had any problems with them until I started giving them the occasional dog treats, in the form of Waggin Tails chicken jerky tenders. I thought it might be coincidence that they got better on the days that I didn't give them anything but thier regular food (following the punky episodes). Everytime, I cut back on treats and would get ready to take them to the vet for a check up, within the next day or so, they would be back to their normal activity levels, with increased appetites and normal looking stool. We've been on this cycle for several weeks. I am concerned that this product has caused my dogs to be ill and wonder what damage has been caused by this. Please - recall this product.
Waggin Train Chicken Jerky, Hartz Crunch and Clean Biscuits	Dog	Chihuahua	6	Years	Male	4	Pound	(b) (6) became ill, had bloody diarrhea, stopped eating and drinking.

Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Akita	3	Years	Female	94	Pound	I gave (b) (6) one chicken jerky treat this morning and later in day she threw up twice. She got so sick she broke a blood vessel in her eye.
Waggin' Train wholesome chicken jerky tenders	Dog	Retriever - Labrador	8	Years	Male	125	Pound	i gave my dog Waggin' Train chicken jerky tenders and for the past couple days he has been sick. He wasn't moving for 2 days, not eating and seemed like he was lost and didn't know what to do (like he was really confused) he also had a fever and a hot dry nose. I saw something about the treats online, about dogs getting sick off them so I stopped giving them to him and now hes getting better.
Wagon' Train by Nestles	Dog	Retriever - Golden	8	Years	Male	75	Pound	Dog was with us at home all day except when we went to neighbors house. Young girl gave him some Waggin" Train chicken treats which had been purchased at Sam's Club in Santa Fe. Our dog was vomiting through out the day and night until there was nothing but yellow bile coming out. Took to his Vet. early next day, and he ended up on an IV all day. Also was given an antacid and anti-biotics. He was in bad shape. Vet was puzzled as we swore he had eaten nothing unusual the day before. After a few days and an \$800 vet bill everything is back to normal. Please do something about this. Thanks, The (b) (6)
waggin'train jerky tenders chicken dog treats	Dog	Shepherd Dog - German	8	Years	Female	84	Pound	Owner purchased and fed the Waggin'Train jerky chicken tenders dog treats on 5/23/2012. (b) (6) become ill with vomiting and diarrhea within the next 2-3 days. Death occured on 5/28/2012. I did not have the oppurtunity to examine or treat (b) (6) prior to or after her demise.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mountain Dog - Bernese	3	Years	Male	64	Pound	Weight loss noted in April 2012 when a dental cleaning was performed. July 31, 2012 he presented with weight loss of 14.7 pounds, lethargy, inappetance, and foul breath. Bloodwork and urinalysis indicated kidney failure. He was euthanized 2 days after hospitalization with fluid therapy. (b) (6) had been fed Waggin Train Wholesome Chicken Jerky Tenders daily since he was a puppy. He refused to eat them a few weeks prior to July 31.
Waggin Trail Chicken Jerky	Dog	Spaniel - Springer (unspecified)	1		Female	33		Given Waggin Trail Chicken Jerky "treats" has had diarrhea, vomiting and lethargy. Will be having kidney and liver blood panels tomorrow morning. This is a HEALTHY, wonderful rescue baby. She normally has carrots, apples and ONE "Beggin Strip" treat a day. These jerky "treats" were bought as a SPECIAL treat, because of (b) (6) love for her Daddy's beef jerky. Thinking this was a product I could TRUST, since it was bought from the shelf last week, and I checked expiration date, etc. as always, to keep my pet safe; my question is WHY? WHY was I able to buy POISON for my precious animal, off of a store shelf, in AMERICA? Exactly what IS the role of the FDA, if not to protect us? Why is the COMPANY the only one authorized to pull their product from the shelf, when they are KNOWINGLY KILLING PETS? Why exactly do we have an FDA? This is an outrage that this has happened in the USA.
Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Retriever - Labrador	9	Years	Male	80	Pound	On Mother's Day evening we took our dog to the emergency vet because he was very ill. Our regular veterinarian later concluded that our dog had ingested some type of poison due to liver enzyme levels, but we could not determine where the poison came from. It was during this time that I had purchased Canyon Creek Ranch Natural Duck Tenders from our local Petsmart and giving them to my beloved dog. After a few weeks, (b) (6) seemed to improve but never back to his frisky self. A few weeks ago I repurchased the treats and began giving them to him again. Yesterday I rushed him to the vet because he was so lethargic, would not eat or drink and had diarrhea for 4-5 days. They gave him a physical exam and could not determine what would cause his symptoms, but concluded he was dehydrated and pale. Because of our climate in Baton Rouge we thought he was affected by the heat since he goes outside a lot. He came home and 24 hours later does not look any better than he did before. I am VERY convinced that the Canyon Creek dog treats has caused him to be so sick. I strenuously suggest that this matter be looked into.
Waggin Train Chicken Jerky Treat	Dog	Maltese	8	Months	Male	8	Pound	Bllood work was done for neutering. Liver enzymes elevated to a dangerous level. Pet also suffering diarrhea, extreme thirst, moodiness, timidness. Took animal to specialist in Akron, Oh. Vet said not to feed anything from China. Discovered treat I was feeding pets was "Waggin Train Chicken Jerky treats" made in China. Stopped treats. Three weeks later blood level returned to near normal levels. Bowel movements returned to normal.

Waggin Train Jerky Tenders	Dog	Terrier - Yorkshire	2 Months	Female	9 Pound	I would give (b) (6) Waggin' Trains Chicken Jerky Strips as treats. At first there was no problem and she really enjoyed them! Eventually, I started noticing loose stools and she would poop IN the house...I was not aware at that time of what was causing her problem. Eventually, she began vomiting. I was then able to determine what it was that was causing the problem, since one particular night I had to pick up the vomit five different times all over the house off the floor...I immediately stopped feeding her the chicken treats. Her health went back to normal. Normal stools and no more vomiting. I just went to Walmart tonight to pick up some milk bone treats for (b) (6) I just cannot get over all the chicken treats for dogs. These treats are SOOOO dangerous for our pets. Our pets are getting seriously ill and dieing from these treats. These treats need to be pulled off the shelves. They are poisoning our pets (b) (6) I love her like my child. If she would of died from my ignorance for feeding her the poison... There are others like me that weren't so lucky. They have lost their beloved pets...Please, intervene and save these animals lives. We only want to make our pets happy when we give them treats...They don't deserve a death sentence from a treat! And my (b) (6) would vomit from just being fed ONE treat. She would not have eat a lot of them BEFORE she got sick. So, no, it is not from not following the directions of feeding on the package. These treats are truly dangerous to a dogs health...
Waggin Train Chicken jerkey	Dog	Other Canine/dog	8 Years	Male	11 Pound	My dog is a Pomeranian but you don't list that type. I have been feeding him Waggin Train chicken jerky bits as a treat. He has been throwing up and has had high liver numbers. Has spent \$1000's of vet bills. Never thought it was from the treats. Since I have taken him off this treat brand - 2 weeks ago - he is feeling and acting 75% better. I hate it when he is sick! Oh sad is it that I had to continue taking him to the Vets and not finding out why he was sick. If he had died from Waggin Train and the Government knew about China - I would have hated my Government!!! Thank God there are people willing to stick their necks out to tell other fellow Americans, since our very own Government won't protect us or our pets.
Waggin Train Ham it up Delicious Ham Slices	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattedog)	1 Years	Male	50 Pound	We gave the dogs a treat on Sat morning. I gave the smallest dog just a nickle sized portion the other 2 a whole piece. (b) (6) is the middle dog . The other is a Black and tan Coon Hound who weighs about 75 pounds he was not noticeably sick but (b) (6) went into the living room and got sick 2 times with quite large areas it was yellowish liquid with jerky treats in it. He then threw up on the bed. He has a very good appetite and has not touched his food. I do not know if this is from the treats but heard about warnings on the news. My treats were Waggin Train Ham it up lot #1ca6032a exp. 9/26/13.
Canyon creek ranch YAM GOOD duck and yam treats	Dog	Terrier - Australian	12	Female	18	I fed my dogs Canyon Creek Ranch YAM GOOD duck and yam jerky treats on July 17, 2012. I gave each dog one treat and went to work. Wen I returned home there were over 20 vomits all over the house. I immediately threw out the treats knowing that was the ONLY NEW FOOD I HAD INTRODUCED. (b) (6) grew lethargic and sicker. We put her in the vets for a few days where she was observed and xrayed. They found no obstructions. We fed her rice and chicken but her appetite was minimal. Two weeks later she was eating nothing and drinking nothing and vomiting blood. Her lab tests came back with massive kidney failure. Having only one kidney we had to make the decision to put her down. She was a vital member of our family. This is a crime that a food source we trusted can KILL!
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dogs Treats	Dog	Crossbred Canine/dog	4 Years	Male	16 Pound	I purchased Waggin Train Chicken Jerky Tenders, chicken dog treats, at my local Walmart. I fed my dog 1/2 of a jerky on 5 out of 7 days. After 2 consecutive days of eating the treats, he began vomiting each day. After a week my husband and I discussed the vomiting, we determined that these treats were the only thing that had changed in his diet or life. I discontinued feeding the treats to the dog and the vomiting stopped. We also noticed that during the period he was having the treats he often looked as if he were in a daze (a distant stare). This strange behavior also stopped when we discontinued the jerky treats.
Waggin Train Chick Jerky Treats	Dog	Unknown	10 Years	Male	21 Pound	Waggin Train chick treats had just come out and (b) (6) loved his jerky treats. I gave him two or three a day. The day after Labor Day I came home and took him for a walk as usual. We were in the park and I noticed that his pee was very dark. Upon looking closer I saw blood. I brought him home and called the vet. We brought him in the next morning. I received a call that they had given him blood, and he seems to be doing better, but he needed to go to a specialist vet. I took him to the specialist. they kept him overnight. We went to see him the next day. The vet said he hadn't really improved and that with agressive treatment he had a 20% chance of surviving the week. My husband and I both loved (b) (6) very dearly, and did not want him to suffer, so we chose to put him down.

Waggin' Train Chicken Jerky Treats	Dog	Mixed (Dog)	10	Years	Female	42	Pound	Vomiting, loss of appetite and lethargy Regurgitated stomach contents contained undigested pieces of the jerky treats
Canyon Creek Ranch Chicken Yam Good	Dog	Mixed (Dog)	3	Years	Male	10	Pound	After a week of ingesting Canyon Creek Ranch Chicken Yam Good Dog Treats, my dog suffered a seizure. He collapsed on his side and defecated. I called him to me and once again he fell onto his side. When I picked him up, he couldn't hold his head up and started to lose consciousness. After that he began vomiting.
Milo's Kitchen Chicken Jerky treats	Dog	Boxer (German Boxer)	9	Years	Female	63	Pound	I have been giving (b) (6) Milo's Chicken Jerky Treats for the past few months, thinking they were healthy, not realizing they were Chinese made. Since giving her these treats, her BMU and Creatine has increase substantially and she has lost seven pounds in the last five weeks. From five weeks ago when it was last checked, her numbers dupbled and she is now in end stage renal failure. We currently have her in the hospital receiving IV fluids to see if this will pull her through.
Waggin Train Cowboy steaks	Dog	Mixed (Dog)	17	Years	Female	14	Pound	I gave my dog waggin train chicken treats while on a trip to L.A. her health began to decline. Lethargy, loss of appetite, looked depressed, etc. soon dizziness, diarrhea and vomiting-(over all health decline) I feed my dog as usual and then gave her the waggin train chicken treats again when I took them out of my suitcase. Dog began rapid health decline and required immediate emergency hospitalization for days to flush her system, toxins were building up in her body because she was in renal failure and kidneys were shutting down.
waggin train dog bisquits wrapped with chicken	Dog	Terrier - Jack Russell	9	Years	Male	12	Pound	Took to vet and had normal blood tests run and found out there was a liver problem. Vet asked if he was taking any medication or if he had any kind of dog treats. He was not at the time on any kind of medication. Told him that he had Waggin Train dog treats. He let me know then that those where on a recall for liver and other problems. He is saying the treats have caused his liver problem. This was found on 8/1/12.
Milos Kitchen home-style dog treats	Dog	Terrier - Boston	13	Years	Female	35	Pound	(b) (6) started to develop a lot of gas and she looked depressed and uncomfortable. Her excrement got liquidy and very dark and she could not contain it, she also presented episodes of vomit and got very weak to the point that she could hardly walk. I never associated any of this symptoms to the consumption of the chicken jerk since she would only get one every day if so and I kept buying the product for months, all the time I thought everything was related to her age. I stoped giving her the chicken jerk when I watch the report on channel 7 news about it, incredibly my dog has recover a lot since she is not eating this product (Milos Kitchen Chicken Jerk). So sad that by trying to show my dog love I made her suffer.
Milo Kitchen chicken jerky/chicken grillers	Dog	Terrier - Yorkshire	12	Years	Male	12	Pound	(b) (6) gets the runs everytime he eats Milo Kitchen chicken treats. He has always been healthy even at twelve years. Even the vet is suprised at how healthy he was. He hs recently started a hacking cough and having slimmy stool with blood. He is completely fine the weeks I dont buy those treats. I never put two and two together until I heard the news. I even tried my own experiment. I stopped giving him the Milo treats for a few months. His hacking stopped no digestion issues. Once I triedthe treats again same symptoms started up again.
Happy Hips Duck Breast, Happy Hips chicken breast	Dog	Dachshund - Miniature	5	Years	Male	12	Pound	My dog began showing symptoms of what seemed to be allergies last year. He began sneezing, excreting ever increasing amounts of mucous from both nostrils, coughing and making what seemed to choking sounds in his throat. The symptoms began last July/Aug 2011 and slowly increased over the past year. We took him to several vets and performed several tests which concluded that he was in good overall health, no viruses, no bacterial infections. Even put a scope camera in his snout. Found nothing. About 2 weeks ago we decided to stop giving him the chicken jerky treats and the change in his health is dramatically improved. It is the only diet change that we have made and can only conclude that the poor health was directly connected.
MILO's Chicken Jerky	Dog	Maltese	8	Years	Male	6	Pound	After eating the chicken jerky for few days the dog stopped eating and did not want to drink water or eat. Was dehydrated and letargic, with nausea and vomiting. Stopped giving the chicken jerky and took him to the emergency room where he was hydrated. No disease found, besides dehydration. Dog started feeling better 8-12 hours after stopping chicken jerky and IV fluids administration. Please, do something with these chicken jerky from China.

Milo's Kitchen Chicken Jerky								I purchase Milo's Kitchen Chicken Jerky 7/29/2012 From Publix near my home. I gave one piece to my dog that evening. The next day I gave about 3 of these treats to her throughout the day. The following morning today 7/31/2012, she acted alittle strange, but I put her in her kennel as I was leaving for work, when I came home from work for my lunch break at 1:30pm, I came home to a horrid site, there was diarrhea looking like black tar all over the entire house (she had broken out of her kennel) which was also full of diarrhea and vomit. She was lying on the floor looking very ill and continuing to vomit. There were about 5 puke spots all over the living room and she continued to vomit 3 times while I was there frantically calling into work to ask for the rest of the day off so I could take her to the vet as this was an emergency she would not stop puking. I rushed her to my vet and they check her vitals which seemed okay they gave her nausea shot, bacteria food supplements and recommended only boiled chicken and rice or their canned food until friday, and if she did not get better to contact them asap. I let the veterinary know the exact product that caused this so hopefully they will get the word out. the vet cost was \$126, also had to immediately rent a rug doctor and disinfectants for all our health totally to about \$100. I'm very upset this one treat caused all this pain to my dog, I have to watch her for the next few days worrying if she will even recovery! but I now see after researching this product online that it has killed dogs with kidney failure, why is this horrible product still on the market! I don't want my family to be hurt anymore my dog is my baby!
Waggin train jerky tenders	Dog	Rottweiler	8	Years	Female	98	Pound	Started having weight loss/decreased muscle mass, thought secondary to aging. Had decreased activity. Elevated creatinine (2.6) found on routine annual exam in March 2012. Creatinine continued to rise (3.7) despite prophylactic antibiotic therapy for pyelonephritis then despite renal diet (4.6). Ultrasounds negative. Workup consistent with protein losing nephropathy of unknown source. Creatinine elevated to 7.7 despite daily infusions of subcutaneous fluid. Continued weight loss, nausea, and lethargy until he refused to eat anything. Euthanized at 86lbs. On June 18, 2012.
Waggin' Train Wholesome Chicken Jerky tenders	Dog	Spaniel (unspecified)	10	Years	Male	28	Pound	I purchased Waggin' Train Chicken Jerky treats for my dog on a Friday, July 20, 2012 from CVS Pharmacy on Main Street Watertown MA. By Saturday morning, he was having a mix of diarrhea and solid bowel movements with blood present. He needed to go out constantly to relieve himself. Sometimes he would only poop out blood. His eyes were dull looking and he was very sluggish and slept. But he still wanted the treats because he was obsessed with them. I fed him on average 2 treats per day which was the recommended amount for his weight of 28 lbs. After 5 days of excessive bowel movements, blood and abnormal behavior I took him to the emergency hospital. They confirmed that they had seen many cases of chicken jerky from China illnesses all exhibiting the same symptoms. They told me to stop giving him the treatments immediately. He received fluids, Metronidazole medication, and dog food. His bill total was \$228.28. I am looking for reimbursement for this amount. After a few days of medication and bland dog food he is beginning to seem more like himself and the excessive tiredness and bleeding have stopped.
Waggin Train Jerky Tenders Dog Treats Chicken, Pet Shoppe Jerky Premium Dog Treats	Dog	Poodle - Standard	8	Years	Male	70	Pound	In May 2012, (b) (6) was being treated for a urinary infection and was on antibiotics. He stopped eating over the course of two weeks altogether. He was dehydrated and hydrated for 24 hours at our vet. He came home and two days later was again not eating and lethargic. I took took him to an emergency animal hospital and was told his was in renal failure. He was in the emergency hospital for 3 days and came home having lost ten pounds.
Loving Pets Vegitopia 100% Natural Vegetable Treats for Dogs Sweet Potato No Additives No Preservatives	Dog	Spaniel - Cocker American	23	Months	Female	17	Pound	I gave my cocker spaniel only two sweet potato treats in the afternoon of July 1. That evening she began vomiting. The next day she had many episodes of diarrhea and vomiting. She was not fed that day. The next day she was vomiting bile and her stool contained traces of blood. At first it did not seem like a huge amount, but as the day progressed the amount and color of the blood increased. My dog was also drinking a lot of water and urinating frequently.
Waggin Train Chicken jerky treats	Dog	Shepherd Dog -	5	Years	Female	85	Pound	Weight loss, vomiting, eating dirt- diagnosis Kidney failure according to blood work.

Dingo DentaSticks (the actual sticks that have chicken in them - red)	Dog	Shepherd Dog - Australian	3 Years	Female	32 Pound	<p>My dog, (b) (6), started to act very tired, wouldn't eat, drank a lot of water, panted excessively, and was very non-energetic. She would even lay down in the street during a walk because she was too exhausted to finish it. She is very young and I was very worried. She then started to eat grass and have spouts of diarrhea. She slept all the time and was very depressed and lethargic. She then stopped eating completely and didn't even want to go out. I started researching online the treats and food I give her and I came across all of these complaints regarding chicken treats made in China. I have always specifically given her DentaSticks made by Dingo, the red and green kinds, and I found out that it is one of the few brands actually MADE in China - NOT DISTRIBUTED.</p> <p>I then found out that I had unknowingly been POISONING MY DOG WITH SALMONELLA BECAUSE OF CHINESE CHICKEN PRODUCTS. It is atrocious that this is happening and that there is no recall. This information is easily accessible and everywhere and all the consumers are told are that the tests were "inconclusive". LET ME SPEAK FOR THOUSANDS OF PEOPLE - THERE IS ABSOLUTELY CONCRETE, CONCLUSIVE PROOF THAT THIS IS A DEADLY ISSUE AND IT SHOULD BE TAKEN AS SUCH.</p> <p>There needs to be a recall IMMEDIATELY for all DINGO Chicken products at the least, if not ALL CHINESE CHICKEN PRODUCTS for DOGS. You are allowing the suffering of these dogs, many DYING, by not putting more attention to this issue and not recalling it. Plausible deniability is UNACCEPTABLE.</p> <p>Please let consumers know of this horrible problem and protect our animals from suffering and death! That is a fiduciary duty that you have for this country, it's consumers, and their pets. Thank you and I hope to see action taken expeditiously.</p> <p>(b) (6)</p> <p>(b) (6)</p> <p>(b) (6)</p> <p>(b) (6)</p>
Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	American Pit Bull Terrier	1 Years	Female		<p>(b) (6) was given two pieces of Milo's Kitchen Chicken Jerky as a treat the night of June 27, 2012. On the morning of June 28, 2012, (b) (6) had a pool of vomit next to her bed. She refused to eat or drink and had a noticeable decrease in energy and engagement. She also had continuous diarrhea throughout the day and wanted to be held (she is 40lbs.). I took her a bath on June 30th and blotches of her golden fur came out in my hand. When I was done rinsing and towel drying, (b) (6) had bold spots on the left side of her body and on her behind. Also her fur turned from golden blond to a sandy blonde color. Her behaviors continued in this pattern over the next several days. I discontinued the jerky treat after the first administration knowing that it was the only new food item that had been introduced to her in the last 6months. To this day, her fur color has not changed back nor has the fur breakage fully repaired itself.</p>
Waggin Train Yam Good Wholesome Chicken Wrapped yams	Dog	Mixed (Dog)	4 Years	Male	20 Pound	<p>Started to loose weight and then developed breathing problems. Took to vet the first time on 07/18/12 and following a thorough exam it was determined that he had "fluid" in his thoracic cavity. A thoracentesis was performed that was grossly bloody with removal of approximately 200mL. He was treated appropriately for poisoning as a precaution with vitamin K1 and started on antibiotics as well. On 07/20/12 he was taken back to the vet due to no improvement. Again chest x-rays were performed that showed no improvement and once again underwent a thoracentesis with removal of approximately the same amount of "bloody fluid" from his thoracic cavity. He was continued on antibiotics, vitamin K1 and now started on Lasix with the hopes of improving his breathing. The following wee, on 07/26/12, he was seen by a second vet who performed an ultrasound of his chest. At this visit it was determined that (b) (6) did not have pericarditis as the pericardium was not dilated and compressing the heart. (b) (6) underwent a third thoracentesis to remove some of the fluid. At this time it was determined that he was no longer actively bleeding in his chest but the "bloody fluid" was clotting and/or clotted. This fluid was sent for cytologic examination; results are pending.</p>
Waggin train wholesome chicken jerky tenders	Dog	Weimaraner	7 Years	Female	75 Pound	<p>Dog has developed kidney disease.</p>
Canyon Creek Ranch Brand Dog Treats	Dog	Great Dane	4 Months	Male	49 Pound	<p>I purchased Canyon Creek Ranch, 4 variety dog treats from PetSmart not quite two weeks ago. Last week, I noted that the dog developed intermittent diarrhea which lasted 3-4 days. Subsequently, all treats were withheld and diarrhea began to decrease. He was then given two or three treats on Saturday, July 28 and developed significant diarrhea within four hours. I also noted that the dog was drinking and urinating excessively. The following day, the dog obedience trainer noted that my puppy had only gained one pound the previous week (his normal weight gain had been around 4 pounds). I told her it was diarrhea caused by some treats that didn't agree with him. With no way of knowing what kind of treats they were, she asked "were they Canyon Creek Ranch brand?" The trainer then informed me that the product was from China and were under FDA investigation. She stated she knew personally of seven dogs in the Kingsport, Tennessee area that had died of kidney failure after consuming these treats. I have not given my puppy any treats since 7/28 and his symptoms have resolved; and I have no doubt that these treats caused his illness. Further, I certain he would either be hospitalized or dead by now if I had continued to give him this tainted product. The product Lot # is 62CA4743A, expiration date 060613</p>

Waggin' Train Dog Treats	Dog	Pug	6	Years	Female	20	Pound	After feeding one Waggin' Train chicken dog treat to my pug per day, after just a few days I started to notice extreme changes in her. Diarrhea, vomiting, extreme lethargy, and a suppressed appetite. I immediately started evaluating what might be wrong. She has had a clean bill of health her entire life and has eaten the same brand of wholesome dog food for most of her life. The ONLY thing we started adding to her diet was one dog treat a day from Waggin' Train. We rushed her to the vet ER once we learned about Waggin' Train and that it could be poisonous and was causing extreme harm and even death in other dogs. We also took a sample of the treat with us. They checked her out and thankfully she was well enough to return home to us later that night. She had only consumed a total of about 6 or 7 treats but I fear what may have happened if she continued to eat these treats. We stopped giving these treats to her immediately and she has been much better ever since.
Kingdom Pets Chicken Jerky	Dog	Poodle (unspecified)	4	Years	Male	21	Pound	W were going camping and my wife just purchased the chicken jerry for Costco. We gave him one piece of jerky that day. with in 4 hours he started he wasn't acting himself. The night before we had just given him Frontline flee & Tick control. So we thought he was have a reaction to that. The next day he seem a little down but he ate his meals. The next day we gave him another treat and he still seemed sluggish and slept a lot. That night he didn't run for his dinner so to perk him up a bit I gave him haff a treat. He did finally eat his dinner. The following morning he didn't eat breakfast. He didn't get any treats except a chew and that evening he ate dinner. He still was sluggish and not acting normaml this went on for aout a week. When we arrived home I gave him a bath and he seemed to be acting a little better. I gave him another half a treat and within an hour he vomitted. After that I stopped giving him any treats and just fed him his regular dog food. He has showed signs of improvement but this AM he didn't eat his morning meal.
Milos Chicken Jerkey	Dog	Crossbred Canine/dog	15	Months	Male	8.6	Pound	Purchased Milos Chicken Jerkey at Petsmart the weekend of April 14. During the next three days (b) (6) ingested 3-4 jerkeys. On the third day (b) (6) began non-stop vomiting. First he vomited food that he had eaten but eventually there was nothing left in his stomach and he began vomiting white foamy liquid. He was very lethargic and would not eat anything we placed in front of him. We took him to the (b) (6) in our city of residence. There he was tested and x-rayed (the vet bill was a total of \$382) for intestinal blockage and parvo virus.
Milo's Kitchen home-style dog treats	Dog	Shepherd Dog - Belgian Groenendael	4	Years	Male	75	Pound	diarrhea for one day after eating one piece of beef jerky from Milo's Kitchen
Milos chicken jerky	Dog	Maltese	9	Years	Female	12	Pound	I took (b) (6) in for a ear infection and I told the vet she is drinking alot and urinating every 2 hours he said watch her and let us know in July how she is doing. She never went in the house prior to this. When I saw the report on the chicken jerky dog treats I send for coupons and purchased a couple bags of Milos dog jerky. We would break small pieces off for both dogs (b) (6) larger. (b) (6) is a Maltese 4.5 lbs but didnt care for hers. (b) (6) gobbled it up. I though a piece got stuck in her throat in june so I stopped giving them to her. I even went to boiled rice and chicken I made to try and help her. She is doing much better since she has been off the treats for 6 weeks but she use to be able to hold her urine 8 hours now its max 4. I would here her panting in the night also and would get up to give her water that has stopped finally. She is stable but not like she use to be. I did not save the bags but I know thats the only one I purchased this year. They normally get small kernals of dog food as treats.
Wagon Train Jerky Tenders	Dog	Schnauzer - Miniature	9	Years	Male	25	Pound	Dog got diarrhea, loss of appetite, constipation, vomiting
Waggin' Train Lassos Pork Skin Chews Wrapped with Chicken Jerky	Dog	Poodle - Miniature	7	Years	Male	18	Pound	My miniature poodle along with toy poodle (neutered female, 6 months old) were given one each of Waggin' Train's Lassos Pork Skin Chews Wrapped with Chicken Jerky. They were chewing them on and off that day and the next morning, both were having a severe diarrhea.

Kingdom Pets Chicken Jerky Premium Dog Treats	Dog	Chihuahua	3 Years	Female	12 Pound	In March of this year a friend of mine gave me a bag of Kingdom Pets chicken jerky dog treats. My dog (b) (6) loved them and usually ate one strip a day as a treat. On April 30, after eating a Kingdom Pets chicken jerky dog treat, (b) (6) became very ill. Within 3-4 hours after consuming the treat she began vomiting multiple times with blood in her vomit. That night she was taken to the vet, had x-rays, and because no obstruction was seen she was given an anti-nausea injection of Cerenia. The days following I returned to the vet for another shot of Cerenia due to her discomfort. She had bloody diarrhea, refused to eat even plain cooked chicken, became extremely lethargic to the point where I had to carry her outside to go to the bathroom and she would have to sit in the grass until she relieved herself because she was too weak to stand. I cannot explain the panic I felt during this time and the distress I felt because the vet couldnt find a cause or explanation. I had never had a pet this sick before and I feared that she was so small she would die. (b) (6) would have bloody diarrhea every hour which lasted for days and all over my home while I was at work. I even took days off of work because I was afraid to leave her alone. Again on May 3, I became extremely alarmed due to her declining health, and took her to an emergency vet again for more x-rays and another injection of Cerenia. She had discomfort for multiple days and had to be treated with Cerenia again on May 6, which at that time I was given multiple doses for her for the following week. During this time she was on a strict diet of boiled chicken and rice(which she did not eat) plain sweet potato (which she did not eat) and even chicken baby food(which she did finally start eating small bites of). Bloody diarrhea and lethargy lasted until May 11. Finally on May 14, two weeks after her initial onset of symptoms, she began to be herself again. I could find nothing around the house or outside to explain what had caused the problem. After slowly getting her back on her regular diet I began treating her with the Kingdom Pets Chicken Jerky dog treats again and have been regularly treating her since that time. After watching the NBC Bay Area News report on Chicken Jerky treats for dogs I have stopped treating her with these treats and decided to file a complaint. All the symptoms indicated were the same as (b) (6) I still have the bag of treats, but will no longer be giving her any kind of jerky treats.
Waggin' Train Country Style Drummettes, Waggin' Train Chik'n Biscuits	Dog	Maltese	5 Years	Male	13 Pound	(b) (6) was being given Waggin Train Chik'n Biscuits and Waggin Train Country Style Drummettes. On January 24, 2012 he fell ill(vomitting, lethargic, tremors, and frequent urination) was taken to the vet and given meds to settle stomach. Was taken to the vet 3 more times after that and recieved more meds for stomach, shot for stomach, meds to increase his appetite, 2 B12 shots in 2 weeks. The whole time he was sick he was still getting these treats because I wasn't aware. The first week in March my son came home from work, said that they recieved a fax at work to pull all (b) (6) treats off the shelf because of sick or dieing dogs due to kidney failure and/or liver failure. I stopped giving them right then. On March 20 he was at death's door so sick and frail. He was in renal failure. He wasn't able to take medication of any sort because he wasn't even eating. He lost 6.8 lbs in 3 weeks. I started feeding him baby food from my fingers and Pedialyte in his water. I then started adding baby food with his food. He is recovering with 9 medications some 2x a day. Will be on them for the rest of his life. And has had numerous vet visits, testing and will have for the rest of his life.
Dogswell Happy Hips Chicken Breast	Dog	Dachshund (unspecified)	4 Minutes	Female	12 Pound	(b) (6) became very sick on 7/22/12. She began having diarrhea and vomiting, which quickly progressed from vomiting food, to vomiting foam, to having vomit and diarrhea containing blood. I had to take her to the emergency veterinarian, where she required intravenous fluids for 24 hours. A definite cause of the illness was not discovered and she was treated symptomatically with de-wormer and an antibiotic/anti-diarrheal medication. She is improving and is nearly fully recovered now (7/29/12).
Waggin Train Chicken jerky treats	Dog	Dachshund - Standard Smooth-haired	20 Months	Female	19 Pound	After feeding the treats for some time, one night she became extremely ill. She was vomiting, diarrhea, urinating, very lethargic, drinking alot and just staring into space. In the morning, she was fine and a week later, these symptoms came back. First thing in the a.m. I called the vet and got her an appt. ASAP. She was diagnosed with high liver enzymes and has been on meds. since. Her #'s keep fluctuating and has to have liver panels checked often.
Waggin Train chicken jerky tenders	Dog	Finnish Lapphund	11 Weeks	Female	20 Pound	(b) (6) developed kidney failure after several months of consuming Walmart's Wagon Train jerky treats. She subsequently perished due to the kidney failure. The vet could find no explanation concerning her development of the disease until we discovered other dogs had had similiar experiences after consuming these products made in China. We strongly believe the FDA is NOT doing enough to warn pet owners of this potential.
Waggin Train Chicken Jerky treats	Dog	Dachshund - Standard Smooth-haired	15 Years	Female	18 Pound	After feeding Waggin Train jerky treats for several months, one day out of nowhere. she started vomiting, diarrhea, urinating everywhere..mostly in the house. She started drinking heavily, was lethargic, and was eating very little. After about a week of these symptoms, one night she went into seizures and never did come out of them. Before we could get out of the house to the emergency vet, she passed away in my girlfriend's arms.

Canyon Creek Ranch Chicken Breast Tenders Snack	Dog	Bolognese	10	Weeks	Male	3	Pound	My puppy was given 1/3 of a small chicken snack treat to chew on for no longer than 1 hour, once per day. Within a couple of hours of getting the jerky treat he would stop eating or playing and only want to sleep. He would urinated almost continuously even while walking or playing or while he was sleeping & started vomiting and having problems with low blood sugar and UTIs. These symptoms have continued even though we stopped giving the treats after we realized they were causing him to act sick whenever he ate them. His health has gotten worse & worse since that first treat was eaten.
Milo's Kitchen Chicken Jerky Treats	Dog	Collie - Border	11	Years	Female	40	Pound	Our dog only like one dog treat. Unfortunately, as an owner I have never seen any warnings about the jerky treats. They sell them in large bulk at Costco and Target and most common stores that the typical dog owner shops at. We gave our dog these jerky treats daily as they are marketed to be good for joints, etc. It wasn't until we had to put our dog down due to kidney failure that I began to research what might have caused her health problem. She had been very healthy until recently. I thought I was giving my dog something healthy. How is the average dog owner suppose to know this is not a good product for dogs?
Canyo Creek Ranch Brand Chicken Tenders	Dog	Spaniel - Springer (unspecified)	12	Years	Female	38	Pound	(b) (6) stopped eating for two days last April and was experiencing diarrhea. I took her to my veterinarian. (b) (6) ordered a blood panel, gave her an injection of Diphenoxatate, and prescribed Mometamax. (b) (6) recovered, but we really didn't know what had caused her symptoms. This week I was in the veterinarian's office again to have (b) (6) groomed and read a notice on his bulletin board about jerky treats made in China that were causing dogs to sicken. As it happens, I've been walking every day with (b) (6) for about a week. When we get home, I give her a treat. She's been experiencing diarrhea again, although her appetite hasn't been affected. Today it discovered that the jerky treats I've been giving (b) (6) are made in China - Canyon Creek Ranch Brand from PetSmart. I suspect that they may be causing (b) (6) symptoms. Of course, I will not give her any more of them.
Milo's Kitchen Chicken Jerky	Dog	Pit Bull	7	Years	Male	75	Pound	I have 2 healthy pitbulls. After giving them Milo's Kitchen Chicken Jerky treats they both became ill. Vomiting and diarrhea. I brought them to the vet and discovered there was and FDA warning about the treats I gave them. Their symptoms have improved since I stopped giving them the treats. I am awaiting their bloodwork results testing their kidney and liver.
Waggin Train Jerky Tenders	Dog	Rottweiler	2	Years	Male	58	Pound	I gave (b) (6) dog one chicken jerky (Waggin Train from Costco) on a Thursday, he was fine. I gave him two more on Saturday (he was fine). Sunday he had two more and he started to get really sick. He had yellow liquid projectile diarrhea, vomiting, no energy, no interest in food (he's usually a total pig where food is concerned) and just seemed really sick. I didn't know it was the treats, I thought maybe he'd eaten something bad out in the woods. but he just stayed that way for four days (didn't eat, yellow diarrhea, vomiting, lethargy). I was getting ready to take him to the vet when it just cleared up and he went back to normal. I never gave him any more of the treats...Then I saw something posted at the grocery store about the jerky treats and it sounded exactly like what happened to boo dog. I threw them away and will never ever buy any chicken jerky again. I thought he was going to die. He doesn't seem to have any long term adverse effects, thankfully.
Milo's Kitchen Chicken Jerky Treats	Dog	Mixed (Dog)	11	Years	Male	30	Pound	(b) (6) was given one chicken jerky strip from a new bag of Milo's Kitchen chicken jerky treats one evening. We had bought the bag at Walmart. The next day around 2:00 I returned home from work to find (b) (6) in his kennel filled with diarrhea and vomit. I opened his kennel door and he ran directly outside to vomit and have more diarrhea for the next hour or so. This chicken jerky was the only thing outside of his normal diet that he was given. He is NEVER fed anything but dog food.
NEW MILO'S KITCHEN HOME STYLE DOG TREATS CHICKEN JERKY 100% REAL	Dog	Spaniel - Cocker American	11	Years	Female	36	Pound	AFTER GIVING CHICKEN JERKEY TREATS, MY DOG VOMITTED FOR A DAY, THEN HAS HAD DIAREAH FOR A WEEK. SHE HAS BEEN TESTED FOR KIDNEY FAILURE AND REALTED PROBLEMS. OTHER THAN THESE TREATS, THERE WAS NO CHANGE AT ALL IN DIET OR TREATS

Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	Corgi - Welsh Pembroke	3	Years	Male	23	Pound	Twelve hours after feeding (b) (6) the Milo's Kitchen Chicken Jerky I noticed that he had urinated on the floor. This is not usual at all. He is completely housetrained. He was not his energetic self. Was having more BMs then usual and they were more soft formed. Also had a minor shake. The following day when I got up he had a loose BM on the floor. Again this is not usual. He is not eating his regular dog food. This is about 32 hours after feeding him the treat. I then called my vet's office, I was unable to talk to my vet due to her being out of the office for the day, but who's vet tech informed me that they have had a "couple dogs come to them with this problem" who had eaten the Milo's Kitchen Chicken Jerky. She told me to monitor him and to bring him in immediately if his condition worsens or changes in anyway. Throughout the day he has been very lethargic and the shakes continue. He also continues to have very loose BMs, and the only food he will eat is a rice and hamburger meal the vet's tech told me to feed him.
Waggin Train - Western Grill	Dog	Schnauzer - Miniature	2	Years	Female	10	Pound	My dog was in perfect health and has always had healthy bowel movements, until I purchased these treats for her. I had purchased similar trats with yam sticks wrapped in a dried jerky. I purchased this product form Wal-Mart as the ingredients appears to be natural with natural preservatives. There was also no indication that anything in this package was manufactured in China. If there was any indication, I would not have fed it to my pet.
waggin train	Dog	Dachshund - Miniature	3	Years	Male	10	Pound	About two months ago purchased (b) (6) the Waggin Train Canyon Creek Yams with chicken jerky wrap. He had some diarrhea and a bit mellow, but he loved them and I didn't think anything of it. I would normally give him baby carrots so for a change on 7/24/12 I picked up more of the Yam Jerky Wrap from Pet Co. Normally I give him half of one once day but yesterday I gave him a hole one which they recommend for his size. The next morning He was vomiting all day. I looked online and found numerous complaints about this is brand from China. I discontinued use and discarded the product. Tonight He did eat his normal food after a while Blue Buffalo which is usually gone instantly. I will keep an eye on him. I hope this helps in your investigation. Regards, (b) (6)
Mellow Mutt	Dog	Dachshund (unspecified)			Male	15	Pound	(b) (6) was diagnosed with kidney failure in May 2012. He was lethargic, not eating, had mucous blood in his stool - always diagnosed as "stress". In May he was diagnosed as having kidney failure. He has been eating these treats for at least four years - started by a friend - He is unable to eat most food - but still eats these treats. A friend was told by her vet that the Vita Kitty treats also made of chicken from China were causing renal problems in her kitten. I immediately informed my vet ((b) (6)).
Waggin Train Wholesome Chicken Jerky Tenders 16oz	Dog	Maltese	4	Years	Mixed Population of Female and Male	10	Pound	Purchases Waggin Train 16oz Wholesome Chicken Jerky Tenders (Lot No: G1CA6114A, SKU 807020444162) from local Walmart on 07/23/12. Gave one treat to each of our four pets - approximately 2-3 hours later one of the dogs vomitted then all proceeded to vomit thereafter (each 2 or more times), two dogs had repeated diarrhea. The packaging of the product states that it only contains Chicken Breast & Vegetable Glycerin but there has to be something else causing this issue. All dogs are still sick two days later and will be taken to the vet if not improved by this afternoon. Please look into this product and there is something causing pet illness.
Waggin' Train Jerky Tenders	Dog	Retriever - Golden			Male			My dog began vomiting and had diarrhea after consuming just 1 large jerky. We had to put him on a chicken (boiled) and rice diet for 10 days before he was better. I did not know about the jerky issue at the time. I am sure there are many other dogs that have reacted as ours did that did not go to the vet. Fortunately for our dog we did not continue to give him the jerky and he is now ok to our knowledge. (dates are approximate as it has been a while)
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	9	Years	Male	60	Pound	Both of our dogs were consuming Waggin Train treats - approximately 3 or 4 treats a week. Following a news report about possible contamination, we stopped feeding them to (b) (6). Approximately 1- 1/2 weeks later - (b) (6) he threw his breakfast and later in the evening, he laid down and died.

Big Blast Wrapped with Chicken	Dog	Shepherd Dog - German	5		Male	69		Wagon Train Rollhide dog treat caused him to vomit more than six times in a 2 day time frame. Lethargic, thirsty, lack of appetite, depressed. This product caused my dog to reaction very poorly.
Waggin Train Jerky Tenders	Dog	Shih Tzu	5	Years	Female	14	Pound	After about a week of eating Waggin Train's Chicken Jerky Treats, (b) (6) became violently ill: vomitting, diarrhea, uncontrolalbe bowels and urine. Luckily, my vet pinpointed the problem (Waggin Train) and I stopped giving them to her. He saved her life.
Milo's Kitchen Chicken Grillers	Dog	Shepherd Dog - Australian	4	Years	Female	25	Pound	Feed the dog (b) (6) Milo's Kitchen Chicken Grillers (which is made by Del Monte). Within two weeks and only giving her 1 (one) treat aday she became sick, vomiting , diarrhea and inactive. She was drinking alot of water and then would vomit it right back up. I took her to the vet first thing in the morining. He ask me if she had eaten chicken treats from China, I said no. I had always checked the label and all others from Milo's were made in the USA so my bad for not looking at the chicken treats. I went home and looked and sure enough made in China took them to the vet and he started treating with iv. She was on this for 2 days. Then on a blan diet for a week and half before retuning to normal food. The company took my complaint and then came to the result that the vet had said this was caused by a diet change and yes it was but their treats were the only diet change she had! They offered me \$160.00 and to sign a release have it notarized and to be amicable and complete resolution of my complaint. I feel this is money so I will not take further action. They should refund my vet bill and take their product off the market. It is dangerous! My dog only eats food which I purchase at the vet's office so I am careful with her food. My mistake for not looking at their label. I trusted the brand which is what they wanted me to do. So I played right into their hands.
Waggin' Train Wholesome Chicken jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	24	Pound	lethargy, wax & wane of appetite, frequent urination, urinating in house, drinking more. Fanconi's Syndrom. patient improved with Iv fluids, and general medical care.
Waggin' Train Wholesome Chicken Jerky*Tenders Chicken Dog Treats	Dog	Mixed (Dog)	4	Years	Male	50	Pound	Two separate times over the past two years (March 2011 and March 2012) (b) (6) became ill with lethargy, vomiting, diarrhea, fever, rapid heart beat, excessive thirst, and the last time severe dehydration. The last time occurred March 23, 2012 and required hospitalization for the dehydration. I am not certain if the first time he became ill (March 2011) was due to the jerky tenders or not, but am convinced this second time (March 2012) is was directly due to the treats.
Purina Waggin Tail chicken jerky treats	Dog	Retriever - Labrador	6	Years	Female	113	Pound	Weight loss of 3 months duration. Started as a gradual measured feeding weight loss program, then suddenly became a rapid weight loss and progressively worse appetite and lethargy. Chronic soft stool. Started after giving Purina Waggin Tail chicken jerky treats. Given the following flavors: Country Steaks-Chicken Jerky; Dried Apple with Chicken Jerky; Yams with Chicken Jerky. Owner started giving the treats 5 weeks before consulting veterinarian about the dog's illness. Owner reports that dog appeared depressed and lethargic after getting the treats. Would recover after several days, then cycle would repeat after getting the treats. Given the treats about once a week. When owner discovered the pattern of illness, they stopped the treats, but the dog continued to deteriorate. Veterinarian called 6/19/2012. Given a history of weght loss of approximately 20 lbs, poor appetite, and lethargy and weakness. Blood tests revealed a BUN 128, creatinine 5.4, Phosporous 12.4, K 5.9, ALP 634. All other chemistries within normal limits. Diagnosis: end stage chronic renal failure.
Waggin Train Wholesome Chicken Jerky Bites	Dog	Mixed (Dog)	8	Months	Male	25	Pound	I fed my dog the Waggin Train Chicken Jerky Bites as a treat for 3 days (about 3-5 treats a day). By the 4th day he began to vomit, became extremely lathargic and wouldn't eat. I brought him to the vet and fortunately, the blood tests showed that he is going to be fine. He is getting better, but is not yet back to his old self. I will most likely so back to vet for more blood tests just to makes sure he is alright.
Waggin Tails--Chicken Jerky	Dog	Mixed (Dog)	6	Years	Female	45	Pound	We have been giving (b) (6) waggin tails ChickenJerky as treats Daily for about 3 months. All of a sudden she seemed to be straining to have a bowel movement. Lasted a few days. Then all of this blood started comming from her anus. we rushed her to the emergency vet here, and she had Colitis they said.

Canyon Creek Ranch Cowboy Steaks-chicken	Dog	Mixed (Dog)	4 Months	Female	4 Pound	<p>The week of June 25th, I purchased these treats for my dogs. I gave the 50 pound dog 3 treats and my 4 pound dog 2 treats. By Friday June 29th, my older dog , 6yr old threw up but I attributed it to the heat or whatever and she seemed to get better. My 4month old puppy got extremely sick with severe diarrhea, lethargy. I started her on fluids through Saturday and by Sunday July 1, 2012 I took her to the ER. They tested her and said that she had colistridium bacteria and sent her home with meds. Monday she was doing worse so I took her to her vet who tested her and said it was parvo. She was placed on IV fluids for 5 days and luckily recovered with a \$900 vet bill. She was so bad that I was thinking of euthanizing her after 4 days of IV.</p> <p>On Sunday July 14, 2012 she was very back to normal, eating, playing and very active, so I gave her one single treat (Canyon Creek Ranch COWboy Steaks-chicken). About 6-7 hours later she was having major diarrhea piles everywhere, running into walls, lethargic, not eating and also drinking a ton of water!!!! Prob about a gallon for her 4 pound body. and continued having diarrhea. I started giving her pedialyte and it finally ran its course all through the next morning and got out of her system.</p> <p>After this second time of giving her these treats it is very apparent that this made her very sick. I took a picture (graphic) of her diarrhea on this day.</p>
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador				All of my dogs began having diarrhea and vomiting, persisted over several days.
Waggin' Train chicken jerky tenders	Dog	Papillon - Spaniel - Continental Toy (with erect ears or				I have been trying to figure out what has been causing my dogs abnormal stool. My dog consumes Waggin' Train chicken jerky tenders, sold by Nestle Purina Pet Care. After almost removing and changing other parts of his diet, this was the only one we did not. After removing this, he began to do a little better. I hope he recovers soon.
Diamond, Waggin Train Jerky Tenders	Dog	Retriever (unspecified)	10 Years	Male	70 Pound	My dogs became sick, throwing up, diarrhea, lethargic, no interest in eating, and dehydration. Came on fast and my oldest dog, (b) (6), was affected fast! He passed away soon after we got him to the vet!! Our vet ran the blood work and tests confirmed kidney failure most likely from ingesting something he ate and because symptoms were from all the animals, highly suggesting it was dog food or treats. We bought a brand new bag of Diamond Pet Foods, chicken & rice, a few days prior to dogs getting sick. The treats they also ate within that time was the Waggin' Train Jerky Tenders! Not sure which one is the possible source of getting all my dogs sick and killing one of them but I'm very upset that my best bud is gone and hopefully I don't lose my other dogs!
Milo's Kitchen Home Style Dog Treats. 100% Real Chicken Jerky	Dog	Pointer (unspecified)	5 Years	Female	48 Pound	<p>My brother was in town and bought her Milo's Chicken Jerky Treats and gave (b) (6) one. She has been throwing up and had diarrhea for 5 days. We are taking her to the vet today. I think she is dehydrated and her overall state is terrible. She is lethargic except for when she has to go out. She runs outside and squats because she is so sick.</p> <p>Just got back from the Vet. (b) (6) is on 3 different types of penicillin to try to correct the bacteria in her intestines. The Vet bill was \$146.73 for the first visit.</p>
Wagon Train Chicken Jerky						On Sunday, March 11, 2012 9 year old Yorkie male started throwing up and then became lethargic. Took him to veterenarian later in the day. He was having kidney failure. They kept him on iv and tried to save him for for days. He was euthanized on Thursday, March 15 due to severe pain, bleeding gums, etc due to kidney failure.
Beefeaters chicken wrapped sweet potatoes	Dog	Other Canine/dog	7 Years	Female	10	My pom had been receiving Beefeaters chicken wrapped sweet potatoes for about a year. She was very lethargic, not eating, vomiting and went into renal failure and had to be euthanized on June 29th. 2012.
Waggin' Train Wholesome Big Blast Pork Skin Twists with Chicken Liver Center	Dog	American Pit Bull Terrier	5 Years	Male	80 Pound	We were giving our dog one 'Waggin' Train Wholesome Big Blast Pork Skin Twists with Chicken Liver Center' every evening. During the next day he would vomit in the house on our carpet and sometimes we noticed that he had diahrea and we could not figure out why. The color of the vomit would be about the same color as the chicken center in the pork twists. I came across some information on the internet about Waggin' Train Chicken Jerky treats that were making dogs sick. We stopped giving the Pork Twists to our dog and he has stopped vomiting and has not had diahrea since. We did not change anything else in his diet so we believe the Twists were the reason he was getting sick. The dates I entered below are only estimates as I am not sure when he started getting sick.

Waggin Train Chicken Jerky	Dog	Dachshund (unspecified)	5	Years	Male	22	Pound	started giving him Waggin train jerky treats that I bought at WalMart and he started losing weight....vomiting and not eating anything. I took him to the vet to see what was wrong with him. Its the only thing new I introduced into his diet. She took a blood sample and said his kidneys were failing. She gave him a shot to stop the vomiting and said to feed him hamburger and rice. Later that week I had to take him to the vet ER to be put on IV because he started vomiting again. It got so bad he was shaking and I was feeding him baby food. As he felt better I gave him another treat that he threw up. I wondered if that was what wasnt making him sick. Then 3 days later I see all this in the papers on chicken jerky treats. I went back to the vet and he is still in kidney failure and Im pissed. Why are these things on the shelves??
Milo's Kitchen Home Style dog treats Chicken Jerky	Dog	Terrier - Jack Russell	18	Months	Male	12	Pound	Feeding "Milo's Kitchen Chicken Jerky" in the morning as a morning treat. The dog started to be not as active as usual. Four days ago he started to have uncontrollable loose stool. Today he had uncontrollable loose stool several times and was throwing up the jerky. He also has not been eating as good as he usually does for the last four days and is very inactive. I just put together what was making him sick this morning when he threw up the jerky. Product number is 2 080HV C, best used by 09/12/13.
Waggin Train Wholesome Chicken Jerky Tenders , Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Retriever - Labrador	11	Years	Male	75	Pound	Dog passed away June 8 2012 due to multiple organ failures, including kidneys. Onset was sudden and had no previous health issues. Dog had been fed routinely WAGON TRAIN WHOLESOME CHICKEN JERKEY, and CANYON CREEK RANCH NATURAL CHICKEN TENDERS.
Waggin Train Fiddlestix	Dog	Dachshund - Standard Smooth-haired	5	Years	Female	23	Pound	(b) (6) loves to chew on rawhides. She particularly loves the Waggin Train Fiddlestix rawhides wrapped with chicken. Unfortunately after eating these over an extended period of time she developed a mystery illness. She began eating grass almost on a daily basis. She then became lethargic and depressed. She eventually began displaying symptoms of nasal discharge, vomiting, diarrhea, increased water consumption, and loss of urine. We took her to the vet and they thought maybe she had parasites. They put her on dewormer. After the deworming she still ate grass on a daily basis and then began a downward spiral. When she began running a fever with chills we took her back to the vet. The vet admitted her and began giving her an IV and treating her with doxycycline. They ran all kinds of tests and they all came back negative. They were stumped as to what caused the illness. They said they might never know but that as long as she improved with the doxycycline we should continue to monitor her and to hope for the best. We took her home and continued the antibiotics. She finished those yesterday, July 18th. She seems to be improving so we thought it was just a fever of unknown origin....until I saw an article that said Waggin Train treats have been making dogs sick. I called my husband and asked him if the treats (b) (6) was eating were manufactured by Waggin Train out of China and he said, "yes." I was shocked and dismayed to learn that this brand is still being sold in this country after making so many dogs sick and that even worse some dogs have died. Fortunately I saw the article and we've stopped the treats. I feel lucky that she is alive, but nervous that she could get sick again and not too happy about the \$1300 vet bill that I incurred because the FDA and this company failed to adequately warn the public about the dangers of these tainted treats manufactured in China.
Milos treats chicken..Waggon trail mix of chicken jerky	Dog	Dachshund - Standard Smooth-	7	Years	Male	32	Pound	(b) (6) started drinking a lot of water about a month ago and urinating a lot..Condition worsened and took to vet as he was throwing up and losing weight (from 32 lbs down to 26 lbs) He spent 11July -14 July 2012 at the vet and died on 14 July 2012 around 0600 in the morning..Had complete organ failure..
Waggin Train Jerky Treats	Dog	Chihuahua	4	Years	Male	13	Pound	I'm sorry maybe I am posting a question to the wrong place. We do feed our animal the snack, however, knowing the problems now we will stop. I saw on MSN that you had conducted a lot of testing on the product and could not find why the animals were getting ill. I am no expert and not even in the medical field. However, I had just read about BPA's being banned in baby bottles and I was wondering if there are BPA's in the plastic packaging that the dog treats come in. I know in my area that the excessive heat could definitely cause problems if the treats were to stay in the packaging in the heat. I do not know the travelling route that the items take going from where they are made to all the destination they are sold, but I was curious if this was a possibility and if this was something that was already tested. I only considered this, as the snack itself was being tested, but if the treat is tested before its put in the packaging or if the treats tested have not been exposed to the heat in the packaging, then maybe the tests would not show this problem. The only other thing I could think of would be the little freshness packets. I don't know if they put them in the treat packaging or not, but sometimes those could contain chemicals. Again, I apologize if this was the wrong place to ask this question or offer this help. Thank you for your time. Warmly, (b) (6)

Waggin' Train Jerky Tenders Freshies Supreme Green dental bones	Dog	American Pit Bull Terrier	10	Years	Female	75	Pound	My dog was given treats of various kind that were manufactured by WAGGIN' TRAIN. She had started to lose weight and was no longer able to hold down food or water, she became listless and no longer wanted to go for walks. The vet did the necessary blood work and like he had expected her Kidney's were failing and gave her 3-5 days to live. So I put her down. I own two other dogs, one her mother and the other her sibling, both of which have never received these treats as that is the only difference in diet and they are both in perfect health.
Wagon Train Chicken Jerky Treats								We had a wonderful healthy male dog that moved with us last May from California to Michigan. We had him checked for his health and well being to make a move from our veterinarian in California. He checked out healthy and had all shots up to date. We arrived in Michigan and in just a couple days he became very ill. Vomiting, diahhera, coughing and made loud sounds of pain. We had been giving him Wagon Train chicken jerky treats that he had been eating for a length of time. I rushed him to the emergency veterinarian facility and when we arrived, it was too late to save him. He had went downhill that fast. No one could imagine or believe knowing (b) (6) that he died that fast. To this day, I still cannot get over my losing him. I cry thinking about it. He had not a chance and it wasn't fair that he was taken from us. I know by reading all the fatalities of other dogs who have died from eating the chicken jerky treats, that is what took my (b) (6).
Waggin Trail Jerky tenders	Dog	Chihuahua	6	Years	Male	7.5	Pound	i am not sure how soon after he started to present symptoms but i noticed it within a day with his stool. it was soft and with mucus. it progresed to vomit and he became lethargic. i became alarmed when his stool presented blood. 6/28 stool watery mucos and blood. vomit took to vet. 6/29 doctor changed to soft food diet only and meds. all is normal. 6/30 meds normal one poop. 7/1 meds poop 1 normal 2 big and normal 3 mucus with a bit of blood. 7/2 food meds poop ok 7/3 meds and poop ok . last day of treatment. 7/4 all ok normal 7/5 all ok gave treat 7/6 all ok gave treat 7/7 pooped yellow mucus with grass and later mucus with blood no treat 7/8 no treat all ok 7/9 no treat all ok 7/10-13 no treats traces of blood in stool hard stool 7/14 no more blood in stool food undigested being thrown up 7/15 all ok 7/16 all ok 7/17 threw up food undigested 7/18-19 al is well.
Canyon Creek Ranch Jerky treats, Milos Chicken Jerky	Dog	Retriever - Golden	12	Years	Male	87	Pound	wouldn't eat. threw up a couple times. had diarrhea. very tired. panting excessively
waggin trail chicken jerky treats	Dog	Terrier - Yorkshire	7	Years	Male	18	Pound	At approximately 4 years of age our dog was given the waggin trail jerky treats daily for approximately 3 years, perhaps longer however it was at least three years. The dog began having bloody stool and was immediately taken to the vet. An X-ray of his liver revealed his liver was twice the normal size it was supposed to be. His diet was changed to a special medicated diet and his treats were terminated. He has not shown the symptoms since the treats were stopped. His records are maintained at the vet in (b) (6) and would welcome any investigative agency to view the records. I am hoping we caught this in time.
milos jerky, waggin tails jerky	Dog	Chihuahua	##	Years	Mixed Population of Female and Male	14	Pound	all 5 of my dogs had vomiting and bloody stools excessive thirst and fevers loss of appetite apathy my dogs are 13 yr old chihuahua 14 lbs, 8 yr old snauzcher 22 lbs, 7 yr old german shepard 144 lbs, 3 yr old mixed breed 49 lbs, and a 2 yr old boston terrier 16 lbs i bought 2 packs per week of various sizes mainly large ones products were waggin tails jerky, milos jerky and one other brand of jerky plus organic dog biscuits now all they get is the dog biscuits and carrots or green beans they had problems with dry purina dog food so now they eat only pedigree dry foods plus petigree canned foods as a weekly treat

Waggin Train Jerky Tenders	Dog	Dachshund - Standard Wire-haired	5	Years	Female	22	Pound	(b) (6) stated acting like she could not get settled at bedtime she pottied on the floor and prowled all night took her to vet that morning and they told me she had eaten something toxic maybe antifreeze. We have no antifreeze anywhere aound our house. Blood work showed her kidneys and liver were shutting down. They started IV's to flush them out and about 5hrs later she was gone. (b) (6) was my baby and this has upset me so bad not knowing what killed her now to think it might have been the treats she loved every morning kills my soul.
Dingo Chicken Wraps	Dog	Terrier - Yorkshire	7	Years	Male	12	Pound	(b) (6) started vomiting and became very listless. I took him to his vet. They started him on IVs. Said he was having a pancreatic attack. He stayed in hospital 3 days and I would visit. 1st day he did look better, second day not. On the third day they called me to come say goodbye. His kidneys were failing and he died within the hour. He had the chicken treat products. The vet said he had gotten too much protein in his diet and that is what caused the pancreatic attack. But he was on his regular diet except for the treats.
Waggin Train Chicken Jerky Tenders	Dog	Collie - Rough-haired	10	Years	Male	109	Pound	In early spring 2011, (b) (6) developed a sore on his lip and gum region. It progressed and we took him to a vet on reference in March 2011. After a biopsy, it was diagnosed as oral cancer. It progressed and we went to our long-time vet in (b) (6). She examined him, did biopsies and when the results came back, the cancer was into the jaw bone and the aggressive surgery recommended would have left him with half a jaw and very debiitated. In May of 2011, we had to put him to sleep. I struggled with what could have been the cause of this; he and our other dog were healthy, happy and well-cared for. When I heard about the complaints of dogs being sick and some dying from the chicken treats by Waggin Train chicken jerky treats, I was totally convinced that was the cause of (b) (6) cancer. That was his favorite treat - usually 2 in the morning and 2 in the evening. Would hope the FDA looks long and hard at the greed that promotes profit over any consideration for safety when it comes to these products. My prayer would be no dog suffer like our (b) (6), and those responsible for such lax practices lose trade privileges....CHINA!
Waggin Train Jerky Tenders	Dog	Griffon - Brussels	3		Female	25	Pound	Waggin Train chicken jerky was her primary treat. Started to see blood in her urine. Took her to (b) (6) for urinalysis and ultra sound. She had numerous kidney stones. Too many to dissolve. She had to have surgery to remove them all. I attribute this kidney problem to the chicken jerky.
WAGGIN TRAIN	Dog	Collie - Border		Months	Female			I had been giving (b) (6) treats from China on a daily basis as she loved them, i.e., the waggin tail stuff, and she went from well to organ failure(vet said kidney failure) and she never recovered though I had her treated, and she died within 90 days. She was not a young pup but she was healthy and went down fast. I knew something had happened, but did not know what. I recommend no treats at all unless one can know exactly what is in them, and I never will buy anything that comes from China EVER AGAIN!!
Waggin Trains	Dog	Shih Tzu	11	Years	Male	17	Pound	I had given my dog Waggin Train duck jerky in this past with no problems. I gave him chicken jerky and within minutes he starting throwing it up then for several hours continued with dry heaves. So I'm thinking...I'll give him Waggin Train duck jerky, no problems with it but ...same thing happened with the duck jerky. To this day, he will no longer eat any thing poultry and it's been 6 months since his upset stomach issues. He's a hearty eater and not picky. I thought he may have developed some type of allergy or problem digesting poultry until I saw reports about Waggin Trains about 4 months ago. I do believe (b) (6) issues are related to Waggin Trails. I now only feed him Blue Buffalo products and hope they are safe.
Wagginç Train chicken jerky tenders	Dog	Mixed (Dog)	3	Years	Male	35	Pound	After eating the dried chicken jerky made by wagon trail-purchased from walmart or hanoford, he became extreamly listless, diareaha and did not want to eat; lower abdomen tender. this lasted approx. 1.5wks to 2.5wks. He had only a couple of pieces and had had this item before without any problem. I immed. stopped any further treats, started treating for the diaherria.
Waggin' Train Chik'n Biscuits	Dog	Boxer (German			Female			Pet Vomiting, lethargic. Blood work shows azotemia-kidney failure.
Waggin' Train Jerky Tenders	Dog	Greyhound - Italian	13	Years	Male	21	Pound	I believe this product contributed to the decline of health (and death) of my Italian Greyhound. He was healthy prior to eating these treats. After he ate these treats for a number of years, he developed cancerous cysts and cancer throughout his body to include: prostate, liver, and bladder. He eventually was euthanized because the cancerous tumors in his bladder and prostate blocked his urethra, prohibiting his ability to urinate. I still have an unopened pack of the treats that I quit giving him when I found out about the issues with the jerky.

Waggin' Train Jerky Tenders	Dog	American Pit Bull Terrier	6	Years	Male	70	Pound	(b) (6) had received chicken jerky treats as a treat periodically up until his unexpected death. Over the period of one day he started acting sick. I took him to the vet and he had to be euthanized because he was in acute kidney failure. Up until this time he had been extremely healthy. His tissue was sent away to rule out antifreeze poisoning since this happened in the winter. The test results came back negative for antifreeze. This occurred in early 2010.
Waggin' Train Jerky Tenders	Dog	Terrier - Rat	8	Years	Male	10	Pound	After giving (b) (6) about 3 bags of Chicken and Duck jerky teats (16 oz size) he began shedding hair a lot and his poop was runny and frequent and he vomited a few times. His energy level was down.
Waggin' Train Chicken Jerky Tenders	Dog	Dachshund (unspecified)	13	Years	Female	20	Pound	Drinking alot of water, bloated at times, decrease in activity, vomitting, diarrhea off and on. Was put on antibiotics for 30 days became weaker, loss hair to her skin over her complete back area. Went to second vet decided to euthanize.
Waggin Trails	Dog	Terrier - Yorkshire	8	Years	Male	6	Pound	(b) (6) was a rescue. He was found with almost no teeth and what he had were abscessed, his hair was thin, and he was definitely malnutrition. I got him in February 2008 and brought him back to health. All teeth were removed, he was neutered, and hair growing back in. His hair was shiny and eyes were bright. Very energetic dog with lots of life. Shortly before getting married he started to loose appetite. I gave him a bland chicken and rice diet, but maintained allowing him to have Waggin Jerky since they were soft and he would eat that. I woke up on November 2, 2009 to him having bloody stools and vomited all over the house. I took him to vet and later found out that he had kidney failure. I opted to have him euthanized. Prior to that he had just had a check up 3 months prior to giving him those treats and was in good health. I wish I knew these treats could have possibly been the cause... I now cook for my dogs.
Waggin Train Jerky Tenders	Dog	Terrier - Yorkshire	11	Years	Male	7	Pound	He got sick on Sunday night Dec. 18th, 2011. Took him to the doctor on the 19th. Had a very high fever, doctor gave him a shot of antibiotics, he passed away at 4am on December 20th.
Waggin Train Jerky Tenders								I am convinced that the Chicken jerky strips from China caused the illness and subsequent death of my 11 year old pit mix, (b) (6). She experienced bloody diarrhea, vomiting and in then end kidney/heart failure. She died June 18, 2010. Of course I no longer buy them for my other dogs...but she was my baby and she suffered terribly. I know the report says they can't find anything significant...but please keep on looking....maybe too many causes something or the way they're processed...
Chuck Wagon Chicken Jerky Treats	Dog	Retriever - Golden	14	Years	Female	85	Pound	She began having blood in her urine, increased urgency to urinate, loose bowel movements with a mucas consistancy and very weak. Vet would give antibiotics - problem would clear up for a couple of weeks and then come back. Did tests on urine samples - came back with numerous types of bacteria. After this occurring several times over a 6-8 month period vet sent her to the University of Illinois for further testing. They placed her on antibiotics for 8 weeks thinking she was just not on them for a long enough period of time. This also did not work, as soon as she was off of them for about three weeks smyptons came back. Began reading articles about the chicken jerky treats causing deaths and illness in other dogs. (b) (6) had been given the Chuck Wagon brand chicken jerky treats for about 9 months. We stopped the treats in February and the difference in her was amazing. She began being more alert and active after the first two days. She had mild smyptons at the end of March and was given antibiotics for 10 days. She has not had any more problems since.
Waggin Train Jerky Tenders	Dog	Coonhound - Black and Tan	10	Years	Female	85	Pound	Our dog seemed fine although she had been slowing down as she was getting older. We had purchased and given her the Waggin Trail Jerky Treats often and then stopped because she didn't seem to enjoy them like she had in the past. Approximately the beginning of May of 2012 we purchased a bag of the jerky treats from Sam's Club in Onalaska WI and started giving her the treats again. A could days before we left on vacation (May 16th) she didn't seem like herself. After we left our son called us and was very concerned about her. We told him to make an appointment and take her to the Vet. He took her I believe it was on Friday May 18th - she was diagkidney failure, problems with her liver and thyroid and they claimed she had a mass in her abdomen. She completely stopped eating on Thursday May 24th and we had to have her put to sleep on May 29, 2012. I believe the treats could have had everything to do with her sudden illness and early death.
Waggin Train	Dog	Boxer (German Boxer)	3	Years	Female	50	Pound	My dog suffered greatly after eating these treats I purchased at TJ Maxx. My dog experienced severe diarrhea, lose bowel, vomitting, no appetite or desire for water, lethargic (until and (b) (6) I know). It was terrible and she was this way for a week or two.
milos kitchen home style dog treats chicken jerky	Dog	Retriever - Labrador	6	Years	Male	90	Pound	Dog has been throwing up his food for 4 or 5 days

Waggin Trail Jerky Treats (Chicken)	Dog	Schnauzer - Miniature	5	Years	Female	19	Pound	My dog would receive one chicken jerky treat for a day or two and there would be several days before she would have the treat again. There were no side effects. My husband began giving her one treat a day over a week and a half and we noticed that her appetite dropped and she was having diarrhea. We realized the only thing that had changed in her diet was the increase of the Waggin Trail Chicken jerky treats. After we stopped giving her the treats, the diarrhea stopped and her appetite returned.
Milo's Kitchen Chicken Jerky	Dog	Akita	1	Years	Male	80	Pound	I purchased Milo's Kitchen chicken jerky dog treats for my Akita at Target, and after only giving him two treats I noticed that after each time he would throw up, act listless and would not eat. After the second time I looked online at the symptoms and found the details of the Chinese factories making this type of dog treat. I immediately stopped feeding him the treats and after a week he was acting normal again. I did not return the treats to the store, I threw them away.
WAGGIN TRAIN CHICKEN DOG TREATS	Dog	Pug	3	Years	Female	17	Pound	AFTER FEEDING DOG "WAGGIN TRAIN" CHICKEN TENDERS AFTER HER WEEKLY BATH (THE ONLY TIME SHE GETS THAT TREAT) SHE BECAME VERY LETHARGIC AFTER A SHORT TIME. EPOSODE LASTED THAT DAY INTO THE NEXT DAY. SHE SLOWLY GOT BACK TO HER USUAL ENERGETIC SELF ON THE SECOND DAY. THE SITUATION HAPPENED TWICE.
Waggin' Train chicken jerky tenders	Dog	Other Canine/dog	10	Years	Female	14	Pound	I have given my dog small amounts of Waggin' Train chicken jerky tenders, sold by Nestle Purina Pet Care on several occasions over the past year and on each occasion the next day she developed severe diarrhea and became very lethargic for a couple days thereafter. I have since stopped giving these treats to my dog and have discard all the packages.
Waggin Train Jerky Tenders	Dog	Terrier - Irish Soft-coated Wheaten	3	Years	Male	60	Pound	(b) (6) started becoming lethargic and drinking more and then he had diarrhea and began to vomit. He was in extreme abdominal pain and could not lay or sit. This all happened in a matter of days. When we got him in the vet the following morning, he lived through the night but died the next day, Sept of 2011. He had all the signs of bening poisoned. Our vet said he bled to death. My husband and I were always with him. He could not of gotten into anything. I bought the Waggin Train Chicke Jerky Treats at Sam's Club and he really liked them. When I opened the bag he was eating at the time of death I noticed a more potent odor coming from the bag. Those treats don't smell good to start with so I didn't give it much thought. It wasn't until I heard the FDA report in November 2011 that I put 2 and 2 together. We had just gotten a rescue dog and he was eating these treats also. We noticed some diarrhea starting and that day my husband say the article and we stopped feeding the new dog these treats. We now even suspect that our black lab (b) (6) who died in Feb 2010 might have been sickened by these treats. He was allergic to beef, so I he loved the chicken jerky. He has the same symptoms as (b) (6) when he died. Vomiting, Diarrhea and almost stroke like symptoms in about 3 days. (b) (6) was 10 years old and 150 lbs. We just thought it was his time even though he appeared to be very healthy for his age. My husband and I love out pets and treat them like family. (b) (6) death so soon after losing (b) (6) was devastating to both of us. If it was something we fed them that killed our babies, I want to be able to prevent others from going through this pain. It is too much of a coincidence that this happened to both our dogs like this and after reading the reports of others- ours is too similar to the others. Something in the treats has to be causing this.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Shepherd Dog - German	9	Years	Male	88	Pound	Used as treats for dog. After several days dog became listless and stopped eating. We took him to the vet and his temperature was 105 degrees. Vet put him on antibiotics and steroids. He seemed slightly better the next evening but by the following morning he couldn't hardly walk. We left him for a couple of hours planning to take him back to vet that afternoon. When we returned the dog had died.
Waggin' Trails Jerky Treats/Chicken	Dog	Shepherd Dog -	3	Years	Male	110	Pound	A few days after giving (b) (6) one treat daily he started to have severe diahrea and vomiting.
DINGO ORIGINAL RAWHIDE BONE MINIS - 7PK	Dog	Bichon Frise	1	Years	Female	12	Pound	Our dog (b) (6) has been throwing up for two days (started 7/18/12). She is lethagic and will not eat. I purchased a pack of 7 Dingo brand bones at our local Fred Meyer store on 7/15/12. (b) (6) eats a Dingo bone every night (not 7/18/12 as she was too sick). She went to the vet on 7/10/12 and was given a clean bill of health.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Poodle - Miniature			Female			My dogs were fed these treats for the past 2-3 years (b) (6) my oldest dog out of the blue develped a severe kidney infection when she had been in previous excellent health. Every attempt and every medication given to her by my long time vet failed. Even hospitalization and kidney hydration. It resulted in her death 12 days later, March 29th 2012

Waggin Train Chicken Jerky Strips	Dog	Spaniel - Cocker American	12	Years	Male	44	Pound	I had been giving (b) (6) Waggin Train Chicken treats for years. In February of 2012 he suddenly became ill. He had sudden onset diabetes. I do not know if the treats are what caused this but I have read that there are many reports of kidney failure. Maybe that led to his diabetes and ultimate death. I think further investigations should be conducted. I think that vets should have to report what animals die from so that this sort of thing can be tracked. RIP (b) (6)
Waggon Train Chicken Jerky Treats	Dog	Dachshund - Miniature	8	Years	Female	20	Pound	I noticed that my dog began drinking unusual amounts of water. I thought perhaps she was showing signs of diabetes. I began to closely observe her and discovered over a period of three days that whenever she was given Waggon Train chicken jerky treats, she would drink an entire bowl of water at various times during the day. I stopped giving her the jerky treats and within one day she began consuming a normal amount of water. I have another dog, her brother, and he didn't display any signs of excessive thirst. They were both given treats in the same amount and same time. I sent a note to the company to state my observation and returned the bag to Costco, the place of purchase. This occurred early November, 2011.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Pointing Dog Italian	3	Years	Male	85	Pound	Each time I gave him a chicken Jerky treat, which I purchased at Sam's Wholesale, he would vomit and/or have diarrhea.
Waggin Train Jerky Treats	Dog	Beagle	13	Years	Female	32	Pound	Lethargy, vomiting after eating Waggin Train jerky treats 2 x, stopped after discontinuation of feeding
Waggin Train chicken jerky treats	Dog	Chihuahua	5	Years	Female	6	Pound	(b) (6) had become very lethargic, would not play or eat and did not want her favorite treat. We took her to the vet for them to run test on her to be told she was in kidney failure and would probably not survive. We were asked if she had been given grapes the answer was no.
Waggin' Trail Jerky Strips	Dog	Pointing Dog German Short-haired	8	Years	Male	180	Pound	October of 2011 our Dog, (b) (6) had a seizure, it was approx 10:15 pm. He had never had a seizure before. We thought he was choking on something. We rushed him to the animal hospital. They took tests. The outcome showed his liver enzymes are too high. He had 2 more seizures within 3 to 4 hrs apart. It was devastating to see our pet go thru this. We bought a "Household veterinary book" and spent hours looking for a possible cause to why his enzymes are too high. We can seem to control his seizures mostly with P. Bromide.
Waggin Train Chicken Jerky Tenders.	Dog	Spitz - German Pomeranian	9	Years	Male	11	Pound	On November, 2011, I had purchased Waggin Train Chicken Jerky Tenders at Walmart. Had given the treat to my Pomeranian, on November 6, 2011. After that day the dog started to have diarrhea, nausea, shaky, dizziness will not eat or drink anything. On November 7, 2011, I had took the the dog to the Veterinary Hospital. The Vet have ordered and done X-Rays and Blood test on the dog. The results came back showing both kidneys had shut down and the blood test shown there he was poisoned .
Waggin' Train jerky tenders	Dog	Mixed (Dog)	12	Years	Female	113	Pound	Two days after giving my dog Waggin' Train jerky treats, she became violently ill. She had severe diahrea and was vomiting profusely. She was very weak and lethargic. She always had a good appetite but now started leaving her food and would eat very little.
Waggin Train Chicken Treats Waggin Train Chicken Biscuits								Our Jack Russell terrier has been given the Wagon Train Chicken treats for about two years. Over the past six months the dog has had a very bad cough along with trying to "hack" up nothing. He also is very much lithargic and doesnt want to do anything. These treats have always been purchased at WalMart or Sam's Club.
Wagon treats chicken jerky treats								bought wagon train chicken jerky for my great dane. He had been eating them for about a year. suddenly one day he couldn't get up. A vet came to my home, did tests, lab work, x-rays and a checkup of my dog. The next day she called me saying that his blood level was off the charts, and that his kidneys had failed. He was 7 years old, very healthy, and no physical problems. We had read on the package that these jerkey treats were made in china. My wife and I discussed if we should continue feeding our dog these treats. We continued feeding my dog these treats up until he got very very sick. After we put him down, I did some research on the internet about dogs who have suddenly died from kidney failure. I was shocked to find out that many dogs had died feeding their dogs wagon train chicken jerky made in china. I went to Sams Club and told them of the many problems with wagon train chicken jerky treats. I was given a courtous thank you and they are still selling these treats. In my heart, I believe that these treats were the main reason my Great Dane died. These treats need to be removed from the stores until the FDA has found the problem to these treats. They're a ticking time bomb waiting to happen to pet owners who know nothing about this problem until it's too late and their dog(s) die from these treats.

Waggin Train Chicken Jerky Treats	Dog	Terrier - Jack Russell	8	Years	Mixed Population of Female and Male	20	Pound	I was "dog-sitting" 2 frequent-staying dogs, and gave them Waggin Train chicken jerky treats. Each of the dogs had varying degrees of diarrhea and vomiting, for about 24-36 hours. No other symptoms were noted. My own dog, the Jack Russell Terrier, had the jerky treats on 2 occasions. She had similar symptoms, plus lethargy for 2-3 days. I immediately discarded the treats upon hearing the information, but thought it important to record this info and pass it along.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	9	Years	Female	55	Pound	I gave my dog a Waggin Train Chicken Jerky Treat and she threw up. She threw up a lot! She was subdued and quiet after. I didn't know about the warning at that time or I would have taken her to the vet. I did some research, found out about all the other dogs getting sickened and went back to WalMart in Lihue, Kauai where I bought these treats. They are still being sold there. I spoke with the manager of the store and let him know that dogs are getting sick from the Waggin Train Chicken Jerky Treats and they should not be sold anymore. He said he would look into it. I just don't want any other dogs to get sick or to die.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	13	Years	Male	160	Pound	About 2 years ago I have switched from all other treats to what I thought would be more healthy for both of my dogs, the chicken tenders, which were bought at Costco & Sam's Club (I still have receipts of said purchases.) (b) (6) started having kidney problems and was being tested every half a year but could never find anything more conclusive and the vet costs and the hospital admission/analysis were cost prohibitive. (b) (6) started losing weight and started having seizures so bad that he had to be put down. Vet said it would take about 2 weeks for anti-seizure meds to work and that he would not make it that long. (b) (6) was put down on March 10, 2011. (b) (6), who's was 10 years old, and (b) (6) brother, started losing weight and developed severe nosebleeds. He's lost so much blood, that the ER vet said he would need a transfusion before the testing, during testing and after. Had to be put down.
Waggin Train Chicken Jerky Tenders	Dog	Great Dane	4	Years	Female	150	Pound	3 evenings in a row, and after our nightly walk, we gave (b) (6), 2 apiece, Wagon Train Chicken tenders treat for a good walk. On the 3rd night, (b) (6) began throwing up and had a massive potty accident in the house. (in 4yrs, she's never done that) At that point she became disoriented, drooling uncontrollably, unable to walk without help, no food or water intake for 8 days. We had to force feed water, rice and her meds. She has lost 20 pounds. Blood in her urine and she also lost her voice. 3 emergency trips to the vet, 4 medications, continue to force feed, and just wait and hope for the best. Vet said she was most likely poisoned by something she ate. Our yard is enclosed and (b) (6) only leaves the yard with us, on a leash. She went downhill fast after eating the Wagon Train Chicken treats. Vet says, if she had been smaller, she would of already been dead! Can't these products be pulled from shelves until testing is complete? This issue is certainly not over, far from it. My first concern is, keeping my dog alive, and hopefully with no long term damage to her body or her brain. My second concern, what's going to be done about this? I am fighting mad and hurt for all those pet owners who have already lost their pets or, like myself, struggling to keep mine alive.
Waggin Train -- Chicken Jerkey	Dog	Chihuahua	7	Years	Male	10	Pound	Diarrhea and bloody stools, lethargic after eating chicken jerky treats. Stools came out runny and yellow. I purchased these packages from Costco because they offered discounted volume. I've noticed that Dogs had a pattern of getting runny stools after every treat so I stopped giving it to them
Wagon Train Chicken Jerky and Chicken Biscuits	Dog	Lhasa Apso	7	Years	Male	22	Pound	After eating Wagon Train dog treats (Chicken and Biscuits and the Jerky Tenders), my dog became violently ill - vomiting, diarrhea, severe dehydration. The vet had to keep him for several hours, put him on an IV, prescribed En Formula dog food, Metronidazole and Cerenia Tabs. Bill was almost \$500. According to my vet, had I waited to get him there, I would have lost him. Vet asked me at the time if I had changed any of his food or treats. Wagon Train is the only treats I had switched to. I have since taken him off of all Wagon Train dog treats and although he still has occasional bloody urine, he is much better.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	4	Years	Male	24	Pound	Gave him Waggin Train treats approx 1 to 2 times a day--after about 2 weeks, he started having diarrhea during the day.
health promise Waggin Train dog treats	Dog	Retriever - Labrador	5	Years	Female	7	Pound	dogs became sick after eating treats about 1hour. They had upset stomachs throwing up, dierrah, and exemly doppie tried and withdrawn. Dogs could not keep water down.

Dingo jerky chewz - chicken chips	Dog	Terrier - West	10	Years	Male	22	Pound	violent diarrhea after eating Dingo chicken jerky
Waggin Train Chicken Jerky	Dog	Terrier - Jack Russell	9	Years	Male	15	Pound	Gave dog Chicken Jerkey from China. Developed kidney failure. Developed brain damage. Developed internal bleeding. Died.
Waggin' Train chicken jerky tenders sold by Nestle Purina Pet	Dog	American Pit Bull Terrier	1		Male	76	Pound	We bought the treats from the local Store. He ate them. The next morning he wouldnt move fast to go outside to void. He didnt play. It continued and then he wouldnt eat, began vomitting and couldnt keep his eyes open. We took him to banfiled (petsmart vet) he was given test and treated. he vomitted several times while in the doctors office and was given antibiotics fluids and meds
waggin train	Dog	Basset - Griffon Vendeen Large	1		Male	40		My Hound Dog (b) (6) become very weak and foaming at mouth... he began to vomit and no longer was eating or drinking after days he seemed lifeless. We took him to the vet and he asked if he gotten into something toxic we found nothing around that he could have gotten into. (b) (6) had to stay for a week on ivs and antibiotics (b) (6) got better and then our second dog reacted in the same exact manner. (b) (6) too went to the vet and had the same treatment.... both dogs did get better however they both are not as active as before. Today i read that the treats i feed my doggies were contaminated toxins.... that was my answer. I have the bag which i had two but threw one away weeks ago. this bag ups # 0702077750
Waggin' train Jerky tenders	Dog	Mixed (Dog)	15	Years	Female	45	Pound	Two days after giving the dog "Waggin" jerky treats, she became violently ill. She had severe black diahrea and was constantly vomiting. She was so weak that could not get up on her feet. She was examined and ex-rayed by the vet and found to have one enlarged kidney. The vet prescribed antibiotics and special canned health food. She would not (or could not) eat the vet supplied food. In fact, she ate absolutely nothing for seven days. All she would do was drink water.
Milo's Kitchen Chicken Jerky Strips Dog Treats	Dog	Mixed (Dog)	17	Years	Female	14	Pound	My wife purchased Milo's Chicken Jerky Treats as she felt it was a more natural, healthy treat given our Dog's age (17). Our Dog was VERY healthy for 17 years old. She had just had a full Blood Screening prior to our going on vacation a week back in April. When we returned our Daughter told us our Dog had been vomiting all week. She had lost 20% of her body weight (3 pounds) in one week. Her diet was the same except she had been eating the Jerky Treats for about a month. Her breath was very bad so we took her to the Vet. As she had Dental issues qwe thought it was that. The Vet pulled 4 "questionable" teeth and did another Blood Screening. Her Kidneys had totally shut down. 3 months prior there were no issues. I googled the issue and saw the FDA warning. The Vet and I decided to give her Kidney Medication (Pills and Powder in her food), Change her Diet to Special KD Food and, of course, stop the Jerky Treats. Within 3 weeks her health, weight and energy improved. The Vet did another Blood Screening and was shocked that, although slightly higher than normal, her Kidneys had recovered 90%. (b) (6) is now a very healthy and happy dog again. I contacted Milo's and sent them the treats, medical reports, Blood Test Results and a report from my Vet stating (b) (6) was in perfect health prior to this incident. Milo's sent me a letter stating they could find no comtaminante in the treats and blamed the Kidney Failure on the Dental Issue and Age. My Vet disagreed stating if that were the issue she would not have fully recovered Kidney function so quickly after the treats were removed from her diet. Also she showed no signs of Kidney issues, or any other issues, in the Blood Screening taken weeks before the treats were introduced into her diet. Milo's offered me reimbursement for the first Vet visit and Blood Screening (\$130.00) if I signed a waiver. They also, at my insistance, reimbursed me \$5.99 for the treats I mailed them.
Waggin train jerky tenders	Dog	Shepherd Dog -	5		Male			(b) (6) would not take treat... other dogs became sick and vomited. stopped giving treat dogs recovered.
Wagon Trail Chicken Jerky Treats	Dog	Poodle (unspecified)	8	Years	Female	30	Pound	Dog has had elevated live enzymes since eating Wagon Trail Chicken Jerky.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	1	Years	Male	27	Pound	Dog began vomiting, having diarrhea, lethargy, not eating or drinking after 2 weeks of giving him chicken jerky treats made by Waggin Train.
Waggin Train Chicken Jerky Treats	Dog	Retriever - Labrador	8	Years	Female	95	Pound	I fed her the Waggin Train chicken jerky treats. Which caused her to get Fanconi Anemia. She was unable to produce red blood cells. Her bone marrow failed. After several blood transfusions she died of kidney failure.
Kingdom Pets All Natural Ingredients CHICKEN JERKY	Dog	Sheepdog - Shetland	10	Years	Male	37	Pound	Nine year old sheltie was given Kingdom Pets All Natural Chciken Jerky treats, purchased at Costco in Wllmington, NC. Within a few days, he developed diahrrea on July 5, 2012. Was seen by vet on July 6, returned July 7 for two night stay with IV fluids and antibiotics and released on Monday, July 9. He died that night at home. Eleven year old sheltie developed diahrrea July 12 and was hospitalized for two days with IV fluids and Antibiotics. Currently stable but still having diahrrea.

Milo's Kitchen Chicken Jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	2	Years	Mixed Population of Female and Male	93	Pound	After consuming the product, Milo's Kitchen Chicken Jerky, for the first time, my dogs became severely ill. My smaller dog weighs 50 lbs (approx) and is a neutered male. He is refusing to eat his food and has diarrhea. He is also lethargic. My larger female dog weighs 93 lbs (approx). She is also refusing to eat and is extremely lethargic. She has been vomiting since the first day I gave her the treat and on the third day began exhibiting severe diarrhea that has worsened over the fourth day. The diarrhea is watery and explosive and contains blood and mucus. My dogs consumed 3 pieces each over a 3 day period beginning Sunday evening through Tuesday evening. The symptoms started with lethargy and mild vomiting and have progressed through Wednesday morning with severe diarrhea and lethargy and refusal to eat food.
Waggin' Train (wholesome chicken) Jerky Tenders - Chicken Dog Treats	Dog	Retriever - Labrador	10	Years	Female	84	Pound	Dog died euthanized after being diagnosed with total kidney failure by vet visit after about 4 weeks sick after ingesting one treat from a sample treat bag included in her regular Purina Dog Food bag. Except for the date of food purchase, date of vet visit and date of death dates of illness process are approximated.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	1	Years	Male	6	Pound	This dog was given Waggin Train Jerky Tenders, made in China, manufactured for and distributed by Waggin Train ,LLC., Anderson, South Carolina 29623. He became ill, lost weight, began vomiting, and is now in animal hospital with kidney failure.
Waggin tales chicken jerky treats	Dog	Akita	5	Years	Male	100	Pound	(b) (6) began vomiting, some of the vomit was bloody and he was very lethargic . I did not feed him for 24 hours and introduced him back to his food but did not give him anymore of the chicken jerky treats.
waggin tails jerky treats	Dog	Shepherd Dog - German	4		Female	80		(b) (6) first started eating these jerky treats its like she craved them. She stopped eating her own food or wouldnt eat as much. She would beg for these treats. I began to notice that she was having constipation problems and that she was urinating in her sleep, or just sitting. I thought this was odd because We always let her outside to go potty. I also noticed she was throwing up a foam like substance. I just figured maybe she got into something or ate to much. She became excessively thirsty. I took her to the vet office and didnt think of telling them about these treats because at the time I didnt know. They really didnt do much other than say well it could be a bladder infection or from her spay. She never had these issues before these treats. They put her on pills that she will be on for the rest of her life and she will have to have lab work done evrey few months to check her kidney levels. A few weeks after she stopped eating these treats her urinating in her sleep did cut back. She doesnt get sick like she did. I can only imagine what could of happened if I kept feeding her this crap. My cat have had pieces of this and now has seizures.
Purina One Smartblend Chicken & Rice, Milo's Kitchen home-style dog treats	Dog	Spaniel - Cocker American	2	Years	Male	29	Pound	I purchased and fed my dog Milo Jerky dog treats (chicken and beef) which we have never used before. He also ate Purina One dog chicken and rice food. He had never been sick before, but after a few weeks he became really sick with diarrhea and yelping in pain, to the point he was pooping bloody stool that stunk. (Ill for about a week before it got that bad). Took him to the doctors and he had an infection in his stomach that required several medications and I had to make homemade food for him. When he finished his meds after 2 weeks, I tried giving him his treats and regular food again and he got sick...AGAIN with the same problems and ended up on another round of medication. This time I have not given him either the dog food or treats and he has remained well. I STILL HAVE SAMPLES OF BOTH THE DOG FOOD AND THE MILO DOG TREATS.
Canyon Creek Ranch Natural Duck Tenders	Dog	Other Canine/dog	10	Years	Male	75	Pound	(b) (6) (black lab mix) became less active, drank large amounts of water, urinated copiously (inside and out) and died the end of May, 2010 from kidney failure. Recently saw online reports of similar deaths related to consumption of Canyon Creek Ranch jerky treats. Jack loved them and received several a day during the period of his illness.

Waggin' Train Jerky Tenders								Many people have complained to you about the Waggin Train Jerky Tenders. First off, I have no connection with the manufacturers, importers, or resellers of these products. My views are my own personal views. I have been feeding these to my dog for several years. She loves them, and has never had a problem with them. From the reports that I have read, the problem is with the stupid owners who do not know anything about dogs. When they first got the treats, they probably gave the dogs too much at once. They should have given a small amount to see if the dogs had a reaction to it. They probably gave them several of the treats, and it was too much for the dogs. One owner said that when her dog was hurting, she gave it more treats to try and make it happy. If a dog is hurting, the owner should find out what is wrong. Giving the dog more treats was an incredibly stupid thing to do. Those owners killed their own dog, not the food. I read that someone claimed that the treats gave their dog fanconi. NO! Fanconi is generic. A dog gets a susceptibility to it at conception. My own breed, Basenjis, are particularly susceptible to it. The Basenji Club has taken the trouble to identify the DNA marker so that they can test dogs being used for breeding to reduce the likelihood of the disease. You can not catch a DNA marker from eating treats. People should be more careful. Dogs, like people, may be allergic to something, but this does not mean it has to be recalled. I am allergic to eggs. Does this mean that all eggs have to be banned? I urge you to ignore these bleatings of people who know nothing about dogs, and let sensible dog owners continue to give the treats that their dogs love. When I first heard of this stupidity, I bought a very large package of the Jerky Treats to ensure that my dog would continue to be able to enjoy them. Now I realize that more people are complaining, I intend to buy several more large packages to keep my dog happy and healthy.
Waggin' Train Chicken Drumettes	Dog	Other Canine/dog	9	Years	Male	20	Pound	Waggin Train Chicken Drumettes were my pomeranian's favorite treat and I gave them to him frequently. (b) (6) became seriously ill about 10 days ago with pancreatitis and liver failure and has been hospitalized where he is receiving IV fluids, antibiotics, pain medicine and antacids. I just read about the poison treats from China and I seriously believe this is what has made my little dog ill.
Wagon Train chicken jerky	Dog	Dobermann	7		Female	72		Dog had Kidney failure, was hospitalized for 3 days, now requires 4 medications on an ongoing basis
Milo's Kitchen home style dog treats; Chicken Grillers Chicken recipe with Natural Smoke Flavor No artificial flavors or colors	Dog	Mixed (Dog)	2	Years	Female	17	Pound	After giving the Milo's Kitchen griller treats for less than 2 weeks, both dogs had digestive issues. (b) (6) was admitted to the emergency vet clinic and (b) (6) (1 day later) was treated at our vet. Both dogs only diet change was the treats.
Smokehouse Brand Pet Products Chicken Breast Strips	Dog	Shiba Inu	8	Years	Male	24	Pound	(b) (6) presented on 7/06/2012 for increased thirst and urination and appetite loss of at least 3 days duration. He was also unable to hold his bladder overnight - a problem he never had before. Physical exam was unremarkable. Lab tests (blood and urine) were submitted and showed significant abnormalities. Urine specific gravity was 1.015 and 2+ glucosuria was noted (suspected Fanconi's syndrome). labwork showed mildly elevated liver and kidney enzymes and abnormal electrolytes.
Purina Waggin Jerky Tenders	Dog	Boxer (German)	8	Years	Female	50	Pound	Severe stomach update to include vomiting. Weight loss. Constipation. She now refuses to eat almost everything.
Waggin Train Wholesome Chicken Jerky Strips/Tenders	Dog	Chihuahua	3	Years	Female	5.5	Pound	We began feeding out dogs the Waggin Train chicken strips as a treat, because they were low in fat content, this was the only treat we gave our dogs. Our little (b) (6) a 3 year old female long coat chihuahua, started getting lethargic in January. By February she was completely ill and not eating. She was rushed to the vet on a Saturday morning. The vet, (b) (6), found a bowel obstruction and preformed surgery. During surgery they also found a white plaque on her pancreas and took a sample. She died on Wednesday. She was in perfect health prior to this and was vet checked, including blood tests all the time. She died of severe pancreatitis, our believe it is from the chicken jerky strips. Also it sickened out 2 year (b) (6), a Yorkie Terrier. (b) (6) also died several weeks ago from cancer, which we also believe was related to the Waggin Train chicken jerky strips.
Waggin' Train Jerky Tenders Made from chicken Made in China	Dog	Poodle - Medium size	3	Years	Female	27	Pound	Fed (b) (6) Waggin' Train Jerky Tenders made from chicken in China. Within a span of 1 1/2 hours she was totally paralyzed and unable to lift her head.

Waggin' Tails Chicken Strips	Dog	Spitz - German Pomeranian	7	Years	Female	11	Pound	On the morning of December 14, 2011 owner called in to report dog was refusing to eat and was unable to get thyroid meds in the dog, said the dog would drink water but then vomit it back up. Owner was advised to NPO dog for 12 hrs and then call in the following day with an update. December 15, 2011 owner called in to report no real change in dogs status said has with held food and water. Owner is not going to be home much today so will offer food and water when gets home. When owner did return home offered dog a "hotdog" (dog eats mostly human food not regular dog food) to which she "turned her nose up at" dog also was refusing again to take thyroid meds. Owner states will try to crush thyroid meds and mix with water and syringe it into the dog. Owner called again around 6pm and found dog on the porch just laying there not moving owner thought dog was deceased, when picked up the dog was breathing then about 1/2 hr later dog started vomiting had blood in it and then passed away.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Dobermann	2	Years	Male	68	Pound	(b) (6) stopped eating normally, and acted like everything smelled bad (stomach ache?) and mentioned to vet at check up (shots) and he said he will eat when he gets hungry it could just be a growing thing. Month later, still fighting to get him to eat, occasional diarrhea, then had explosive diarrhea. Took him to the vet again, thought it was something he ate or he ate something poisonous and vet gave some pills for diarrhea and stomach pain along with antibiotics in case it was an infection. Diarrhea subsided with pills, but still no appetite and lethargic. He normally had a few treats a day for the last several months, but this increased when we were doing anything we could to get something in him. Went back to vet, and tried several different types of food. Still won't eat so went to a different vet for second opinion. This vet went through EVERYTHING (b) (6) ate for last few weeks, x-rays and blood tests. He has a poor developed liver (small) and platelets were low, but as soon as she saw the jerky treats she said to stop IMMEDIATELY. Vet had had previous owners with problems and deaths I believe from suspect treats. Treated (b) (6) with more medications, put on prescription food and two weeks later he is just starting to eat again. Over the course of this problem we have spent over a thousand dollars and stressed out over trying to get him to eat daily because he has lost over 10 pounds since it began. Being just a puppy, this stage of development is crucial and to have this affect him and possibly caused liver damage during development, I am extremely upset. We hope stopping the treats was enough and he has eaten the last couple days so hopefully he will get better.
Pet Shope Duck Jerky	Dog	Griffon - Brussels	7	Years	Female	24	Pound	I bought the duck jerky at Walgreens on June 11, 2012. I gave her some when I got home she ate it, but wouldn't eat any more of it. In a few days she couldn't get on the bed and she died on the 19th of June. I had her for six years, but I could not afford to take her to the vet again. I was broke.
Waggin Train Chicken Jerky	Dog	Pinscher - Miniature	11	Years	Female	20	Pound	We own the (b) (6) Costco sold Waggin Train chicken jerky which looked like a great treat to use as a "good bye we are going to work, see you latter in the afternoon!". The bag said once a day was sufficient and that is what we did from the time we saw Costco selling the product until they stopped selling the product. We were upset that it was eliminated from our choice of treats because it worked so well. We had NO idea why it was pulled from the shelves. We had not heard any word at all. As time went on, we had to find another treat. Within some time latter we inherited one of the Sons back. His name is (b) (6) At this time, we were living in San Diego, but in the process of moving to Las Vegas. After we finally settled in, we noticed (b) (6) doing some strange things with a new rug we had bought. Her vulva was enlarged so we brought her to the Vets. They thought she might have an allergy but found an infection in her toe which they wanted to treat with some type of antibiotic but it had to be a specific type. So they did a blood test first. Because of her vulva being enlarged, the Vet thought it would be a good idea to take a urine sample also. When we got the results back we were in shock to find out that (b) (6) had Kidney disease. We immediately put her on medications and Kidney disease food. We had a hard time believing that this was true so we went to another Vet here in Las Vegas to get a second opinion. He tested (b) (6) because we had no reason to believe (b) (6) had this problem. (b) (6) reading came back extremely higher than we expected and (b) (6) did have it too. That was a tear jerker because he was my baby. I have no children and we have had him since he was born. (b) (6) procreatenine ratio was 13 and (b) (6) was 4. This Vet suggested we take them to a clinic testing in San Diego and tried to get us connected to the doctors there. We went back to our Vet and explained what we did and she had no problem with it and knew the doctors doing the clinic testing in San Diego. She got on the phone and talked with them immediately. In the meantime we suggested testing (b) (6) to make sure it was not hereditary. We also called my husband's son who had one of (b) (6) Daughter's to see if she had kidney disease. They had her tested and she was fine. (They did NOT give her chicken jerkey as treats.) Our Vet tested (b) (6) and he did not have Kidney Disease so we knew it was not hereditary. That is when our Vet said it could be from chicken jerky. We said what are you talking about? She told us about other people have problems with their dogs and chicken jerky. I never really looked it up or anything until two or three weeks ago when a friend of mine sent me an email about his german shephard. I was going through the whole email and there was a bunch of stuff and then I saw this article about Waggin Train and I remembered that was the product we used to feed the dogs!!!! I tried to contact the people putting in a complaint with Walmart but we didn't buy from Walmart we bought from Costco. Then just this past weekend we were in Costco and low and behold, there was a bag of Waggin Train duck jerky at Costco and I said to my husband "Look, I can't believe this! After all the crap on the internet about chicken jerky made in China and they are still selling this stuff!" That is when we asked to talk to a manager and why I am contacting you guys now. Because Costco has given me your information! I have also talked with Waggin Train and put in an incident report with them.
Canyon Creek Ranch Natural chicken Tenders	Dog	Poodle - Miniature	7	Years	Male	9.5	Pound	Loss of Appetite, Liquid Stool, refused food and water, became dehydrated, Weak, unabale to stand

Waggin' Train Jerky Tenders	Dog	Retriever - Golden	6	Years	Female	80	Pound	(b) (6) experienced nausea, persistent diarrhea, poor appetite, drank excessive amount of water and was very tired all the time. I had given (b) (6) this treat since about late 2005. I researched canine diarrhea on the internet and found articles describing the chicken jerky problem. I immediately stopped giving the treat and saved the remainder in case I might need it to better describe the product I purchased. The diarrhea started and was rather random in it's appearance so it took me a while to realize (b) (6) was having a chronic problem.
MILO JERKY TREATS	Dog	Hound (unspecified)	15	Years	Female	55	Pound	HAVE BEEN GIVING MILO JERKY TREATS THIS WAS FOLLOWED UP WITH SEVERAL DAYS OF NOT EATING AND THROWING-UP.
Waggin' Train Chicken Jerky Treat	Dog	Terrier - Jack Russell	6	Years	Mixed Population of Female and Male			My three Jack Russell terriers (all of which are six years of age) were in perfect health and had no medical record of illness. All of them became violently ill shortly after consuming Waggin' Train chicken jerky treats produced by Nestle Purina. This was the first time any of my three Jack Russell terriers had EVER been sick. None of them had any medical history of EVER being ill before. And just a short time after eating the Waggin Train chicken jerky treats by Nestle Purina they were violently ill. Fortunately I gave them a lot of water and they recovered. I threw out the remainder of the bag of chicken jerky treats. I think the only reason they didn't require emergency medical treatment or die is because I split a single chicken jerky treat between all three dogs so they only consumed a small bit. But the chicken jerky treats must have been poisoned. Let me stress again my dogs have never been sick including one I owned for a full six years (the others for four and three years) and became violently ill for the first time after eating the chicken jerky treats. These treats should be banned from the market. Nestle Purina should cut off its supplier of chicken meat. What if a young child or baby had accidentally handled or eaten the chicken jerky treat? That child or baby would have died.
Waggin Train Chicken Jerky tenders Canyon Creek Ranch Chicken Tenders Milo's Kitchen Chicken Jerky treats	Dog	Havanese	12	Years	Male	11	Pound	I have been giving my dogs these treats (Waggin Train, Milo's kitchen, Canyon Creek) for about 2 years until June 12, 2012. I only gave my dog the recommended amount, (i.e., 1 treat per day based on the size of my dog). Until recently, my dog didn't exhibit obvious signs to me that something was wrong with him. But about 2 months ago, May 7, 2012, my dog suddenly started having diarrhea and wasn't eating or drinking water. It went away after 3 or 4 days (I believe, only because he wasn't eating anything, not the treats or his dog food). About 2 weeks later, after he had resumed eating his dog food and these dog treats, the same thing happened again, but it was worse this time. This time he needed to go relieve himself due to the diarrhea, 5 times in one day. This bout of diarrhea again last 3-4 days. I stayed home with him and was going to take him to the vet if he didn't begin to feel better after 5 days. He did get better. By this time (right around Memorial Day), I had run out of treats and hadn't had the chance to buy more yet. I bought another bag of Waggin train chicken jerky treats on/around June 9, as I had done about every month to every month and a half for the past 2 years. I began giving him a treat/day again, until June 12, 2012. On June 12, 2012, I received an email from a friend of mine (also a dog lover/owner). This email was a video clip from a local news program in Atlanta, GA regarding the death of dogs due to dog jerky treats manufactured in China. I quickly determined that I had been feeding these same treats to my dog and immediately threw out the relatively new bag of treats. I also came to your website and did further research. My research yielded many symptoms that I didn't associate with any one thing at the time, but now I have concluded that those symptoms were directly related to these dog treats that are made in China. The frequent urination, diarrhea, vomiting, some blood in his stool. My dog has experienced all of this. I am thankful and feel quite blessed that my dog has not suffered any more serious health problems as a result of these treats. I also feel guilty that I fed my dog treats that were harming him, although I wasn't aware. Warnings need to be placed on the packaging, or the treats should be recalled. At the very least, people should be made aware of what is going on. Many people still don't use the internet or read all their emails. If it weren't for a close dog lover friend of mine sending me the video and told me to view it, I can't help but wonder if the last part of my story would have turned out drastically different and upsetting. I now feed him either home made chicken jerky treats or treats that are truly all natural and made in America (TriPom Chews) and he is happy, healthy & thriving and I'm so thankful.
Milos chicken treats	Dog	Mixed (Dog)	13	Years	Female	45	Pound	Dog began vomitting and had loose stools. She was not herself so I brought her to (b) (6) on 5/5/12 and they ran some blood work and gave her a chest xray. The doctor put her on a strict diet of bland food and in a few days she felt better. At that time, I threw away the Milos dog treats because I had never given them to her before and thought it was a strong coincidence that she became ill soon after she had them. The doctor's bill was over \$500.00 for the examination, testing and new food.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Tibetan	5	Years	Male	26	Pound	dog became very uncomfortable, vomitting, with bloody diarrhea.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Hound (unspecified)	2	Years	Female	47	Pound	After giving my dog these chicken treats on Tuesday evening she was sick Wednesday and by Wednesday evening had developed into hemorrhagic gastritis. We spent the evening in a ER Vet, she is better after taking medications but is not well yet. The only thing new she had in her diet was these treats. I was asked by the Vet to report it because it's not the first time she had heard of this happening with these treats.
Waggin' Train Wholesome Western Grill Assorted Dog Treats	Dog	Other Canine/dog	9		Male	60		Vomitting
Cadet Gourmet Duck Breast	Dog	Harrier	13	Years	Female	39	Pound	Since we started feeding these treats to our dog (2-4 a day), she has been wetting the bed a few times a day. We took her to the vet and, after her urine was testing, it was discovered that her kidneys are functioning at below 30%. I saw a posting that Waggin' Train Duck Breast treats were suspected of causing renal failure and I've seen other reports that Cadet treats have been linked to renal failure in dogs.
Wagginç Train and Canyon Creek Ranch jerky treats or tenders both produced by Nestle Purina PetCare Co	Dog	Shih Tzu	12	Years	Female	8.8	Pound	In March 2012 (b) (6) started urinating in the house, several times a day, drinking a lot of water and vomiting. On March 28, 2012, I came home to blood all over my house along with vomit. My dog, (b) (6), walked up to me and urinated blood. I immediately picked her up and took her to the vet. She vomited all the way to the vet and urinated blood 3 more times within a half hour. They prescribed medicine (attached) and x-rays. Since that time she has stopped bleeding but is still urinating in the house and drinking a lot of water. I've attached the tests they have run on her. One showed liver disease and they are still doing blood work on her for kidneys.
Chewmasters Chicken strips	Dog	Sheepdog - Shetland	8	Years	Female	37	Pound	Our dog has been given Chewmasters Chicken strip product (Costco) for many years, on average one strip feed per day. Just recently, she had developed her illness. She showed signs or Hypothyroidism, and low level Renal failure in April during an annual blood test/check-up. She was given Thyroid hormone pills to stabilize her levels. On follow up checks, she showed high levels of creatinine in her blood, high protein levels in her urine (tested for bladder infection, which came back negative). The levels did drop down, but then she began tired and rested. Her urination was normal, but then started to become finicky eater, not wanting her normal dog food. She was hospitalized for 3 days, with IV hook-up to flush kidneys, again, she recovered her levels somewaht. When brought back home, she just worsened. She began to vomit, and have diarrhea, was unable to eat, only drinking water. on her last days, she only wanted water, and then she wasn't drinking at all. Our Vet: (b) (6)
Kingdom chicken jerky	Dog	Terrier - Scottish	8	Years	Female	24	Pound	She gradually became listless decreased eating increased drinking water. Her kidneys became tender go the touch. We had her hospitalized her blood pressure rose she was in pain, stopped eating and drinking Her kidney began shutting down and she died within two days. She was poisoned be chicken strips. Her body was attacked by the chemicals On the chicken strips?
Waggin tail and sometimes milo's	Dog	Chihuahua	5	Years	Female	15	Pound	I noticed she was having daily diarrhea and she started turning her nose up when offered the treats. She has gone through bouts of itching and hair loss the vet said she has allergies. This all started with the chicken treats I bought for twenty dollars from stater brothers waggin tail
Milo's Kitchen Chicken Jerky Treats	Dog	Shih Tzu	2	Years	Female	12	Pound	After eating Waggin Tails and Milo treat my dog developed early signs of Kidney failure symptoms showed up right after usage... We stopped the treats immediately and everything is better now.... She used to eat Canyon Country yams Milo's jerky treat and waggin Tails jerky and yams....
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Lhasa Apso	9	Years	Male	29		6/14/12 - Owner brought in (b) (6) for routine annual senior wellness bloodwork. Bloodwork came back with increased liver enzymes: ALP = 396 (10-150), ALT = 310 (5-107); also may have been mildly dehydrated as there were slight increases with: TP = 8.3, BUN = 50, Hgb = 19.1, & Hct = 55.1; 6/28/12 - Owner returned to recheck an ear infection and reported that they had 2 weeks prior to bloodwork started giving (b) (6) Milo's Kitchen Chicken Jerky. Owner was concerned after hearing of a possible problem with Chicken Jerky dog treats that were made in China.

Waggin Train Big Blast Chicken Jerky Wrapped Pork Skin Twists with Chicken Liver Center	Dog	Mixed (Dog)	4	Years	Female	15	Pound	(b) (6) was her normal self on Saturday (June 30, 2012). When we got up on Sunday morning (July 1, 2012), she wouldn't eat. Later that morning she started vomiting. She even vomited water! I called the vet first thing Monday morning (July 2, 2012) and got her in. Vet thought at first it was pancreatitis. (b) (6) didn't get any better, so on July 4, 2012, my vet asked me if she could xray (b) (6). Xray showed that (b) (6) was full of fluid. The vet got some of the fluid out and said it had blood mixed in and then the vet asked me if she could open (b) (6) up to see what was wrong. When she opened her up, the vet said (b) (6) liver was copper colored and had slotches all over it and that her gall bladder was full of a black tar like substance. The vet asked me what kind of treats I had been feeding (b) (6) and where the treats were made. When I told her I had a bag of Waggin Train chicken wraps that were made in China - she said she couldn't be 100% sure, but she thinks that is what killed my dog. She (the vet) sent off some biopsies she took from my little dogs liver. We are waiting on the results.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	11	Years	Male	110	Pound	Softer stools began to occur during the first few days of ingesting Waggin Train chicken jerky tenders. Then stools became looser (diarrhea like) until my dog began to void very thin liquidy stools numerous times during the day on 7-1-12. The stools would blast out of him uncontrollably. He also vomited 4 times in a span of 3 hours and was extremely lethargic on 7-2-12 and was taken to the vet. He was given sodium chloride 0.9% 1000cc, Famotidine 20mg/2cc (injectable), Ondansetron (Zofran) injectable 2mg/cc, and Metronidazole (Flagyl) 500mg 30 tablets. The Waggin Train package had a net weight of 3.5 oz. My dog was given 2 ozs. over the span of a few days. We still have the original package with @ 1.5 ozs. left of the jerky.
Waggin Train chicken jerky treats	Dog	Dobermann	11	Years	Female	70	Pound	I gave my American Eskimo and my Doberman Waggin Train chicken jerky treats I had purchased from Sams club. Within hours of receiving the treats both animals became listless and began have massive diarrhea with bright red blood in it. They both had to be treated for the diarrhea and it was only after talking to friends about how sick my dogs were and they asked me if I had given them anything did I find out about the treats causing many animals to become sick and die from renal failure etc. I am thankful my 2 had an immediate reaction and I had not been giving them the treats for weeks. I returned the product to Sams and printed off information about the problems they were causing and showed the info to the customer service rep at Sams who said she would notify mgmt. My 2 dogs are long dead from cancer..both died within 3 mos of each other and I wonder what other products may have caused problems with them to die so suddenly and within months of each other. There really needs to be something done about treats being manufactured in China and if you can't stop them from being sold, then at least make them come with a warning on their label. These pets are part of our family and should be protected. And btw, Sams still carries waggin train and are causing other animals to become sick and die. Guess all that matters is bottom line to them which is why I no longer buy any dog products from them or Walmart. PLEASE consider banning these products or at least make them have a warning label. Thank you!
Milo's Kitchen home-style dog treats: Chicken Jerky	Dog	Mixed (Dog)	3	Years	Female	65	Pound	Dog is consistently offered dry food and clean water along with a variety of "treats" including rawhide chews, Milk Bones, Beggin' Strips, and Milo's Chicken Jerky. With no obvious change in diet/exposure, dog had bloody diarrhea inside house overnight. Dog showed lethargy and progressed to not eating within 24 hours along with frequent (every 2-3 hours) diarrhea and infrequent (once or twice) vomiting. Dog regained energy and began eating again approximately 24 hours later. Chicken Jerky was given as a treat to entice dog to eat - no other treats were given but dry dog food was offered. Diarrhea persisted. 48 hours after first symptoms inside soiling happened again and dog vomited, progressing rapidly to not eating and extreme lethargy. Took dog to vet -- no parasites in stool and no fever. Given broad spectrum antibiotic (orally) and put on diet of rice and bland wet dog food; no other treatment given. Dog regained energy within 2-4 hours of vet visit and began eating. Diarrhea resolved completely within 48 hours after vet visit. No more chicken jerky has been given (all other treats and food have) and symptoms have not recurred.
Waggin Train Wholesome Chicken Jerky Tenders								Purchased a container (plastic bag) of Waggin Train "Wholesome" Chicken Jerky Tenders, Lot # P1CA3568A, BBD of 061612 (and this was prior to that date), and found an unidentified object in one of the tenders. Ut was a 16 oz (453g) bag with a product code of 8 07020 44416 2. Manufactured for & distribed by Waggin Train, LLC. of Anderson, South Carolina 29623. They claim to be passionate about dogs, but they failed to respond to my complaint about this issue. I emailed them at www.waggintrainbrand.com right after I found this object. This was prior to my learning that this was a repeated offense by them, and that animals were dying due to this. The object appears to be a black and tan piece of matter, about 1/4th of an inch long and 1/8th of an inch wide. I have photographs of this object saved, and still have the actual treat and bag it was in.

Canyon Creek Chicken Tenders Dog Treats	Dog	Schnauzer - Miniature	6	Years	Male	15	Pound	(b) (6) experienced increased urination and thirst. I took him to the vet after seeing his increased thirst and after his being unable to control his bladder, even though he was a housebroken dog. The vet ran a series of tests to determine if he had diabetes, cushings disease and/or urinary tract infections. He also ran ultrasounds All tests proved negative. He ultimately had surgery on a cyst which the vet thought may have been causing the problem but it turned out not to be the case. While undergoing the testing and many trips to the vet I had noticed someone placed a little handwritten notice on the bulletin board at the vet's office about chicken jerky treats being dangerous to pets. I had not heard of any other recall notice or warnings about the treats and offered two or three to each of my dogs each day. I shopped at PetCo and PetSmart on a biweekly basis, and no warning was ever issued, although at PetSmart the tenders were always out of stock. I thought they were popular - not a health hazard to my beloved pet and had to look for alternative treats. It was upon doing this that I noticed my pet no longer had any sign of problem. I hope other families and dogs don't have to go through this. Something should be done. These treats cost almost \$30 per 30 oz bag, and I don't believe they are safe. Furthermore, I know they were the cause of my dog's problems. Thousands of dollars later, I know the reason. How many dogs must lose their lives before something is done about this?
Waggin' Train Jerky Tenders								Waggin' Train Jerky Tenders were supposed to be pulled from shelves months ago, but I just purchased a bag from the walmart in Wadsworth, Ohio on July 3, 2012. Here's the link to the article: http://vitals.msnbc.msn.com/_news/2012/03/13/10657635-3-big-brands-may-be-tied-to-chicken-jerky-illness-in-dogs-fda-records-show?lite I just adopted a puppy 2 months ago, and purchased this treat thinking it would be a nice new thing for her. Luckily I saw this article before I gave her too many.
Cadet Gourmet Duke Breast	Dog	Retriever - Labrador	4	Years	Male	63	Pound	Ingested Cadet Gourmet Duke Breast treats 6/18. episode of vomiting 18th and 19th, tremors 6/19
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	4	Years	Male	70	Pound	We boarded our lab during a family vacation. The kennel we use is the only kennel he has ever been boarded at. This is the 6th time we have boarded and have had no prior incidents of any illness whatsoever. The only difference this time is that we baought a package of Waggin Train chicken jerky treats to be given during the stay. 2 days prior to our return the kennel called to notify us of loose, bloody stool. This continued on our return. We have since taken (b) (6) to the vet who is concerned but cannot cite a specific cause. The vet gave me an article describing all the issues with jerky treats that I was unaware of prior to the purchase of the Waggin Train product.
Waggin Wheel Chicken Jerky Treats	Dog	Terrier - Yorkshire	4	Years	Male	11	Pound	Back in October our dog was given Waggin Train Chicken Jerky treats and got severely sick. He was taken to the animal ER and vet on several occasions and they could not figure out what was wrong with him. We thought he was going to die. After weeks of him suffering with stomach pain, vomiting, not eating or sleeping he finally did improve. Then a few days ago he was given the same jerky treat by my husband and immediately got sick with the same symptoms the very next day. After reading on line several complaints about these treats I believe that he has gotten sick and suffered simply from eating a dog treat. We have spent thousands of dollars to get him well the first time only to have him get sick again. Something needs to be done about this before more animals suffer and die from this so called "healthy" treats.
Dogswell Happy Hip Chicken Breast Glucosamine & Chondroitin	Dog	Dachshund - Standard Smooth-haired	11	Years	Male	15	Pound	Dog vomited about 6 hours after giving him a Happy Hips treat, he had diarrhea, would not eat, and drank excessive amounts of water. The dog was also very lethargic, these symptoms lasted approximately 24 hours.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Rat	9	Years	Male	17	Pound	(b) (6) became very sick after eating Waggin Train Wholesome Chicken Jerky Tenders purchase from Costco. He started vominiting, refused to eat, drank much more water than usual, frequent urination and lethargy.
Milo's Kitchen Chicken Strips	Dog	Retriever - Chesapeake Bay	2	Years	Male	85	Pound	Seizures began after eating treats. Mild seizures and loss of ability to stand or walk for periods of time. No health issues priod. Seizures have stopped since we discontinued giving our dog the Milo's Kitchen Chicken Strips.

Canyon Creek Ranch Brand Chicken Breast Hip & Joint with Glucosamine and Chondroitin Sulfate Flavored with Ginger Root & Alfalfa Extracts For Adult Dogs Only	Dog	Shepherd Dog - Australian	13	Years	Female	60	Pound	I was running out of Happy Hips, and purchased Canyon Creek Ranch chicken strips for hip & joint with glucosamine and chondroitin sulfate at Petsmart on June 11. I didn't start feeding the dog this product until later in the week. I didn't make the connection with this product until she had experienced two days of loose bowel movements, which I attributed to having given her Meloxicam twice within a 24-hour period on June 15 (at 6 a.m. and 7 p.m.). My son came home for lunch on June 18 and called me to say that our dog had diarrhea, which he partially cleaned up. When I got home, she had relieved herself on her bed and several spots in the house. This is very unusual, even though she's an older dog. The feces were the consistency of yogurt. I didn't give her Meloxicam that evening because I thought her system was reacting to the double dose of Meloxicam. I did give her chicken strips that evening. Overnight, she had two accidents in the house. During the day on June 19, she also relieved herself in the house, despite being let out at midday. I decided that it might be the chicken strips, since that was the only new food I had introduced since she started getting sick. She woke me up four times in early morning on June 20. I called my vet's office and described her symptoms. The diarrhea had worsened but there didn't appear to be any blood or dark stools. She also was eating fairly well. I took a stool sample in that morning. On the morning of June 21, (b) (6), my vet, called to tell me that the test results came back negative for parasites. She suggested some dietary changes and prescribed Diawin to give her for three days. Since she didn't appear to be listless and had an appetite, she recommended that we wait to do further tests. I started the medication on Thursday evening and finished it Sunday morning (dosage was every 12 hours). The dog seemed to at least be able to control her urge to squat on Friday, June 22. Overnight, though, she had very watery diarrhea and soiled much of my carpet upstairs. I kept her downstairs where it's easier to clean up (wood floor) and steam-cleaned the carpet. She continued to have accidents over the weekend (June 23-24) and through midday on June 25. I dropped off another stool sample at my vet's office the morning of June 25. Later that evening, though, she had no further accidents and didn't have the constant discharge she had for the prior 2-3 days. She appeared to be back to normal by Tuesday, but continued to have loose stools. She had an accident in the house on Thursday, June 28, but seems to feel normal. PLEASE NOTE: My vet had a stool sample tested and consulted with me on the phone. She didn't, however, examine my dog.
Waggin'train wholesome chicken jerky tenders	Dog	Shepherd Dog - German	12	Years	Male	66	Pound	(b) (6) had diarrhea that got worse. I took him to the vet. They asked what type of food/treats we were giving him. I told them chicken jerky strips. They said it was probably the jerky strips and to stop feeding them to him. They were unable to take a stool sample as he had no solid feces. They prescribed antibiotics. If he does not improve within the next few days I will take him back for blood tests.
Milo's Homestyle Chicken Jerky Treats	Dog	Mixed (Dog)	12	Years	Female	40	Pound	We lost our dog (b) (6) November 2011. However, we did not know the reason she died until I saw a news story, on Channel 4 Detroit, in March 2012. I would have never bought these treats if I would have been aware of the warning. They shouldn't be on store shelves. I thought they were okay because they are on our store shelves. I had actually contacted Del Monte before she died asking if something was wrong with the product. They told me several things can make a dog sick and never revealed they already had hundreds of complaints. I had no idea and we didn't make the connection until I saw the news story several months later. (b) (6) ate Milo's treats in late September/Early October 2011. She died 11/19/2011 I contacted Del Monte twice in October 2011 asking them to check the treats. I thought something was wrong. They responded once telling me "Several things can make a dog sick like her food." I contacted them again explaining she was on "Nature's Recipe" also made by their company. Del Monte never replied to my second email. We did not know the reason she died. She started to drink more water after eating the treats. That is why I questioned them. Her appetite decreased and she had a couple "accidents" in our home. We took her to the vet. They treated her as if it was a Urinary Tract Infection. A few weeks later she died in my arms in our living room. We had no idea the treats were under investigation until I saw a news story, on Channel 4 Detroit, in March 2012. I would have never bought these if I had known but honestly they shouldn't be on store shelves. I thought they were okay because they are on our store shelves. After seeing the news story in March I contacted Del Monte. Basically, they do not believe me. Said I seemed satisfied with their response back in October and claimed they tried calling me. They did not call my house. They did not respond to my second email. I trusted them. I have since made several complaints to their "consumers affairs" dept. I am finally contacting you because I was hoping this company would do the right thing and voluntarily recall the product. I am fed up and I am very upset the public sees a product on the shelf believing it is safe. This is wrong. I asked Del Monte why they are not making the treats in the USA and not using chickens from the USA? Their answer? "The United States doesn't have enough chickens." Just unbelievable. Filling out this questionnaire you ask if a Vet was consulted. Yes, but we did not have the reason of our visit being the treats. I did not know they were being investigated. So, I am answering the question as Unknown. We did not have accurate information to give our Vet. So, it was treated as a UTI.
Waggin Train chicken jerky tenders	Dog	Weimaraner	4	Years	Male	87	Pound	The pet has been throwing up for 2 days after eating the jerky treats. He was taken to the vet and given two shots alleviate the nausea/ stomach upset

Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	8	Years	Female	70	Pound	Dog had been fed approximately 1 to 2 chicken jerky strips per day for 2 or 3 days. (b) (6) started having severe diarrhea. Her stools were completely liquid explosive stools. She had increased thirst and urination. Both dogs had the same symptoms. Because I had previously purchased this product, I thought perhaps my pets, despite being house dogs, had eaten some cat or possum feces in the backyard. I gave (b) (6) some Metronidazole, thinking she had perhaps contracted giardia. I also stopped giving her any more dog treats and supplemented her food with some rice and plain yogurt. Symptoms resolved after approx. three days. Because I had purchased this product before, I was reticent to blame the chicken jerky treats. Therefore, I again resumed feeding the treats to my two labs this past weekend (June 24/2012). Last night, (b) (6) woke me up. She never defecates inside the house, but she again has come down with severe diarrhea. I noticed her bowel movement yesterday had been very small in size compared to usual. The amount of diarrhea last night was HUGE: likely two cups of pudding-consistency feces in the house. I emailed Milo's Kitchen (Del Monte) this morning and they phoned me back requesting I ship them any remaining product for analysis. My reference number with them is #5438711A.
HARTZ Oinkies Original Pig Skin Twists	Dog	Chihuahua	4	Years	Female	15	Pound	After ingesting the Hartz Pig Skin Twists, my dog (b) (6) vomited bright yellow liquid.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Rottweiler	5	Years	Female	79	Pound	After feeding Waggin Train Wholesome Chicken Jerky Tenders product to (b) (6) for 3 weeks she began to have loose bowel movements which included blood and mucus. She would receive 2-3 pieces every other day. Her stool sample is currently being analyzed at the vet
Waggin' Train Pbj Dog Treats , Waggin' Train Apple & Chicken Wraps Dog Treats	Dog	Terrier - Boston	2	Years	Female	20	Pound	I bought Waggin Train brand apple and chicken wraps and the PBJ. This is what I sent to the manufacturer but it describes EXACTLY what happened. Hello. I have recently purchased your PBJ product and apple chicken wraps. Both times my dog has vomited them up and remained sick all day. All she wants to do is drink water and crap in the back yard. Ive fed my dog every treat in the store and I though your treats looked good. My dog has never gotten sick before and is the picture of health. I had given her ONE treat. At first I thought she might be eating them to fast so I broke them into halves and gave them to her. Same results. Vomiting and diarrhea. The symptoms went away after a day of not feeding her these snacks. Your product made my dog sick and I noticed MANY other similar complaints. You say your product is good for dogs but for one second look at what is happening and try to find out what the exact reason for this problem is! Try making you product in the USA. Its companies like your that are the reason why people dislike corporations so much. I have never dealt with such an illness ever in my 30 years of dealing with animals. And the moment my poor beloved Boston Terrier ate your snack she became violently ill. I will never buy ANY of your products again. Human or animal. Sorry if I am coming across as rude but my dog is my LIFE and is a member of this family! I hold companies to high standards and would feed my dog the same qualityu I would feed my son! Same on waggin train!
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Chihuahua	8	Years	Male	4	Pound	I gave the dog a canyon creek jerky treat Saturday night. Sunday morning he had thrown most of it up. Then he started with diarrhea. Fed in bland diet for breakfast. By the afternoon he was having bloody diarrhea and continuing to vomit. Gave him sucrulafate for an upset tummy, again fed a bland diet. By Monday am he was still vomiting, not interested in eating and pooping out straight blood that looked like it had raspberry type gel like mucous. Took him to the vet where he got IV fluids and a cerenea injection.`
canyon creek ranch chicken stix (chicken & rawhide chew)	Dog	Sheepdog - Shetland	8	Months	Male	24	Pound	I purchased a bag of canyon creek ranch "chicken six" from the lake forest,ca pet-smart store. I feed my dog three of this chicken & rawhide chews in a period of three days (thurs,fri,sat) saturday afternoon my dog started acting weird. 1. his energy level dropped, he did not wanted to play or do anything, his breath started smelling really bad, saliva started to come out of his mouth (that never happened before) and he just just looked weak and sick. when I say "he" im refering to my puppy rocky. this morning (06/25/2012) I have to rush him to the vet because he wouldnt even move from his bed, after blood and urine testing the vet told me he has kidney and liver problems. now my 8th month puppy is fighting for his life at the "our pet's vet urgent care" facility because of this product. i do not understand how this product is still sitting on the shelves of pets store such as pet-smart and petco. today i spend \$1063.00 dls just to get him all the exams so i could know whats wrong with him. if my dog dies because of this products i will file a lawsuit against all the involved parties.

Waggin Train Chik'nBiscuits	Dog	Coton de Tuléar	7	Years	Mixed Population of Female and Male	15	Pound	<p>3-12-12 I had bought 5 bags of Waggin Train chik'n Biscuits from our local Wal Mart. I noticed the edges of the biscuits appeared a little "browned on the edges" but thinking it happened in the cooking process, it was not enough to raise any concerns. My dogs eventually completed that bag and I had begun to notice that their stools were loose. Also, my girl was a little more clingy than normal and my boy had gotten a sore on his chin. I went on thinking I would keep an eye on them and hope it would pass. I went to break up the next bag for them to eat and this black powder exploded in the bag after the first hit with a meat tenderizer. I looked at the rest of the bags and they were all in varying conditions of the same. (all from the same lot #/upc: 8 07020 99506 0). I called Waggin train thinking that they would have already gotten complaints from this "lot" and might know what is going on. (I also called PETA to see what I should do but they never returned my calls). The company said that they would send out a postage prepaid envelope for me to send the treats back to them for testing and that I should take the dogs to the Vet to be checked. She said their insurance company would take it from there.</p> <p>Took the dogs to the Vet and she checked their stools and did not find any parasites. She gave me antibiotics, and anti-diarhea medications for both dogs. She said she could test the treats but it would be expensive. I do not have that kind of money and could only afford to get them treated. Slowly, they improved after 2 weeks. Their insurance company rejected the claim as they said it was black sand (as per only a visual inspection) and that my dogs may have eaten something in the yard.</p> <p>My dogs have been feeling and acting better since I have gotten them totally away from ALL of this companies products. I had no idea that they had such a horrible track record until this event led me to google them. Why they are still allowed to sell ANY dog treats in the US amazes me. I have talk to so many vets and pet owners since this event and all of them had stories of the jerky getting stuck in dogs intestines and such. Their insurance company is arrogant and led me to believe that they are untouchable. When I told them all I was asking was for the \$101.16 the Vet visit cost and that I would sue for it if need be, because even the company thought it was worth me taking them to the Vet. They just told me to go ahead and that many have tried and they got them all squashed. I wrote the company and told them that they are getting their monies worth with this company, but are losing a hell of a lot more by losing a customer. Again, I don't know why these people are allowed to poison our animals without any recourse. If you go to their website, they advertise about how important the health of our animals are and how high of a quality their product is. I saved some of their treats if you need them and hope you can help me get this poison off the shelves.</p>
Canyon Creek Ranch Brand Tasty and Delicious Chicken and Apples	Dog	Mixed (Dog)	3	Years	Male	30	Pound	I gave my dogs Canyon Creek Chicken wrapped apple treats. My dog became violently ill with in 2 days of giving him the treat. I took him to the vet 4 straight days in a row and every day he was getting worse. My dog was diagnosed with a fever, diharrea, vomiting, and what we originally thought was a GI issue.
Canyon Creek Ranch brand Yam Good Chicken Fillet Wrapped Yams	Dog	Other Canine/dog	10	Months	Male	65	Pound	My dog got horrible diarrhea that persisted about 2 days following giving him 1 or 2 Canyon Creek Ranch brand Yam Good Chicken Fillet Wrapped Yams. After he got better, and a couple weeks later, I tried another one of the same treats (since I wasn't sure what had caused the diarrhea the first time.) He developed diarrhea again within a few hours of eating the treat. Again, this cleared up again after a day or so of just giving him rice/boiled chicken and water.
Kingdom Pets Chicken Jerky	Dog	Retriever - Labrador	11		Female	60		I usually give the dog and evening treat of Kingdom Pets Chicken Jerky every evening. I opened a new package on 6/20/2012 and gave the dog 1 1/2 chicken jerky strips about 8:00 p.m. she had diarrhea during the night. The next night (6/21/2012) not realizing it might be the Chicken Jerky I gave her another 1 1/2 strips and she again had diarrhea during the night and 7 times during the day they all had bowel movements were very loose with mucous and blood in them. I called a Vet who advised me to keep her without food for 24 hours and introduce her food again on 6/23/2010. On 6/24/2012 her stool was very soft but formed withut noticeable blood. As I am very strict about what is given to my dog to eat and the only new thing in her diet was the Kingdom Pets Chicken Jerky I feel it was caused by the Chicken Jerky. My dog does not swim in any lakes, pools or ponds and not does she visit any dog parks.
Waggin' Train Jerky Tenders Chicken Dog Treats	Dog	Mixed (Dog)	4	Years	Male	28	Pound	In the morning, our dog, (b) (6), had thrown up and had diarrhea all over the laundry room. He was also bleeding from his anus. We took him to the vet right away. Our vet had a warning at the front desk about the chicken jerky dog treats that we had been feeding him. The symptoms were exactly as the warning indicated. Thankfully we took him to the vet in time for them to run tests and put him on medication, as this could have led to kidney failure and even death. He was diagnosed with colonitis and a torn anal gland. He has since recovered.

Waggon Train Jerky tenders chicken dog treats and Waggon train Jerky tenders duck dog treats	Dog	Terrier - Rat	11	Years	Female	17	Pound	I have been given both my dogs the Waggon train Chicken jerks treats. I had noticed the dogs would occasional throw up...but I associated it with eating grass. I took my smaller dog (b) (6) to the vet for pre-op blood tests for teeth cleaning and dew claw removal. The test results and exam show she is down two pounds from the weight she has been at her whole adult life and she is in renal failure. I have only ever given her natural products. I call Waggon train about 5 months ago when I heard of other similar products were on recall. they assured me that their product was safe and not on the recall list. I see that they are still not on the list, but my dog is now very ill! Thank god I took her for pre-op testing last week. I am currently waiting on the blood results from more indepth blood work. I dont know what will happen. (b) (6), my larger 80 lbs dog appears to be ok but i have not done the blood work on him yet.
WagonTrain Wholesome chicken Jerky Tenders								Both of our dogs suffered bloody diarrhea and vomiting after consuming the WagonTrain Wholesome Chicken Jerky Tenders, UPC 8-07020777482, Lot# W1CA6023A. 48pz 3lb bag. The treats were purchased from Costco.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Schnauzer - Miniature	6	Years	Male	15	Pound	Loss of appetite,lethargic, and vomiting,drinking excessive water,frequent urination
Canyon Creek Ranch Brand CHICKEN TENDERS	Dog	Terrier - Yorkshire	6	Years	Female	5	Pound	My dog has been a fan of chicken jerky treats forever but this time something happened. I had never heard of a recall and did think to search out recalls until she got so sick this week. But I thought I was losing her, the ER doctor never called me back and her doctor was already closed. I will still take her to ER if she doesnt keep improving or gets worse suddenly and I spoke to her doctors office today. They had no opening for today and will refer me to ER if we need to go but I have been doing the right procedures with her and also scheduled her for Monday morning with them for a Check-up. When I scheduled I had't read the recall info on the internet yet and will inform them by bringing the bag with me on Monday. Now here is what is happening with my family baby girl (b) (6) (b) (6) has not been herself for many days now, not certain if I should take her to the Vet. Started having "accidents" on the floors and then began losing some control. This in the last 24 hours, she had developed, Bloody watery bowel movements with some apparant cramping issues, Vomiting white foam, extreme thirst but the inability to keep the water down making the foam, no appetite for several days, pain and inability to sleep with some pacing unable to get comfortable. I tried last night to feed her boiled chicken with/without rice her favorite, she avoided it completely. As the weather is very nice here I sat outside with her several times last night "cool concrete" until 4 a.m. with cold compresses as she was also hot. Finally she ate about 1 tbsp of boiled chicken and has been resting off and on since then. I was again able to feed her the same amount of white steamed rice and twice as much chicken at approximately noon today. She has been resting, her water consumption has decreased and we are still waiting to see on her bowel habit.

Waggin' Train Wholesome Big Blast Chicken Jerky Wrapped Pork Skin Twists with Chicken Liver Center , Pup-Peroni Lean Beef Flavor	Dog	Terrier - Jack Russell	4 Years	Male	17	Pound	<p>My name is (b) (6) , my wife's name is (b) (6) , our dog was (b) (6) May 10th we purchased Waggin Train raw hide chew wrapped in Chicken from BJ and gave our dog (b) (6) (Shorty Jack Russel-small) and (b) (6) (Mix breed Medium size dog). (b) (6) chewed them and loved spending the evening keeping himself entertained and would eat the entire treat, but (b) (6) would mostly just hide them through out the house or outside (thank God). We again purchased a second bag of Waggin Trail raw hide wrapped with chicken around June 2nd. We did notice changes in (b) (6) but reflecting back realize that this was the start of serious and fatal problems. He started to be less active right after these treats started, and we started noticing him whining while laying flat on his belly over the next few weeks as if he wanted something, he stared at us and at time lay flat in front of us which was very different for a Jack Russel. Over the next weeks we also noticed his lack of interest in his meals and increased water intake. We would find him in the Bathroom laying on the rug away from us which was completed different. I didn't understand that he was sick or in pain, just different and very odd. He was less active and appeared to be gaining some weight, I assumed his inactivity was causing him weight gain. We continued waggin train treats during this time span of nearly 4 weeks. Just prior to his ultimate demise I commented how his stomach seemed harder than normal. The weekend of the 4th of June 2012, I decided to get him out for a Search and Rescue training. Certainly that would cheer him up I thought, and didn't realize that the heat might not be helpful to him. I reward him for task completed and gave him another toxic treat, Pup-ronie as rewards, being so commented to me, he tried to do as requested and happy to comply even though he seemed to be struggling. I looked at him and thought, why are you so quiet, why do you seem different and struggling? I was perplexed but still unable to understand what was wrong with my dog. I was soon to find out how this slow poison was killing my dog. Internal organ break-down for (b) (6) on Friday, June 15th, 2012 which took his life. Our vet cannot tells us truly what happened, On the 6th of June 2012 was an emergency visit due to (b) (6) bloating causing extreme pain in the stomach,swelling in the chest and abdomen, medicine and monitor was advised due to the xray and sent home. June 8th a return to the Vet, he was surgically opened through the abdomen but still with no conclusion of the problem. Nothing major in the stomach according to the vet. We took (b) (6) home the next day, Saturday June 9th. (b) (6) was not (b) (6), but we assumed he was down due to being cut opened and sore. By Sunday night, June 10th (b) (6) was really struggling with intense pain, discomfort, bloating, and lack of sleep with pacing. We brought him back on Monday morning, June 11th, where they monitored and examined him more. The vet opened him a second time and removed his Spleen and part of his ruptured Pancreas. (We have the clinical work-up on (b) (6) if needed.) The vet kept (b) (6) that Monday through Friday with continued decline and extreme pain and finally bleeding from the rectum. We visited (b) (6) twice each and every day to help lift his spirits and see him for our own spirits during his stay. Friday, June 15th (b) (6) took another turn for the worse. The Vet told us he was failing, belly swollen, in a lot of pain (they had removed his IV due to too much fluid retention the day prior: also pain meds through IV) and wanted to open (b) (6) up again. They found 1000ml of fluid in his belly and more Pancreas failure. While opened up he started to bleed out with extreme inflammation. We were told they could stop this and put him back together, but the diagnosis was not good for survival; more pain and suffering for our little boy! So the very traumatic decision was made to let our (b) (6) pass. (b) (6) is presently held in a freezer at a crematory waiting for direction. Just typing this letter causes me such pain an anguish it is indescribable. We poisoned our pet with the help of the government. How does anyone live with themselves after watching a slow painful death of a family member. (b) (6) trusted us to take care of him and we failed and he looked to us to save him and stop the pain. The emotional stress for our (b) (6) and ourselves is to great to express on paper. Not only the void in our lives, we now realize that all our efforts, expense of the surgeries, pain we put (b) (6) through, made no difference to save his life from poisoning. Now we deal with the guilt of not recognizing his symptoms, being uneducated on the fact that China made treats kill animals, and not knowing how to save him. My wife cries every day still with this guilt and visions of him looking to us to save him. He licked her face just before his final surgery and tried to get closer to her as to say, Its ok Mom, I still love you. WE should have taken him home right then and let him be home to die with us. But the desperation to save him took over and couldn't help want another chance to save his life. My wife and I are devastated and angry that these products continue on the market. What does it take to save precious animals. My wife and I are asking for help. Our other pets in our house are asking for help and protection. Pet lovers around the country and the world are asking for help. We have placed our beloved (b) (6) on ice to see if we can find someone, some entity that would be willing to do medical research on him to find out what he truly died from. Are you able to help us in our search and our research? We ask that you inform us either way so that we can possible direct our attention further towards your agency or on to another agency that can help us and our (b) (6). I thank you in advance for your time in reading this and your help, (b) (6)</p>
American Kennel Club Jerky *Made with Real Chicken*	Dog	Pit Bull	13 Weeks	Male	12	Pound	<p>The owner stated that 1 week prior to being seen again at the previous veterinarian (b) (6) he had eaten two bird heads from the backyard. No abnormalities such as vomiting/diarrhea had been noted. The owner had given the chicken jerky treats from the American Kennel Club sometime between eating the bird heads and being seen by the veterinarian for the second time. The owner had also changed (b) (6) food several times over the month that she'd had him. Early one morning (b) (6) had vomited and then vomited a few more times. The owner became concerned and brought him to the (b) (6) where he was estimated to be 10-12% dehydrated, T 101.2F, non-painful abdomen, continued to vomit in the exam room. Parvo test was negative. He was started on IV fluids and antibiotics. Since he was needing further round the clock monitoring he was referred to his current location at (b) (6).</p> <p>Since (b) (6) has been present at the clinic he has had a series of labwork. Initially the only abnormality found in both a CBC and chemistry was a moderate to severe non-regenerative anemia. A Pt/Appt test was performed to rule out the possibility of rat bait poisoning. Pt was normal Appt was mildly prolonged at 119.9 sec (75-105 sec). After the blood draw for the tests (b) (6) started to seizure. These were controlled with phenobarb IV. A urinalysis was ran to rule out ethylene glycole poisoning. Urine was negative for calcium oxalate monohydrate crystals. We were not given the OK to run leptospirosis titres. A barium study was performed to rule out the possibility for a foreign body from the history. There was a suspicious area in the barium pattern that we felt an exploratory needed after he had a blood transfusion since he was so anemic. No foreign bodies or other abnormalities were noted during the exploratory besides intestinal ileus. After the exploratory (b) (6) started to perk up over the next several days on antibiotics, anti-emetics and prokinetics. No vomiting was seen and he was keeping food down. On the 4th day after surgery he started to decline again. Bloodwork was re-run and both BUN and Creatinine levels were significantly elevated BUN >180 (7-25) Creatinine 4.9 (0.3-1.4). Since the newly diagnosed renal failure (b) (6) has been regurgitating so another barium study was ran to rule out megesophagus and none was found. An ACTH stim test was performed today and we are awaiting results. (b) (6) has also started to seizure which had not been a problem since initial presentation to our clinic.</p>
Milo's Chicken Jerky Milo's Sweet Potato Jerky package discarded	Dog	Unknown	14 Years	Male	98		<p>I purchased Milo's Chicken Jerky and Sweet Potato Jerky at a local store in Feb and gave to my dog. Soon after (? days) my dog developed generalized seizures and symptoms of a peripheral neuropathy. Two weeks ago 6/12 he was diagnosed with T-cell lymphoma. I happened to see a warning about chicken jerky from China at the Ohio State U vet hospital 6/12. Although these are not symptoms listed by others, temporally definitely related Breed- Bouvier des Flandres Receiving CHOP Protocol for lymphoma starting 6/12/12 with decreasing lymph nodes.</p>
Waggin' Train, Milo's Kitchen , Canyon Creek Ranch							<p>Dog treats made in China need to be recalled! How can they still be getting sold in stores (without so much as a warning on the packaging) if they are the reason so many dogs have gotten sick or died? It is time that lives become more important than profit!</p>

Kingdom Pets Chicken Jerky Treats	Dog	Mixed (Dog)	12	Years	Male	40	Pound	I have been feeding my dog the Jerky treats one a day as a treat, he became very sick, would not eat, very non responsive. Took him to the vet and he had a very high liver count (normal .9 his was 4.5). Was admitted for 2 days, ran IV's, and antibiotics. He is now recovering. The only thing we can link it to is the treats as he has been eating the same food, Innova for Soniors for the last 5 years. There has been no other change in his diet or routine. I stopped feeding him the treats the same day he became ill and the vet was even amazed at how fast he is recovering.
Milo's chicken jerky	Dog	Mixed (Dog)	2	Years	Male	50	Pound	one dog with diarrhea, and the second dog with bloody diarrhea
canyon creek ranch chicken jerky	Dog	Terrier - Yorkshire	4	Years	Female	10	Pound	She vomited within 1 hour of eating the Canyon Creek Ranch Chicken Jerky treats on 2 occasions (within 1 weeks time).
Milo's Kitchen Chicken Jerky Treats	Dog	Mixed (Dog)	8	Years	Female	16	Pound	I had been giving Chuck Wagon chicken jerky strips to the dog but switched to Milo's Kitchen chicken jerky treats because the Chuck Wagon treats went brittle and hard so quickly. In November 2011 he began drinking excessive amounts of water and having diarrhea. In one week he lost a third of his body weight. My vet gave him antibiotics for 3 weeks. I stopped the treats. He gained back some of his weight but started losing again and received another 5 days of antibiotics. He never completely got well or went back to normal stools. He died in February after beginning to lose weight again. The vet did blood work and thought it was kidneys or gut problems, but after reading about the Milo's Kitchen treats which I was purchasing at Wal Mart in Stockton, California, I feel that is what killed him. He was a very healthy animal upto that point. My vet did a mini atopsy and knows it was not heart worms or gut obstruction. The idea that a monetary value can't be placed on dogs to sue the company that marketed this product is wrong. It is not right for these products to harm animals. The FDA should do their job and make a full disclosure of the facts and what was in these products, who made them and what fine or punishment is the company receiving. My dog was trained to be alert to any problem I would have. He was a security system and a companion.
Dogswell Happy Hips Chicken Breast with Glucosamine and Chondroitin	Dog	Beagle	6	Years	Male	40	Pound	Fed our 3 dogs 2 treats each per day for the last 2 days and all 3 dogs developed bloody diarrhea. (b) (6) - Beagle - 6yrs - 40lbs - neutered (b) (6) - Yellow Lab - 9yrs - 70lbs - spayed (b) (6) - Golden Retriever - 12yrs - 80lbs - spayed (b) (6) also had issues with *excessive* urination having to go nearly hourly for periods of 5 or 6 hours after eating the treats.
Waggin Train Chicken Jerky Treats	Dog	Shepherd Dog - Australian	6	Years	Female	50	Pound	We have taken our dog on walks in hot weather before without any problem. On 6/12/2012, however, we went for a walk on a relatively cool day and the dog suffered heat exhaustion. At 8:00 at night she began convulsing continuously and we rushed her to the emergency vet. While we could not explain why the heat bothered her on that day and not on the hotter days, blood work showed toxicity that also could not be explained. Perhaps the toxins weakened her system. We incurred \$462 in emergency vet bill for that one night of treatment. If the other two dogs were to have bloodwork done, we would surely see the same level of toxicity because all three are given the treats. I am thankful that we only give these to our dogs about once every three days. I would hope the FDA would be able to force a recall on this product. We bought our product at Sam's Club and they have initiated a recall on the product, thank goodness. I wish I had looked this up on the Internet earlier; I gave them another of the Waggin Train chicken jerky treats today so I've been giving my loving, trusting pets a treat that is harmful to them. We consumers need the protection of the FDA.
Waggin' Train Wholesome Chicken Jerky Tenders, Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	8	Years	Male	43	Pound	Took my dog to the vet to have teeth cleaned. The liver values were high so they performed an x-ray. (b) (6) liver is 1/3 the size of a normal liver. He had Waggin' Train chicken jerky's in the past that we purchased at Sam's Club. Due to the problems other dogs are having with Waggin' Train, I suspect that is what has caused my dog's liver problems.
Milo's Kitchen Home-style dog treats 100% real wholesome & delicious - Chicken Jerky	Dog	Shih Tzu	5	Years	Female	25	Pound	(b) (6) started to be quiet, not wanted to eat the way she normally did - she was drinking a lot of water and had to urinate constantly - it was obvious that something had changed overnight.... Monday morning I took her to the vet to see what was going on and they performed an exam, did blood work and an urine analysis. The next morning (b) (6) phoned first thing with the results, (b) (6) had some results that were off and he was concerned - during the conversation he said, "by chance have you given her chicken jerky" - I replied "yes" - he said "let me call you back the FDA is researching an issue with chicken jerky" - I was shocked! I immediately looked on the internet and was shocked to see what I read.... how could I have given my "baby" something that might have made her so ill!!!! (b) (6) called me back within an hour and asked if I could bring (b) (6) into his office for additional testing including an ultrasound of her abdomen - I immediately took (b) (6) to the office for the testing and she was sent home later that evening with IV fluids that I had to give her twice a day and antibiotics twice a day as well. This visit was followed by more testing by (b) (6) and then it was decided to contact University of Pennsylvania Vet Program and (b) (6) test results and a urine sample were sent via overnight express for review and analysis and the results confirmed that (b) (6) issues are the result of tainted Milo's chicken jerky treats. My heart is broken... (b) (6) has had numerous amounts of testing/ultrasound/etc done to try to find out what was going on - and it all comes back to the chicken jerky.

Kingdom Pets all natural ingredients Chicken Jerky	Dog	Catahoula Leopard Dog	5 Years	Female	45 Pound	Became very lethargic and was hiding and not moving. Cried out in pain when trying to go up stairs or jump into car. Vet determined that she has kidney failure. We are waiting now to see if any kidney function returns. Brand of chicken jerky: Kingdom Pets Lot No, AKKPCO3B353 sold by Costco
Waggin' Train Jerky Tenders	Dog	Terrier (unspecified)	14 Years	Female	30 Pound	My dog, (b) (6) has been eating Waggin' Train Jerky Tenders for years. I buy them from Sam's Club. About a month ago, (b) (6) wasn't acting like her usual self. She was lethargic, had no interest in food, started drinking a lot more water, and she had some diarrhea. After about 2 weeks with no improvement, my son took her to the vet. The vet noticed that her belly was tight and he checked her stool for parasites. His discovery was that she had a bacterial overgrowth in her stool because of some sort of animal protein not breaking down. When my son told the vet what our dog eats, he mentioned the jerky tenders and the vet said to stop feeding them to (b) (6) immediately. (b) (6) was put on antibiotics and, although she's much better, she still doesn't eat like she used to and is not eating enough. By process of elimination, it was obviously the jerky tenders making her ill. The good news (if you can call it that) is that I believe that I may have enough "proof", if you will, for the FDA to do much more testing. I have four bags of the Waggin' Train Jerky Tenders that have been bought over the past 6 months (approximately) during different trips to Sam's Club. Three of the bags have been opened and the fourth one is still sealed. The bag that is sealed has the same lot number as the opened bag which contained the contaminated treats that I believe made my dog sick. The other two bags still have a few smaller pieces in them. I have a habit of saving the almost empty bags with the smaller pieces of jerky in case I see a stray animal or come up with an idea on how to use the smaller pieces so they don't go to waste. Here is what I have that I can provide to the FDA or anyone who would be interested in doing more research: Four bags of the Waggin' Train Jerky Tenders bought at different intervals at Sam's Club. Two of them have the same lot number - one is sealed and the other is not, the other two bags have different lot numbers and still have some jerky pieces in them. I also have the paperwork from the vet visit where he notes that some sort of animal protein was not getting broken down in (b) (6) system. Please contact me if you want to pursue. Thank you, (b) (6) (b) (6)
Waggin' Train Jerky Tenders						I bought Waggin' Train Jerky Treats in March, 2012 and gave my dog, (b) (6) 2 pieces to eat. She became ill approximately 3 days afterwards. (b) (6) began staggering and having trouble walking. She was unable to stand and she refused to eat. She died a week later.
waggin train big blast chicken jerky wrapped pork skin twists with chicken liver center and waggin train chicken stix chicken & rawhide snack	Dog	Poodle - Miniature	2 Years	Female	8 Pound	Gave my daughters 2 poodles, and my lasa poo, a chicken jerky treat. (b) (6) started acting funny after she ate hers and she stole my dogs. She gave birth to 7 puppies which 3 have died and one will not make it through today. (b) (6) also has been pooping every where and not acting right. (and she never did that in the past). She has been nursing the puppies. My dog vomited after she ate a small one. I thought these treats were pulled off the store shelves, and am upset that these dogs are suffering because they have not been forced to pull the product. A web site says that 500 dogs have died, and now there is 4 more added so far. What do we need to do to get these pulled off the shelves? I feel horrible that my daughter is losing her puppies and possible the mother because I gave her a treat.
Waggin Train Wholesome Big Blast Chicken Jerky Wrapped Pork skin Twist with Chicken Liver Centers Chicken fillet wrapped Treats	Dog	Beagle	7 Months	Male	20 Pound	Thursday June 7th, 2012 we purchased a package of Waggin Train BIG BLAST Dog Treats for our two dogs. We gave each dog a Treat (Chicken Jerky Wrapped Pork Skin Twist with Chicken Liver Center). The Younger Male dog took the Treat away from the older Female dog and began to chew on both of them. Friday Morning I noticed the male dog's stool was beginning to get very loose. Friday The male dog drank a lot of water and urinated quite often, but I thought it was from the amount of water he drank He had also developed Gas. Saturday Morning His Stool was now like water and had a very bad smell. His appetite had decreased and he was acting like he didn't feel good, When I check his temp, he wasn't running a high Temp. Saturday night he wouldn't eat his supper and wasn't playful at all. Me and my wife had remembered that we had had a problem with Chicken Jerky with the female dog before so I removed both Chew sticks and tossed them in the trash. Sunday Morning he woke me up vomiting. This continued every 30 minutes for the next 6 hours, He couldn't control his body functions now and was urinating on himself and bed, plus was having to defecate a lot, He had become very weak and refused to eat at all, I was having to force feed him water and any food I made him eat he vomited back up. I took him outside to see if he would eat some grass, He ate a little grass but mostly just laid around. I contacted a friend that has a pet rescue company and she told me about the illnesses related to Chicken Jerky and a web site to check. That's when I found out the Brand Waggin Train was one of the three on the report and that the treats we gave our dogs was from this company. I quickly threw the remaining Treats and package in the Trash. Monday Our male dog was feeling a lot better by Monday Night he was 100% better His Stool had returned to a solid state and he ate his supper and chewed up my shoe!!!

Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	8 Years	Male	23 Pound	<p>(b) (6) was an 8-year-old mixed breed dog, weighing approximately 23 pounds, and in excellent health. He ran approximately 20 miles a week with me, and received excellent veterinary care his entire life, including dental treatments, regular checkups, blood work, etc.</p> <p>On December 11, 2011, I purchased from Costco the Kingdom Pets Chicken Jerky, and fed him a strip as a treat a few times a week. (b) (6) was never given more than 1-3 strips of chicken jerky in one WEEK, which is much less than the feeding recommendation on the bag of 2 per DAY for pets 11-25 pounds.</p> <p>The weekend of March 17-18, 2012, (b) (6) began to act lethargic, and on March 19, 2012, he stopped eating. I immediately took him to his regular veterinarian ("vet") at (b) (6) on the same day (March 19, 2012). The vet ran various tests and evaluations, including blood work and an ultrasound. Over the next 2 days, March 20-21, 2012, he became worse, and still wouldn't eat and began vomiting, so I took him back to the vet each day. On March 21st, the (b) (6) vet determined he needed a specialist to evaluate him and required 24-hour care in a hospital. He was sent to (b) (6) where he was admitted to 24-hour care in their ICU. He had tests, evaluations and treatment attempting to save his life. However, he succumbed to renal failure and died on March 28, 2012.</p> <p>I had not introduced anything different into (b) (6) diet in years besides the chicken jerky treats. Then the warnings about the chicken jerky from China came out a few months later, I investigated and found out that the Kingdom Pets that I had purchased at Costco was indeed from China. I then contacted the treating vets from his illness and death. The vets all agree that it is of their reasonable medical opinion that (b) (6) renal failure and subsequent death were the result of the Kingdom Pets Chicken Jerky.</p>
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	7 Years	Female	80 Pound	On 6/8/12 started coughing and "acting different" according to the owner. Was also twitching and looked confused from time to time. Vomited once and has increased thirst.
Wagon train chicken jerky	Dog	Other Canine/dog	6 Years	Female	14 Pound	Diaherra from eating wagon train chicken jerky dog treats.
Waggin Train	Dog	Shih Tzu	6 Years	Female	14 Pound	I gave (b) (6) the treats and then I went out. When I came back home she was bleeding rectaly and there was blood all over the living room. She was on the floor and could not get up. I called the vet imm. he came to the house I thought she was dying and she was when the vet arrived an hour later. I contacted the manufacturer and the place where the treats were purchase Dollar General and the treats are still there for sale and also at CVS (b) (6) is sick for the rest of her life and can only eat a prepscribed diest or she get sick and bleeds again. She has gastrointestinal disorders. Please recall these products. .
Beefeaters BBQ's	Dog	Terrier - Cairn	9 Years	Male	25 Pound	On Monday evening, June 4th, (b) (6) was active and playful. He had a chicken fillet from the Beefeaters BBQs package prior to going to sleep. The next morning, June 5th, he was a bit slow and refused to eat his food. We took him to (b) (6) at 7:00pm because he was drinking excessively, vomiting, standing with his head down and tail tucked in, refusing all food, and inactive. Extensive blood work was done, showing slightly elevated liver counts, and extremely low thyroid levels. An x-ray of his body was also done, showing some intestinal inflammation but nothing else remarkable. We were sent home with instructions to monitor him and call if he didn't improve. The next evening, June 6th, we returned and (b) (6) was examined by (b) (6). Pancreatic blood work was done, showing nothing remarkable. He was given some contrast to monitor his GI tract with x-rays the following morning, which seemed to be moving okay. On Friday morning, June 8th, we were told at 8am that he had eaten a bit of food, urinated and defecated, and was improving slightly. However, a call a few hours later from (b) (6) reported that there was now neurological impact, with (b) (6) being unable to stand, tilting his head to the left, unable to put his left paw down because of severe pain in his left fore shoulder. He also developed an ulcer in his left eye. Different antibiotics were given. Several hours later, he had worsened to where he was in respiratory distress, having trouble breathing. After consulting with the vet about the extreme pain and suffering (b) (6) was in and the outlook was so bad, we decided to have (b) (6) euthanized.
Milo's Kitchen home-style dog treats - chicken jerky	Dog	Retriever - Golden	3 Years	Male	60 Pound	First we noticed him scratching and itching heavily, he's never had skin problems before. Then his skin looked red and raw, not sure if it counts as a rash or it was self inflicted. Again, we've never had a problem like this before. Today he threw up a great deal, had diarrhea, ate little or nothing but drank a great deal of water, and is slow and lethargic and not like himself at all. We narrowed it down to these treats, we just recently decided to try them and only started giving them to him this past week, and when we gave one last one to him today, he threw it back up and seemed worse. That's why we're convinced it these treats.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	11 Years	Male	15 Pound	Pet was bleeding rectally, had a high temp (104), shaking, diarrhea - took him to the vet at 8:00 am on Saturday, June 9, 2012. Vet gave him fluids, antibiotics and kept him for observation - told us to look for clues for possible ingestion of mice poison or bad meat - we do not eat meat at home, do not have a problem with mice or rats - only change in pet's diet was addition of Waggin Train Chicken Jerky Tenders -
Dogswell Vitality Minis chicken breast	Dog	Other Canine/dog	10 Years	Female	14 Pound	Fanconi syndrome

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	14	Years	Male	20	Pound	After eating Waggin' Train chicken jerky tenders, my dog became very ill. He seemed to have extreme stomach pain and yelped in pain when he was touched in his stomach area. After about three days, he seemed to recover. I did not, at the time, connect his eating of the jerky tenders to his illness until a few weeks later when I fed him the jerky tenders and he reacted in the same way. I have also noted that he has developed incontinence, drinks excessive amounts of water, and needs to urinate frequently.
waggintrain chicken jerky treats								My puppy became very ill and ended up at the Veterinarians office, after eating chicken jerky treats by Waggintrain , Made in CHINA. I thought he was going to die! Vomiting and diarrhea, he had to get an antibiotic shot and one to stop the vomiting. It cost me out of pocket \$105.00 . He also had to take antibiotics for the next 5 days twice daily. I even wrote the company, filing a complaint and a claim to which they would not pay. They said until their product is recalled by the F.D.A. they will not pay!!!
EverPet real chicken Chicken Poppers	Dog	Terrier (unspecified)	8	Years	Female	20	Pound	The last two weeks (b) (6) has been listless and has been vomiting on and off. I remarked to my husband how unusual this was and I couldn't think of a reason why. This morning I clicked on the "Animal Rescue Site" and it had a warning about chicken treats from China. I realized for the last couple of weeks I had been giving (b) (6) EverPet Brand real chicken Chicken Poppers. They were indeed made in China.
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	5	Years	Female	12	Pound	Chicken Jerky was given occasionally as a treat. Strip were cut in half. In the last week se has become less active, sleeps alot, and is eating and drinking less. Her breath gotten a terrible odor. She was seen by our vet today, found to be slightly dehydrated. Blood tests were done with no apparent problem showing up. He prescribed an antibiotic in case she has inflammation in her digestive tract. He did state that the breath odor could indicate a kidney problem. At this time she is still lethargic.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Mixed (Dog)	7	Years	Male	10	Pound	Based on his size, I fed my pet less than the recommended treat serving of "Waggin' Train" chicken dog treats over a 3 week period, about every other day. My dog began drinking more water than usual and throwing up vomit mixed with tinges of blood. He only eats a good brand of dry dog food and one other natural treat besides the jerky. Since he was near the end of the food bag and had been eating the other treats for a while and not getting sick, I suspected the jerky. After I stopped giving him the jerky he stopped throwing up and has drank less water. I reported the incident to "Waggin'Train, LLC, the manufacturer in So. Carolina and they noted my complaint and sent me a refund. Now I see nothing but complaints about these treats, which are made in China per the label. Many dogs have died or become very, very sick, so I feel fortunate to have discovered the source of my dogs illness fairly quickly. The "Waggin' Train" Jerky Tenders lot number is B1CA5498A, the expiration is 06 17 13, and the package size is 24 oz, purchased at Target. Waggin' Train, LLC Anderson, South Carolina 29623 866-283-2923 info@waggintrainbrand.com
Petshoppe chicken jerky premium chicken dog treats	Dog	Chihuahua	10	Years	Female	12	Pound	I purchased my first dog treats, Petshoppe Chicken Jerky Treats, from Walgreens on Saturday May 19, 2012. My dog ate them that night and within a short time she started vomiting and having diarrhea until Monday. On Sunday, her vets office was closed so I was taking her in a Monday. On Monday her vomiting and diarrhea stopped but would not eat or play just stayed in her bed. I saw an article from my vet on Tuesday about Chicken Jerky Treats being recalled and making dogs sick. I took (b) (6) in on Wednesday morning. Her vet (b) (6) ran some tests and came to the conclusion it was the treats that made her sick.
Canyon Creek Ranch Brand Yams	Dog	Terrier (unspecified)	15	Years	Male	30	Pound	(b) (6) was given some yam treats and a few hours later he was gravely ill. He went outside and vomitted up the yams, partially intact. He became lethargic and refused food and water. I took him to an emergency vet the next morning. They performed xrays, ultrasound, and lab tests for poisoning. They did find a spot on his liver and he had a fever, they suspected he had cancer in his liver and prognosis was hermangiosarcoma and 3 months to live. He was given antibiotics and was better in two days. I followed up another verterinarian who performed laproscopic surgery to check for cancer or liver abnormality. He was found to have a healthy liver and no abnormalities. He refused to eat the treats afterwards. He has not been sick since then, that was two months ago. He does not appear to have cancer. I took him to my primary vet and he said the first emergency vet probably misdiagnosed him.

waggin train chicken jerky treats	Dog	Northern Inuit	11	Years	Female	65	Pound	dog was fed daily treats of chicken jerky. various brands, mostly from costco. she became ill, lethargic, refused to eat, vomited. was taken to vet & diagnosed with kidney failure for unknown reason. she ultimately died.
Waggin Train Jerky Tenders	Dog	Chihuahua	7	Years	Male	9	Pound	On several occasions I had given (b) (6) Wagging train Chicken Jerky treats and realized it caused severe diarrhea and lethargy, one time severe vomiting. When I realized that it was only after I gave him the treat that he had these issues I immediately stopped, soon after I started seeing on TV that people where complaining about these. So I just wanted to inform someone of our experience they need to get these treats pulled from the market.
Waggin Trails	Dog	Terrier - Boston	7	Years	Male	17	Pound	Given product from China Waggin Train Chicken Jerky treats Developed diarrhea and facial rash
Waggin Train Wholesome chicken Jerky Tenders	Dog	Poodle - Miniature	2	Years	Male	10	Pound	Dog became lethargic and would not eat. he was typically very playful and hyper, jumping all over the place. He began having bloody stools within hours and we took him to the vet. he died during the night after being given IV fluids. The vet said he died of pancreatitis, and probably ate something that killed him. He was an inside pet. Specific date unknown, records at VET
Waggin' Train Jerky Tenders	Dog	Basset - Artesian Norman	4	Years	Female	55	Pound	After eating Waggin Train Wholesome Chicken Jerky Tenders, (b) (6) became quiet, inactive and began throwing up, having diarrhea and bleeding from the rectum. We took her to the vet but she died on the table. Two weeks later, our other Basset Hound stopped eating, became inactive, having diarrhea and started throwing up. We have him at the vets now. Blood tests show dehydration, increased kidney enzymes and urine dilution. Doctor is not hopeful.
Waggin Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Schnauzer - Miniature	11	Months	Female	18	Pound	Started vomiting every few days for the last three weeks. Noticed blood in her stool today and non stop vomiting. She is very lethargic today and going to the vet in the AM. I was told to keep her hydrated. I saw a report today on the Waggin Train Brand and called the vet right away.
Ol' Roy Dog Treats Grilled Strips	Dog	Retriever - Labrador	2	Years	Male	101	Pound	Patient has been vomiting bile since starting with the treats from ol' Roy Grilled strips dog treats(exp 10/23/13 2115(or s)tp220327) patient also has had diarrhea for the past four days, he is lethargic and has been lame in back legs
Waggin Train Wholesome Chicken Jerky Tenders - Chicken Dog Treats	Dog	Other Canine/dog	15	Years	Male	12	Pound	after purchasing and administering appropriate serving size of Waggin Train Chicken Jerky Tenders, symptoms presented as follows: 1) Increased and Frequent Urination: Incontinence: when awake, not able to hold urine until he reaches outside when sleeping: wakes up having urinated in sleep. Amount of Expelled Urine: excessive - twice as much as normal Increased & Frequent Water Intake - constantly drinking water Sleeps 18 to 22 hours a day, inactive, lethargic.
Waggin Train Duck Jerky Treats	Dog	Mixed (Dog)	5	Years	Female	11	Pound	I have fed the Waggin Train duck jerky treats and the Waggin Train cowboy steaks to my 3 small indoor pets. Until the past approx. 2yrs. I never had a problem. (b) (6) contracted a UTI(urinary tract infection) I did not think much of it, until it became a regular occurrence. We practically live at the vets office. Kidney infections and UTI's are seemingly constant. Now she is having bloating, tiredness, excessive thirst, and elevated liver enzymes. Last week we had to place her on methocel for her liver health. My other 2 dogs had vomit and bloody gel-like runny stools, and some fatigue but they appear to have recovered. She is the smallest of the 3 dogs. She is a chihuahua/toy poodle mix. Her weight was normally approx.10lbs but due to her health problems with the kidneys/liver she has the bloating/fluid retention which has her weight approx 11-12lbs depending upon how bad the bloat is on that particular day at the vets office.
Waggin Train Chicken Jerky Treats	Dog	Hound - Basset	13	Years	Female	80	Pound	Our dog threw up after eating Waggin Train Jerky Treats
Dogs Well Happy Hips	Dog	Poodle - Standard	3	Years	Female	55	Pound	I purchased Dogs Well Happy Hips Chicken Jerky Made In China (which were returned back to the store, Agway Norwich CT) and within 24 hours my dog was violently ill with diahhrea and throwing up. It was the only new product given to her within this time frame. She is walked on a leash to take care of her business and is inside while I am at work. I am very intune with what she eats and have no doubts that this product made her sick.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - West Highland White	5	Years	Male	20	Pound	May 3 I gave my three westies small pieces of waggin train chicken jerky treats and my (b) (6) had vomiting and diarrhea with bloody stool the next day. I took him to the vet and he received two prescriptions. My other two westies had more mild symptoms. I did not connect this event to the treats, until the second time it happened two weeks later. Veterinary intervention with medications again, brought the symptoms under control with (b) (6). The other two dogs experienced mild symptoms and I gave them some of the same medication, which brought it under control again, however, (b) (6) stool wasn't fully normal until 2 weeks later. My vet asked if I had given them any "new" treats. I answered to the negative as I didn't think of these as new since I'd had the bag in the kitchen cabinet for about a month before feeding them out of it. So my vet was unaware I was feeding chicken jerky treats. When I asked my groomer if she'd heard about any illness going around, she showed me a report from ABC news about chicken jerky treats made in China. I went home and read the article further, and found the treats I had been unknowingly feeding my dogs were the #1 culprit in dog sickness and death from chicken jerky treats. I ask the FDA to please have these products removed from the shelves. When China produced tainted baby food and childrens toys, those products were recalled. Far more pets have been affected and died from these tainted product issues and our pets products deserve no less than the same recalls.
Waggon Train chicken strips	Dog	Poodle - Medium size	7		Female	20		After feeding my dog Waggon Train chicken strips she became very ill and almost died. Please see news story at link below. http://www.whdh.com/features/articles/carmelcase/MI95293/#.T8igzyxiZnw .email or go to wsvn7news, special reports, carmel on the case, treat problems.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	7	Years	Male	75	Pound	After giving Waggin' Train chicken jerky, within 24 hours both dogs had diarrhea. (b) (6) 75 lbs) had vomiting, decreased appetite, profuse diarrhea, increased urination, profuse water consumption, lethargy, no appetite. I withheld food for 24 hours and stopped giving the treats and encouraged consumption of water. Vet gave empiric treatment with an antibiotic and took a stool sample. I have contacted him and reported use of this product and will follow up on Monday to see if bloodwork is recommended.
Pet Shoppe Duck Jerky premium duck dog treats	Dog	Terrier - Jack Russell	7	Years	Male	9	Pound	He was bitten by another dog in the neighborhood on his chest. we took him to vet and had it drained and put on pain, antibiotics. We drained the wound for 2 weeks and it healed well. a few weeks later, he started to noticeably lose weight. At the time of the bite, he was 11 lb (died at 9lb), which was a little light. On a Monday, he started to have the diarrhea, vomiting and urinating 4-5 times/ a day, which was unusual. By Wed, he stopped eating all together (caesars wet food), other treats, small bites of american cheese. by Thursday, he wouldn't even move, I had to carry him everywhere. took him to the vet on Friday afternoon (circumstances did not allow me to take him in on Thurs). He was given a sub Q. Blood, stool samples were taken. by 2 pm on Sat, he was euthanized. The blood work is attached. he was given about 5-7 small pieces of the jerky, he travels in the car alot with me so I was giving them to him. The vet could not pin point exactly what he died from, but not the bite. She asked if he got into any trash, rich, non dog food, poison anything. We could not think of anything. We decided to do some research on the internet, and came across a previously report about chicken jerky. We are not 100% sure what he died from.
Kingdom Pets Chicken Jerky	Dog	Bulldog - French	1	Years	Male	25	Pound	I gave my dog, (b) (6), the chicken jerky and within 8 hours he was lethargic, bloody diarrhea, vomiting. Took him to the hospital and it was immediately admitted to the ICU and was critical. I was told if he had not come he would have died by the following day. He was in ICU for over 24 hours with iv fluid and antibiotics, xrays and tests done to find out what was wrong. Only thing he consumed was the treat and they found nothing else that could have caused it. Over \$3,000 and recommendation to not give anymore treats he was released and given gentle stomach diet for 10 days and is now recovered.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Alaskan Malamute	7	Years	Male	85	Pound	My 7 year old Alusky got sick on a Monday and died on Friday with what the vet said was an auto-immune disease. His cell count was completely off and he spent his last week of life at the animal hospital receiving IV's all day for hydration & antibiotics. After all the articles I've read I truly believe that Waggin' Train Wholesome Chicken Jerky Tenders by Nestle Purina were the cause of my dog's death. (b) (6) consumed Waggin' Train Wholesome Chicken Jerky Tenders at least twice a day.
Cadet Gourmet Chicken and Spinach chips								6 yo shitzu pekinese mix canine suddenly became ill and died within 6 hours of cardiac arrest on 6/1/12. Notable signs and symptoms were lethargy, hypothermia, hyperventilation, dehydration. Pertinent labs included hyperglycemia, increased ALT, mildly elevated renal parameters. The canine was warmed and hydrated to no avail. The dog had been fed liberal amounts of Cadet Gourmet Chicken and Spinach chips made in China during the day of the incident.

Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats 97% Fat Free	Dog	Shepherd Dog - German	8	Years	Female	80	Pound	I fed my dog two Waggin' Train jerky tenders chicken dog treats and within a few days she became very ill: vomiting, diarrhea, anorexia, weight loss, lethargy, excessive thirst. She became very ill on Friday, May 26, 2012 and on Monday, May 28, 2012 she died. I believe the Waggin' Train product was unsafe to feed to my dog and it killed her.
Waggin' Train chicken jerky treats	Dog	Other Canine/dog	13	Years	Female	28	Pound	After having to have (b) (6) put down, I was worried about her. We were both mourning his death. I kept a close eye on her and decided to take her to the vet. The vet did blood work. They gave her a shot and some fluids and we went home. They called me the next day and said that (b) (6) levels - of everything were WAY up and that she was in kidney failure. That was a Friday, I had to have her put to sleep on Monday.
Waggin' Train Chicken Jerky Tenders	Dog	Spaniel - Cocker American	13		Male	28	Pound	He was fine in the morning, being his usual goofy self, then all of a sudden he started acting strange. Not walking right, not looking right, not wanting to eat but being very thirsty. I called the vet and she said his kidney's had failed and he had to be put down.
Milo's Kitchen home style dog treats Chicken Jerky	Dog	Lhasa Apso	1	Years	Male	20	Pound	vomiting and diarrhea
Waggin Train Pork Skin Twist with Liver Center, Canyon Creek Ranch Chicken Tenders, Canyon Creek Ranch Brand Yams	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland)	8	Years	Female	40	Pound	Patient began vomiting and continued for 5 days; also became extremely dehydrated with constipation
Waggin' Train chicken jerky treats	Dog	Spaniel - Boykin	2	Years	Female	26	Pound	I fed her Waggin' Train chicken jerky treats one a day for approximately three days and she began vomiting and peeing in the house and excessive thirst. I took her to the vet that same day on March 29 and she had high levels in her urine with struvite crystals and an infection. He suggested I do bloodwork since this was a suspected poisoning in the treats. Those tests came back fine, I believe since I caught it early. He put her on antibiotics. I then brought in a urine specimen 2 weeks later on April 12 and still crystals. She was put on a special diet and was told to bring another specimen in a month. I brought that one in on May 23 and she was put back on antibiotics. As of today, she just finished those and I will be taking back another specimen in 2 weeks. Still on special diet too. This was the only change in her diet and I cook homemade food for her since birth so no possibility of another product involved.
Canyon Ranch	Dog	Great Dane	6	Years	Male	170	Pound	3 bladder infections over a 4 month period when taking Canyon Ranch Jerky treats.
Waggin' Train Jerky Tenders , Waggin' Train Yam Good	Dog	Beagle	10	Years	Female	29	Pound	<p>This has been going on since Oct 2011. There has been no realization that these incidents could be related so not reported until now. My dog has been eating these jerky treats for 6 months. She has had numerous episodes of diarrhea, lethargy, anal gland problems from the diarrhea and the most recent projectile vomiting. I had suspected her dog treats were the cause before but just because she is sensitive. She has been on and off numerous antibiotics for this problem that always improves her and then when the antibiotic is stopped, she returned to poor health, loose stools and gagging.</p> <p>This memorial day weekend on she got 2 yam treats and a jerky treat. By Monday she had diarrhea all over the house and projectile vomited across the living room floor in front of me with out even getting up from her bed. (She is obsessively housebroken, so for her to do anything in the house is a huge sign) She was still hungry but could not hold anything down. It looked to a lay person, like the stomach flu. I had seen all this numerous times before except for the projectile vomiting. That was a worse symptom. I again called my vet who stated that I could pick up another prescription for antibiotic because she must have gotten into something again that upset her stomach. I told the vet I had been watching her like a hawk and I didn't understand why this kept happening.</p> <p>Then I watched the news. When the specific treats I give my beagle were mentioned I was horrified. She did improve in her history while on antibiotic but also when she was "sick" I always stopped all treats and gave her bland food so I realized there has always been a correlation, Always. Obviously I will NEVER give her the treats again and hope that I have not done permanent damage to my sweet (b) (6). She starts the antibiotic tomorrow when I am sure she can hold down the medicine.</p>

WAGGIN TRAIN JERKY TENDERS	Dog	Other Canine/dog	5	Years	Female	35	Pound	I bought Waggin train Chicken Jerky treats in July 2011. After giving her one I noticed she was acting strangely, I wasn't sure what it was, it was a prayer position type of stance. At first I thought she was being cute until after 4 more days and 2 more treats..(SO 3 TREATS TOTAL IN ONE WEEK PERIOD.) She looked uncomfortable trying to pee every 2 seconds, then she moved he bowels and it was very stringy and a lot of blood came out. I thought at first maybe the treats weren't digesting and cutting up her intestines. I stopped giving the WAGGIN TRAIN TREATS to her and returned them to Hannaford supermarket and told them what happened. SHE was seeming to feel better the next few days as I fed her organic home made diet and watched her closely. It wasn't till months later when I saw on the news they were causing renal failure and death in some dogs. I was very upset and contacted Waggin Train. Where they denied anything wrong with their products. Since then I see and hear many reports of dogs dying. Which confirmed my original suspicions that those Toxic treats was to blame for my Dogs suffering. I am filing the complaint and pleading with you to take these things off the shelves. I was recovering from cancer treatments and If i had lost my best friend to a dog treat I would have been devastated. Now I see so many beloved pet owners losing their pets, some complaintating eating the treats themselves so as maybe it the suffering will stop... PLEASE PLEASE SAVE OUT PETS.. THERE ARE FAR TOO MANY UNWANTED DOGS SUFFERING AND DYING. WHY SHOULD ANOTHER HEALTHY LOVED PET DIE AT THE HANDS OF THEIR LOVING OWNERS..
Chicken Tenders	Dog	Terrier - Irish Soft-coated Wheaten	1	Years	Male	37	Pound	In December of 2011 (December 10th). My dog suddenly ill. Around midnight he began vomiting blood and having bloody stools. He was taken to the emegency vet clinic the same day. The vet informed me his chance for survival was not likely given his vital signs. He underwent two plasma transfusions along with other treatments. In the course of a week, he stablized and was fully recovered with in a month. After numerous and exhasive tests - the vet concluded that the most likely cuase of illness was related to something that was ingested as a part of the pet's diet. Their were no toxins / harmful viruses detected. One change that we had made in his diet a couple of months before the illness was adding Chicken Jerky Treats manufactured by Canyon Creek Ranch. I was not aware this pet food was packaged in China or any of the other issues that have been reported from similar products until recently.
Milos Kitchen dog treats								Bought Milo's Kitchen dog treats on the weekend for my dog and now she isn't eating and seems to have stomach upset. I then was sent an email from a friend about problems with Milos Kitchen (made in China). I read email and it said that there have been problems first reported in 2007. What gives, why isn't there a recall on these products.
Waggin' Train Wholesome Chicken Tenders	Dog	Pointing Dog German Wire-haired	7	Years	Male	90	Pound	had an episode of vomiting, excessive drooling and lethargy in early April, 2012. I took him to the vet and he had blood and urine tested and was put on a course of antibiotics. He improved after a few days. Then again about 10 days ago, he had the same symptoms, but seemed much worse. He would not eat or drink, and began to stagger as he walked. I happened to look on the internet at work, saw a headline about dog treats from China harming and killing dogs and printed it out to check the brand we had at home that I had been giving him occassionally for the past 2 months. Sure enough, we had that brand. I took him to the emergency vet right away that evening, and the vet ran blood and urine tests and found that his white blood count and enzymes were elevated. He felt that the dog chicken jerky treats had been the cause.
waggin train jerky tenders chicken dog treats	Dog	Shih Tzu	2	Years	Female	10	Pound	Exteme diarrhea with bright red blood in stool
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	4	Months	Male			After eating Milo's Kitchen Chicken Jerky, my puppy became whiny and while walking and sitting would fall over. He also developed muscle tremors.
Milo's Kitchen Homestyle Dog Treats - Chicken Jerky	Dog	Boxer (German Boxer)	6	Years	Male	90	Pound	My dog (b) (6)- who is a boxador (boxer/ black labrador retriever mix) was in perfect health and we kept him active everyday. He has been the best dog we have owned and we have always had multiple dogs at the time. My mom bought "Milo's Kitchen Homestyle Dog Treats - Chicken Jerky" a week ago and started feeding them to my dog (b) (6) one every other day, since this has started (b) (6) has not been able to eat anything, and he has lost close to 15 lbs. He has been drinking a lot of water though and urinating frequently. He is very weak and seems to get shaking like symptoms very frequently which he used to only get when he was very nervous prior to the treats. We have ceased the Chicken Jerky as treats and (b) (6) seems to be doing a little better he still has yet to eat though. I want to warn everyone prior to shopping for these treats I know my dog he is my best friend and he is not right right now. I hope he can break this illness and get better, but consumer need to be aware of this fatal treat.
Waggin Train wholesome chicken jerky tenders	Dog	Mixed (Dog)	13	Years	Male	75	Pound	I buy all natural dog food for my dog and thought these were the same health standard, and had been buying these for a while. My dog gotten into the cabinet while I was outside and ate several, which I will usually only give him one at a time, two or three times a day. Several hours later, he experienced severe (foamy) diarrhea, uncontrollable vomiting for several days. I didn't think he would make it. After several days of a diet strictly of boiled whole chicken and rice he seemed to come around, but has not completely come back to where he was, his overall health has declined significantly in the last month since this occurred.

Canyon Creek Ranch Brand Natural Chicken Tenders								I bought my dog the Canyon Creek Ranch chicken treats for Christmas because they were on sale and figured I'd try something new for him. Shortly after giving them to him he became having a lot of issues with diarrhea. We gave him a bland diet, eliminated treats. Once we started giving him the treats again he had diarrhea again. They were the only new thing we were giving him. He's had tons of treats before and eats a ton of food and has never had any stomach issues. I know the chicken treats were the ones making him sick. I know it was not because of anything specific with my dog but because there is something wrong with the treats.
Wagon Train jerky tenders chicken dog treats								Our puppy has been fine since we got him. Then today, 5/26/2012 we gave him a small piece of the wagon train chicken jerky and after a few hours he has explosive diarrhea.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Spaniel - Cocker American	11	Years	Female	23	Pound	(b) (6) began having severe diaherra and dehydration 1 day after eating Waggin Train Wholesome Chicken Jerky Treats. Then while being treated at VETS it was determined she was in renal failure. Still critically ill.
Milos Kitchen chicken meatballs	Dog	Terrier - Yorkshire	1	Years	Female	4	Pound	Vomited for 24 hours until she dry heaved, diarrhea
Waggin' Train Jerky Tenders	Dog	Spaniel - King Charles Cavalier	3	Years	Female	21	Pound	Shortly after (b) (6) being diagnosed with diabetes, she started to get sick in middle of November. Her blood sugars were still being monitored. Her diabetes was started to be in control. However after she had the Waggin Trail Chicken Jerky, she stopped eating. (b) (6) became very sick, very quickly. She went off food completely, and had to be admitted to the clinic. She was started on IVs, medications, and monitored. She never ate again (b) (6) passed away December 10th from kidney failure. Her renal test kept getting worst, she had extreme fatigue, would not walk, and was in pain every time you would pick her up. (b) (6) was put to rest on December 10th. She was not eating I never thought the Waggin Trail Chicken Jerky would kill my loved puppy. If I knew this çtreatç was going to kill her kidneys, she would have never received the chicken.
Pet Center Inc. Chicken Nibbles	Dog	Samoyed	5	Years	Female	72	Pound	we noticed our dog was vomiting a few times a month but could not identify any food triggers that may be causing the incidents. Since we had heard about the problems with chicken jerky from China people were reporting, we were monitoring our dog's reaction to Pet Center Inc's chicken nibbles we had gotten her a few months back. We got the 2 1/2 pound jar and giving it to the dog on an irregular basis (not daily). Last week, our dog upon eating a chicken nibble ran for the door needing to vomit. Part of us still suspected something else since she had been fed chicken nibbles for the last few months. However two days in a row this week she had the same reaction. Immediately after eating a chicken nibble, she ran outside to vomit twice. That solidified our suspicion that something about the chicken nibble was causing the vomiting. Besides the vomiting, the other symptoms have been excessive drinking and lethargy. Since she is a long haired dog, we thought the drinking and lethargy were tied to the warming weather, however are taking her to the vet since those symptoms developed in conjunction with the vomiting.
waggin train jerky tenders chicken dog treats	Dog	Terrier - Australian	9	Years	Male	25	Pound	i normally give (b) (6) dog jerky as a treat for him, well this last batch i noticed him acting different laying on the floor not wanting to do anything, he started eating less and drinking more i even tried to give him a pc of jerky and he didnt even want it and he never turned down some jerky next thing i notice he was throwing up for two days , just liquid . i also notice he smelt like poop so i gave him a bath and he didnt act like he normaly does, i dried him off and he still smelled we took him to the vet and he started having seizures and was having them at home but i couldnt tell. they did blood work , urine and exrays they said his kidneys and liver were failing and inlarged and there was nothing we could do. i brought him home he kept having seizures and was throwing up his bouls and we had him put down all of this within 2days. (b) (6) was a great dog and very healthy loved to play and take walks . he passed so sudden we had no warning . he was to young and did not deserve this, i miss him dearly and took this really hard i ended up taking 2 days off from work because i was having a break down. something needs to be done there are multiple reports out there with the same syptoms. kim
Canyon Creek Ranch Chicken Tenders	Dog	Shepherd Dog -	7	Years	Female	85	Pound	Dog is having Diarrhea that will not stop
Canyon Creek Chicken Tenders	Dog	American Pit Bull Terrier	15	Months	Male	70	Pound	We had been purchasing the Canyon Creek Chicken Treats for about 4 months (4 purchases). We started to notice that our dogs coat was covered in hives and his appetite had dramatically declined.(b) (6) bowl movements became extremely loose and he had several accident in the house where his stomach would cause an "exploding" effect when released. We witnessed and heard the sound and his loose stool several times. We at first believed it was his food (Pedigree) and gradually switch him over to Blue Buffalo. When we didn't notice a change, we brought him to the vet to be tested for everything. Everything came back negative. It wasn't until we ran out of the treats, and had not purchased them for the past month, that we noticed an improvement in his coat as well as bowl movements. Today (5/22/12) we were watching Fox 5 News and saw the story on Canyon Creek Treats causing illnesses in dogs. It was obvious that the treats were most likely the cause of our dogs problems.
Canyon Creek Ranch Brand Chicken Tenders	Dog	Shih Tzu	13	Years	Female	18	Pound	Really bad case of Diarrhea that just wont stop.

WAGGIN TRAIN JERKY TENDERS DUCK DOG TREATS	Dog	Siberian Husky	6	Years	Male	55	Pound	MY DOG (b) (6) WAS HEALTHY AND ENERGETIC AND WAS VERY YOUNG, ONLY LIVED HALF HIS LIFE. ALL OF A SUDDEN HE BECAME LETHARGIC/DRANK WATER EXCESSIVELY/DIARRHEA/. I TOOK HIM IN TO ER WHERE THEY GAVE SUBCUE FLUIDS AND ANTIBIOTICS IN CASE OF GIARDIA AND FOR DIARRHEA. A WEEK LATER HE WAS WORSE, I TOOK HIM TO ER AGAIN WHERE THEY DID AN ULTRASOUND AND THOUGHT THERE TO BE A MATERIAL OBSTRUCTION, SO THEY DID ABDOMINAL SURGERY TO FIND THERE WAS NOT FOREIGN MATERIAL, DID A BIOPSY WITH RESULTS OF MODERATE-SEVERE INFLAMMATORY BOWEL DISEASE. HOWEVER, THEY DID FIND ILEUS WHICH IS A MOTILITY DISORDER, AT THE TIME IT WASN'T AS BAD, WAS SENT HOME WITH MEDS AND A FEW DAYS LATER TOOK HIM IN AGAIN TO ER AND THEY FOUND A BLEEDING ULCER (GOING BY VOMIT SYMPTOMS AND BLOOD IN THE GI), WAS GIVEN MEDS AND AT THIS POINT MOTILITY STILL WASN'T PRESENT AND LOOPS OF BOWEL WERE GETTING WORSE, WAS GIVEN A MORE PROGRESSIVE MED TREATMENT TO RESTORE MOTILITY WHICH NEVER HAPPENED, AND TODAY HE DIED. I FOUND WAGGIN TRAIN DUCK TREATS THAT I HAD BOUGHT SEVERAL MONTHS AGO WITH MOST OF THE BAG EMPTY. ALTHOUGH HE DIDN'T HAVE LIVER OR KIDNEY FAILURE AS MOST REPORT, HE DID HAVE AN EXTREME NUMBER OF ISSUES THAT NO ONE COULD SAY FOR SURE HOW THEY UNEXPECTEDLY CAME ABOUT.
Waggin' Train Jerky Tenders	Dog	Shepherd Dog - German	4	Years	Male	75	Pound	For the last week, my dog has been getting 2-6 chicken dog treats per day (Waggin' Train Jerky Tenders). He has shown signs of great dehydration; I've been refilling his 44oz drinking bowl 3-4 times a day. He's begun eating grass and having a hard time keeping any food down. Also new is burping. In the four years he's been with me, I've never heard him burp so much. Not to mention a decline in overall energy. All of these symptoms begun late last week, May 19, 2012. The only change in diet, routine, etc.. for the last 3-4 months was the recent change in treats to Waggin' Train's Jerky Tenders. I've not given him any Jerky Tenders for two days now and his vomiting has slightly decreased however, eating and burping problems, eating grass, and loss of energy still persists. If helpful for investigative purposes, the lot # printed on the bag of Waggin' Train Jerky Tenders we purchased is; J4CA5645B.
Waggin' Train wholesome chicken Jerky Tenders Chicken Dog Treats	Dog	Pug	3	Years	Female	12	Pound	GI upset (vomiting and diarrhea) plus dehydration; no appetite.
Waggin" Train Wholesome Chicken Jerky Tenders	Dog	Pug	11	Years	Female	26	Pound	She became listless, extremely thirsty, and pooped blood. Her stool was loose and runny.
Smokehouse Brand Pet Products Beef Rib Bone	Dog	Shepherd Dog - Australian	5	Years	Male	31	Pound	May9 2012 owner called reported (b) (6) had vomited 3 times that AM, when owner returned home from work in the early afternoon he noticed blood in stool and (b) (6) was not interested in eating or drinking. Owner brought in for exam, bloodwork and x-rays, initial bloodwork showed slightly decreased RBC, no significant findings, sent home on Cerenia SID and Metronidazole 150mg BID. Returned to hospital on May 10 2012, stil not eating, more vomiting episodes, Barium study, repeat Electrolytes, Pancreatic Lipase test positive, IV catheter placed and fluids administered, continued fluid therapy thru May 11 2012, released to owner overnight, no further vomiting, IV catheter removed. Owner mentioned illness began 2 days after he gave a Smokehouse brand Beef Rib Bone.
Wagon Train Chicken Jerky	Dog	Other Canine/dog	7		Male	18		Kidney failure and pancreatitis, treated for two weeks.
Milo's Kitchen home-style dog treats chicken jerky	Dog	Bulldog - French	4	Years	Female	14	Pound	Our 4-year-old French Bulldog, (b) (6) was given one Milo's Chicken Jerky treat on November 17, 2011. That evening, she began having diarrhea, which continued on and off during the night. I washed her and made sure she had sufficient water and offered her food (which she refused) during the night. I last checked on her at 7:00 AM on Friday, November 18, 2011 and she was sleeping but alert and looked at me when I came into the room. At 8:00 AM (when out vet's office opened) I went into the room where she was sleeping and she had passed away. The only difference in her day-to-day diet was the one Milo's Chicken Jerky treat that she had on Thursday, November 18, 2011. This treat caused her illness and sudden death.

Canyon Creek Ranch Brand: Natural Chicken Tenders	Dog	Dachshund - Miniature	2	Years	Male	15	Pound	<p>(b) (6) ingested the Canyon Creek Ranch treats daily. I know that he ingested them for atleast 6 months. During his routine check up, the vet found that his liver levels were off the charts. The vet believed that he had ingested something and had a bacteria for which they gave him antibiotics. Upon his follow up vists, he levels had not gotten any better. They sent us to get an ultra sound which was basically inconclusive. We were referred to a specialist at this point. This all happened around March 10, 2011 between that time and 4/10/11, (b) (6) became more lethargic at home. He was not eating very well, or at all, he lost close to 2 lbs.</p> <p>The specialist found that he was sicker than we knew, and he had to be put on fluids immediately. The date of admission to the specialist was 4/10/11. He never came home. From 4/10-4/20/11 he was was a patient at the vet. He was on constant fluids. We did an exploratory liver surgery, as they were unable to pinpoint the problem. When they performed the surgery they realized that his liver was too far deteriorated for them to do anything. Their hopes were that it would begin to repair itself. It didn't. He became jaundice, and was not eating or drinking. We were basically keeping him going through the fluids. Our last ditch effort to save him was a blood transusion, it was unsuccessful. On 4/20/11, we made the decision that we could no longer put him through these life saving measures. We knew he would be unable to come home unless his levels imporved, and they just weren't getting any better. We also used up all of our resources and more (we spent around \$8,000.00 trying to save him).</p> <p>So, he spend the last week and a half of his life in a strange place, undergoing a very invasive surgery, a blood transfusion, and being on a constant IV for fluids.</p> <p>Again, the Canyon Creek treats were his favorite, he ate atleast 1-2 daily. Please please please investigate to see if this was the cause, if there is any chance that this could happen to another dog and another family, it should be worth it.</p>
Waggin Train Brand Chik'n biscuit	Dog	Chihuahua	12	Years	Female	7	Pound	<p>(b) (6) loved her treats, and had 1-2 a day. The treats were the Waggin Train chicken biscuits. She ate them for 6-8 months. (b) (6) developed kidney failure and died within a week of onset. In hindsight, she had developed an extreme thirst, and may have been suffering from kidney failure for a few months prior to the extreme symptoms and death. She had no other health issues and was a fun spunky little love who was one of my children. These treats should not be sold. I think the other dogs in the family weren't affected due to their body weight. They are all larger dogs 60 lbs and up. I believe these treats are a death sentence to small and tiny breeds. It's heartbreaking.</p>
Milo's Kitchen home-style dog treats chicken jerky	Dog	Terrier - Yorkshire	3	Years	Female	7	Pound	<p>(b) (6) exhibited lethargy, increased thirst, loose stools, vomiting, and lack of appetite after we gave her Milo's Kitchen Home style Treats. After seeing a news report on these dog treats we ceased giving her these treats and purchased a brand we had given her previously. The difference in behavior was remarkable. After only one day her appetite is improving and her energy level is greatly increased.</p>
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	7	Years	Mixed Population of Female and Male	9	Pound	<p>I have been giving one of my two dog these treats every weekend. For the last two weeks she had been having loose watery stool for three day after The treats have been giving. I relized it was the treats doing this when I gave my male one of the chicken Jerky sticks and he had the same reaction. I normaly give him a natrual raw hide instead as he will chew on that longer.</p>
Milo's Kitchen Chicken Jerky Treats all natural	Dog	Poodle - Miniature	2	Years	Female	12	Pound	<p>My parents were dog-sitting (b) (6) for the weekend and bought her Milo's Kitchen Chicken Jerky treats. When she returned home, she was violently ill...up most of the night vomiting, what appeared to be blood. She recovered in a day and I figured she ate something, but wasn't sure what. Two weeks passed and she was fine. But then she again went to my parents house for two days...and they gave her more of the same chicken jerky treats. She again came home and was sick...this time vomiting and with diarrhea. Then today my babysitter informed me that her 3-year-old Pomeranian died this week after eating Milo's Kitchen chicken jerky treats and choking on her own vomit. I double checked with my parents and they had been giving our dog, (b) (6), the same treats when she visited their home.</p>
Waggin Train Chicken Jerky Treats	Dog	Shih Tzu	13	Years	Male	20	Pound	<p>He became lethargic one day and not being himself, I took him to his vet. She was not able to find exactly his problem except that it was an abdominal problem. She gave him something to ease him stomach pain and if he was not better the next day, we were to run blood test. That night he was laying in the kitchen with me. He went to raise up and gave a horrible yelp and fell over dead.</p> <p>A friend of mine was also giving her pet the same treats and her dog died exactly the same way.</p>

Waggin' Train Chicken Jerky Treats	Dog	Chihuahua	2	Years	Male	9	Ounce	<p>Suddenly one evening, (b) (6) began to vomit frequently, drink water excessively, shake, appear lethargic, and appear in significant abdominal distress. We took him to the emergency veterinarian, who ran a series of tests. The tests showed significant dehydration, elevated kidney values, and abnormal appearance. (b) (6) stayed overnight at the emergency vet (the local VRCC at a cost of over \$1000). The next day we took (b) (6) to his regular veterinarian, where it was suggested he stay for the day. After 24 hours of administering fluids and monitoring, he was declared well enough to go home.</p> <p>No immediate cause of illness could be found, so the vet suggested we consider dietary possibilities. We had previously been giving (b) (6) Waggin Train' Train Chicken Jerky treats purchased from a local Walgreen's store. We didn't even think of this at the time, so eventually as (b) (6) appeared better we began giving these treats again. The symptoms immediately returned, at which time we stopped giving the treats. We then pursued more research in conjunction with our vet and found that other dogs had taken ill with the exact same symptoms after having ingested these treats.</p>
Waggin' Tails Rawhide Chicken and Duck	Dog	Retriever - Labrador	6	Years	Female	72	Pound	<p>In March of this year, (b) (6) woke up in the middle of the night every night for several nights and ran downstairs to vomit. She almost never vomits so we were mildly concerned but thought maybe she ate something she should not have. A week later she started to urinate all over, on our bed, on our couch, and on the floor. She never has had accidents except when she was a puppy. At the same time she was drinking constantly. She could not get enough to drink. We automatically assumed UTI and called the vet. We took in a urine sample and it came back negative. The vet wanted to do bloodwork to rule out renal failure or parasites or liver damage, etc. At the same time a friend told us about these Waggin' Tail treats and that they have been causing a lot of problems in dogs including his and his brother's dog. Since that is what we have been giving (b) (6) we stopped them right away. Now we are trying to determine how much kidney damage (b) (6) may have. She is still drinking all the time and is having many accidents in the house. We would like to know what caused this because prior to this she was very healthy.</p>
Waggin train jerky tenders chicken	Dog	Poodle - Medium size	12	Years		20	Pound	<p>Not sure if the chicken jerky caused his death but he got sicker after chicken h Jerky was eaten d Thought it was due to old age but now I wonder if it was due to jerky T</p>
Kingdom pets all natural ingredients Chicken jerky	Dog	Pekingese	12		Female	10	Pound	<p>vomiting; diahreea; blood in vomit and stool</p>
Milo's Homestyle Chicken Balls	Dog	Chihuahua	13	Years	Female	11	Pound	<p>She suddenly became ill in 2011 and was taken to vet.....she said began taking medicine for heart problems. Then suddenly the week of May14th she suddenly begin not eating and drinking and was taken to vet on Wednesday ans she said she was in kidney failure and died on Friday. I had been giving those Milo's homestyle treat to her for that time.</p>
Waggin Train Chik'nBiscuits	Dog	Other Canine/dog	3	Years	Female	17	Pound	<p>Dog became ill one evening, vomiting, lethargic, had eaten dog treats that afternoon. Took to ER Vet Hospital next day, found blood in urine & fever, diagnosed with UTI, was givevn a shot for nausea & sent home on oral antibiotics. 5 days still not eating. Called regular vet & was told to feed boiled chicken & rice which she still would not eat. Took to vet 3 days later & was found to have extremely high liver enzymes & bilirubin levels, was admitted on IV fluids and po medications to reverse the liver damage. Was in the hospital from Monday 5/21/12 thru 5/24/12. Enzymes still high on 5/24, but ok to be discharged home. Still on oral medication and will need follow up liver function studies. I was not aware of the possible adverse affects of the treats until today by a friend, so I never mentioned to either vet that I had given these treats to my dog. I have 1/2 of a bag left</p>
Canyon Creek Ranch Pork Skin Big Blast with chicken liver center	Dog	Great Pyrenees	3	Years	Male	110	Pound	<p>We gave him a pork skin treat on May 8th. Later that day he regurgitated all of his food from the day including parts of the treat (we could see undigested pork skin in the mess). Two days later he regurgitated his food again, and I took him to the vet. She noted that he didn't have abdominal pain so she gave him fluids and a few injections to settle his stomach and help him get better. We also started him on a bland diet of rice and chicken. Two days after that (may 12) he regurgitated food again, and vomited on the morning of May 13. We took him back to the vet. She took X-rays to see if he had any blockages (he didn't) and gave him a couple more injections. She changed his diet to Prescription Diet l/d canine gastrointestinal health. He had diarrhea for a few days after starting that food but finally started getting better. It wasn't until last weekend (May 19/20) that he seemed to be back to normal.</p>
Milo's Kitchen Chicken Jerky	Dog	Chihuahua	6	Months	Female	7	Pound	<p>Daily vomitting (she has one treat per day)</p>

Waggin Train Western Grill	Dog	Mixed (Dog)	9 Years	Female	45 Pound	After recovering from Cruciata surgery and beginning normal exercise I felt I could once again start to treat her with out having her gain weight. I opened a new bag of chicken strips and gave her one. It was around noon. By the next morning she was slow to eat her food. Her dinner that night was half consumed and she began to vomit during the night/early morning. She refused breakfast so I took her to the doctor. Her liver values were way off. She was in the hospital and on fluids for two days---getting worse with each passing hour. Two days later she was transfered to the speciality hospital for tests, biopsys and ultrasounds. Through the summer she would get a little better and then relaps several times. She was consistantly blood tested, ultrasounded, x-rayed and stayed on meds from April 2011 until February 2012 when she lost her battle and had to be euthanized. No reason for her illness could be found. Her pre-cruciata surgery bloodwork showed a perfectly working livera nd kidney, with all other values normal, 7 weeks later she was healthy, happy and energetic and the day after her first treat she was on the long, expensive, painful road to death.
DOGSWELL VITALITY CHICKEN BREAST	Dog	Retriever - Golden	4 Years	Female	80 Pound	GI COMPLICATIONS INCLUDING DIARRHEA
Waggin Train Chicken Strips	Dog	Terrier - Jack Russell	7	Male	24	About a year ago as something different for him as a treat I gave him Chicken Jerky Strips from Waggin Train I bought them at walmart. We didnt know what happened, but he acted funny and acted sick and layed around. Jack russells are dogs with energy and they like to play. I was gone till early evening and my wife called me and said we have to take duke to the hospital/doctor he cant even walk from outside now. So I met them at the doctors and we had to carry him in, he couldnt even walk. They ran test on him and took blood, they said his kidneys were infected and he had to go on 3 kinds of med's. two pills and one liquid. They were some of the stongest antibiotics they had. It cost about 350.00 to make him well again.
Sweet Potato Treats And Chicken Jerky Treats	Dog	Mixed (Dog)	8 Years	Female	30 Pound	Dog contracted bladder stones and nearly died from a blocked urethra. The vet ran labs and determined the cause was these sweet potato treats and chicken jerky treats coming from China that have harmful chemicals in them. TAKE THESE OFF OUR SHELVES!
Canyon Creek Ranch Natural Duck Tenders	Dog	Terrier - Rat	6 Years	Male	19 Pound	Shortly after purchasing 2 bags of Canyon Creek jerky, one of our three dogs became very lethargic. Still have unopened bag of jerky. After many visits, overnight stays withmore than one Vet, dogs health has improved with special diet and medication.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Golden	8 Years	Male	65 Pound	Dog has diarrreeh that has gotten worse. Mucous in feces. Drinking a lot of water
Milo's Kitchen Chicken Jerky Strips	Dog	Beagle	3 Years	Female	28 Pound	Both Beagles (b) (6) - 2years, 33 pounds) and (b) (6) - 3years, 28 pounds) were given Milo's Kitchen Chicken Jerky Strips two days prior to becoming ill. First (b) (6) experienced vomiting, diarrhea. (b) (6) began having tremors the following day. Both went to the vet for blood work/x-rays and nothing was found. On day 3 after ingestion (b) (6) began having tremors as well and (b) (6) began having Seizures. Took both dogs to the vet again on day three and they had high fevers, rapid respirations and irregular heart rates. The vet decided it was some sort of poison and treated them with Charcoal to absorb whatever toxin was in their system. Gave valium to control the tremors. By that evening they were on the upswing and I brought them home. I was not sure what they got into because they are indoor dogs that go on walks and are in our site at all times. I didn't think about the treats until the recent notice of possible contamination of these specific products.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Rottweiler	6 Years	Male	100 Pound	Dog was given more than usual amount of Waggin' Train chicken jerky treat at bedtime, lot no. W1NJ127A, bought at Costco, Hackensack, NJ. In the morning the dog was lethargic, aggressive, refused food. This persisted for 13 days. The dog continued to refuse food and on 23 January expired. During this time the dog was severely constipated. Owners took a stool sample to a veterinarian's office but no problem was found. A veterinarian visited twice and prescribed antibiotics. Yesterday I received an email from Vitals on MSNBC.com mentioning 600 dog deaths from this and related products. Symptoms described by pet owners coincide with Anax's.
Waggin Train Jerky Tenders	Dog	Maltese	11 Years	Male	12 Pound	He stopped eating his food and when he did eat he would throw it up minutes later! He drunk more water than usual and was constantly begging us to take him outside minutes after he had just returned. These are all signs of kidney failure per the report.

Waggin Train	Dog	Chihuahua		Years	Mixed Population of Female and Male		Pound	My dogs were happy and healthy ,I decided to get some treats for them I bought Waggin Train Cowboy steaks which they loved .withing the next month the female started to have seizures ,the male bloody diarrhea and vomiting also both were getting larthargic? This is not the nature to be ? I took to my vet many times and this had him stumped Put the female on a med for seizures .treated the male with different meds? they both passed a month apart 5/15/10 and 7/17/10 I had male put to sleep could not stand seeing him suffering so the female had a horrible death.This was heartbreaking to me still is .They were my babies and constant companions
Kingdom Pets All Natural Ingredients Chicken & Sweet Potato	Dog	Other Canine/dog	2	Years	Female	12	Pound	Over the past month (b) (6) has been eating less and less food. In the beginning of this issue she would eat once a day about 1/3 cup, then 2 weeks ago she didnt eat for 2 days. I put a bit of peanut butter in her food and she only licked the peanut butter. Went to the Natural pet food store and asked to help pick a different food because I thought she was not liking her current food. The only thing she would eat was the Chicken & Sweet Potatoe treats from Kingdom Pets purchased at Costco. I read the report from our local TV station about chicken jerky treats killing dogs and (b) (6) has the first couple of symptoms. Today is the first day she hasnt had any of these treats.
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	12	Years	Male	70	Pound	(b) (6) became very ill with vomiting, diarrhea, blood in stool, lethargic.
Waggin trails chickn' biscuits	Dog	Mixed (Dog)	2	Years	Mixed Population of Female and Male	40	Pound	they began having loose stools and terrible gas as soon as we discontinued the treats they were fine
Milo's Kitchen Home-style Dog Chicken Jerky Treats	Dog	Mixed (Dog)	6	Years	Male	55	Pound	shortly after starting to give these treats (b) (6) slowed down his food consumption, then slowed down his activity level sleeping more. the anorexia got a little worse as did the lethargy. he started to drink less water. then he started to have difficulty walking on linoleum floor here at home, like the floor was slippery, (b) (6) looked like bambi on the ice. about 2 weeks ago he started to cower at loud voices, sounds and the sudden sounds.
Pet 'n Shape Chik 'n Skewers Dog Treats	Dog	Terrier - West Highland	3	Years	Female	21	Pound	Three different times in a two week period, (b) (6) vomited, involuntarily urinated on the floor and markedly increased her water consumption. Each of these three times was preceded several hours by her ingestion of a Pet 'n Shape Chik 'n Skewer.
Waggin train chicken jerky treats	Dog	Chow Chow	12	Years	Male	55	Pound	Last thanksgiving (11-24-2011) my dog (b) (6) died of kidney failure, i had been feeding him waggin train dog treats for most his life. I believe due to the recent media attention that the dog treats made by nestle-purina were responsible. (b) (6) was always a very active and healthy dog he never in his whole life had any illnesses except for the kidney failure which killed him (very horribly i might add) I stopped giving him the treats as soon as the vet told me that he had kidney problems, but it was too late. Now my other younger pet Mojo has kidney problems because i gave him the same treats for many years.
Canyon Creek Ranch Brand Chicken Strips	Dog	Chihuahua	1	Years	Female	5	Pound	She got very sick throwing up no energy no drinking water
Wagon Train Jerky Tenders - Chicken Dog Treats	Dog	Dobermann	6	Years	Male	77	Pound	(b) (6) had recently been given chicken jerky treats by Waggin Train. (b) (6) then experienced extreme diarrhea and vomiting for 36+ hours. We took (b) (6) to the vet where they ran tests and determined that he had a bacteria infection in his GI tract and suggested we no longer give him the treats. He is currently on a variety of medicines to help with his stomach issues -- we are now in day 3 and he is still have very loose stools. I cannot believe that so many dog owners have had the same/very similar experiences with these treats and there isn't a warning or a recall!

Waggin Train Chicken Jerky	Dog	Mountain Cur	5 Years	Male	27 Pound	(b) (6) was my dog, and he became by parents dog when I went to college. He was always a very happy and healthy dog. My parents purchased Waggin Train chicken jerky, as well as a few other chicken related treats of theirs such as the chicken biscuits and yam and chicken treats. (b) (6) absolutely loved the chicken jerky and would get 1-2 pieces daily for almost his entire life. We never had any reason to believe that these treats were unsafe, quite the contrary, because they were real chicken it seemed like they were very healthy and were better than many other treats on the market. Around Sept 2011 (b) (6) was scheduled for a dental and his vet found some abnormal results in his pre-surgery blood work. At first it seemed that he was anemic, a condition that he had never had before this date. His vet put him on some medicine, hopeful that would correct the problem. Upon more blood work, it was found out that the medicine was not having any effect on this issue and more tests were done. Then it was seen that his kidney function was starting to decline. He was put on purina vet diet NF, a food that is made specifically for dogs with kidney trouble. This food made no difference and he began to go downhill rapidly. In the span of a few months he went from a happy healthy dog that loved everyone and loved being outside to a dog that had no strength or energy and hardly ate or drank and barely left his crate. The vet said that the only treatment option left was to leave him at the vet and keep him on constant fluid and dialysis and hope that his kidney function started to increase, but that is very expensive, and very stressful on the dog, and there was no guarantee that he would even be strong enough to survive that much less that it would actually work. My parents elected to keep trying the very expensive speciality food and hope for some improvement and some indication as to what was causing these issues. I live 4.5 hours from my parents and work full time at a dog boarding kennel. Because of the nature of this job, I am not able to travel much, and I work every holiday so I rarely get to see my parents or my beloved (b) (6). Christmas 2011 was the first holiday I had off in the 4 years I have worked there. So I was so excited to get to go home and see my family and my dog who I hadn't seen in almost a year and spend some quality time there, even if it was only for barely 2 days. Instead of having a happy wonderful relaxing holiday with my family, I spent my time literally laying inside of his crate with him cuddling up with him because he was so weak. He could barely wag his tail anymore and no matter what I did he wouldn't eat anything and would barely drink. He was euthanized on Dec 26th 2011. I will never be able to go through another Christmas without feeling this pain. And I am reminded of this every day at work while i am surrounded by other people's healthy dogs and wishing that (b) (6) was still with us. After I went to college, he pretty much became my dads therapy dog. My dad has been very sick almost my entire life, and (b) (6) was his companion. He was a great dog would guard my dad, and lay with him when he wasn't feeling good, and always stayed with him while my mother was at work. He is absolutely irreplaceable. If we had any warning of how unsafe these treats were, we NEVER would have given them to him. It is a decision myself and my parents have regretted every day since this happened. I want the people who are responsible for this to be brought to justice. No one else's innocent dog should get sick or die from this negligence on their part. If this affected humans directly, it would have been pulled off the shelves at the first sign of a problem, but just because it affects dogs doesn't mean its ok and can be ignored. I spread the word daily to every customer I come in contact with that these treats are harmful and I hope that every person whose pet has become sick or died because of this is able to get closure by the comp
Dogswell - Happy Hips Chicken Breast with Glucosamine & Chondroitin	Dog	Mixed (Dog)	6	Female	48 Pound	(b) (6) is an extraordinarily healthy 6.5 year old fox terrier/cattle dog/scrappy McRascal mix. I started to give her "Dogswell's Happy Hips" with Glucosamine & Chondroitin about 2 - 2.5 weeks ago. Witin about 2 days (or thereabouts) I noticed she started to have terrible diarrhea...I did my usual treaments for this - soupy rice and Purina's FortiFlora - she seemed to be doing a bit better, but the diarrhea never fully cleared up and and she also has started having terrible, smelly gas...something very unusal for her...I was forwarded a report about chicken treat products from China and immediately pulled out the bag of her chicken treats..they are distributed by Authur Dogswell, LLC. 1964 Westwood Blvd. Ste 350 Los Angeles, CA 90025, but Made in China...I will be notifying this distributor and will be happy to send in the remaining bag of treats for study. I obviously will no longer give her these treats, and I will be monitoring her carefully over the course of the next few days to see if the problems clear up. I certainly hope so.
Waggin Train PBJ	Dog	Hound (unspecified)	6 Years	Female	57 Pound	I bought Waggin Train treats and gave my dog 2 on sunday night. Monday (I left at 9 am and I could hear her stomach making digestive noises) when I came home from work at around 5pm the house looked like a murder scene, she had pooped all over the house and our bed (b) (6) has never once pooped in our house) there was a lot of blood, so much we had to get rid of our sheets, mattress cover, and throw.(b) (6) had not eaten all day and when I got home I took her food from her so she couldnt eat. I took her to the vet the next morning. I could not leave her because they were concerned she was contagious. They ran some tests and gave her a bag of fluids the vet tested for something introgas related (I dont know the technical term). Her tests came up negative, the doctor was confused and gave her atibiotics and some kind of dewormer (even though she came up neg for worms) ther was no definite diagnosis. Since, (b) (6) has still been lethargic and is only able to eat plain Chicken and Rice, she also still has black mucus like bloody stool. I am certian that the new treat Waggin Train we gave her on Sunday was the cause of this. I have notifed the company, our vet and all of my family and friends with dogs, to keep this from happening to anyone else. I just hope she gets better soon and doesnt have any long term effects from this incident. But I am so thankful I didnt lose her like so many others have. ALSO I THREW THE REMAING TREATS AWAY SO THAT NO ONE ELSE IN THE HOUSE GAVE ANY TO HER. I DID SAVE THE BAG THOUGH.
Waggin Train Country Style Drumettes (Tasty Dental Bone) made in China	Dog	Chihuahua	4 Years	Male	6 Pound	We had been giving (b) (6) the treats on and off for the past 1yr and half. He had to go to the vet. a few times, also ER for vomiting. The vets. could never find pinpoint anything specific, so they always just gave him nausea medication. The last time he got sick we took him to the vet and dropped him off because vet. wanted to run more test since he had been getting sick more frequently. Vet. ran lab and said his glucose was elevated, hgb was a little low, and there were 2 other test related to his kidneys but they showed slight elevation but the vet. could not pinpoint. The vet. also found a very faint heart murmur, which had not been heard before. Vet also did a CT and they saw fluid but unsure of cause, also was running a temp. They gave him shot of nausea med., lasix to remove fluid and a shot of antibiotics. The next day very lethargic, wouldnt do much at all. Took back to the Vet. Vet. said he should not be like this from the meds we were giving him. 2 days later his system shut completely down and we had to put our little baby down. he was a healthy little 4 yr. old chihuahua and we will miss him. Please someone do something about this product...

WholeCare Pet	Dog	Retriever - Labrador	12	Years	Female	69	Pound	Gave (b) (6) a Chicken Jerky strip on a Sunday, on Monday thru Wednesday she would not eat, and was lethargic, also drinking excessive amounts of water. She was taken to the veterinarian on Friday, all symptoms have passed except the excessive drinking of water. Nine days after given the treat, now her water consumption is normal.
Waggin' Tail Chicken Jerky Treats	Dog	Hound - Italian Short-haired	2	Years	Female	15	Pound	Dog exhibited lethargy, loss of appetite, unable to walk. Brought to local vet and specialists with no confirmed cause of problem.
Waggin' Train Wholesome Chicken Jerky Tenders-Chicken Dog Treats	Dog	Retriever - Labrador	1	Years	Female	85	Pound	On Thursday May 17, 2012 I purchased Waggin' Train Chicken Jerky Tenders from a Tractor Supply located in Tilton, NH. My labrador retriever may have received 4-5 of these treats and by Saturday she was lethargic, not eating and not going to the bathroom. As of Tuesday May 22, 2012 she still had not eaten hardly any food, not even her favorite dog bones. I just happened to notice on my MSN homepage on the internet a news headline that said "Nearly 1,000 dogs now sick from jerky treats" I clicked on the article and noticed the cause of the investigation was the exact same product I had fed my own dog just days prior. I immediately called my vet and made an emergency appointment. When we arrived at the vet's office the doctor did a full exam, took blood, took her temperature (103 deg.), and gave us some medication to start her on (Ammoxicillin and FortiFlora). The vet also gave us some canned food to hopefully get her appetite going. The entire visit cost over \$212. He promised to call us later last night with the lab results. When we got the message from the vet we were completely shocked. He told us she had been "poisoned" by whatever she had eaten. Her labwork showed extensive liver damage and this is very serious. He encouraged us to call the office first thing this morning to discuss her next steps. When I spoke with his office this morning they asked that I stop in and pick up another herbal medication (\$30) to give to her in addition to the medications we had started her on last night. She is still not eating normally and not accepting any of her favorite foods. We have been told to call the vet and give a daily report on her condition and we will have to return to that office in 5-7 days for more labwork. I did contact the Tractor Supply store where the treats had been purchased and spoke twice with the store manager, (b) (6) about this situation and he made no mention of pulling this product from the shelves but appreciated me letting him know. Our dog is like a child to us. We waited many years before purchasing just the right dog. She has become a part of our family and we are all very upset at this situation. We would appreciate a response soon. Thank you.
Meijer Main Choice for Dogs	Dog	Retriever - Golden	9	Years	Female	90	Pound	Our vet suggested that we attempt to distract (b) (6) from licking her paws by getting her a Kong toy and filling it with treats. We purchased said toy as well as Meijer brand Chicken and Sweet Potato jerky treats that we would put inside of the Kong. This appeared to keep her from licking her feet. After about a week of treatment, (b) (6) refused to eat and would not take her medication in the Pill Pocket. She drank little water, ate NO food and had NO energy for play or even going the bathroom. She would attempt to eat grass when outside, indicating she was experiencing nausea. During this time, we tried to feed her canned dog food (which she wouldn't eat), dry dog food, her medication. She wouldn't eat at all. We had stopped filling her Kong with the treats and giving her anything but a little banana and a little peanut butter. Over the course of a week, her appetite began to return. We are STILL not giving her chicken jerky treats and have since changed her food to Innova vPRIME Grain Free Chicken & Turkey Formula. She is eating better and her energy level is returning.
Happy Hips...Chicken flavored jerky treats	Dog	Retriever - Labrador	11	Years	Female	68	Pound	She became lethargic, vomiting and diarrhea. Until my husband saw a story online about the chinese jerky treats. I let the store and my vet know and they are all aware of it. The FDA needs to recall all the Chinese jerky treats! The brand we had been using is Healthy (ha) Hips.
Waggin Train Chicken Jerky	Dog	Poodle - Toy	8	Years	Female	15	Pound	After she ate the treats she became lethargic and could barely walk. She also started vomiting. It was 3-4 days before she was back to herself again.
Waggin' Train Wholesome Chichen Jerky Tenders	Dog	Shepherd Dog - Australian	12	Years	Male	50	Pound	After consuming about 3 treats over the course of an evening, my dog started pacing which meant he had to go out (we live in an apartment). This was around 1:30 am after his last walk of the evening (around midnight). I had to take him out many times during the night (a little after 3 am, at 4:20 am, again at 5:15 am and then at 7:30 am). At first it was a loose bowel movement, then it was a thick loose bowel-colored fluid, the next two times was liquid and the last time, he kept assuming the position, but only dribbles came out.
Costco Kindom Chicken Jerky Treats from China	Dog	Shepherd Dog - Australian	2	Years	Female	25	Pound	Dog was given numerous pieces of the jerky by caregiver while owner was away on vacation for several days in a row. Dog was refusing to eat anything except the treats. We did not know at the time that these treats were toxic and that the FDA had actually issued an alert even back then. Dog went into kidney failure and died 6/22/08 before we could even get her to the vet. One other dog became sick but recovered after \$1,000 bill at an emergency vet clinic.

wagging trail chicken jerky treats	Dog	Beagle	4	Years	Male	35	Pound	<p>I have a beagle/cocker mix and began feeding him the chicken treats on 5/5/12. His first diarrhea movement seemed normal to me. By day 2, the diarrhea was out of control, the dog would barely eat anything at all and when he did; he would pass it right out in about 5 - 10 minutes. He moved his bowls so often that his anal area was a pinky-red color and it hurt him. The stool was watery and now it went from a brown (im not too worried) colour, to this black, look like bile or when the vet clears the anal sac. The dog was always nostalgic, it broke my heart. By day 4 I decided to take him to the vet on Saturday and on the Wednesday night I decided to stop giving him the treats because it had occurred to me that this was the only thing he was eating from since sat/sun when the runs started. I would now limit his intake to the boiled chicken & rice the vet suggested (for gastro issues). By the Friday night the dog had some life back in him and the stool had a mixed consistency. It was at that point that my heart began to beat again. My hear bleeds for anyone who was lost a pet this form of irresponsiblness but something must be done. Not because they have four leg & are not human should their cries or the cries of their owners fall on deaf ears. He is not 100% but the stool is becoming back solid again</p> <p>I didn't report anything as yet due to the fact that this episode just happened last week and my dad day the issue talked about on channel 2 news yesterday, so I began doing research this morning. My next stop after this will be to send a strongly worded letter to the manufacturer</p>
Milo's chicken jerky								<p>After eating Milo's chicken jerky treats earlier this year, my Bichon Frise got terribly sick and I thought he was going to die. When I took him to the vet, they put him on anti-biotics, probiotics, and various other things to help him get well. He became sick after eating Milo's chicken jerky. After he finally recovered and I paid the vet bill, and stopped giving him the treats, he was much better. I wrote to Fred Meyers (Kroger) about the problem and told them that I had seen an article on line about the dog treats and that the FDA was getting reports of dogs getting sick and even dying. They did nothing about removing the product from their store. I wrote them and even sent them the articles warning about the treats. You would think that they wouldn't want to risk a law suit by carrying this specific treat.</p>
Wagon Train Jerky Tenders chicken Dog treats	Dog	Bulldog - French	2	Years	Female	21	Pound	<p>I went to Costco and purchased Waggin Train brand chicken jerky strip treats for my French Bulldog^{(b) (6)} for the first time. I fed them to her over a series of weeks, at times feeding her one -two per day because she loved them. She developed gas but Frenchies are known to have that problem. She was also constipated with an occasional bout of diarrhea. On the evening of May 3 she threw up after a car ride which has happened before (she gets car sick). On Friday morning, May 4, she began throwing up bright yellow bile. I brought her to the vet who gave her subcutaneous fluids and brought her home that afternoon. By Friday evening she was throwing up non-stop over the course of the night. I returned to the vet whereafter she was placed on an IV and her bloodwork was taken. The vet sent her home with me that evening as they has no overnight facility. The IV was left in her arm in case of emergency, where I was directed to go to the 24 hour emergency room. Once I got her home, she began throwing up and having diarrhea at the same time. I rushed to the ER where she remained for 4 more nights. She was diagnosed with Pancreatitis. According to the vet, they don't know what causes this but it could be due to anything from fatty food to stress to poision. My vet bill cost approximately \$8,000 for the acute, 24 hour medical care she required in the ER. Today I read that the FDA has been warning pet owners about this product!</p>
Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	14	Years	Male	13	Pound	<p>He started vomiting and had diarrhea shortly after consuming a piece of Kingdom Pets Chicken Jerky bought at Costco in Portland, OR. Whenever he ate it, those symptoms returned, and he eventually refused to eat it though he used to love this product (it used to be made in the U.S., as I recall). Since I stopped giving him the product, he's been doing fine.</p>

Unknown - package thrown out in October 2010	Dog	Spaniel - Springer English	2 Years	Mixed Population of Female and Male	60 Pound	From 6 months of age, these dogs were given Waggin Train Chicken Strips purchased at Costco. We also fed them to our 12 year old springer. The puppies started having severe bouts of diahrea and vomiting which I originally attributed to puppy behavior of eating foreign objects, grass, etc. We started monitoring their behavior and found that they were not eating anything other than their dog kibble (Taste of the Wild) and the aforementioned chicken strips. After reading about the adverse reactions and problems associated with chicken strips manufactured in China, I checked my product and immediately stopped feeding them to my dogs. Almost immediately they stopped exhibiting the symptoms. (b) (6) also had had what appeared to be urinary tract infections which also resolved. I have checked every pet food store in my area including Costco, Petco, PetSmart, Pet Supplies and the Feed Barn. Every single package of chicken strips in all of the stores was manufactured in China. I have spoken with the store managers questioning why they do not offer a single product manufactured in the USA. It is a deplorable situation and it is time that people make the effort to speak up and speak out making it clear that it is unacceptable to us and we will not purchase such products. Surely they can be safely manufactured in the United States. As a consumer, I am demanding higher standards. Apparently they are not interested in hearing this directly but I can assure you that they are interested in the bottom line and losing \$\$\$\$. I am very vocal about this issue and have spread the word with friends and family. My veterinarian concurs. Another issue is the fact that American produced dog foods outsource ingredients from China too. Deplorable since they do not adhere to acceptable standards. Americans beware - China is oblivious to our standards and the FDA is too overtaxed and overburdened to deal with the imported product lines. If ever legislation was needed to protect our pets it is now.
Milo's Kitchen Home-style dog treats	Dog	Terrier - Boston	2 Years	Female	20 Pound	I have fed (b) (6) the Milo's Kitchen home-style chicken strips. after an hour she would start vomiting. I thought it was she was just inhaling them too fast, but she would vomit a few times then shake and go lay down.
WAGON TRAIN YAM GOOD WHOLESOME CHICKEN WRAPPED YAMS	Budge rigar		5 Years	Female	65	Our Old English Sheepdog and Bichon Frisse are violently ill right now.... diarrhea and vomiting ... its serious. and im sacared and we just learned about this ... we have been giving them wagon train yam chicken treats for about 2 months now... We Didnt know there are dogs dying since last summer from this.. This product should be taken off the market.. Our dogs are part of our heart and family. They dont seem to be improving. ... we are going on three days of vomit and diarrhea.. its frightening.
Canyon Creek Ranch Brand Natural Chicken Tenders, Waggin' Train Wholesome Chicken Jerky Tenders, Canyon Creek Ranch Brand Banana and Chicken Wraps	Dog	Boxer (German Boxer)	1 Years	Male	60 Pound	Over a period of time, (b) (6) was given the following chicken jerky treats: Canyon Creek Ranch Brand - Natural Chicken Tenders; Canyon Creek Ranch Brand - Banana and Chicken Wraps; Waggin Train Brand - Wholesome Chicken Jerky Tenders. (b) (6) was in perfect health. From day one, we have fed (b) (6) a great diet including chicken, rice, eggs, beef, etc., and everything was great until we noticed three weeks ago (b) (6) wasnt acting himself. He would sleep all day, not want to go on a walk (which is seriously odd with (b) (6), he loves walks), he wouldnt even eat his food. We would put his food down, and he would smell it, then run over to me and hide like he was afraid. The vet said put him on a bland food diet. After a week, we gave (b) (6) only chicken and rice, also a few chicken jerky treats from the above brands. (b) (6) began to have both solid and loose stools, with blood in it, as well as very dark brown/black looking colors in it as well. Blood was definitely present in his stool, along with the very dark colored mass. (b) (6) also vomited 11 or 12 times over the week. He would go outside, eat grass for 15-20 minutes at a time. He wouldnt eat food, only grass and the chicken jerky treats. Back to the vet, they said (b) (6) seems to have stomach irritation, stay on the bland food diet, and also gave him antibiotics. We discontinued all treats, especially anything from China. Its too early to tell, but I wanted to report the same issue that I have read has been occurring in hundreds of pets across the country. As of now, (b) (6) hasnt gotten any better.
BIG BLAST PORK SKIN TWIST WITH CHICKEN LIVER CENTER - Made by Waggin' Train						(b) (6) started to mope around on Saturday, February 11, 2012. I thought she was just not feeling well. She didn't eat anything that day. One Sunday, she was, again, not herself. Sunday night I noticed blood in her urine. I called the vet first thing on Monday morning. Took her in and he told me that she was very sick, that he would have to take some blood and have it tested, and he would call me first thing Tuesday morning. Tuesday morning, (b) (6) was really bad. She couldn't walk and the vet called to tell me take her for a blood transfusion in Akron, Ohio. We got there but she passed away before anything could be done.
Waggin Trails	Dog	Terrier - Yorkshire	12 Years	Male	8 Pound	After a few months of giving (b) (6) 1 treat every few days, he began losing weight. the vet couldn't find anything wrong and a few weeks later, he passed away. He had been fed Hills Science Diet dry food for all of his life and was in great health prior to giving him the Waggin Trails chicken jerky treats.
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Mixed (Dog)	7 Months	Female	45 Pound	Pt add Milo's Kitchen Chicken Jerky as a snack/treat over the course of 3-4 days then developed diarrhea

Smoked Porkhide twists wrapped in chicken jerky	Dog	Shih Tzu	3 Years	Male	12 Pound	Days preceding the event, rasputin was energetic, had a healthy appetite and solid bowel movements. Was given AKC smoked porkhide twists wrapped in chicken jerky treats and has since fallen ill. His symptoms include listlessness, diarrhea, and increased water intake.
Waggin Train Chicken Jerky Tenders	Dog	Mixed (Dog)	5 Years	Male	40 Pound	When given a treat, the dog develops bloody diarrhea that lasts 2-3 days.
Milo's Kitchen Chicken Jerky	Dog	Chihuahua	1 Years	Female	8 Pound	My dog started vomitting after eating the Milo's Kitchen chicken strip dog treats.
CAnyon Creek Ranch Brand Chicken Breast	Dog	Corgi - Welsh Cardigan	16	Male	48	(b) (6) died.
Waggin Train Jerky Tenders Chicken Dog Treats	Dog	Dachshund - Miniature	7 Years	Male	15 Pound	Later in the day,after eating Waggin Train Chicken Jerky treats,(b) (6) experienced stomach discomfort and threw up. This happened on several different occasions as we were not sure that the treats were what was causing the pooblem. The other dog is a pitbull mix and she experienced the same symptoms.
Waggin Train PBJ Peanut butter and Chicken Jerky	Dog	Shih Tzu	5 Years	Female	15 Pound	Both dogs were given the chicken jerky treats prior to bedtime. They both woke us in the middle of the night with vomiting and diarrhea. the symptoms passed in 24 hrs after two bouts of sickness each.
Dogswells Brand Happy Hips Chicken Breast Glucosamine & Chondroitin Treats for Adult Dogs	Dog	Collie - Border	3 Years	Female	40 Pound	Severe diarrhea the day after eating Dogswell Brand Happy Hips Chicken Breast Treats. This happened on 2 occasions. First time on 5/13/2012 had diarrhea on 5/14/2012. The second time was on 5/21/2012 had diarrhea on 5/22/2012. On the second occasion (5/21/2012) I also gave a treat to my friend's dog (b) (6)(pit bull mix) who also had severe diarrhea the day after eating the treat
Cadet-IMS Trading Co. Woodridge NJ <u>Gourmet Chicken Sausages</u>	Dog	Retriever - Labrador	4 Weeks	Female	40 Pound	This is the second report-refer to first-same incident Nausea, diarrhea for 4 days-blood in stool
Milo's Kitchen chicken jerky treats						After giving our dog, (b) (6) (Border collie) a treat for the night on Saturday evening (May 19th), during the night she became violently ill, lost all control of her bowls and vomited in her pen. Normally we would hear her whine if she needed anything during the night but she was too ill to even whine. The next day, every time she would go outside to urinate, she had the runs. We gave her a baby aspirin and that seemed to help. The culprit was Milo's Kitchen chicken jerky treat.
Milo's Kitchen Chicken Jerky	Dog	Great Dane	14 Months	Male	120 Pound	Over the past 6 months our 13 month old Great Dane has lost about 20 lbs, lost his appetite, will not eat and his behavior has become very lax. Aproximately 5 days ago I received a call from my neighbor saying that my dog was unresponsive in his crate, would not get up or lift his head, felt hot and was not responding. I arrived home from work and found that he had 104.7 fever, discharge from his eyes and nose, labored breathing. When I was able to get him to stand he urinated a very dark brown colored urine, almost blood colored and had extreme diarehea. I brought him to the er vet and when they ran blood work his white and red cell counts were off the charts. They were unable to spin the color out of his urine and thought perhaps he was having kidney failure or showing signs of immune deficiency (which is no where in his blood lines). I left with no answers and antibiotics. The following day he was worse with still a very high fever. I took him to his reglar vet and he was put on fluids, given steroids, shots of antibiotic and more medicine to take home, along with Hills Prescription dog food, hich was over \$50.00 for the case. Now \$1000.00 in vet bills and we still can not properly diagnose him. I have to bring him to a specialist next week for further testing. The treats I give to him are Milos Kitchen Chicken Jerky and when I came across the recall ingformation I was stunned. I called the Petco I purchased them from to make them aware as well as Del Monte, but have heard nothing back.
Milo Kitchen Treats	Dog	Beagle	10 Years	Male	38 Pound	(b) (6) suddenly started throwing up, quit drinking his water and became increasingly uncomfortable. Lost five pounds quickly. Wanted to sleep all the time. The Vet could not explain cause or disease. In a matter of days a healthy outgoing dog became very ill. He was so ill he was put down. No apparent reason. No toxins within his reach or exotic yard growth. Our other, beagle, (b) (6) displayed the same symptoms 11 months earlier and also had to be put down. 2 dogs within 11 months is questionable. My other two beagles lived in the same environment for almost 18 years. The common factor with my two last dogs was they both ate Milo Kitchen Treats. My first two did not.
Priority Total Pet Care Chicken Breast Jerky	Dog	Sheepdog - Shetland	6 Years	Female	30 Pound	She became very ill, vomiting; diarrhea for two days after consuming chicken treats.

Banana & Chicken Wraps Canyon Creek Ranch Brand	Dog	Terrier - Rat	9	Years	Male	9	Pound	every so often I noticed the dog would experience a loss of control over his hind quarters with his left or right hind leg being contracted up into his body as if he had a cramp. No sound of any kind would be heard but the dog would shiver as he normally would when he would suffer from some minor maliady. Within about 5 minutes or less of comforting the animal he would start to act normally. His leg would relax so that he could stand easily. Then business as usual until the next incident. I never associated the treats with this until I red the article. He would only get those treats if he pooped, usually that was twice daily. The ones I used had chicken wrapped around a slice of banana. I have a third of a bag left if you want them to test.
Mellow Mut Chicken Breast , Veggie Life Vitality Chicken w/ Sweet Potato, Veggie Happy Hips Chicken & Banana								I had purchased the Mellow Mut Chicken Breast, the Veggie Life Chicken with Sweet Potato, and the Happy Hips Chicken with Banana all for Dogswell for my Border Collie. She is 16 years old so I was looking for treats that had added vitamins,etc. in them. I started giving them to her and 3 days later she began vomiting uncontrollably. I took her to her vet. He had to give her a shot of cerenia and fluids through an IV. We are still waiting until tomorrow to see how she is going to be. At her age, I am terrified that we are going to lose her.
Waggin Train Brand Freshies	Dog	Mixed (Dog)	9	Years	Male	45	Pound	We gave him half a Waggin Train Chicken Freshie, and about 24 hours later he was lethargic, withdrawn, and appeared very dehydrated.
Waggen Train Chicken Jerky	Dog	Unknown	9		Male	40	Pound	after taking Chicken Jerky treats The dog became sick showing signs of kidney and heart congestive heart failure. X-rays and blood test could not find anything. We had to finally put him down due to excessive water around the heart. We stopped giving our other dog the treats and is doing fine despite being diabetic.
Milo's Kitchen home-style dog treats Chicken Meatballs	Dog	Terrier - Yorkshire	14	Years	Female	6	Pound	For a 14-year-old Yorkie, (b) (6) has been basically healthy other than requiring 1 pill a day for hypothyroidism. She eats, drinks, plays, walks, runs and sleeps like a healthy, normal housepet. That is, until 5/14/12 when my husband had to take her to her vet because for several days she had been having diarrhea, not eating, barely drinking, and vomiting. She became so weak that the night before taking her to the vet that I had to carry her outside to use the bathroom because she would barely walk, much less climb down the one step to get outside. My husband called me shortly after seeing the vet on 5/14/12 to tell me that she needed to stay there all day so they could give her IV fluids, antibiotics, an enema, etc. She was a VERY sick little dog, but thanks to her caring vet, she survived the trauma of that day and we were able to bring her home to continue antibiotics twice a day for the next 8 days. She lost a pound from being sick, which is quite alot for an 7.5 pound dog, and it took several days before we noticed her beginning to feel better. Today I read the report on MSN about dogs getting sick from treats, and it dawned on my husband and I that the only change in (b) (6) eating habits had been the Milo's Kitchen Chicken Meatballs I had bought for and began feeding her approximately the week before her day at the vet's office. She loved them at first, but since becoming sick she refuses to eat them! We have at least half of the bag left in the cabinet. Her trip to the vet's office that day cost us \$218.48, but it's not about the money; I would have paid 10 times that amount to help her get better. My real motivation for reporting this is because I am deeply concerned that these little meatballs are what made (b) (6) sick, and if so, I feel it is my obligation to do something so no other dog owner has to watch their beloved pet become so ill that you fear they may not get better.
Waggin Train Chicken treats	Dog	Mixed (Dog)	15	Years	Female	20	Pound	After giving my dog Waggin Train treats, our dog became ill and had four days of diarrhea. She could barely eat. We changed her diet for a week, when she was better, we gave her the treats again, and it happened again. We threw the treats out.
waggin train country crunch	Dog	Crossbred Canine/dog	10	Years	Male	65	Pound	Gave him treats from a bag of wagon trail country crunch over a 2 week period. Slowly noticed a weaker, lethargic dog. Recently noticed his diareah, vomit and today he is just lazy and sick looking taking him to VET wednesday. Totally messed up. I spluged on this bag because I had some extra cash. NOT CHEAP bag of treats and this happens??? I love my dog. That company should be sued.
Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	14	Years	Female	85	Pound	She ate Kingdom Pets Chicken Jerky made in China. She had two per day for about 6 months. In that time she went from vibrant, healthy and active to severe kidney failure. I had to have her put down.
Canyon Creek Ranch Brand - Natural Chicken Tenders	Dog	Dobermann	5	Months	Male	60	Pound	After giving (b) (6) two pieces of the Canyon Creek Ranch treats, he proceeded to have diarrhea (over the course of 5 hours) and was vomiting.

Milo chicken jerky and chicken strips	Dog	Terrier (unspecified)	15	Years	Female	41	Pound	Gave Milo's Chicken Jerky treats for the first time along with some new Milk Bone granola Biscuits. After my dog chewed the biscuits I noticed they could have some sharp and jagged pieces. So when my dog developed bloody diarrhea I blamed the biscuits. I took her to the vet and she was given some meds. And put on a bland diet. About a month later she seemed better and I gave her the jerky treats again not knowing about the problem with the treats from China. Again she got sick with bloody diarrhea. It was the same time that I heard about the warning and looked to see that the treats were made in China. Both times she had the treats she developed bloody diarrhea.
Waggin' Train Wholesome chicken jerky tenders low fat	Dog	Spaniel (unspecified)	7	Years	Male	25	Pound	My dog has a very healthy appetite. About a week ago he started picking at his food and not finishing it. Then he stopped eating it completely. He also has become very thirsty. He will drink an entire bowl of water non stop until it is gone. The only change in his diet is that we started giving him the Waggin Train dog treats (chicken jerky) a week ago when we purchased them at Costco. We have never used this product before. I saw an article today regarding sick dogs and realized it was the same product I was giving my dog. We have only given him one or two treats a day since we purchased them, so we still have a full bag. I will keep the treats in case anyone wants to test them.
Wagon Train Chicken Jerky	Dog	Chihuahua	4	Years	Female	8	Pound	I am not sure that the product itself is the cause, but I looked on the internet because the change was so drastic after just a few days of giving her 1 treat/day. She is distended and in visible and audible pain. I checked her belly with my hand and slight pressure caused her to yelp and retreat. She was also vomiting a clear yellow liquid last night. If her condition is not significantly improved by this evening I will take her in. I don't know that it was this product, but it appears similar to what caused a recall in 2011. Also, after checking the bag this morning, there is a very foul smell associated with these treats, it may just be the nature of the product but it seems excessive.
Kingdom Pets Premium Dog Treats Chicken & Sweet Potato Jerky Twists 48-Ounce Bag	Dog	Boxer (German Boxer)	7	Years	Female	49	Pound	My dog started (fairly suddenly) drinking 90-260 oz of water per day and having accidents in the house. My regular vet tested her for a UTI (negative) and blood work showed liver dysfunction (elevated liver enzymes; esp ALP). She had an abdominal ultrasound which came back normal. I was referred to an internal medicine vet to explore other differential diagnoses (Cushings, diabetes, etc). After consulting with 3 different vets and ruling things out clinically, contaminated (?) chicken jerky treats topped the list of possible causes of my dog's sudden onset PUPD.
Waggin Train	Dog	Rottweiler	8	Years	Female	120	Pound	Started feeding my first dog (b) (6) chicken treats (Waggin Train brand) around the year 2000. In 2005 one Sunday morning she was unable to rise so I took her to emergency vet care. She was diagnosed with a growth on her spleen. After surgery it was confirmed as cancer and she died two months later on March 28, 2005. Three months later I adopted another Rothweiler named (b) (6). I had to put her down on March 28, 2012. She was also diagnosed with a growth on her spleen and we had an autopsy and it was also confirmed to be cancerous. Both dogs were given chicken treats primarily for good behavior. Kinda strange both died from cancer of the spleen. I have adopted another dog, but you can be sure he will never taste a chicken treat from Waggin or Milo's. You need to do something beyond which you usually do like sweeping this problem under a rug because it is a pet food. Believe me compared to a politician either Democrat or Republican I woul rather own a dog. I expect to see a follow up on these treats. Thank You
Milo's Chicken jerky meatballs	Dog	Poodle (unspecified)	30	Months	Female	20	Pound	Vomiting, diarrhea, lethargic, not eating. Drinking large quantities of water.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Shepherd Dog - German	6	Years	Male	100	Pound	Within 8 hours of consuming the Canyon Creek Ranch Chicken Jerky dog treats, my dog began having slight digestional upset. By the next morning he started having diarrhea. Within hours the diarrhea was so severe it was only in liquid form, I had to put him outside because he unable to hold it in and make it outside. He also had some vomiting and a general malaise and was very lethargic. He was consuming large amounts of water as well. Today is day 3 and he is recovering but is not yet 100%.
Waggin Train Chicken Jerky	Dog	Boxer (German Boxer)	3	Years	Male	65	Pound	After giving my dog Waggin Train chicken jerky he came down with a bad case of diarrhea and was sick for a few days. After he got better I gave him more of the treat (not know about the problem) and he became sick again. I read this morning that there is now a problem with this product.

Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Mixed (Dog)	1	Years	Male	18	Pound	This dog has had two instances of becoming sick with vomiting and diarrhea after eating chicken jerky treats. In December, i spent \$450 at the vet for vomiting and diarrhea - the vet could not identify a source of the sickness. At that time, I threw away a bag of Canyon Creek Chicken Jerky treats which I had bought at Petsmart because I read about several pets being sickened from this. I purchased Milo's Kitchen chicken jerky treats since feeding him this, he has had several instances of vomiting and diarrhea. Last week he again became sick with the same symptoms, so, in an effort to isolate what was causing the problem, I stopped giving him these treats. Since I stopped feeding him these treats, his symptoms of illness have stopped. I read about the possible connection with these treats today. As a consumer, I would encourage you to investigate the potential problem with these products.
Kingdom Pets All natural Chicken Jerky	Dog	Boxer (German Boxer)	6	Years	Female	85	Pound	Dog has been vomiting and yelping in pain. Took in to the vet and they ran variety of test and blood test. She is having problems with her Kidney and Liver. Her condition is still unstable and we are monitoring her and have to take her back to vet for a ultrasound.
Waggin' Train Chicken Jerky Treats	Dog	Schnauzer - Miniature	8	Years	Female	21	Pound	I started buying Waggin Train Jerky treats about one year ago when our local Walgreen's had them on sale. In November, my oldest schnauzer became violently ill. We took her to her vet who told us that she had liver failure, possibly cancer and would not live much longer. I was determine to find out why a perfectly healthy dog suddenly became sick. I thought someone might have poisoned her but she is a household pet. I took her to a specialist who performed an abdominal ultrasound, blood work, etc. He determined that her liver function was terrible, gave her a shot and antibiotics, put her on a high energy prescription dog food to help her improve her liver function. We removed all treats from the house because she was being monitored closely and she soon showed a vast improvement. One month later, her lab work was almost back to normal. During that time I read about the treats and wondered if they made her sick. I can't come up with any other explanation. I also don't know why my other dog wasn't deathly ill. Maybe it's possible that she is a bit larger and younger so I guess they didn't harm her as much. I just know they both seem much healthier now that I have switched to a treat that is produced in the U.S and is of natural substance. I hope that my story helps you to figure out what is causing the animal deaths. Most people cherish their dogs and are heartbroken when something is wrong. I spent about \$1500.00 on my dog to get her well but I don't regret it. I do regret giving her those treats that might have made her sick.
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	2	Years	Male	29	Pound	My pet had diarrhea and overall sluggishness. He ate the treats for about 1.5 weeks before I realized it was the treats that caused the problems.
wagon trail chicken jerky strips	Dog	Maltese	7	Years	Male	9	Pound	(b) (6) had diarrhea and vomiting and had to be admitted into the emergency hospital for several days. his kidneys and liver were suffering and he had extreme dehydration. he had to be put on intravenous drip and medications. he almost didn't live. this is because he ate the chicken jerky treats from wagon trail sold at costco. olivers vets bills exceeded \$1500.00
anyon Creek Ranch Chicked Tenders	Dog	Collie - Border	2	Years	Female	50	Pound	Dog had diarrea two days after ingesting a new packge Canyon Creek dried chicken. Fed it t her before before without a problem.
Kingdom Pets chicken jerky	Dog	Hound (unspecified)	13	Years	Female	43	Pound	Was feeding chicken treats for about 3 weeks. Dog began to lose weight, had anorexia, began vomiting. Bloodwork indicated acute renal failure.
Waggin' Train Chicken Jerky Treats	Dog	Chihuahua	5	Years	Female	7	Pound	I purchased Waggin' Train Chicken Jerky Treats for my Chihuahua in July 2011. She began having diarrhea and her stomach would make absolutely terrible noises. She had never had an accident in the house prior to me buying these treats. She was visibly sick looking. Her health improved 100% once I discontinued giving her these treats. I truly believe that there was a link between her illness and these treats. I have a second dog- a 45 lb beagle. I gave her a Waggin' Train Chicken Jerky Treat in her cage once. She vomited in her cage after eating it. She has never had an accident in her cage before.
Waggin Treats - sold by Sams Club	Dog	Retriever - Labrador	6	Years	Female	80	Pound	(b) (6) had suregery on a fiberous external tumor which was determined to be malignant. She has since developed internal tumors as well and is not expected to live.
Milo's Kitchen Homestyle Dog Treats Chicken Jerky	Dog	Shih Tzu	14		Female	18		My dog has been sick on and off for about a year, vomiting diahrrea and just plain lethargic. I put two and two together and realized these things started to occur after she was given the Milo's brand chicken Jerky treats. Earlier reports said that the treats from China were causing sickness in dogs. However the Milo's brand did not have made in China on the bags so I continued to by them thinking they were ok and wouldn't cause any ill effects. I figured her high liver lipids were due to something else. She has been to the vet for meds, and seems to be doing better she does not get the treats anymore. I hope she will continue to improve

Canyon creek ranch brand natural chicken tenders	Dog	Mixed (Dog)	1	Years	Male	47	Pound	Canyon river chicken jerky treats: 1) crystals found in urine 2) blood found in urine 3) puss on tip of penis 4) frequent urination 5) vet bill totally about \$1000 5) had to be on two courses of antibiotics (1 month on antibiotics)
Waggin' Train Chicken Breast jerky strips and chicken strip/yam combos.	Dog	Bichon Frise	10	Years	Female	23	Pound	<p>I had been feeding my dog two of the Waggin' Train chicken jerky strips per day (or, occasionally, the chicken strip/yam treats), as rewards or treats, for the past few years. Within that time, my dog had been experiencing occasional episodes of lethargy, urinary urgency and incontinence, with bloody urine, and the episodes were always treated by the vet as urinary tract infections, with a round of antibiotics. She was found, in November of 2011, to have developed bladder stones, one of which was blocking her urethra, making it impossible for her to urinate. She had surgery on November 30th, 2011, to remove the stones, and then was on antibiotics for 10 days, post-op, for a bladder infection. After she finished the antibiotics, she CONTINUED to have problems with lethargy, urinary urgency, frequency, and incontinence with bloody urine for over TWO MONTHS post-op, which the surgeon said was not normal. He had us take her back in to see him, for a repeat ultrasound and urinalysis, in February of 2012, to check for more stones, and it showed "inflammation" in the bladder, but no stones, and no infection per the urinalysis at that time. However, he decided to prescribe an anti-inflammatory med, and another round of antibiotics, "in case we're missing a lingering infection that just isn't showing up on our test." He also recommended that I switch her to special type of dog food (I was already feeding her Wellness, which is a quality dog food).</p> <p>I came home from the vet's office that same day, and happened to see the article on the internet, on the Waggin' Train chicken jerky treats, (it was the first time I had read about this). I became worried that the treats might have been having something to do with her problems, so I completely stopped giving them to her. I NEVER started her on the antibiotic, NOR on the anti-inflammatory med that the vet had prescribed, and I also had not yet bought the new dog food that the vet had recommended, because I had to work for the next three nights, and didn't make it to the pet store. In other words, NOTHING changed EXCEPT the withdrawal of the jerky treats from her diet. In JUST THREE DAYS, her symptoms of lethargy and urinary urgency, frequency, and hematuria, were GONE, and she was running around the house, doing her "Bichon buzz." To this day, almost 3 months after I stopped giving her the Waggin' Train treats, she has had NO more difficulty or adverse symptoms. I have to believe that the treats had something to do with her problem, so I returned the remainder of the treats to the store from where I'd purchased them.</p>
Milo's Kitchen Chicken Jerky Treats	Dog	Shih Tzu	4	Years	Female	12	Pound	After a few days of giving (b) (6) treats, she started feeling sick. I could tell because she became very inactive and would just lay around. Before she would be all excited when I would get home from work dancing and jumping all around until I would take her for her walk. After about the third day she had no energy and would just lay around. When I took her for a walk, we would walk from the front door to the street and she would lay down like she was just too tired to move. The only thing I had done differently was give her those treats so I looked them up on the internet. When I read that they were making dogs sick but not recalling the product, I threw the bag of treats in the trash. I was not going to take any chances with my dog. After a couple of days she got back to normal and I have not give them to her since. I wish they would remove them from the stores. She loved those treats but its just not worth risking her life for them.
Waggin' Train Jerky Tenders	Dog	Spitz - American Eskimo Dog	3	Years	Female	18	Pound	Dog has had loss of appetite and has thrown up bile on several different days. I have been concerned and then came across an article today about the jerky treats from China. I just happened to buy jerky treats for the first time a few weeks ago and had recently given her some. I went to check the brand, and sure enough, it was the Waggin' Train Jerky Tenders made in China.
Waggin Train Jerky	Dog	Retriever - Labrador	4	Years	Male	85	Pound	I was giving my dogs Waggin Train Jerky Treats and he would throw up sometimes after eating the treats. I thought maybe it was because the treats were so dry. He seem to love them so much. About 6 months ago I stopped giving them to him and he does not throw up any more. Wish I could be more help and solve why. I now do not buy any treats made in China. DO NOT TRUST THEM. He maybe just a dog to some, but to me he is my best buddy.
Purina chicken jerky for dog's								<p>I am a pet owner, specifically dog's. I have read that at least 1,000.0 complaints have been made over the chicken jerky for dog's.</p> <p>If you had 50 complaints like ths over a human being that would have been enough to do a recal on the product.</p> <p>I do not even understand why the pet products are made in china in the first place, never the less this is out of control.</p> <p>I am very concerned & do not want to learn that mpre dog's are dying or getting sick over this huge problem with dog treats.</p> <p>Thank you, Concerned pet owner</p>

Dogswell Happy Hips Chicken Jerky	Dog	Collie - Border	12	Years	Female	54	Pound	Our border collie mix was diagnosed with renal failure in the fall of 2011. The only treats she ate were Dogswell Chicken Jerky. She stopped eating and died on Christmas eve at age 12 after several trips to the vet. Nothing we could do toward the end would get her to eat. I had read about chicken jerky recalls earlier in the summer of 2011 but Dogswell claimed to be "safe". Eventually I stopped giving her the treats. Now I am left wondering whether her death was at least partially a result of the treats....heartbreaking.
wagon train chicken jerky	Dog	Mixed (Dog)	12	Years	Male	85	Pound	dog was vomiting, having diarrhea repeatedly. i saw article online about wagon train chicken jerky, which he loved. i had just opened a \$25 bag but threw them away since there was no recall. a week later he seemed better so i bought some from milos and the same reaction started again. this happened about 2-3 months ago. glad to say monty is better, no more jerky! just wanted to confirm what hell other pet owners have gone through is not their imagination. my dog because of his weight probably, was able to survive.
Milo's kitchen Chicken Treats	Dog	Terrier - Jack Russell	10	Years	Female	13		<p>In the early fall of 2011 (b) (6) (JRT) was diagnosed with a UTI and was given Clavamox. The fevers continued and she lost her appetite. At thanksgiving dinner she walked away from a plate of Turkey - this is not typical behavior. We returned to the vet.</p> <ol style="list-style-type: none"> 1. She was first diagnosed with GB sludge build up and prescribed Batryl, Ursadyl and Flagyl. She had an ultrasound of the liver and an asperite. Both inconclusive as to the cause. Fevers continued, vomiting, decreased appetite. 2. Then, approx 2-3 months of several visits to the vet and tests and liver values increasing, and penny still getting worse, she was diagnosed with chronic hepatitis. She had an asperite of the liver, and no infection (virus or bacteria) was noted. Her liver values kept increasing. She had an aspirate of the liver, which did not ID any bacteria or virus. It did identify Lepto tiders, but she was vaccinated for Lepto 1 year prior. She was given doxycyclene as a precaution. Liver values continued to increase. 3. At the end of January 2012, she had an endoscopic liver biopsy because the vet still could not find out the cause of her fevers and lack of appetite, and the results were inconclusive, no infection and no virus found. Her copper levels were normal. 4. She then had a neurological event approx. 4 days after surgery, possible hepatic encephalopathy (files of this are too large to send but can fax if necessary) 4. Currently, She is recovering, but she almost died from the inflammation of the liver and the fluid in her belly she was experiencing. Now her liver values are currently in the 1000s range. <p>We believe she was poisoned from the Milo's Chicken Treats we gave her, starting in June of 2011. Possible contamination, mycotoxin, etc. We bought several large bags from Cosco. Currently (b) (6) is currently taking a steroid to control the liver inflammation and Denamarin. This was a perfectly healthy dog before she was fed the chicken treats. We have spent over \$10,000 on tests that have come back with no conclusion as to what is actually irritating her liver. I have all lab results, blood tests, and vet notes from when this started to the present, but the system limits the number of attachments. I can send all records at anytime. (b) (6) has never had liver or health problems prior to eating Milo's chicken treats, which we believe were poisoned. (b) (6) has been through so much, and almost died. Please call me / email me for more lab reports, hospital visits, blood, clotting, ammonia, copper and bile acids tests.</p>
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	11	Years	Female	100	Pound	A few hours after eating Waggin Train Chicken Jerky Treats (b) (6) had uncontrollable vomiting which was yellow and foamy. I took her to the vet right away & the vet thought it was "something she had eaten." He gave her an injection and prescribed Charcoal Kaopectate. After that the vomiting subsided.
Canyon Creek Ranch Chicken Tenders	Dog	Other Canine/dog	8		Female	25	Pound	Stopped eating and laying around
Boots & Barkley Chicken Wrapped Rawhide twists, Milo's Kitchen Chicken Grillers, Waggin Train Jerky Tenders	Dog	Chihuahua	2	Years	Female	3	Pound	Both dogs became very lethargic and began vomiting and had severe diarrhea

WAGGIN' TRAIN PBJ - PEANUT BUTTER BISCUIT WRAPPED WITH CHICKEN JERKY	Dog	Ridgeback - Rhodesian	10	Years	Male	90	Pound	I received a package of "Waggin' Train PBJ" dog treats from a neighbor whose little dog would not eat them... chicken jerky wrapped around a small peanut butter flavored biscuit. Each of my two dogs received 2 or 3 treats (and I have one left). Early on May 16th, "(b) (6)" had explosive diarrhea early on May 16th. This evolved into a brownish mucous-like diarrhea which persisted and became more frequent. By Friday, the dog was passing small amounts of blood and mucous every 60 to 90 minutes. He was treated by our veterinarian on Saturday, May 19th, diagnosed as "colitis" and placed on Endosorb and 250 mg Metronidazole - Flagyl (4/dy) for 7 days, and a bland diet of boiled chicken and rice or noodles for 4 days. He seemed to recover rapidly and is pretty much normal now, on 22 May. I just learned of the problem with the chicken jerky made in China today, have notified my vet, and will be taking him back in for blood work to check for liver and kidney damage. The other canine in the house does not appear to have suffered any illness, but we will be watching his stools closely.
Waggin Train Big Blast pork skins with chicken center	Dog	Beagle	5	Years	Male	51	Pound	My dog started vomitting, having diarrhea and not eating. I thought he had a reaction to something and had to take him to the vet. They gave him some shots and it has started to help but he is still sluggish. I just saw the report on Milo's Kitchen and Waggin Trail treats and I have two empty bags of treats he just finished.
Canyon Creek Ranch Chicken Jerky	Dog	Shepherd Dog - Australian	3	Years	Male	90	Pound	We bought some Chicken jerky treats and started giving them to our dogs as a treat in the morning before leaving for work each day. With in a few days each dog got very dark red diarrhea. We stopped giving the treats and 2 of the 3 seemed to get better. We took the 3rd dog to the vet and at that time they asked up if we had been giving the dogs chicken jerky treat and we verified that we had. She then explained there had been an issue with dogs getting sick after eating those treats. She had to prescribe some antibiotics and anti-diarrhea medicine for the dog that was still sick. After a few more days he was doing better. Since we stopped giving those treats not one of our dogs have had the same problem.
Milos Kitchen home style dog treats beef jerky	Dog	Poodle - Miniature	1	Years	Male	10	Pound	(b) (6) was feeling very sick after giving him these treats. He had diarrhea, constipation and wouldnt eat or drink. He was not acting his normal self and the next day slept most of the day.
wagon trail chicken jerky	Dog	Spaniel - Cocker	7	Years	Female	10	Pound	she went into kidney failure and died
Milo Chicken Jerky	Dog	Brittany	7	Years	Female	65	Pound	I was giving (b) (6) Milo's Chicken Jerky thinking that it would be less fattening than dog biscuits. (b) (6) started to become sluggish and acted like she wanted to vomit. I discontinued the use, and then read up on the problems that were being noticed with others. I brought my packages back to Wal-Mart along with the internet information. Wal-Mart's took it back with no problems but would not pull from their shelves as there was not a mandatory recall. Since the discontinuation, (b) (6) has gained some of her stamina back, but still pants more than she had. I don't recall when she had tried them, but she was only given some over a month period of time. I guessing that it was about Feb or March timeframe.
Happy Hips	Dog	Weimaraner	##	Years	Mixed Population of Female and Male	90	Pound	The male was older and had hip problem, but suddenly became ill, drinking alot of water, stopped eating about 3 days before dying. Female was in perfect health and developed rare bladder cancer. Both animals ate the chicken strips, first from Happy Hips, then from BJ's, as their treats, for 5+years.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Male	35	Pound	After beginning to take the treats (1 per day) (b) (6) began eating less and was very lethargic. He began consuming large quantities of grass when outside. He was taken to the vet and diagnosed with collitis of the stomach and given pills and placed on a special diet.
Waggin Train and Canyon Creek Ranch Chicken Jerky	Dog	Mixed (Dog)	9	Years	Female	18	Pound	(b) (6) has been eating Chicken Jerky for several years purchased from our local Petsmart & Kroger stores. We have stopped since finding write up's about both brands - Waggin Train and Canyon Creek Ranch made in China - and having her diagnosed with kidney & cushings problems since March of 2010
Wagon Train Chicken JERKY, Milos Kitchen Cicken Jerky								Internet connection failure

Waggin' Train chicken jerky treats	Dog	Mixed (Dog)	13	Years	Female	40	Pound	While trying to feed my dogs a nutritious treat, I purchased Wagon Train chicken jerky treats. I gave these to the dogs for about two years when I read about dogs having adverse reactions. Unfortunately, it was two late; both dogs died from kidney failure. They were both sick for about 6 months each.
Milo's Kitchen	Dog	Shepherd Dog -	4	Years	Female	70	Pound	She is being treated with antibiotics for a urinary tract infection. Her symptoms have not improved over the course of a week of treatment.
Milo Kitchen Chicken Jerky Strips PetCare Chicken Jerky and the Waggin Trails Chicken Jerky								I had to euthanize my poodle of 13 years. About 2-3 months ago, I started feeding my dogs the Milo and Waggin Trails and PetCare chicken Jerky treats because they loved them. I did not know about any of this and all of my dogs were healthy. Anyway all 4 of my dogs got really and violently sick they all seemed to recover except my oldest dog (b) (6) who continued to go down hill, to where he lost his sight, hearing and got very dehydrated and organ failure this was a dog that was very health 3 months ago. The other dogs seem to be okay but not quite the same they do not eat their ordinary food just the jerky I give them as treats. now I am concerned I am killing my other dogs too, I will stop today because of this problem with the chicken jerky, but what if there are long term affect on my other dogs. They are only 2 years, 8 years and 9 years old and small. Help me please. I could not handle putting another one of my family down.
Waggin Train Chicken Jerky	Dog	Retriever - Labrador	4	Years	Male	60	Pound	(b) (6) was given Waggin Train chicken jerky over a period of a month . Coincidentally,it so happened that he was scheduled for a checkup at the end of the month and the labratory report found very high levels of creatinin in the kidneys showing a malfunction of the organ.He was immediately put on a diet which excluded the treat. After a months he was retested and the Kidney function had improved. The vet was certain that teh jerky was responsible and said that the short duration of ingestion may have prevented a more serious complication.
Waggin Train Chicken Jerky Treats	Dog	Beagle	4	Years	Male	28	Pound	After 3 days of giving (b) (6) Waggin Train Chicken Jerky Strips (1 full strip per day, broken into 2 smaller pieces), his Stool Turned Black and he was less active. It was at the same time I read an article on msnbc.com about the reported problems. I verified the my treats were the same as the ones being reported. I stopped giving the treats and returned the unused portion to Vons/Pavillions. within a couple of days his stool and health went back to normal. His diet is extremely consistent and he is a very healthy and active dog. I cannot find any other reason other than these chicken jerky strips being defective. I did notice that the Moisture Control Packet that you normally see in Human Jerky, was the powder inside was a brownish material that looked like a spice or seasoning. My dog did not eat any of that powder but have you tested that powder?
Waggin' Train Chicken Jerky	Dog	Retriever - Golden			Female			Had given her the product before. But this time, severe impact suddenly, appetite lost, then ability to navigate. Last two days, started convulsing. Working with the vet, ended up having her put to sleep. Took sample to Costco for testing, I don't think they ever did - no report back to me was provided.
MILOS CHICKEN MEATBALL TREATS	Dog	Pekingese	5		Female	4		Both 1 year old Bengal Cat as well as dog had week long bout of diaharrea, dog diaharrea had blood present.
Milo's Kitchen® Chicken Jerky	Dog	Beagle	10	Years	Female	27	Gram	Severe Diarrhea, throwing up. Eating grass constantly.
Waggin Train Wholesome Big Blast	Dog	Akita	1	Years	Male	90	Pound	We have noticed his stool being loose. We have been giving him two types of treats from Waggin Train for a few months. Just saw the articl on the internet about 900+ dogs sick from these products. Did take him to the Vet last week and she didn't tell us about that this loose stool could be related to these treats? He has been on an antibioic and probiotic since the Vet visit.
Cadet Gourmet Real Meat Chicken Snacks	Dog	Retriever - Labrador	4	Years	Female	40		My dog ate Cadet Gourmet real meat chicken snacks. They were purchased at Brookdale Shop-Rite in Bloomfield, NJ. They say Made in China-irradiated on the package. I wrote down the UPC, if you want it. The dog vomited and had diarreaaha for 4 days. The diarreaaha was bloody and red for 3 days and completly liquid for 4 days-on the third day her breathing was rapid-panting. She is recovering now and is almost back to normal, but I think she could have died.

Wagon Train Chicken Jerky Treat	Dog	Terrier - Manchester	8 Years	Female	15 Pound	My dog was unusually throwing. I heard about the jerky treats being harmful on the radio and went home and threw them away. Since then my dog (b) (6) has been much better.
Waggin'Tails Chicken Jerky Teats	Dog	Sheepdog (unspecified)	9 Years	Male	65 Pound	violently sick, diarrhea, bloody stool...
Milo's Kitchen Chicken Jerky Treats	Dog	Saint Bernard Dog	4 Years	Male	155 Pound	On April 30, 2012, I went to Walmart and bought some Milo's Chicken Jerky treats for my dogs. I'd been hearing about the Waggon Tail's treats and won't buy them. I gave my dog several treats that night and a few more the next day. He had a max of 6-8 treats. He began to have diarrhea almost right away but I didn't realize it. I had to go out of town for the day and my neighbor was letting my dogs out. She came over and texted me that one of the animals was sick. She had cleaned up some vomit and lots of diarrhea. When I came home there was two further diarrhea stools and some vomit. He continued to have diarrhea during the night while I slept, at least two further stools. He would not eat any of his food that night. He did drink some water. I took him to the vet. I immediately told them about the jerky treats and had found out that all jerky treats from China were in question. They started him on IV fluids, giving him 2 1/2 liters of fluids. He wouldn't eat for them either. He was there all day. Once I brought him home he continued to have diarrhea and refuse to eat. I called the next day to report this. They started him on flagyl. After several doses the diarrhea subsided and he started to eat. He was sick with the diarrhea for four days total. I spent around \$400. I used (b) (6) (b) (6) to varify. I will ask for a copy of his invoice if needed.
waggin train chicken treats	Dog	Retriever - Labrador	5 Months	Male	45 Pound	diahrea
Milo's Kitchen Homemade Meatballs	Dog	Poodle - Toy	Years	Male	24 Pound	In October 2010 I took over care for my grandmother's dog when she moved to an assisted living facility. (b) (6) has always been particular about what he will eat so we weren't surprised as we would go through stages of him being extremely picky. He also had anal gland issues from time to time (this issue did not develop until he was 14) so we sometimes attributed his lack of appetite to these bouts with anal gland issues. Often he only showed an interest in human foods. Considering his age, our veterinarian agreed it would be okay for (b) (6) to eat human foods such as rice, sandwich meats, cheese, and bread. In addition I tried Milo's Homemade Meatballs and (b) (6) loved them. He never passed up a meatball and he would do anything for one. I tried not to overfeed him these, limiting him to usually no more than 5 a day. I felt they were a good product and he was actually eating dog food so it must be a good thing. Periodic appetite problems began to occur more frequently and our vet felt his symptoms were indicative of Kidney issues. Blood tests showed (b) (6) kidneys were okay. On October 24, 2011 I woke up to find (b) (6) quivering and extremely weak. He would not eat or drink at all. He could not stand on his own. Overnight his condition drastically changed. Given his age and his obvious discomfort, my mom and I felt we had to put him to sleep. I didn't feel this was reversible. Shortly after his passing I started seeing the complaints about chicken jerky treats and I can't help but make the correlation with the Milo's Homemade Meatball Chicken Jerky treats we gave him so many of. I question if his sudden turn was Kidney failure.
Waggin Train Chicken Dog Treats	Dog	Mixed (Dog)	8 Years	Male	65 Pound	He was throwing up and had diaerrhea. Had to take him to the vet for a shot to calm his stomach.
Canyon Creek Ranch Brand Cowboy Style Drumettes	Dog	Dalmatian	9 Years	Female	40 Pound	Animal vomited about 2 hours after consuming treat
Waggin Train Chicken Strips	Dog	Chihuahua	12 Years	Female	8 Pound	All dogs became lethargic, began to lose appetite. Coats became dull and all pets started looking ill. I quit feeding my dogs the chicken treats, and after about a week I saw improvement. I was informed by the cashier that there had been a report against the Chicken treats on the news when I went back to buy more because they were being sold much less than normal. I know the strips were detereorating my pets health so I quit feeding them the treats...threw all bags that I ahd purchased in the garbage can and will NEVER buy them again. I also tell anyone and everyone that I know that these treats are bad for pets. I will continue to spread the word about the dog treats that come from China. They ARE putting something in them that is BAD for our pets. The FDA needs to be proactive with this and find out what it is or BAN the treats from coming into the USA.
waggin train jerky strips	Dog	Mixed (Dog)	11 Years	Mixed Population of Female and Male	65 Pound	both dogs have gotten sick and refused to eat anymore of the chicken jerky strips.. I AM RETURNING THESE STRIPS TO THE STORE WHERE PURCHASED.. WALMART IN GAYLORD. MI. I am also returning the jerky Duck Strips .
Waggin Train Jerky Treats	Dog	Boxer (German Boxer)	8 Years	Female	75 Pound	Boxer became lethargic after ingesting chicken jerky treats and was taken to animal hospital where she was diagnosed as having kidney failure. Boxer died within two weeks of diagnosis.

Wagon train chicken jerkey treats	Dog	Shepherd Dog - Australian	10		Female			i have all medical records regarding condition. dog had a physical 1 month prior to onset of condition and death. Extact date of death on paperwork.
Waggin Trails	Dog	Mixed (Dog)	11	Years	Male	67	Pound	My dog slowly began losing weight, didn't want to eat...ended up at vet had infection, had lost 18lbs was down to 49 pounds. gave him antibiotics and antiinflammatory drugs and now he has gained back all weight and is doing much better. i am convinced it was from the Waggin Train chews with chicken liver-which i gave him for a few months and were purchased at walgreens
Milo's Kitchen Home style dog treats Beef Jerky	Dog	Terrier - Australian	7	Years	Male	18	Pound	I gave Milo's Kitchen Beef Jerky (bag states made in USA) to my Mini Schnauzer and Australian Terrier, my Schnauzer had no reaction, but my Terrier was walking around the room for hours, this happened twice and then he could not urinate for a whole day and then urinated on the floor a very large amount and then that happened again he urinated on the floor the next morning a large amount, he is very well trained and would normally not ever urinate in the house, this just happened last night and today 5/22/12 not sure if he is OK yet, luckily I only gave them very small amounts of the treat and it was broken into less than half inch pieces (numbers on bottom of bag are 20462f 20482f 5 01:03) I will throw the treats out and save the bag, I just happened to see the report on MSN and a I am very upset that I bought this treat and gave it to my pets
Milo's Chicken Jerky	Dog	Spaniel - Cocker American	9	Years	Male	50	Pound	He developed changes to his health after eating Milo's Chicken Jerky treats. Increased water consumption and inability to hold it in until I returned from work. Lethargy and malaise.
Olde Roy Chicken Jerky Treats	Dog	Retriever - Golden	6		Male	90		I gave my pet Olde Roy chicken jerky treats and shortly afterwards was sick to his stomach, had diarrhea and was lethargic for 2-3 days following. I waited 2-3 weeks before giving him another of the same treat and noticed similar symptoms right away. I have not given him any since and he's doing fine.
Wagon Train Chicken Jerkey Treats from China	Dog	Schipperke	7	Years	Female	18	Pound	Out of nowhere my dog got sick. At first the vet looked for abdominal obstructions, and finding none prescribed nausea meds, but the next two days my dog didn't improve and when we went back to the vet, blood work revealed EXTREME kidney failure. We tried to do all we could for her, but she was slowly dying and suffering and I ultimately made the decision to say goodbye to put her out of her misery. There was seemingly no explanation for the sudden on-set of kidney failure -- until I read with dismay that the jerky treats I was feeding both my dogs were sickening and killing other dogs -- particularly smaller breeds like mine. I don't care what the GOP says, we need the FDA to step up and step in to end this! She was a Pom/Schipperke mix.
Wagg'n tails	Dog	Boxer (German Boxer)	3	Years	Male	70	Pound	(b) (6) experienced kidney failure and died two months after initial vet visit. He was treated at two veterinary hospitals and was prescribed various medications . Charts are available. He was given chicken treats in the belief that it would be easily digestible. Our other dogs were not fed this treat regularly like (b) (6) was.
Waggin tails chicken jerky treats	Dog	Shar Pei	10	Years	Male	45	Pound	After giving (b) (6) Waggin tails chicken jerky treats he developed diarrhea.
Waggin Tails chicken jerky	Dog	Retriever - Labrador	2	Years	Male	55	Pound	after eating the Waggin Tail jerky treats the dog would become ill and would vomit - this went on for 2 days before I stopped giving him the treats. Since this treat is not being used anymore, the dog has been fine
Wagon Train Chicken Jerky Treats	Dog	Terrier - Cairn	9	Years	Female	16	Pound	After several months of giving our dog Waggin Trail jerky treats she became very ill. The vet diagnosed her as diabetic at that point, but insulin never completely solved the problem. There was still issues with excessive water and urination, also occasional vomiting and changes to muscle and bones. After reading many articles on the issues that have come up due to these treats we believe she may actually have Fanconi syndrome, based on the symptoms. We have quit feeding her the treats as of now, but the problems still persist. Based on her age and condition we do not want to put her thru the multitude of tests required to verify Fanconi, but would still like for others to know of the problems with these treats.
Milo's Chicken treats	Dog	Unknown	3	Years	Male	45	Pound	Dog became comatose-taken to vet. Blood test showed extremely high hemoglobin and dehydration. IV started and he stayed at vet office for 2 1/2 days until blood test back to normal. He had eaten Milo's chicken treats prior to this, and vet suggested that may be the problem.

Waggin Train Chicken Jerky Treats	Dog	Pit Bull	18 Months	Male	40 Pound	Waggin Train chicken jerky treats were given to my dog for about 2 weeks. I noticed that (b) (6) got lethargic and sensitive to touching his abdomen. He then began to have horrible diarrhea and vomiting. We took all food and treats away except water and ice. I started adding dry Gravy Train first then added Alpo canned food back to his diet. I happened to read an article on the internet about the chicken jerky treats causing issues in dogs. We then threw away all of them. His diarrhea and vomiting cleared after 3 days.
Waggin-Train Meat Blast Duck Jerky Wrapped Pork Skin Twists with Chicken Liver Centers	Dog	Other Canine/dog	9 Years	Male	70 Pound	On Christmas Day, 2011, I gave my two Lab-Mix dogs a Waggin-Train meat blast, duck wrapped pork skin twist, with chicken liver center. That very night, (b) (6) began to vomit. I felt really bad because I never gave them those kinds of treats, but wanted to give them something special for Christmas. Over the next three weeks, he got sicker and sicker. Our vet thought it might be a blockage from the rawhide, so she did xray's and an MRI. There was no sign of blockage. She did blood tests and hospitalized him several times. He was given IV's, and all kinds of medications. She was unable to find the cause of his illness. We had to force feed him most of the time, and even so, he lost 15 pounds in 3 weeks. Thanks to prednisone, he had one good week with us before he crashed. On January 15th, I finally had to take him to be euthanized. He was almost nine years old, and we'd had him since he was a puppy. It was the worst thing I've ever had to do. Today I saw the article about Waggin-Train. I just cried, knowing that I killed him by giving him that rawhide.
Dingo Wag'n Wraps with Chicken in the middle	Dog	Shepherd Dog - German	7 Years	Female	98 Pound	I purchased a 3 pack Dingo Wag'n Wraps Chicken and rawhide Chews on April, 5, 2012. I purchased these from the local Walmart in Grafton WV. I gave (b) (6) one of the chews on April 6, 2012. Com the next day Saturday April 7, 2012 (b) (6) could not get up as it was like no movement in Hips. She was acting very sick. I tried to feed her along with making her drink water. Then the following day on Easter Sunday, She woke me up crying and moaning with pain. Her eyes were extremely glassy. (b) (6) has always been a very high spirited Dog. I rushed her a Vet in (b) (6) which was going to meet me for emergency Treatment. Well He informed me that she was Septic? He did blood work along with all the checks including xrays. He then medicated her and said it was questionable if she would survive??? Well he said he had to leave and he would check back on her a little later and then call me. He called about 3 hours later and told me she had passed. Not good. The vet bill was almost \$400 and he said that he was puzzled by what killeed her.
Milo's Kitchen Chicken Jerky	Dog	Terrier - Border	6 Months	Female	12 Pound	After ingesting the jerky treat, became lethargic and experienced diarrhea for several days.
Waggin Train Chicken Jerky Treats	Dog	Terrier - Boston	12 Years	Male	22 Pound	Dog became very ill with kidney failure. Had to take him to emergency vet clinic. After 4 days in ICU, took him home and had to do subcutaneous fluids 2 times a day with several other medications. Within 19 days, he was dead. He was my best friend and the most healthy dog I've ever owned. Second dog, (b) (6) became ill 5 days later and died within 4 days of syptoms. She was a perfectly healthy 5 year old Boston Terrier Mix. She was the biological daughter of (b) (6). Have two other dogs that were not given these treats. They are fine.
Waggin Chicken Jerky treats						there was plastic infused within one of the chicken jerky strips.
Waggin Train Chicken Jerky Tenders Dog Treats	Dog	Dachshund - Standard Smooth-haired	13 Years	Female	20 Pound	One strip daily of Waggin Train chicken jerky strips. After several weeks, became lethargic, vomiting, kidneys shut down. Veterinarian diagnosed some form of poisoning. Kept at veterinarian clinic for a week with IVs, other efforts to save. Finally passed away from kidney failure. Two days later veterinarian notified us of problem with Waggin Train chicken and strongly suggested this product was the cause of poisoning, sickness and death.
waggon trail ckicken jerky						My dog was 7 years old, completely healthy. He had about 3 treats per day and was suddenly dead in my livingroom floor with no prior signs of sickness.
Waggin Trail (Train??)	Dog	Pekingese	Years	Male		I want to correct my dog breed (I couldn't find it in your list He is a Peek A Poo, not pekinese.) He became very ill after eating Waggin Train treats. I had to rush him to the doctor. He is recovering. I mentioned to the Publix Suprmermarket that I thought the treats they were selling from China were contaminated but they said they had not heard anything about it
Waggin' Train Chicken Jerky Treats	Dog	Beagle	3 Years	Female	25 Pound	I gave both my dogs Waggin' Train chicken jerky treats. Both became ill with diarrhea, but recovered in a few days. I had bought two packages at Kroger. I returned the unopened package to Kroger and they gave me a refund for it, after much argument. I still have the treats from the opened package, although they are not in the original package. The date of the event was late November or early December, 2011.

Waggin' Train Western Grill Assorted Dog Treats & Chews Waggin' Train Chicken Jerky Tenders Dog Treats	Dog	Shepherd Dog - German	12		Female			I started buying my dog the wagon tail treats back in October or November. I was buying them from walmart. In December my dog started losing bladder control which is something she never did. I woke up one morning to find her bed all soaked. She would be walking and she would start to urinate as she was walking! Concerned she had a kidney or bladder infection I took her to the vet on 12/21/2011. She was also having some discharge so the vet thought that maybe she had a uterus infection and gave her medication for that. Someone told me about month later that they had heard not to buy dog treats from China because they make your dog sick, but they didnt know how. So I quit buying them for her. Thankfully she had been on medication during that time, which was \$150. Since I quit feeding her the treats she has not had anymore urinating problems. Now I just read an article about the treats that I was feeding her and how they affect the kidneys and it seems like it is no coincidence that she had the problems she did as I was feeding her those treats. I am so thankful someone told me to quit feeding her those treats even though I didn't know why at the time. Now I see that if I had not stopped I probably would have lost my dog!
Waggin Train Chicken Jerky Treats	Dog	Pit Bull	2	Years	Female	55	Pound	Friends came to visit and brought ^{(b) (6)} a Waggin Train chicken jerky treat. She had eaten them before, but this particular time she was lethargic within hours. She developed horrible diahrrea and vomiting in the middle of the night. She continued with the symptoms the entire next day. We took her to the vet within 2 days because her symptoms had not improved. The vet put her on special food and medication to correct the symptoms.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	8	Years	Female	58	Pound	After eating Waggin Train Chicken Jerky treats for several months, our dog became seriously ill. She was drinking excessively and was listless. We took her to the vet for several tests and when they couldn't diagnose an illness had us take her to an internal medicine specialist. After several more tests and medicines, costing more than \$2000, they were still unable to find a cause, but her liver did not seem to be functioning normally. When we ran out of treats she seemed to improve after a month or so and now that we have been giving her them again, she is drinking excessively again and is listless.
Milo Chicken Jerky Treats	Dog	Crossbred Canine/dog	3		Male	15		^{(b) (6)} experienced lethargy, loss of appetite. After I read article describing how chicken jerky treats were making some dogs sick I immediately threw them away. Within a week ^{(b) (6)} was much more active and his appetite picked up. I believe that the treats were making him sick. We used to give him 2 or 3 a day.
Waggin' Train Wholesome Chicken Jerkey Tenders Chicken Dog Treats	Dog	Shih Tzu	5	Years	Male	14	Pound	Vomitting and diarrhea
I don't recall	Dog	Shiba Inu	11	Years	Male	28	Pound	In early, 2010 I purchased a bag of chicken jerky as a new type of treat for my dog. I continued to give him these treats on a regular basis. By April, he was tired and listless and rapidly losing weight. Our vet said that he was suffering from kidney failure. By May I had to have him euthanized as he was no longer able to stand and was in great pain.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Foxhound - American	8	Years	Male	84	Pound	After giving our dog the Waggin Train jerky treats, his symptoms started with diahrrea, which got progressively worse, then vomiting, then refusing to eat. He spent two nights in the hospital, which he had previously never had to be under vet care other than for wellness visits. Shortly after he came home, we saw the article on the jerky treats, and realized we had been giving them to him. I have kept them in case any testing needed to be done on the treats or his condition got worse.
Canyon Creek Ranch Chicken Jerky Treats	Dog	Spaniel - King Charles Cavalier	1	Years	Female	15	Pound	She inexplicably started having digestive issues. She would have constant diarrhea that lasted for a couple weeks. Additionally, her stool had a opaque slime that coated it. We called the veterinarian to make an appointment for her to be seen. The vet made a suggestion of feeding her steamed rice and boiled chicken for a few days along with giving her gatorade. Within a day, her bowel movements returned to normal. As soon as we allowed her to have the chicken jerky treats, her diarrhea returned. We decided that the jerky treats were the only new food in Lady's diet, so we stopped giving them to her. The issue disappeared.
Waggin Train Chicken Jerky Tenders	Dog	Retriever - Labrador	7	Years	Male	68	Pound	Waggin' Train Chicken Jerky Treats purchased in April, usually 1-2 pieces given several times per week as treats caused dog to vomit and have severe diarrhea. It took a couple weeks to pinpoint the cause as he also gets other treats, but by elimination we figured it out.
Chicken jerky treats	Dog	Terrier - Cairn	12	Years	Male	20	Pound	We had purchased some chicken jerky treats at our local Big Lots. Our dog had diarrhea, dehydration, etc. He was initially diagnosed with pancreatitis and then had to be hospitalized with kidney failure. Our vet notified us of the link with the chicken jerky treats and we provided her with the bag of treats we had given to Joey. We have spent over \$3,000 on his illness and recovery and would like to see that reimbursed by the manufacturer of the treats.

Waggin Train Jerky Tenders	Dog	Boxer (German Boxer)	9	Female	60	Pound	My dog started becoming lethargic after she started consuming Wggin Train Chicken Jerky. She started to drag her foot. She became incontinent and was throwing up. She was also drinking excessively.
Good'n'Fun Triple flavor wings, Beefeaters chicken fillets	Dog	Terrier - Jack Russell	8	Male	20	Pound	<p>According to owner by phone May 9 2012, Harley was doing very well with his aggression problem until 4 days ago when his behavior worsened and it was clear he didn't feel well May 8, so the owner took Harley to his regular vet. Blood work was done and increased BUN(36) and creatinine (2.3) was noted. UA normal. I asked the owner what treats she was using and she had been giving chicken jerky treats. I had the owner stop the treats and keep the remainder.</p> <p>Date problem started is an estimate based on conversation with owner. Date of recovery is also an estimate, phone conversation May 21, 2012 the owner said he was back to his old self and had been for several days.</p>
Kingdom Pets Chicken Jerkey							<p>On Sunday, May 20, 2012, I purchased a .48 oz bag of Kingdom Pets Chicken Jerky (UPC 8471300020, Item code 169728, Lot #AKKPCKO3B356) for dogs at Costco located at 9691 Waterstone Blvd, Cincinnati, OH. When I arrived home, I opened the bag and pulled out 3 pieces, for each of my dogs. I noticed blue plastic sticking out of the end of one piece. I did not give them to my dogs, but checked on the website for any recalls. I did not find any, but did learn that China is putting plastic in animal chicken jerky, which this product is made in China. I also learned that this material can cause illness and even death of an animal.</p> <p>I contacted Costco this morning to advise them of the problem. I also contacted the distributor Globalinx Pet, LLC, Newport Beach, CA, 888-565-7387 and left a message advising them of this issue. I ask that you investigate this issue and trust that you will place a recall for this product. Also, as a former Safety and Environmental Manager at a plastics manufacturing company in Ohio, can you explain to me (or direct me to the appropriate department) as to how manufacturers in the US are held to the strictest standards and imports from China are not?</p>
Waggin' Train Wholesome chicken Jerky Tenders	Dog	Retriever - Labrador	7	Female	50	Pound	I was out of the treats and everything was normal with Luna, then on Saturday I purchased the Waggin' Train 22oz "Natural Chicken Fillets" and she ate 2 chicken fillets and all Saturday night she had diarrhea ALL night long with blood mixed into the poop.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Spaniel - King Charles Cavalier	3	Male	18	Pound	<p>My sister-in-law had bought the treats at SAMs club on May 5th, she had given (b) (6) a treat a few days. On May 9th she gave him 2 treats, he ate one (I was not home at the time she gave them to him.) after eating one she said he went inside his dog house and started acting as though he was having a seizure and he began to vomit and also diarrhea/bloody. I came home and went to give him his food, and I noticed him sitting on top of his dog house, looking like death...it was horrible. I went to check him, and I saw a treat. I grabbed the treat and asked my sister-in-law if she was giving this to him? Because I had seen the warnings the week before about these treats. I had no idea she had bought these and feeding them to him. (b) (6) was dying. He was dead before we could get him to a vet. He was ice cold/inside his mouth was like ice. I knew I was loosing my baby boy. I cannot believe these treats are still on the store shelves. Had these been pulled my dog would still be here. I also did research and I saw the packets in the product the deoxidizers are poisonous/contain iron I did take a picture of the packet stuck to a magnet. I wonder if this is what is making the dogs die/sick Iron Toxicity? Or is it the Irradation being done?</p>
Gourmet Sweet Potato & Chicken Wraps , Milo's Kitchen Home Style Dog Treats, Mini Dingo Chip Mix	Dog	Shih Tzu	2	Male	31	Pound	This dog was presented to me because of being lethargic, depressed appetite, and frequent urination. exam was essentially normal. Abnormalities found with lab work were; elevated WBC count (17500) due to neutrophils (12,430) and eosinophils (850). high blood creatinine (2.0 mg/dl), high urine blood content (++), high urine protein (++), high urine leukocytes (++). The urine specific gravity was 10.40 and urine PH was 8. On urine culture staph aureus was isolated.
Wagon Train Dog Treats & Milo's Kitchen Treats	Dog	Other Canine/dog	3	Male	8	Pound	Started vomiting profusely, some diarrhea, lethargic. Took him to the vet and they done blood work and gave him an IV due to dehydration. His blood work showed he had severe pancreatitis. The vet stated he had never seen numbers so high! He was a very sick dog. The vet inserted a port so I could give him an IV daily for a week with some medication in it and he improved after several days. He ate lots of doggie treats, all chicken products, made by Wagon Train and Milo's prior to his illness. We no longer give him these. I felt his illness had something to do with his treats but could not be totally sure. But he now eats what he did before but no treats and he is doing great.

canyon creek ranch	Dog	Great Dane	7 Months	Female	80	Pound	I got a healthy puppy and started training her using exclusively canyon creek treats. All of a sudden she has immense Diarhea and vomitting. She was no longer excited and happy..... I blamed her dog food or the fact that she may have gotten into something. I quarentined her but kept giving her the treats..... It wasnt till I gave her a bland diet that everythign went away... Once I reintroduced the treats her symptoms came back. I have spent close to \$500 on test and medications trying to figure out why a 7 month old puppy got so ill.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Shih Tzu	3 Years	Female	13	Pound	My pet at Waggin Trail chicken jerky treats and developed vomiting, bloody diarrhea, lethargy, would not eat or drink. She is presently in the hospital (admitted 5/17/2012). Vet confirmed diagnosis with concurrent use of treats. I don't understand why these have not been taken off the market. There have been many complaints made against these. I did not know this until today.
Waggin Train Duck Fillets	Dog	Dachshund - Miniature	10 Years	Male	24	Pound	5/5 (b) (6) gave her dog two duck fillet treats before leaving for work at approx. 9 am. When she returned home around 7 pm (b) (6) was unresponsive and cold on the floor in a small puddle of mucus and saliva. Lock jaw, black eyes, labored breathing, the dog was in process of defecating himself when the owner arrived. (b) (6) gave him small amounts of water by dripping them into his mouth and held him. He vomited more than 12 times. He gradually became more responsive. He wouldn't eat or drink anything. He eventually after several hours of watching him and talking to him passed a bloody stool of mucus and blood. 5/6 Took animal to veterinary clinic where he was given medication and an IV of fluids. Because of financial incapability we were forced to take him home and nurse him there. The nurse said he was in the process of liver failure or so it seemed. 5/6-5/9 bloody stool. liquid diet of Gatorade diluted and water and ice. And a diet if baby food beef and chicken rice and cottage cheese. Gradually he began to have more normal stools. 5/11 he passed his first blood free solid bowl movement. (b) (6) is a victim of Domestic Violence and her dog is her best friend. She had to take off time from work and the vet bill and he still needs to go back to the vet and we cannot afford to pay for that.
Waggin Train - Jerky Tenders	Dog	Terrier - Yorkshire	4 Years	Male	6	Pound	Received blood and urine report back. Detected high levels of Creatine and Nitrogen levels in the urine. Urine is extremely yellow (which is good), but indicates dehydration or potential other issues. We just found out about this, but we have been using Waggon Train Chicken Jerky treats for years and it appears that they could be part of the cause of his condition. We have removed these from his diet while at the same time we have introduced more water as well as a food with less protein content.
Waggin' Train Jerky Tenders	Dog	Terrier - Silky	6 Years	Male	12	Pound	I have been purchasing this brand of chicken jerky from Costco for years and feed my dog small pieces throughout the day as a treat (totaling approximately 3/4 of a strip per day). He has recently been diagnosed with liver failure upon taking him to an emergency vet hospital which was very shocking to the doctors since he is not very old in age. 1 month prior to his diagnosis he would vomit the chicken jerky shortly after eating it. The doctors have given him days or weeks to live.
Waggin Train Chicken Strips	Dog	Terrier - Jack Russell	13 Years	Female	14	Pound	(b) (6) was a very healthy dog. She got the Chicken strips and a while later got very sick but seemed to come out of it. She wouldn't eat so we switched to canned dog food. She kept getting weaker and eventually her kidneys failed. The vet bills war almost a thousand dollars.
Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	Hound - Italian	7 Years	Male	14	Pound	After being fed Milo's Kitchen Chicken Jerky consistently and excessively for over six months, two of our three dogs began showing symptoms of illness and possible kidney failure including vomiting, loss of appetite, excessive urination, and excessive water drinking. The one dog out of three not affected by the chicken jerky was being given Ursodiol to clear out liver and gal bladder as part of a post-Chemotherapy treatment. Given that he was not affected by the chicken jerky and the other two dogs were, it could be assumed that the Ursodiol may have prevented the symptoms. (b) (6) (the aforementioned dog has shown the worst symptoms of the chicken jerky consumption).

Rich in Omega 3 & 6 Wild Alaskan Salmon Treats Layered with Cod & Sweet Potatoes	Dog	Pekingese	7	Years	Female	10	Pound	I purchased Wild Alaskan Salmon Treats from Costco approximately 2 weeks ago. I gave (b) (6) the treats on two different occasions. She didn't like them, so I didn't give her more. I also gave the other dog (b) (6) the treats one time. She didn't like them and didn't all of what I gave her. I noticed a few days later that (b) (6) wasn't eating. She was drinking alot of water, and I noticed urnine accidents in the house. After several days of her not eating I took her to the animal hospital. This was last Monday, May 7th. Multiple tests were done, after one came back negative another was done. This went on until Friday when I took her back. She was seen by a new doctor. She asked if I had given her anything different to eat. I told her about the dog treats. She had be check right away to see if they were made in China. They were. We pulled up all of the information regarding symptoms related to dogs getting sick with foods from China. She has all of the symptoms. She immediately started her on daily IV treatments to flush her kidneys. She will probably need another 2 weeks of this treatment. As of now all of the tests coming back confirm it was the dog treats.
Pet Pride® Chicken Breast Jerky Treats for Dogs	Dog	Shepherd Dog -	8	Years	Female	40	Pound	Diarrhea on the day following consumption of a chicken jerky treat.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Poodle - Standard	4	Years	Male	58	Pound	On or about August of 2009 I notice my male was scratching horribly. He scratched all the hair and most of the skin off his neck and the top of his head by Oct. Which was when he was first seen by my vet. Soon after My female who is 6 months younger started with the same signs. The itching and scratching became uncontrollable. My vet was treating them with steriods to help calm the reaction. By Feb of 2010 I had to take my female to an allergist who did extensive testing for allergies. She came back postive on some, but none that were very conclusive. on May 10th of last year, my female had a litter of puppies. I kept one male out of the litter, and dontcha know it at approximately 8 moimuths of age, he started with the itching and scratching as his mom and my male. The scratching and itching has continued to date, We have been able to finally control it enough to get hair back on them with some scaring . I started working with my holistic vet, and still I could get no releif for these dogs for the itching. I had no pests on them, I use NO chemicals in my house to clean, it is all done with steam and vinegar and water. On April 5th, 2012I was researching online for dog foods, and reading information on them, and came across the issues that the chicken jerky treats have been causing. And I thought that this was the only thing that has remained consistent over the past 3 or so years. I had changed thier diet to the raw diet, approximately 3 yrs ago, because of the skin issues ,with no additives. The only treats they have gotten has been the jerky treats, because I figured how can you go wrong with just "dried chicken" . I immediately stopped the treats, and unfortunately threw them out, but kept the bag. I noticed within weeks the puppy had reduced the itching drastically, and my older males skin was great improved, no weeping feet and elbows, no flaming red skin and he wasnt hot to the touch . And he was playing again , My female has reduced her itching drastically as well. I contacted both my Reg. Vet and my Holistic Vet and told them what was going on and they both agreed that it was the treats. I made an appt with my reg. Vet to see my male, and he was thrilled to see the changes in him and has recorded them as being major improvements.
Alpo Purina Cuts, Wagon Trail wholesome Chicken Jerky Tenders	Dog	Collie - Border	10	Years	Female	45	Pound	(b) (6) began to be uninterested in food, throwing up, brought her to the vet and they tested her blood for illnesses, she had acute kidney failiure and her blood tests revealed no deseases or apparant chronic condition, kidney failure was thought to be the result of poison...death resulted.
Waggin Train Chicken Jerky Treats Waggin Train Ham Slices	Dog	Spitz - American Eskimo Dog	9	Years	Female	23	Pound	We was feeding other treats over the years but did not start experiencing any problems until we started feeding Waggin train Chicken Jerky Treats, and ham slices also made from Waggin Train. Within a few days, we noticed (b) (6) having upset stomach and not wanting to eat. When she would finally eat, she would vomit the food and treats up. We took her to the vet and was diagnosed with Pancreatitis. She was treated with antibiotics. within the next week, she continued to deteriate to where she could not eat at all, she would lay around the water dish and drink lots of water. she would not be able to keep the water down at all as well. On the following Monday I took her back to the vet and she was left for further treatment. On the next day I was informed that he believed that she may have Liver failure going on, and didn't look like she was going to make it. I went in and seen her for the last time. She was put to sleep in my arms on 3-16-12. Hardest thing I ever did.
Waggin Train Chicken Jerky Treats.	Dog	Unknown	6	Years	Female	44	Pound	Abrupt and severe renal failure. (b) (6) was presented with a very diminished appetite, weight loss, vomiting and gl upset. Blood work revealed azotemia, elevated creatinine and phosphate, anemic, glucosuria, proteinuria. Despite intensive intravenous fluid therapy and supportive care, her condition rapidly declined and she was humanely euthanized.
WAGGIN TRAIN CHIKN BISCUITS, WAGGIN TRAIN WHOLESOME JERKY TENDERS	Dog	Chihuahua	4	Years	Male	3	Pound	Severe vomit and diarrhea, blood in stool, bowel pain, extreme illness. kidney, liver issues. The other dog (b) (6) began symptoms shortly after.

Waggin Train Apple & Chicken Wraps	Dog	Terrier (unspecified)	5	Years	Male	23	Pound	Purchased Waggin Trail, LLC Apple & Chicken Wraps. Gave our Dogs 1 piece per day before work by the end of the weekend I noticed (b) (6) was not himself. Lethargic, Labored breathing and recently, peeing blood. Took him to vet, The vet noticed right off that he was anemic, gums white, temp at 103.8. Drew blood to confirm anemic but also noticed that Creatine and Tbil was also off the charts. Daily blood test and he's not getting better but he's not worse. The only difference was these treats, the foods the same, their normal treats, Beggin Strips never did this. This is the only change. These Waggin Train treats are made with Chicken breast in China and the lot number is: G1CA3503A.
milo's kitchen chicken jerky treats	Dog	Chihuahua	12	Years	Female	15	Pound	on thursday may 3, 2012 my wife and i went to walmart to purchase pet products for our pets 1 dog and 1 cat. we decided to buy our dog a bag of milo's kitchen chickewn jerky treats and we gave her ne and the next day there was diarrea all over our house, we contacted our vet which instructed us to just feed our dog white boiled chicken with white rice for three days. we have been following our vets instructions and now it is a week later and our dog can still not eat regular dog food due to having diarrea. we thought something was wrong with our dog until i found out online about a recall for these treats, now my dog is very sick and can only eat boiled chicken and rice. i am very upset and very angry about this , these treats should not be on the shelves of stores if they are not good!!!!!!
Canyon Creek Ranch Brand Chicken Tenders	Dog	Alaskan Malamute	5	Years	Male	25	Pound	Renal failure diagnosed 5/12/2012
Waggin'TrainWholesome Chicken Jerky Tenders	Dog	Terrier - Jack Russell	11	Years	Female	11	Pound	Dog was listless with appetite for a few days(3-4) during which we tried different dog foods and gave her a Waggin Train chicken Jerky art eat daily (a large one) since that was all she was eating. She vomited once (that we knew of) and noticed she was eating grass. Also noted she was drinking more than normal. This all began approximately 5/7/12. While buying some different dog food store owner mentioned Chicken Treat issue.Pending her condition will take to vet today (5/10), though she did eat some food on 5/09.
Waggin' Train Chik'n Biscuits	Dog	Mixed (Dog)	9	Months	Male	10	Pound	I gave my dog a Waggin' Trails dog treat Chik'n Biscuits, at 11am yesterday. 5 hours later, at 4 pm he started to experience soft stools. Then 2 times throughout the night he experience mucus-y diarrhea
Milos Kitchen chicken jerky	Dog	Siberian Husky	11	Years	Female	65	Pound	Gave her a Milos Kitchen chicken jerky treat and 4 1/2 hours later she became lethargic, drinking lots of water, would not eat, diarrhea.
Smokehouse Chicken Breast Strips	Dog	Other Canine/dog	3	Years	Male	100	Pound	Fed the newly purchased chicken treat to (b) (6)(a Golden Retriever) ... shortly thereafter he had diarrhea, then vomitting, then lethargy ... I took him to the vet before 24 hrs. had passed. She gave me a print-out about the FDA warning on chicken treats from China because she believed that was the source of the problem since it was the only thing in his diet that had changed. The vet bill (with cytology, examination, and two meds) came to \$158.21 ... a rather expensive dog treat, don't you think? By the way ... how can you NOT have Golden Retriever on your pull-down list of dogs?!?
MILO'S KITCHEN CHICKEN JERKY TREATS, WAGON TRAIN CHICKEN JERKY TREATS	Dog	Shar Pei	6	Years	Female	45	Pound	(b) (6) my 6 year old Shar-pei started having symptoms in January. I found this out when I took her for a dental. The vet noticed she was urinating frequently, did a blood test and found her BUN - CREATNINE levels were elevated. He put her on antibiotics thinking it was an infection. She was eating normally but drinking excessive water. In March she was pregnant and started to throw up her food after she ate. I took her to the vet before her puppies were born and the blood test again showed high BUN-CREATNINE levels.The vet thought the throwing up was due to the puppies being under her ribs. She only had 2 puppies. She delivered the puppies on Monday March 26. On March 27 the 1st puppy died. The kidneys had begun to shut down and turned her milk toxic. That night she started to breathe heavy and every time she drank water or ate food she would throw up. I took her to the vet the next day and she gave her a shot for nausea and IV for dehydration. By Wednesday she was much worse. I took her to the vet and was told her kidneys were not working. We had no choice but to put her to sleep. She ate the Wagon Train Jerky treats every day and loved them. I used to purchase them at Sam's club. During February I tried 2 bags of "Milo's kitchen" Jerky treats which I bought at Wal-Mart. (b) (6) was a very healthy dog with a good appetite even at the end she was still eating. I was not aware of the Jerky treat problems until my friend told me about it after (b) (6) death. She had no health issues prior to this and was a very strong dog. It broke my heart that this has happened. I will no longer feed my dogs any treats from China and I think they should be taken off the shelves.
PCI Duck Quakers	Dog	Maltese	4	Years	Female	6	Pound	Increase thirst and urination. Glucosuria but no hyperglycemia. Resolved when she stopped feeding duck treats.

Milo's Kitchen Chicken Jerky	Dog	Beagle	6	Years	Male	46	Pound	On March 10, 2012 I purchased Milo's Chicken Jerky for my dog. By March 28, 2012, he had diarrhea with blood in his stool, vomiting, was not eating, and very lethargic. He was admitted to my veterinarian for 2 days, put on a prescription dog food, given antibiotics and permitted to return home. At that time his illness was not connected to the Chicken Jerky. On April 30, 2012, I purchased the same treats. On May 1, I noticed the same symptoms reoccurring. He was straining to move his bowels although it was diarrhea, tired and wouldn't eat. On May 2, 2012, I saw an 11 p.m. newscast with the FDA "caution" of the Chicken Jerky. I immediately stopped giving the treats, and contacted my vet on May 3. He was seen by my vet on May 5. My vet prescribed laxatives to "clean out" his system and was again put on a strict diet.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	7	Years	Female	65	Pound	I started giving my dog Waggin' Trail Chicken Jerky treats because they were supposed to be healthier. Within 2 weeks of eating she became very lethargic. I took her to the vet, they ran some blood tests and I was told her liver enzymes were elevated. We started her on meds and she seemed to be doing better. Several days later she was lethargic again and I took her back to the vet. While at the vet she was very weak and they wanted to keep her and run some more tests. I left to go home and within 10 mins of leaving I received a call from the vet telling me that she had suffered a massive heart attack and she was gone. Up until this point she was a healthy dog that had not had anything wrong. Now I don't have my sweet baby anymore and Nestle is still selling this poison to other people who will also lose their babies. Please put a stop to this
natural duck tenders, roasted chicken flavor training reward, big blast with chicken liver center, the original smart treat greenies, yam good chicken fillet wrapped yams, natural chicken tenders, Natural choice small bites lamb meal and rice formula, crunchy and delicious chicken poppers, pork skin big blast with chicken liver center	Dog	Corgi (unspecified)	7	Years	Male	23	Pound	For the past 2 years my dog has been to the vet for vomiting, being very tired and sleeping a lot as well as loose very smelly stool. I have had to give him antibiotics as well as medication after the vet found him to have a fever. The vet also gave a shot of medication to him.
Waggin Train Chicken Jerky	Dog	Maltese	5	Years	Male	8	Pound	I fed my dog the treats because he loves them. For two days he developed diarrhea with lots of blood. Immediately stopped giving him the treats. It was HORRIBLE! I was in fear for him!
Waggin Train Wholesome Duck Jerky Tenders	Dog	Unknown	22	Months	Male	16	Pound	dog threw up a yellow bile, twice after consuming Waggin Train Wholesome Duck Jerky tenders, was lethargic for an entire day and wouldn't eat any food. The product was purchased at Lowes Home Improvement store and the lot number is mostly legible 1CA5728A the sku was 07020 33016 Best Buy date was 080613.
Shep CHICKEN chips SELECT Premium Dog Snack	Dog	Shepherd Dog - Australian	3	Years	Female	30	Pound	I had noticed occasional bouts of diarrhea, and had discontinued all treats and was adding them back one at a time. One day after eating Aldi's "Shep" brand Chicken Chips select premium dog snacks, (b) (6) threw up and had bloody diarrhea. She seems in good health other than that.
milo's kitchen treats	Dog	Poodle (unspecified)	2	Years	Female	7	Pound	I gave her 1 piece of milo's chicken jerky treat and within 15 mins she vomitted up a pile the size of a softball the another the size of a golf ball after I picked up the mess I found her on the bathroom floor gasping for air I checked her gums they were pale her tongue was already purplish I called the vet after hours and he referred me to a emergency vet. after giving her medication by injection and fluids we got to bring her home under close watch. we still have to keep an eye on her to see if the toxin affected her kidneys or liver
Waggin Train Jerky Tenders	Dog	Boxer (German Boxer)	5	Years	Male	100	Pound	Both my dog and my mother's dog were experiencing uncontrollable diarrhea. The problems started about two weeks ago after buying Waggin Train Jerky Tenders from our local Sams Club. Both dogs are inside dogs in a controlled environment but reside at different homes. This behavior is without a doubt linked to the Waggin Train treats we bought at Sams. The fact that both dogs started having the same issues at the same time is a strong sign the treats are to blame. Once we stopped giving them the treats the diarrhea stopped. Something needs to be done to stop the treats from coming to market. We are both concerned dog owners that just want the best for our dogs. The fact the FDA has not recalled these treats already is a reminder the food chain is too large for the FDA to police and we consumers must fend for ourselves. Please do something about this issue before you lose all credibility.

WAGGIN TRain jerky tenders	Dog	Terrier - Bull Staffordshire	13	Years	Male	65	Pound	(b) (6) WAS DOING FINE UNTIL ABOUT 5 YEARS WHEN THE VET SAID HIS KIDNEY LEVELS WERE ELEVATED. HE WAS STARTED ON AZODYL DOSAGE 2AM AND ONE PM. ALSO DOG FOOD CHANGED TO SCIENCE DIET K/D . MY VETERINARIAN IS (b) (6) (b) (6) . HE WAS GETTING WAGGIN TRAIN CHICKEN JERKY TENDERS AS TREATS ALL THIS TIME. WE JUST WERE MADE AWARE OF THE PROBLEM WITH THESE TREATS WHICH ARE MADE IN CHINA AND THAT THERE HAS BEEN PROBLEMS REPORTED CONCERNING THEM. AS OF 5/4/12 WE ARE DISCONTINUING THESE TREATS BUT WE WANT TO REPORT THAT (b) (6) PROBLEMS COULD HAVE BEEN CAUSED BY THE TREATS
Waggin Train Jerky treat	Dog	Sheepdog - Shetland	9	Years	Female	28		in 2010, she was diagnosed with kidney failure in a routine wellnes check. At the time, I wondered if there was a cause. There is no history of renal disease in her line. One change had been the introduction of Waggin Train jerky treats to her diet. Her initial symptom was a seizure. Vet check indicated advancing renal failure. She was treated by specialist. Progressively got worse and had to be put down in Feb 2012. May not have been caused by the jerky treats, but I thought it a possibility at the time.
Canyon Creek Ranch Brand Duck Wrapped Big Blast Pork Skin with Liver Center Treats	Dog	Retriever - Labrador	2	Years	Female	50	Pound	(b) (6) ingested one Canyon Creek Ranch Brand Duck Wrapped Big Blast Pork Skin with Liver Center treat around 3pm on May 2, 2012. About 10 minutes later she began whining and pacing around. She had diarrhea multiple times in the house, then laid on the floor and smelled very gassy. She started pacing again about 90 minutes later and had diarrhea and urinated outside. She continued to have diarrhea approximately every 2 - 2 1/2 hours overnight and vomited twice. In the morning she was lethargic and she has not had an appetite since eating the treat.
Kingdom Pets Chicken Jerky								I bought two bags from Costco(Kennewick, Wa) of that chicken jerky strips made by "KINGDOM PETS" from Newport Beach, Ca. My dogs had runs and vomited within an hour an half , 3 dogs, 90 lbs. ,60 lbs. and 15 lbs dog. Definitely something wrong with that food. I have called Costco and informed their store manager (b) (6) he said he will talk to their buyers. Someone should do something before it goes to bad. I have been feeding my dogs this chicken for 4 days and could not tell what was wrong. Just found this article by accident this morning. Something like this needs little more publicity. Thank you !
Waggin Train Jerky Tenders	Dog	Shih Tzu	6	Months	Female	10	Pound	(b) (6) presented for a routine spay on 3-8-2012. Pre-anesthetic bloodwork showed BUN 39 (7-29) and ALT 258 (8-75) both quite elevated, so surgery was delayed. She presented for recheck bloodwork on 5-2-12 and BUN was 72 and ALT was 570. Further discussion with the owner revealed that this dog was eating chicken jerky treats (Waggin Train brand) daily. Bella is drinking and urinating more often per owner. We recommended immediately discontinuing these treats as there has been FDA warnings about them.
Canyon creek ranch Yam Good chicken filet wrapped yams	Dog	Other Canine/dog	16	Weeks	Female	16	Pound	Fed (b) (6) a 16 week old Spanish Water dog, 1 Yam Good Canyon creek ranch chicken filet wrapped yam treat to dog on April 15th without incident. Fed a second treat on April 18th and approximately 24 hours later, dog vomitted twice, experienced decreased appetite; decreased activity;diarrhea without blood; and increased urination. Took (b) (6) to the vet on April 19th. Given subcutaneous fluids and bowel rest with nothing to eat or drink x 16 hours. Started Hills gastrointestinal ID canned dog food along with hamburger rice x 2 days with resolution of lethargy after 1 day, vomiting after 1 day, diarrhea after 3 days. Fed another treat. Approximately 15 hours later (b) (6) experienced recurrence of diarrhea. Again bland diet of hamburger rice and gastrointestinal health canned dog food x 3 days with resolution of diarrhea. Again fed 1 treat. Again recurrence of diarrhea with resolution after 1.5 day. (b) (6) symptomatically recovered but have not had blood work done to test for kidney problems.
WAGGIN TRAIN CHICKEN	Dog	Spitz (unspecified)	5	Years	Male	16	Pound	The first two dogs were about 15 years old. So, when they had kidney failure I associated it with their age. Then about a month ago, our 5 year old had kidney failure and died. About a week after his death, I was informed that WAGGIN TRAIN CHICKEN TREATS causes kidney failure. Each of our dogs were given about 1 or 2 of them a day for every day that we had them as a treat. I sincerely believe that these treats caused their deaths.
Waggin Train Chickn Bisquits	Dog	Retriever - Labrador	2	Years	Female	101	Pound	Gave my two dogs Waggin Train Chickn Bisquits treats starting Saturday April 28th. By Sunday night, (b) (6) had diarrhea and vomiting. I also noticed that she was urinating frequently. It continued, and I took her to the vets on Tuesday morning (May1). They said she has all the symptoms of Salmonella poisoning. They sent stool samples out to the lab. She is currently on medication to stop the diarrhea.

Kingdom Pets Chicken Jerky	Dog	Unknown	4 Years	Female	50 Pound	I fed each of my dogs a half of a Kingdom Pets Chicken Jerky 2 days ago. Beginning yesterday morning, (b) (6) started having diarrhea. I was unaware of the fact that this product has been reported to be problematic, so I gave her another half a strip yesterday afternoon. After reading the reports, I have stopped giving my dogs the Chicken Strips and decided to file this report.
Waggin train beggin strips	Dog	Italian Volpino	8 Years	Mixed Population of Female and Male	17 Pound	I have been feeding my dogs the waggin train treats consistntly for 4 years. Just got some blood work done at the vet- kidney failure. My dogs only eat human food otherwise. Boiled chicken and steamed vegetables- same as myself. These treats give them terrible gas, as well as kidney failure. I dont trust ANY brand of dog food/treats. Now i only serve them what i can prepare. Instead of canned food, they getvorganic chicken & rice soup. Someone needs to regulate this. I just spent \$1000 to make my sick dogs better. Breed standard lifetime: 18-23 years (italian greyhound)
Milo's Chicken Homestyle Dog treats. Chicken Jerky *No artificial flavors or colors* 100% REAL wholesome and Delicious	Dog	Retriever - Flat-coated	5 Years	Female	66 Pound	Vomiting and not eating for duration of 7 days. Previous weight was 70 #. She eats the Chicken Jerky Milo's Kitchen every day. Bloodwork shows elevated alt, total bilirubin (liver) and elevated bun and creatinine (kidney) . She is 8 % dehydrated and reacts to abdomen palpation as if tender. She is normally very active and difficult to keep still but today is very depressed.
Waggin Tails Chicken Jerky Treats	Dog	Pinscher - Miniature	6 Years	Female	8 Pound	(b) (6) was given these treats on and off for several days. At midnight on 4/ 11/2012 she vomited a large amount. The day progressed and she grew more and more lethargic. By the time I brought her to the vet at 3:00 PM on 4/11/2012, she was so sick that she needed to be euthanized.
waggintrain chicken jerky dog treats	Dog	Retriever - Labrador	11 Years	Male	85 Pound	Fed treats in the morning, dog messed in house 3x while I was at work (very unusual); BMs progressed to softer movements until no control of bowels and dog was vomiting. Took dog to animal hospital, admitted into intensive care, is home now and recovering.
Waggin Train	Dog	Mixed (Dog)	15 Years	Female	12 Pound	My dog (b) (6) who was a Pomeranian which by the way is not listed above has been getting these Waggin Train treats for two years, she developed an intence thirst, unable to eat and vomiting and excessive urination, much like the problems I have been reading about on the interenet. Her problems became so severe that I had to take her to the vets and she had to be Euthanized. My other female Pom (b) (6) has been showing the same signs and I have stopped giving her these treats but is still not recovered.
Milo's Kitchen Homestyle Chicken Jerky	Dog	Shepherd Dog - German	7 Years	Male	134 Pound	Weakness, nausia, loss of appetite; Took to vet cost was over \$200 unable to detect issue thru blood and urine tests. Was given several medications. Was not aware of the issue with the Chicken Jerky because they were still on the grocer's shelves. Until today, the issues have begun again, and noted that the jerky was a product of china, so I did the research and found that there have been other related issues reported. This item needs to be removed from the grocer's shelves immediately...
Wagon Trail Chicken Jerky Tenders	Dog	Retriever - Labrador	6 Years	Male	95 Pound	(b) (6) was rushed to the emergency hospital with a temperature of 105, edema, polyarthritis and was in the hospital for three days, given antibiotics and fluids. He is presently home and attempting to recover. There were no health issues prior to this incident. The tests given by the vet did not show any significant levels of Lymes, Rocky Mountain SPotted Fever, or lupus. Cultures done showed no presence of bacteria. I gave (b) (6) a couple of the CHinese Wagon Trail strips every day. Now he is fighting for his life. Please take these off the shelves. I do not wish for anyone or any pet to go through this type of pain.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	5 Years	Male	14 Pound	(b) (6) began having diarrhea and uncontrollable, violent vomiting. He was hypersalivating and clearly in pain. I rushed him to the vet's office where he was diagnosed with acute pancreatitis. He was later transferred to an overnight facility where he was kept for treatment. Follow up tests confirm the initial diagnosis and other potential contributing factors were ruled out.

Waggin Train Chicken & Duck Jerky								I have a Siberian Husky, and for 2-3 years, I've been feeding him treats from the Waggin Train Line, specifically the Chicken and Duck Jerky treats. A few months ago, I noticed he wasn't well, leaking urine, etc. I took him to his Vet and after several tests, it came back that he had Chronic Kidney Disease/Failure. The vet said we can either 1. put him down or 2. control the disease. Since he has been apart of our family for many years and we love him like a child, and despite the huge medical bills we were going to be faced with, we opted for option 2. Nakiska (our dog's name) went through 2 days of Kidney Dialysis and was sent home, on a strict diet of special pet food, supplements and drugs. It costs us thousands of dollars since, but worth every penny if it meant saving his life. I didn't know about the damaging effects of these pet treats until a friend sent me a link about your investigation. If there is anything I can do to prevent this from happening to anyone else's beloved pet, I would like to help. Thank you. Nicole Budden
Waggin Train Jerky Tenders	Dog	Beagle	5 Years	Female	35	Pound	We were feeding our dogs chicken jerky treats as they were supposedly all natural. Three of the dogs have died, two with confirmed kidney problems. I wish I had known these treats were a problem.	
savory Prime Chicken Chip - a - roos	Dog	Treeing Feist	18 Months	Female	28	Pound	Dog presented with sporadic, moderate diarrhea.	
Savory Prime Chicken Chip - a - roos	Dog	Treeing Feist	2 Years	Female	30	Pound	Dog had severe sudden onset illness. She was normal at 7:00 AM. At 4:00 PM she was critical. She initially presented with severe diarrhea, vomiting, lethargy, blood clotting issues and shock. She was immediately taken to local veterinarian. Ultra sound, xray, blood tests were inconclusive. She had major organ system involvement. She was stabilized after approximately 2 hours and sent to an Emergency Vet. Hospital and was cared for by an internal Medicine Specialist. She spent 2 nights admitted to Vet. Hospital where she steadily improved. Unfortunately, the diagnosis was unknown. However, there was a strong suspicion of some type of poisoning. All the normal agents seen in accidental poisonings, such as rodenticide, household cleaners, antifreeze etc. were ruled out by staff at Vet. clinic. After being released from the hospital, the dog was slowly put back on a normal diet. Although there was not a repeat of this severe illness, she and another dog in the household, did have periods of intermittent diarrhea and vomiting. During this entire time, the dog was sporadically fed the treats in question. Finally, the dog was taken off all commercial food and every 2 weeks a new food type was added. The dog has been normal for one month since the chicken treats have been eliminated from the dog's diet.	
Wagon Train Chicken Jerky	Dog	Terrier - Boston	9 Years	Male	26		Mr reports lethargy and decrease appetite. Bloodwork revealed severe anemia	
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Chesapeake Bay	8 Years	Female	56	Pound	we fed her chicken jerky by Waggin Train. She became very thirsty, lethargic and urinated a lot more than usual. She was eating less as well. Unfortunately, she swallowed a ball, and it got stuck in her stomach. She vomited for 2 days and we took her to the vet who then did an xray - which is how we discovered the ball and also blood tests. The blood tests showed her liver, pancreas, and kidneys to all be failing. She then had surgery to remove the ball and her pancreas is healing. Right now the creatinin is still high and we are treating her blood glucose which is also high. this dog has never been sick. She swims 45 minutes every day with me. She is friendly, outgoing and healthy. Now she is tired and slow. She is slowly getting better, but we are not sure if her kidneys will ever get completely better. We have her on fluids, at first we did it intravenously, and now we do it with a needle through the skin once a day. She take 1/2 bag of fluids every day. We hope and pray she can get through this. Our vet told us it is a miracle that she is alive today as bad as her system was when we took her in to them.	
Milo's Chicken Jerky Treats	Dog	Boxer (German Boxer)	5 Years	Female	66	Pound	diarrhea started Mon. night, slept a lot Tuesday, perked up yesterday, eating and drinking ok, just noticed the blood in stool today. no vomiting, unable to bring sample has not gone since made appt. this morning. Acting normal. No change in diet or treats. Does not feed table food and nothing could get into outside as in confined area outside per owner. Feeds Purina Dog Chow. Has been feeding Milo's Chicken Jerky Treats.	
Waggin Train Brand Country Ham, Beefeaters Brand Chicken Fillets	Dog	Mixed (Dog)	8 Years	Male	10	Kilogram	Patient developed acute onset vomiting, diarrhea and anorexia around Wednesday, April 18, 2012 and was presented to (b) (6) on Thursday, April 19, 2012. The housemate was presented just prior and diagnosed with pancreatitis. Both dogs had been fed Waggin Train Country Ham 28oz bag Lot#W1CA4752A while (b) (6) also ate Beefeaters Brand Chicken Fillets Lot# YAD0038/F132B1E3, both were not expired. (b) (6) has been hospitalized since and treated for pancreatitis, renal tubular acidosis, acute kidney failure, disseminated intravascular coagulopathy, aspiration pneumonia and possible acute lung injury.	

Canyon Creek Ranch Crunchy and Delicious Poppers, Canyon Creek Ranch Chicken Tenders	Dog	Ridgeback - Rhodesian	1	Years	Female	100	Pound	(b) (6) ate her dinner then had 3 different dog treats. Within 30 minutes she started having full body muscle tremors. She did not lose consciousness. (b) (6) continued to have tremors for 5-6 hours. Medical care was sought immediately. Medical treatment included: Induction of vomiting, gastric lavage, activated charcoal administration, intravenous fluid therapy, anti-spasmodics: Diazepam and methocarbamol IV prn control the tremors then oral methocarbamol for 2-3 days.
Dried Chicken treats waggin train and others	Dog	Lhasa Apso	3	Years	Male	19	Pound	I can't believe what I am reading about Chicken jerky treats just today. 2 years ago, we have waggin train chicken jerky (and other brands) to our baby, (b) (6) every day in the afternoon. We could not figure out what was making him so sick. He had terrible diarrhea, all over the place, went to the vet, did all kinds of tests, changed all kinds of food, did everything known and spent a lot of money-which is fine. NEVER did we think the Chicken jerky treats were the problem and we kept giving them to him. We thought it was just dehydrated chicken. It didn't stop. It is a miracle that it didn't kill him. One day, I thought maybe we should stop giving him the chicken jerky. He loved it too. We quit giving it to him and he has never had any of the symptoms again, the horrible diarrhea, increased urination and thirst. I read this today and couldn't believe it. All along it was the chicken jerky and now some dogs have died. People who love their dogs, have them and treat them as their babies and best friends. We don't want them to be sick or die. The FDA should be responsible for stopping bad food for people and our animals. If it is from China or anywhere, ban it already. America needs to stop being cheap and buying anything from China. That is what has hurt our economy in the first place. A lot of dog food is not good for our dogs because of the byproducts they are allowed to be put in it, is just as awful. Help the animals already. Forget who is making the money and protect our babies. Someone needs to stand up. When (b) (6) had this problem, I researched dog food and could have a PhD in it by now. I even buy (b) (6) dog food from a company in New Zealand because of the purity. Some people may just buy Ole' roy dog food, but they should at least be informed by a rating system if it has unsavory items in the food. At least warn people, we can have a warning for music but not for the food we feed our animals. I think most people would rather pay more for their animals food. If they only knew what I now know, they would never feed their animals the products that they are using right now. It is terrible what can be in dog food, it isn't right and it needs to be regulated. I have a Sheltie that died in vain due to kidney failure because I didn't know the food I was feeding her was terrible for her. Please help all of us that love our cats and dogs. Thank God my baby didn't die.
Waggin Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Greyhound - Italian	11		Female	15		Gave both of my dogs Waggin Train Jerky Tenders Chicken Dog Treats. Both started having bloody stools within 36 hours and 1 began vomiting
Waggin Train Wholesome Big Blasts	Dog	Weimaraner	10	Years	Male	68	Pound	After giving my dogs the treats both dogs developed diarrhea. The day before I had purchased the treats, a fecal exam was performed as part of their annual check up and results came back as healthy stools. Not suspecting the dog treats immediately I gave them again, for four days. Once I noticed the correlation, I stopped giving the treats. My older dog, (b) (6) does not go to the dog park or have any other issues but since is now on his second set of medicines in an attempt to stop his chronic diarrhea. Metronidazole usually fixes his stomach issue and that made no difference. He's on an anti-diarrhea medicine to circumvent the uncontrollable liquid feces. Hopefully the current round of medicines works.
Waggin' Train Jerky Tenders - Chicken Dog Treats	Dog	Boxer (German Boxer)	7	Years	Male	66	Pound	After giving approximately 2 bags over the course of 2 months my dogs became lethargic and one lost weight (boxer lost 10 pounds). They both had diarrhea, vomiting, lack of appetite, gas, and abnormal amounts of drool. Their stomachs made horrible gurgling noises and they were in obvious pain.
Waggin Train Wholesome Chicken Jerky Tenders - Low Fat	Dog	Mixed (Dog)	9	Years	Female	56	Pound	(b) (6) (6 yr MN Bluetick Coonhound 74 pounds / healthy prior) ate an estimated 7/8 of a 40 oz bag of Waggin Train Wholesome Chicken Jerky Tenders-lowfat the morning of 4/20/2012 while the owner was away from the house. When the owner returned in 3 to 6 hours the pets were drinking large amounts of water. They presented to our hospital and had elevated BUN and creatinine levels (3 x higher than previous routine lab tests). They were treated with IV fluids for the next 3 days and the kidney values had returned to normal at that time (4/23/2012). They are scheduled for further testing on 4/26/2012.
Waggin Train Cowboy Steaks	Dog	Chihuahua	5	Years	Female	7	Pound	My dog has had problems with vomiting and diarrhea on and off for several months and it seems to be related to the waggin tales pet treats. I opened a new bag yesterday and she was up all night.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shepherd Dog - Australian	11	Years	Female	35	Pound	My dog was getting one Waggin Tails chicken jerky treat after her night walk until I used up the whole pound bag I had bought. That was from about mid Feb to mid March. She started drinking a lot more and peeing a lot more with accidents in the house beginning after she started having the treats. It seemed she got better when I ran out of treats. Then I bought some when my check came the beginning of April. I had only fed her a couple when she became very lethargic and had trouble breathing. My daughter told me she had just heard that the treats I was giving her caused these symptoms, so I stopped giving them to her and took her to the vet. She did not improve with treatment and on April 7, 2012 I took her back to the vet thinking she had to be put down. He gave her medication and sent her home with me to see if she could try and improve. She died that afternoon.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	2	Years	Female	11	Pound	(b) (6) woke up Sunday, vomiting clear liquid. As the day progressed she continued to vomit and refused food. By the evening the fluid turned a bright yellow. There had been not change in diet. Her favorite treats are "Waggin Train Chicken jerky treats. She was given one treat per day as recommended on the product label. On Sunday night I called the emergency vet in our area who did not seemed overly concerned since was still active and consuming water. By Monday the condition had not improved so I scheduled an appointment with her regular vet. She was given a full blood panel, physical and x-rays. There were no blockages and her abdominal exam was normal. We are still waiting on the results of the blood testing. (b) (6) was given fluids and 2 anti-nausea medications and sent home with a special diet and more anti-nausea medication. It was the vet who alerted me to the concerns with chicken jerky treats. It is a little suspicious since I had just opened a new bag purchased at Sam's Club with only 2 servings used.
Waggin' Train Wholesome Western Grill Assorted Dog Treats	Dog	Dachshund - Standard Smooth-haired	10	Years	Male	25	Pound	(b) (6) ate 8 treats. I took him to the vet the next day and he was diagnosed with trouble breathing, and water on the lungs, and the vet prescribed him Aminophyline 200mg. (1/2 tablet twice daily) as well as Lasix 12.5mg (1 tablet twice daily). I was unaware of any warnings about the chicken treats and continued to feed them to him. He continues to see the vet on a regular basis, and his medications are Lasix 12.5mg (1 tablet twice daily), Aminophyline 100mg (1/2 tablet twice daily), Enalapril 5mg (1 tablet daily). As of April 18, 2012 I am no longer allowing him to eat the chicken treats. My other dog wouldn't eat them at all.
waggin train chicken strips?	Dog	Mixed (Dog)	12	Years	Female	75	Pound	(b) (6) had the waggin trail dog treats chicken strips two days before i noticed diarrhea. She does not usually have these treats. She had diarrhea in the morning. when i arrived home from work i found diarrhea mixed with quite a bit of blood on the kitchen floor. i called my vet (b) (6) at (b) (6). I was told to bring the dog right in. she was diagnosed with a bacterial infection which the dr felt was from the treats. She was given an anitbiotic shot and sent home on two meds. she is a senior dog and this was very upsetting because she has always been in good health and is treated like a member of the family. I was not aware of the warnings about this dog treat. I do limit the type of treats she gets and check for made in usa. I feel this company should recall these treats. If riley had been a smaller dog or in poor health the out come may have been worse. So far the vet bill has been \$230.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	11	Years	Female	85	Pound	Kidney problems, blood in urine, cancer
Smokehouse Brand Pizzle Stix. 6 pack medium	Dog	Terrier - Toy Fox	8	Years	Female	17	Pound	I fed one, 3 inch Pizzle stick to each dog from a new package made by Smokehouse on Saturday, April 14th. 24 hours later both dogs became ill, with diarrhea and vomiting. (b) (6) symptoms were much worst. I took (b) (6) to the vet and upon returning home, within 10 minutes she had blood in her diarrhea and I took her to the emergency. Both dogs had to have fluids, anti-nausea shots and pills and antiboe negative. They are indoor dogs on a controlled diet and my vet and I are convinced that the pizzle sticks are the cause. I believed that my one dog was going to die, she was that sick. Please get this recalled! I make a point to by made in the USA so this should not have happened. My vet diagnosed them with food poisoning.
VitaLife Chicken Tenders	Dog	Terrier - Boston	21	Months	Female	11	Kilograms	(b) (6) was presented to the clinic with symptoms of vomiting. There was glucose in her urine but not apparent on bloodwork (Fanconi syndrome).
Dogswell Breathies chicken breast with mint and parsley	Dog	Mixed (Dog)	3	Years	Male	18	Pound	Routine annual blood test shows alanine aminotransferase over 800 -- should be under 180. Further testing of liver enzymes show all are extremely elevated.
Milo's Kitchen home-style dog treats Chicken jerky	Dog	Other Canine/dog	8	Years	Male			Hx of patient developed vomiting with seizures/tremors that occurred every few minutes beginning in the morning of 4/20. Was seen at our office that morning. Bloodwork/fluids/seizures meds were initiated. Patient is doing well now, still taking seizure meds. Had received product in question several times in the week preceding the event.

Waggin Train Chicken Jerky, American kennel Club Chicken Jerky	Dog	Spitz - American Eskimo Dog	2	Years	Female	18	Pound	I got some Wagon Trail Chicken Jerkey, She loved so I got 9 bags of AKC chicken Jerkey and 1 bag of Duck Jerkey. (b) (6) had not ate much all week and I still gave her a Jerkey every day before I left for work for the whole week. She had went to the bathroom on the floor which she had done that in a long time. The next day I came home from work and she had diarrhea all over the floor and she was in need of a bath. She woke me up several times in the night to go out and when she came in she needed a bath. The next day I left town and my daughter had her and (b) (6) was very sick for the next 4 days. She didn't eat anything and still had very bad diarrhea every time she went out which was alot. Saturday morning she started vomiting. My daughter did not give her any Jerkey because (b) (6) was so sick. When I got home (b) (6) did eat some rice and boiled chicken and she kept that down. This is Sunday night and my sister came over and she noticed the Jerkey in (b) (6) treat basket. She told me about it making dogs sick so here I am telling you what happened to my dog. I will be calling the vet in the morning. Thank you
Waggin Train Wholesome Jerky Tenders Chicken Dog Treats	Dog	Collie - Border	3	Years	Female	33	Pound	Upon giving the dog the chicken treats, two at a time, the first evening she started behaving differently. She was lethargic and didn't move much. The following evening I gave her two more, and I noticed the next day, she had zero bowel movements. She was drinking more, and again was lethargic. I remember placing the treats in the refrigerator, because I was short on shelf space. I forgot about the treats for a few nights, and upon giving her two more three days later, her behavior changed once again. She began eating grass, not eating, and not making any bowel movements. I failed to correlate the "Waggin train" jerky tenders with her symptoms. The next evening I gave her two more. The following morning she laid in the grass and would not move; she ate the grass, was extremely lethargic, and her energy levels had diminished. Today, I found, on cnn.com, indications that owners were having problems with tainted products. I checked in my refrigerator, and there it was - the exact same package, manufacturer, product name and "Made in China," label. I have not changed my dog's diet, and thankfully the cats seems to not have consumed any pieces she might have left behind. This Waggin Treats Chicken Dog Treats bag is labeled as a 24 ounce bag, and presently contains more than 90% of the original packaged product. It is sitting in my refrigerator, and will remain closed. My dog is currently resting on a chair next to the window, and will be brought to the Veterinarian on Monday. She is not showing signs of renal failure, but her glucose levels are way-off. Based on the veterinarian journals, textbooks and websites, she is stable, and will not be consuming any more of this product.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	5	Years	Female	13	Pound	Severe vomiting and diarrhea this morning...took the dog to the vet. Vet asked if anything had changed in her diet in the past day or so...the only change was that our groomer gave (b) (6) Waggin Train chicken jerky treats the day prior. After multiple tests...and \$500 later...we contacted the groomer and had her send us a picture of the treat package. We then went on line to research if anything was posted regarding concerns with this particular product. Came to realize there is a lot of concern regarding chicken jerky dog treats from China...of which Waggin Train is one of the three leading brands. We have a follow up in the morning with the vet.
Petshoppe chicken jerky premium chicken dog treats	Dog	Shih Tzu	8		Male	18		Started having diarrhea on 4/19/2012, couple episodes 4/20/2012, had chicken jerky treat 4/21, around 7pm started with bloody diarrhea.....stopped treats, increasing water....
Wagon Train Jerky Tenders	Dog	Dachshund - Standard	12	Years	Male	18	Pound	Vomiting
Waggin Train Jerky Tenders chicken dog treats	Dog	American Pit Bull Terrier	4	Months	Male	31	Pound	Given a partial Wagon Train Chicken Tender @ approx. 2am on 04/21/2012. At 5:30am puppy began crying to go outside to go to the bathroom - had a soft BM. At approx. 8:30am the puppy started having lethargy, vomiting and loose stools. By 10:45am he vomited four to five time and had a liquid, bloody stool. He was taken to the vet and tested negative for parvo virus. He is still lethargic and under obsrvation at home. After checking online I found the recall regarding the Wagon Train Chicken Tender treats, and I am concerned because his symptoms are consistent with the online reports. I do still have the treats and will keep them in case they need testing.
Waggin' Train Apple and Chicken Wraps, Waggin' Train Cowboy Steaks	Dog	Beagle	8	Years	Male	52	Pound	On Monday 4-16-2012 I purchased Waggin Train Apple and Chicken wraps and Cowboy Steaks at Target. That evening my dog was given each treat. On Tuesday he was given more of each treat. Tuesday evening he had violent vomiting several times in the house which he rarely does. Wednesday morning there were more piles of vomit from over night. I have never purchased this brand of treats before, so I stopped giving them to him in case they were upsetting his stomach. I also noticed that he drinks a lot more water that usual.

Waggin trail chicken jerky and Canyon Creek chicken jerky	Dog	Poodle - Standard	15 Months	Female	51 Pound	(b) (6) became sick vomiting bloody diarrhea, would not eat drink became lethargic, this all started early morning by 11 am I took her in to vet where they immediately put an IV in as she was dehydrated, she spent the day there and I picked her up at 700 pm she had to wear a diaper for 2 days as she continued to have blood squirting from rectum. She was given high doses of antibiotics and worming meds and 2 days of holding her in my arms. We were unsure of the cause until I realized I had given her new treats I had never given her before. they were Canyon Creek AND waggin train chicken jerky that I had purchased from the Cedar Lake Dollar store. (b) (6) was on Science diet prescription dogfood for a week. she is doing better but continues to have tummy problem.
Waggin' Train Wholesome Chicken Jerky Tenders, Waggin' Train Wholesome Duck Jerky Tenders, Cadet Gourmet Chicken Breast, Waggin' Train Country Ham, Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	5 Years	Male	53 Pound	On 3/15/12 (b) (6) presented to an emergency clinic due to a 2 day history of lethargy, a 1 day history of poor appetite, and an episode of collapse. The only significant finding on initial work-up was anemia (Hct 26%) of unknown origin. A subsequent abdominal ultrasound was normal. (b) (6) was deemed stable and released on 3/16/12, then was presented to me on 3/17/12 for follow-up. It was at this point the owners mentioned that (b) (6) did have some chicken jerky treat products that had originated in China. I started (b) (6) on steroids for the anemia, and his anemia is slowly resolving. His last PCV was 35% on 4/12/12.
Canyon Creek Ranch Brand Chicken Stix						The owner of this standard poodle (Male-castrated; 8 years old), had brought his pet into us in February 2012. The pet was diagnosed with renal failure. The pet's health declined rapidly, so the owners had elected euthanizing the pet. During that time the owner was looking around online, and saw complaints/concerns about chicken jerky treats being associated with renal issues. The owner had recently been feeding his dog Canyon Creek Ranch Brands of Chicken Stix(rawhide stick wrapped in chicken jerky). The owner had purchased the product from a local Petsmart, in January 2012, and about 2-3 weeks after buying the product and feeding it to his pet, the pet began to show these symptoms. The clinical signs that appeared at the initial visit was weakness, lethargy, nausea, and anorexia. Owner was concerned that these treats may have been a factor in what caused his pet's health to decline so rapidly.
waggin train jerky tender	Dog	Mixed (Dog)	11	Male	90 Pound	dog was diagnosed with kidney disease and failure after he had consumed these treats for a few months, had to have medication, fluid injections and many tests and other meds
BEEFEATERS Chicken Tops rawhide with real chicken	Dog	Retriever - Golden	12 Years	Male	85 Pound	approximately 8 hours after I gave him 2 pieces of Beefeaters Chicken Tops jerky he had severe diarrhea and lethargy. This lasted three days. He did not eat and seemed very thirsty.
Milo's Kitchen Chicken Jerky	Dog	Maltese	8 Months	Male	9 Pound	Dog was fed chicken jerky product. Amount given was within mfg. recommendations for weight. Within a couple of hours of feeding, dog started showing signs of diarrhea followed shortly thereafter by severe diarrhea (with traces of blood) and vomiting. Symptoms continued for about 12 hours until treated by a veterinarian.
waggin train						My dogs started throwing up. The throw up was in the yellow color and some diarrhea also. I didn't see blood in their stools. I removed the treats from their food anyway and since then they stopped throwing up and their stool is much better. The brand we were giving our dogs is the Waggin train chicken treats.
Waggin' train dog treats chicken jerky tenders						I had a 1 year old registered English Bulldog female. After eating Waggin' train dog treats, chicken jerky tenders she started getting sick. With vomiting, diarrhea, very lethargic. We took her to the vet and he checked for pericites and/or bacteria and found nothing. No fever either. He gave us medication to help calm her stomach. We went home with her. Several days went by with no improvement and I called my vet again because she was still vomiting (could seem to keep anything down). He told us to bring her in but on the way she died. We had an autopsy done and her stomach was empty but of course as the vet said he expected no food because she hadn't eaten to speak of for days and with the diarrhea and vomiting there wouldn't be any food but he also could not find any reason for her being sick like that. She was perfectly healthy. She was my best friend, and now she is gone. She died on December 9, 2011. I am just now reporting because I never thought of the treats until I seen something on KOTV Channel 6 website.
Beefeater Sweet Potatoe Sticks. Milo Meatball treats.	Dog	Terrier - Yorkshire	9	Female	8 Pound	Dog was urinating and not knowing it. Had it checked and glucose was in her urine but not her blood work. Pending ongoing assessment suspect acquired Fanconi like syndrome with renal failure. kidney failure from dog treats - Beefeater Sweet Potatoe Sticks.
Waggon Train chicken and sweet potato bones Waggon Train Jerky Tenders	Dog	Shih Tzu	5 Years	Male	23 Pound	After several days of receiving Waggon Train sweet potato & chicken treats and Waggon Train chicken tender treats, all the dogs became lethargic, had diarrhea, and vomiting. One dog several so for several days.

Waggin' Train Jerky Tenders	Dog	Pekingese	9 Months	Male	11 Pound	This dog is given Waggin' Train chicken jerky tenders now and then. One day, he vomitted throughout the night and had bloody diarrhea and was taken to a vet. The vet did extensive blood tests and suspected pancreatic infection. No infection was found but observed to have high glycerides and very dehydrated. The vet is (b) (6) who will have a detailed report.
Waggin Train Jerky Tenders	Dog	Rottweiler	13 Years	Male	85 Pound	He consumed 1-1/2 (40oz) bags of the Waggin Train Chicken Jerky Tenders, over a 1 month period. He stopped eating his kibble. I tried several other soft kibble food to get him to eat something. Would eat very few other treats. Very lethargic, struggled to get him up when I get home. He drank less water. He always drank a lot of water. Had diarrhea several times over several days. I stopped feeding him the Jerky Tenders about 4 days ago. He has been more alert and active, as well as eating better. Purchased the Jerky Tenders at Sam's Club in Anderson on 3-12-12 & 4-4-12.
Milos Kitchen Chicken Jerky Treats	Dog	Havanese	18 Months		12	Was giving Milos Chicken Jerky treats from Publix. (b) (6) stopped eating completely not even mcdonalds or wendys food, just wouldn't eat, urinating excessively, vomiting. Took her to vet and had spaded thinking that would help, had run out of treats, started slowly getting better. Bought more treats and gave treats again, dog stopped eating again, urinating excessively again, vomiting again. Finally got it, quit the treats, she started eating again in 3 days. Still urinating a lot, been 2 weeks, but not more vomiting and is eating like normal, playing, being happy. I think she may have been permanently harmed, but at least she is eating again. I will never give her treats again from CHINA! She almost died, and I hope she is out of trouble.
Waggin' Train chicken jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland)	10 Years	Male	65 Pound	Sluggish with vomiting a few days before he had a seizure. Veterinarian couldn't control seizure with valium so used phenobarbitol. Seized for at least 45 minutes
Waggin Train Chicken jerky Tenders	Dog	Lhasa Apso	2 Years	Male	33 Pound	Fed Waggin Train Chicken jerky from a new bag on Wednesday. On thursday (b) (6) has some shaking and was not eating. He was drinking alot of water all day. During the night on Thursday 2 of the dogs became ill and I woke to vomiting. The younger male, (b) (6) continued to vomit all day. (b) (6), the 4 yr old female stopped by afternoon. (b) (6) was taken to the vet Sat AM because he was very unwell. Xray showed he had not ingested a forgein body. Blood was drawn and sent to the lab. The vet kept him for a few hours. He was given in injected and sent home with meds to stop the vomiting which worked. he was able to keep a small amount of water down every 15 minutes. He didn't eat, didn't move but wanted to lay on the cold tile floor and would walk back to it every time I moved him. In the morning the vet called with test results. She said I had to bring him in, he was critical. His kidneys, liver and pancreas will shutting down. I elected to take him to our old vet that had an overnight attendant since he was to be kept overnight. The vet said he was very critical and not to expect a good outcome. Before I was able to reach my house after leaving him there, he had died. THIS IS A SECOND REPORT BECAUSE NO ONE HAS BEEN ABLE TO LOCATE THE FIRST ONE
Canyon Creek Ranch Natural Duck tenders	Dog	Shepherd (unspecified)	3 Years	Female	95 Pound	(b) (6) had a laceration on her leg. When I took her in for stitches a urinalysis was done & the results came back with elevated creatinine level. Several months later, I took her back and the level was still elevated, but even higher. I had (b) (6) tested during a checkup and her creatinine level was also elevated. With both girls having elevated creatinine levels, I I evaluated their diet & stopped giving the jerky treats. I had been giving them a jerky treat every night & also used them for training & while showing them. Since I've stopped giving the treats, (b) (6) level is now back to the 'high normal' range and (b) (6) is still elevated but not as high as before.

Waggin Train Chicken Jerky, Kingdom Pets Chicken Jerky	Dog	Dalmatian	14	Years	Female	45	Pound	(b) (6) had a seizure on 10/29/11. My husband was with her at the time and thought she was dying. I came home and my husband told me what happened. I am very experienced with canine diabetes ((b) (6) littermate (b) (6) had diabetes and I took care of her for 7 years) so I suspected low blood sugar since my husband forgot to feed her that morning. I feed her right away and then measured her blood sugar using a OneTouch Ultra Mini device. It came back 60 mg/dL. I knew this was much to low so I continued to feed her. I watched her closely over the next 2 days and she seemed to be recovered. I was surprised because (b) (6) had been very healthy her whole life. I suspected she was developing diabetes in her older years but I tested her blood periodically after that and it was in normal range, sometimes on the low end of normal. I just figured that as people/dogs get older they have to be more careful about eating at regular intervals. In the months that followed I did notice increased thirst, unexplained weight loss and infrequent vomiting(bile). Again I attribute this to her having an empty stomach or her older age. Feeding her more frequently seemed to help. I did take her to the Vet for what appeared to be arthritis as she was having trouble walking. Her blood work came back in normal range (March 2012) and her xrays showed spondylosis of spine. Between her back problems and other symptoms that were obviously causing her to suffer, we had her euthanized on 4/1/2012. Anyway, it may just be that she was having symptoms of old age, but in hindsight I find it hard to accept that prior to 10/29/11 she was in excellent health and then just out of the blue had a seizure. Both my dogs ate chicken jerky sold at Costco (current brand they sell is Kingdom Pets). Of course my pet (b) (6) had diabetes so I never suspected anything other than that. (b) (6) died in Nov 2010. On occasion I would run out of jerky treats from costco and would pick up a smaller sized bag from a store closer to me, until I could get to Costco again. The other brand they occasionally ate was Waggin' Train Chicken Jerky.
Kingdom Pets Duck Jerky	Dog	Terrier - Yorkshire	5	Years	Male	3	Pound	House sitting for a month while parents while on a cruise. They had bought a large bag of jerky treats from Costco before leaving to give to the dogs each day. My dog (b) (6), Yorkshire Terrier, and their dog (b) (6), Belgium Malinois, got a treat each day. Because of (b) (6) size I tore off a small piece, maybe an inch at most, from (b) (6) jerky strip. This was the first time I gave (b) (6) any type of jerky dog treat. I was very particular as to what he was allowed to eat. I figured since my parents had been given them to their new dog and no ill effects had occurred it would be alright. Within the first two weeks I noticed a change in (b) (6) He seemed very quiet but I figured it was just because we were not at home. He also had a few unexpected accidents (urine) which was very uncommon for him. Again, figured it was a different environment for him. Then after another few weeks more changes. More accidents began to happen and not much energy or barking and he started pacing. I was starting to wonder what was going on with him. It just didn't seem like (b) (6). I decided to leave as soon as my parents returned because on this day he was not barking at all, pacing and going in circles to the left only. I took him to the after returning home on the following Tuesday when he did not return to his normal self. The vet could not figure out what was wrong as it he seemed to have unusual symptoms that just did not fit together. They did blood & urine work ups as well as putting him under for x-rays and to check his ear for a foreign object. Still a mystery. I took him a few more times and then to the Pet ER after 4 month and going down hill faster. Still a mystery but both vets talked about neurological issues. The ER vet referred me to UC Davis who I spoke with and made an appointment. Being a 3 hour drive and the appointment for April 2nd but being over a week away I ended up canceling the appointment as he was really bad and there was no point now. I had to euthanize him on April 10th since he had no quality of life and was suffering so badly.
Waggin Train	Dog	Unknown	1	Years	Male	9	Pound	Within days of receiving Waggin Train treats, developed severe acute renal failure characterized by azotemia, hypoalbuminemia, hypertension, development of peritoneal effusion, severe hemorrhaging of the proximal GI tract. Testing for infectious disease was negative. Able to stabilize with IV fluids but ultimately was euthanized due to progression of disease. Necropsy was performed and tissue samples submitted to TN Dept of Agriculture Laboratory (KORD): kidney: nephrosis and acute tubular necrosis, liver:steroid-induce hepatopathy, mesenteric steatitis.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Basset - Griffon	3	Months	Male	23	Pound	These are normal, routine preventives used for all puppies
Freebirds Chicken Apple Wedges	Dog	Retriever - Golden	12	Years	Female			I purchased a bag of Freebirds Chicken and Apple Wedges from Costco in early April 2012. The package lists the ingredients as just chicken and apple, states that the product is free of all additives, hormones, melanmine, etc. I began feeding my dog 2 or 3 treats per day. After about 3 days, she began having blood in her urine and vomiting. I called the vet for an antibiotic thinking she had a bladder infection. At this point, my children and I left for a week's vacation, and my husband did not feed her any of the apple chicken treats and all of the symptoms went away. She finished her antibiotic and we thought that was the end of the problem. I returned from my trip on Saturday, April 14, 2012. On Sunday at about 12 pm, I fed my dog three of the apple chicken treats. At 4 pm, she began panting heavily and pacing, and then vomited the treats. I took her outside and she now has blood in her urine again.

Milo's Kitchen	Dog	Mixed (Dog)	14	Years	Female	50	Pound	(b) (6) was eating a variety of canned and dry foods, I had not given much thought to her food. The one thing she consistently eaten from April until November was Milos Kitchen dried chicken jerky. I am certain of these dates because we brought a younger dog into our home in April. The younger dog started obedience training and was given Milos kitchen sausage treats to motivate her to pay attention. A friend told me about the chicken jerky warning, I immediately discontinued feeding and discarded these treats. However my dog had begun declining in health during this time. She was becoming increasingly lethargic, and began vomiting in February. I took her to the vet when the vomiting began and was shocked to hear how much weight she had lost. The vet took blood tests and confirmed that her liver was failing. She had to be euthanized within 3 days of this discovery.
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Mixed (Dog)	13		Female	60		Dog was taken to vet on 3/7/12 and treated with antibiotics. A tick carried disease was suspected. In a few days the dog was much better. About two weeks into the antibiotic treatment (Doxycycline tablets) Milo dog treats were given to the dog. Dog was given "Milo's Kitchen home-style dog treats Chicken Jerky....Best if used by 05 18 13 package #: 1328HV A. The dog became very ill, lethargic, vomiting and blood in urine. On 3/26/12, the dog was taken to the vet. The dog was treated with Carafate tablets, amoxicillin tablets, Famotidine tablets, a Prednisone injection and a special diet of CNM K-9 dog food was started. A link was not made to the Milo treats at that time. In a few days the dogs health improved. On 4/12/12, the dog was taken to the vet for a follow-up examination. The dog now appears to be back in good health. A potential link to the Milo treats was discussed at that time.
Waggin Train wholesome Western Grill assorted dog treats	Dog	Mixed (Dog)	6	Years	Male	76	Pound	(b) (6) started having loose bowels on trip. We assumed it was change of water. We purchased water filters and were drinking same water as he was and we were fine. Being we were traveling we wanted to spoil him so purchased Waggin train wholesome western grill assorted dog treat. We rationed them as he was only used to no wheat, no soy or corn biscuits. He became lethargic, out of breath, severe diahrea. Took him to a vet in FL.Kept all empty packages to show what food etc that he has been on. Out vet faxed his records to them. They were very concerned that he had these treats. they treated him but has never resumed normal bowels. they it could be past disease and possible both could be responsible.He has loose bowels every time, sometimes green,flemy,gross. At this point we do not know if biscuit were the culprit as can't prove it and do not have resources to do so. We are cutting trip short to have him put down as he appears to be in pain. Out vet at home did say this could happen. (b) (6) does not gobble his food nor does he eat strange things. He only eats what is in his dish. So bottom line is we are not sure what is going on without have \$1,000 or more. we have already done so much testing since we adopted him. He has been falling on stairs both up & down, breathing gets labored. He crys /whines off and on. We do not want to see him suffer.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Retriever (unspecified)	8	Years	Female	50	Pound	Within 2 hours of eating 1 piece of Waggin' Train Chicken Jerky Tenders (made in China) that was purchased at Costco Wholesale store, (b) (6) had a major seizure during which she defecated and vomited. This lasted just under 10 minutes. Finally, after half an hour, the residual effects of the seizure ended and her condition returned to normal, but she was exhausted. She has eaten this product for the last 2 years. There are no other dietary changes involved. (b) (6) has never had seizures before. Our veterinarian observed the last 2 minutes of her seizure episode. His recommendation was to keep her under constant observation since she was back to normal--there was nothing he could treat her with after the fact.
Milo's Kitchen home-style dog treats. Chicken Jerky	Dog	Basset - Fawn Brittany	4	Years	Male	14	Pound	I gave my dog 2 Milo's Kitchen Chicken Jerky treats and within the hour following he vomited and had a seizure. This also occurred after having waggin trail chicken jerky two weeks ago.
Waggin Train jerky tenders	Dog	Mixed (Dog)	13	Years	Female	10	Pound	Peanut had three episodes of diarrhea followed by multiple episodes of vomiting. The dried chicken tenders were given that morning before she became ill.
Waggin train wholesome chicken jerky tenders	Dog	Retriever - Labrador	5	Years	Female	65	Pound	dog vomiting large pieces of jerky several hours after consuming treat. (b) (6) has been eating these for more than one year, only we have just recently noticed a corelation to the consumption of these treats and her vomiting. We have decided to discontinue allowing her to eat these treats.
Waggin' Tails Wholesome Chicken Jerky Tenders	Dog	Boxer (German Boxer)	2	Years	Male	65	Pound	We gave our boxer two strips of the Waggin Tails Chicken Jerky strips. He vomited violently shortly afterwards. We restricted his diet for two days afterwards and gave an additional jerky treat on day four. He again vomited and remained lethargic and with a gurgling stomach for the next 24 hours.
Dogswell Chicken Jerky, Milo's Kitchen Chicken Jerky, Waggin' Train Chicken Jerky Tenders	Dog	Mastiff	6		Male	165	Pound	(b) (6) sole treats for the last 3 1/2 years have been chicken jerky as I thought they were all natural based on the ingredients and advertised by the various manufacturers. In September 2010 he suddenly became ill with non stop vomiting and diarrhea which went on for months and created other problems and after several hundred dollars worth of meds and another several hundred in vet and vet specialty visits no answers were found. Once I stopped giving (b) (6) the jerky his symptoms eased but he is not the same...anxiety and fecal incontinence are the outcome. I am beyond upset about this. These "treats" lead you to believe they are made in the USA only in small print it says chicken is a product of China. Please advise what assistance you can provide. Thank you.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Shih Tzu	16	Years	Female	15	Pound	(b) (6) has been consuming the Waggin' Train Wholesome Chicken Jerky Tenders (produced by Waggin' Train LLC) for 3 or more months. When the owners are out of town, the housekeeper takes care of (b) (6) and has been reported to have given (b) (6) these chicken jerky treats on a frequent basis. She has exhibited increased water consumption and urination for 2-3 months with no discernible inciting cause (no increase in a medication, nuatraceutical, food, or other that would cause this). She had a negative urine culture and UA showing dilute urine On 3/4/12, but no other concerning abnormality in her urine. LAVS has done more recent urine and blood testing. Along with her ongoing PU/PD (with no known reason why it occurring along with reduced or discontinued Budesonide), she has been showing anorexia for a variety of human and pet foods. On 4/1/12, I was at the owner's house to give (b) (6) an Adequan injection (every 2-3 week frequency), the owner showed me that (b) (6) has been consuming the chicken jerky treats that have been reported to be one of three known to have caused dogs to get sick. I immediately recommended discontinuing these treats. She had also been reported to be eating Bill Jak moist treats, which were used to entice her to eat.
Waggin' Train Wholesome Big Blast Duck Jerky Wrapped Pork skin Twists with Chicken Liver Center	Dog	Corgi (unspecified)	5	Years	Female	34	Pound	Gave my dog one of these treats, the next morning she had severe diarrhea (sometimes with blood) and vomiting. This has persisted for nearly 48 hours now. She is not allergic to anything in these treats.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Poodle (unspecified)	16	Months	Male	14	Pound	My dog, (b) (6) has been ill 4 times since November 20,2011. Each time he has taken longer to recover. Each time his symptoms have been repeatedly lethargy, loss of appetite, increased urination, no interest in eating or drinking. He has been seen by 4 different veterinarians. After multiple blood tests and urinalysis to try and find a reason for his illnesses, nothing was ever found to be out of the normal range. He has been checked for intestinal parasites and valley fever. The latest urinalysis showed that the urine was concentrated with traces of blood. He has been treated with Sub Q fluids and PrednisolONE. We saw the FDA warning about the Chicken Jerky Treats from CHINA, and we realized that we have been giving him these treats daily since about the time his illnesses began. We stopped giving him the treats immediately and informed our most recent veterinarian of this issue. Since we have stopped giving these treats he seems to be gradually improving.
Waggin Train Chicken Jerky Tenders	Dog	Dobermann	1	Years	Male	67	Pound	Purchased the Waggin Trains Jerky for a month or two now from Sam's Club. Our 1 year old Doberman suddenly started waking us up to go out in the middle of the night. This was odd behavior that he's not done since he was 14 weeks old. I saw a link on Facebook reporting issues with this treat and it causing kidney failire. We immediately threw the treats away and stopped giving them. Within a few days he was back to normal and did not wake us up to go pee in the middle of the night. It horrify's me to learn I was treating my 4 legged friend to kidney failure. Sams club advise me that the product has not been recalled YET and will continue to sell it.
Waggin' Train Chicken Jerky Tenders	Dog	Shepherd Dog - German	11	Years	Male	90	Pound	I had been feeding the dog Waggin' Train Chicken Jerky Tenders as a treat. His regular food was Exceed, purchased from Sam's Club. The Waggin' Train treats were also purchased from Sam's Club. The dog was a trained protection dog and was an indoor dog, except for relieving himself. I maintained all required vaccinations for the dog from our local veterinary. I had been feeding the Waggin' Train treats to my dog for about a year. Around August 2011, the dog became semi-lethergic and seemed to be in pain in the kidney area. He did not eat much and only wanted to sleep. I took him into the veterinary's clinic and it was thought to be an infection. I was given antibiotics to give to the dog along with a pain suppresent. He responded well and within three days appeared to be normal. However, after the dosage of antibiotics ceased, he rapidly became ill and unable to control his bowel movements. His coat of hair was losing it's luster and he could barely walk. I returned to the veterinary in September 2011. Within the one month time span from his August visit, he unexplainably developed a tumor that was nearly the size of a softball. The tumor was the direct cause of his rapid decline. There was no viable option except to put the dog down to relieve his pain and suffering. I attribute the illness and rapid development of the tumor to the tainted Waggin' Train treats, but I have no way of proving it.
Waggin Train Jerky Tenders	Dog	Beagle	10	Years	Female	38	Pound	Presented for weight loss, poluria, polydypsia, vomniting and diarrhea. bloodwork revealed azotemia and proteniuria with decreased urine specific gravity. Negative leptospirosis titers, negative urine culture. Recently started feeding Waggin Train Treats.

Canyon Creek Ranch - chicken tenders	Dog	Mixed (Dog)	11	Years	Male	20	Pound	We always bought our chicken strips at Costco but they did not carry that brand that we usually bought last fall and we bought the Canyon Creek Ranch ones instead. He had about 3 per week and we noticed changes in him in February but did not associate it with the strips. By early March he was drinking much more water and this was very noticeable to the point that we were concerned. On March 5th our dog became very lethargic, had diarrhea and definitely not himself and we took him to the vet - while we were there she noted that his gums and tongue went very pale and she panicked and ran some tests on him and we left him there all day. The next day we had to bring in a urine sample and he had an ultrasound. We took him home and the vet kept in touch with us. He was ordered prednisone and flagyl and a week later our little darling dog went anemic in an instant, lost control of his kidneys three times in less than 10 minutes and then his breathing became labored and he passed away in our arms. He was only 11 and healthy as a horse until early this year. We then heard from a friend who told us about the Canyon Creek Ranch strips and we are very concerned that our dog's health may have been a result of eating these strips so we are submitting a complaint regarding this product.
Waggin Train Apple & Chicken Wraps	Dog	Schnauzer - Miniature	9	Years	Male	30	Pound	My dog became less alert, no energy, lethargic then woke up in the middle of the night and had urinated on his bed an extreme amount for his size. I took him to our veterinarian as soon as they opened, they did blood work and said it showed signs of kidney failure. His kidney enzymes were elevated and there was trace blood in the urine. He has been with the vet for 3 days now and must stay 1 more day to have his kidneys totally flushed with IVs. Upon researching I found an FDA caution on Chicken Jerky products online and when checking his treats found some Wagon Trail treats made in China.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Newfoundland	9	Years	Male	130	Pound	(b) (6) started excessive and frequent pukings. The pukings were not associated with his eating nor any other specific activity or time of day. The puke was an extremely viscous clear mucus and not stomach bile or some other known internal bodily fluid. The problem got progressively worse through December into the new year with the episodes of puking increasing to a regular 3-4 times per day with some days as many as 12 episodes in 24 hours. Our basset hound was also affected, but in a different manner. At this same time he started experiencing severe bloating which our vet prescribed to food reactions and moved us to a prescription food. This food has had NO effect and this dog has eaten nothing but this food since.
DINGOS RAWHIDE TREATS WITH MEAT FILLING, Canyon Creek jerk chicken	Dog	Retriever - Labrador	6	Years	Female	85	Pound	My dog lost her appetite and started to vomit after dinner. We were giving her DINGOS and Canyon Creek chicken strips made in China I took her to the vet and went over what we were feeding. Stopped giving her the treats made in China and the vomiting went away Since then we have given her only treats made in USA and she has not had a problem
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Weimaraner	4	Years	Male	82	Pound	(b) (6) was diagnosed with lymphoma on 6/9/11. He had been eating Waggin' Train chicken jerky treats as twice-daily treat for approximately 3 years.
Waggin Train Big Blast	Dog	Chihuahua	9	Years	Female	20	Pound	(b) (6) had been frequently given treats implicated in suspected tainted treats manufactured in China, specifically "Waggin Train". She developed acute kidney failure and pancreatitis.
Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	39	Pound	Pet had been eating jerky treats well- Waggin Train treats and they were unavailable so owner went to new store and purchased these treats to use for pet. After 1 week approximately of initiating this new bag of treats pet's appetite waned and disappeared. Urinations became more and drinking more.
Milo's Kitchen Beef Jerky, Nilo's Kitchen Beef Sausage Slices, Kingdom Pets, Milo's Kitchen Chicken Meatballs	Dog	Terrier (unspecified)	5		Female	15		On March 1, 2012 (b) (6) began vomiting up most of the food she ate. After a few days we took her to the vet and she had blood tests done. There was no elevated white blood cell count, however, her liver enzymes were extremely elevated. We put her on a diet of mostly human baby food and a small amount of dry food. (We stopped giving her all dog treat products as soon as she became ill.) She continued to sporadically vomit for four weeks and after a few weeks her liver enzymes did decrease, but were still extremely high. An ultrasound showed no abnormalities in her liver. She continues on a very limited diet and hasn't vomited for over a week. We are waiting for the results of more recent blood work.

Milos Kitchen Chicken jerky treats	Dog	Beagle	6 Years	Female	35 Pound	<p>I purchased Milos Kitchen chicken jerky strips at my local Walmart and Stater Bros as a treat for my (b) (6)... These were the same jerky treats that I found out were made in China and should not have been on the shelves for consumers to purchase. I did some research on the internet regarding this treat and the news I read was horrifying. It seems that some animals that were given these treats became very ill shortly after eating them. The diagnosis that I got from my vet was Kidney disease and he couldn't explain why she was so sick...well I told him she had been given this as a treat. The vet said he heard about this but this was the first case ever brought to him with my suspicions of her becoming ill from these treats and he couldn't rule the possibility out that she may have become ill from them!</p> <p>The vet ran many tests and she was given a weeks course of IV to try and flush her kidneys and to stabilize her condition. We spent \$\$\$\$ for (b) (6) but we got the news from the vet that there is nothing more than could be done for her and the only option is to put her down.</p> <p>I am furious and heartbroken. There is a warning and recall, why are these treats still on store shelves? Do you have any idea how heartsick we are to have to watch our beloved Kona die because of something we gave her as a treat..unknowingly poisoning our dog with this trash? I know it won't help my beloved (b) (6) but please do something so these treats are taken off the shelves.</p> <p>I don't want another dog lover to go through this pain and suffering.</p> <p>I feel we are entitled to some sort of compensation for this tragic series of events and the pain and suffering of our beloved (b) (6) and our family has had to endure for the past 2 weeks. It is horrific knowing that had you not purchased this trash and fed it to your dog they would still be healthy today. Nothing will bring her back to us. It sickens me...I am angry... some may feel that oh well this is just a dog but NO (b) (6) is our famliy and I resent anyone saying that.</p> <p>PLEASE take this off the shelves.....</p> <p>Regards (b) (6)</p>
Waggon Train Chicken Jerky "all natural" Jerky Tenders	Dog	Shih Tzu	2 Years	Male	11 Pound	<p>acute kidney failure with BUN >120 and creatnine near 60...this is severe . This happened in October 2010. Vet didn't understand why an otherwise healthy pup became so ill. He had been given Waggon Trail "all natural" chicken jerky for treats. He received 3-4 pieces per day for several weeks.</p> <p>he lost 5 pounds (essentially 1/2 body weight) and spent multiple days at vet receiving fluids and emetics and other meds. He came close to dying...at only 2 years old.</p> <p>It took about 3 months to recover activity and appetite. he seems healthy, but I have not done follow up lab work to evaluate current renal function</p>
Waggin Train Wholesome Chicken Jerkey Tenders	Dog	Shepherd Dog - German	5 Years	Male	89 Pound	<p>I had been feeding my dog (b) (6) Waggin Train Chicken jerkey treats in mid November 2011. My dog loved them. In Mid February i noticed he was not himself. He was throwing up, not eating, couldnt walk, wouldnt respond to anything we were trying to help him with. He was very dehydrated and shaky to the point he couldnt stand. He also lost 22lbs. He was taken to the vet and i was told his kidneys were shutting down and there was nothing they could do to save him. Our veterinarian asked what he got into, was he drinking out of puddles or in anything that could of poisoned him. I said no not to my knowledge.</p> <p>2 weeks ago i found out that these 2 brands i was giving him are killing dogs with kidney failure.</p> <p>The Waggin Train Facebook account is COVERED in complains from HUNDREDDDDS of people suffering because their dogs died from these poisonous treats.</p> <p>My dog was euthanized with no other choice on February 24th 2012. I'm beating myself up every day because i handed my beloved angel poison to eat daily! I would like something done about this immediately. These products are killing animals and i dont know what more it will take for the FDA to see that.</p>
Waggin Train chicken Jerky Tenders	Dog	Shepherd Dog - Belgian Malinois	10 Years	Mixed Population of Female and Male	65 Pound	<p>(b) (6) had a UTI then tumors in her chest. Died 2 weeks later (b) (6) has been off his food, drinking more water and urinating more. He also has had loose stools.</p>
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Terrier - Cairn	9 Years	Male	26 Pound	<p>(b) (6) was on a strict diet of Science Diet WD dry and wet food. We gave him 2 -3 chicken jerky treats a day that we purchased from Costco. On Thursday evening (March 29) (b) (6) was fine and went to bed following our normal routine. On Friday morning (March 30), (b) (6) acted very peculiar and we took him to the vet where he was diagnosed as severely dehydrated. They ran lots of blood tests and saw that his liver enzymes were very high and they also suspected a urinary tract infection. He was given fluids and antibiotics. We brought him home that evening where he would not eat or drink. He sought out dark spaces as if he were ready to die. We took him to the emergency clinic early Saturday morning where they did additional blood work and abdominal X-rays. They observed that his liver was extremely enlarged. They kept him overnight and he showed no improvement and continued to refuse to eat. We visited him on Sunday afternoon and he seemed to not even know us. We realized he was in significant pain just breathing as he grunt with each breath. After consulting with the vet it was determined that something catastrophic had happened internally and we made the decision to euthanize him.</p>

Waggin Train Chik'n Biscuits	Dog	Poodle - Toy	5	Years	Male	11	Pound	I gave (b) (6) a Waggin Train Treat at bedtime, next morning he did not eat and when I came home from work he had bloody urine, bloody diarrhea and was very sick. I was not aware of issues with products as I work full time and rarely read on line info. Did not see any stories on the news or would never have bought this product.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Maltese	10	Years	Male	11	Pound	Kidney Failure results showed after blood test. Increased levels of urea nitrogen and creatinine levels in the blood. Diarrhea and disorientation of (b) (6) at night. Increased drinking of water and urination.
petshoppe chicken jerky premium dog treats	Dog	Chihuahua	12	Years	Female	9	Pound	I have 5 dogs they are all current on vaccinations and in excellent health I bought the treats at Walgreens gave the each one the next day one by one they had diarrhea and vomiting also they had excessive thirst the only thing they had besides their regular dog food was these treats when I realized that is the only thing they all had I did some research and found a report about jerky treats made in china i looked on the package and these were made in china I don't think this is a coincidence and even though my dogs are better they will be examined by the vet Monday and get blood test if needed. I do not have time to report each dog so here are the others affected (b) (6) 10 year old Pomeranian, (b) (6) 9 year old Pomeranian/Chihuahua mix, (b) (6) 2 year old Chihuahua, and (b) (6) 8Month old Pomeranian
Waggins Trails chicken jerky	Dog	Other Canine/dog	6	Years	Male	6	Pound	I purchase some treats call WAGGIN TREATS from PURINA Foods he started to have severe cramps then had massy poops with blood in it and seen to be really thirsty took him to vet and they put him on IV'S and catheterize him he died with in 48 hrs after eating then.
Waggin Train Chicken Jerky Treats	Dog	Dachshund - Miniature	14	Years	Male	13	Pound	Waggin Train Chick Jerky Treats were given at the end of Feb. 2012 for 2 weeks. (b) (6) started to show signs of unknown illness. Bloodwork was performed 2 weeks after treats were given with no abnormalities and then 1 month later Bloodwork was performed again (April 2012) which showed severe fulminant kidney failure.
Kingdom Pets Chicken Jerky (Item 169728 next to UPC Code)	Dog	Terrier - Tibetan	2	Years	Male	25		About a week after opening a new bag of Kingdom Pets Chicken Jerky treats and occasionally feeding to the dogs, both dogs became extremely anxious and even paranoid. Both panted heavily if in a car whereas previously they simply curled up and slept or looked out the window when in a car. After a week of use, one of them became paranoid within minutes after receiving a treat. He would slink around the house with tail down and wanted to hide in closets or under desks and tables. If he wasn't under something he would slink around looking at the ceiling like he was afraid it would fall on him. All this was completely abnormal behavior that we had never seen before. His symptoms would lessen after a few hours but then resurfaced within minutes of feeding even a small piece of the jerky. We're not certain but it seemed as if they drank more water when they were acting anxious. We finally concluded it might be the jerky and stopped feeding it. We have seen no evidence of anxiety or paranoid behavior since. Both dogs seem to be mostly back to normal after about a week on non-use.
Waggin' Train	Dog	Dachshund (unspecified)	5	Years	Mixed Population of Female and Male	10	Pound	I am reporting on behalf of many dog owners who have lost their dog or went through extreme medical measures to save their dogs from what appears to be poisoning from the Waggin' Train dog treats sold at Costco and WalMart stores. This should be investigated immediately. There has been media coverage of these horrible tragedies.
Waggin' Train WHOLESOME CHICKEN JERKY TENDERS	Dog	Pit Bull	2	Years	Male	60	Pound	These treats made my Pit bull (b) (6) so sick.. Pits are an extremely hearty breed but these treats brought him to his knees. I noticed within hours of feeding him these treats that he started having diarrhea I could not figure out at first what was causing it I thought he must have eaten something crazy but would not have thought it was his "treats" that were making him sick but I stopped feeding him the treats right away because I didn't know what it was that was making him sick so I made sure to only feed him his regular dog food mixed with rice to try and get him back to normal. It took about two days for him to get back to normal. Still not realizing it was the treats that had made him sick, we ran through a bunch of the tricks he does and I rewarded him with these Chicken Jerky treats within an hour he was vomiting and having diarrhea again at that point I knew it had to be the treats. I still have the bag, I was so pissed I almost threw them in the trash, but then I realized that I should get them tested and have them incase I need to be able to prove that it was the treats that were making him sick. I hope this helps and that whoever reads this does so before it is to late as it is now obvious to me that many dogs have died from eating these poisonous treats.
DogsWell Happy Hips Chicken Breast	Dog	Retriever - Labrador	4	Years	Female	77	Pound	3-4 days after starting treats, diarrhea began. within 3 days progressed to hemorrhagic vomiting and diarrhea. no kidney values elevated on serum chemistry, but SNAP Pancreatic Lipase activity increased
Dogswell Vitality Chicken Breast treats	Dog	Retriever - Golden	10	Years	Male	87	Pound	Became lethargic, depressed, was not finishing his food, vomited repeatedly

Waggin Train wholesome chicken jerky tenders	Dog	Retriever - Golden	3	Years	Male	45	Pound	I bought a new bag of Waggin Train chicken Jerky Tenders at Sams Club in Scottsdale , Az a few weeks ago. I gave a couple treats to my dog from the bag for the first time a couple days ago and the next day he vomited and refused to eat. I didn't connect it with the Jerky at the time. Yesterday I gave him a couple more and today he again vomited. One of my friends mentioned there is a problem with this product coming out of china and to check it out and report it. I have kept the remining product if anyone wants to analyze it.
canyon creek ranch brand chicken tenders								pet dog ((b) (6)) has been acting lethargic and sleepy lately
Waggin Train Chicken Jerky Treats also duck tenders	Dog	Dachshund - Miniature	13	Years	Female	10	Pound	I fed my dog these treats for months and noticed things I thought were just age related. There was extreme thirst and urination. At the end she was vomiting blood tinged vomit, no appetite, extremely lethargic and urine output had stopped. She was euthanized that very day when vomiting of even water was uncontrollable and urination ceased.
Waggin Trails Chicken Jerky Treats	Dog	Retriever - Labrador	14	Years	Female	64	Pound	I gave 3-4 Waggin Trails Chicken Jerky treats to my dog fresh out of a new bag purchased from Walgreens. She became extremely ill, with symptoms of food poisoning, by the end of the day. She had extreme vomitting and diarrhea. Her symptoms were so severe she was put in the care of her veterinarian for a full week. I immediately suspected the chicken jerky treats and threw out the rest of the bag. She eventually recovered from the vomitting / diarrhea after a week, but her health rapidly declined in the next month. She was suddenly no longer able to control her bowel movements as well. This event happened in 2005, and I have been haunted ever since by the decision to put her to sleep. I recall that at the time I contacted the FDA and made a report, but do not have record of it. I am absolutely horrified to learn that this particular brand / treat is making headlines today for killing many other dogs. What is the pouint of reporting a problem if nothing is done about it? I am refiling my report so that you can understand that this product has been killing dogs for over five years now and still it is available in the stores. The company should be helds accountable.
Chicken Jerky Treats from BJ's and Cosco	Dog	Other Canine/dog	2	Years	Male	10	Pound	The dogs are Pomeranian's, the little one, ((b) (6)) is dying from kidney failure due to toxic poisoning from Chicken Jerky Treats. He has been given 2 days to 2 weeks.
Waggin Train Chicken Jerky	Dog	Sheepdog - Shetland	6	Years	Female	23	Pound	I purchased Waggin train chicken jerky aprox, mid to the end of January within a couple days of eaten the jerky she began to have diarrhea this went on and off for prox the month of february, aprox mid february she started to refuse meals, then aprox february 28th 2012, she began vomitting on march 1st I took her to the vet ((b) (6)) at that time they thought she had a infection and gave her fluids and Rimadyl 25mg. I took her home the next day she seemed worse so I returned to the hospital with her on 3/2/12 again she had fluids and sulcalfate suspension 1g/10ml and was told to give her pepcid 2 x aday she then seemed better for a couple days but on 3/8/12 she had gotten much worse and i then brought her to ((b) (6)) were they did bllood work and xrays and told me her kidneys were failing at that time they had sent out a blood test to check for reasons why.. I then started IV therapy on Friday Saturday the 10th and on sunday 3/11/12 i gave her IV fluids under the skin at home on Monday 3/12/12 I dropped her off for IV therapy at 8am at 9:30 am they Hospital called and said she stopped breathing and they lost her heart beat she pass away on 3/12/12 one week later on 3/19/12 I went to pick up her ashes and at that time the vet told me the blood results that she had died likely due to a toxin ingestion I asked at the time about the Chicken jerky she had aten and the vet said that that was a very strong possibility ... I then filed a claim with purina and mailed the vet records into segwicks that was aprox 2 weeks ago
California Natural lamb and rice dog food dry, Cadet real chicken treat gourmet sweet potato & chicken wraps, Dogswell Vitality Minis, Dogswell Vitality chicken breast with flaxseed and vitamins, PCI brand 100% Natural Chicken Nibbles	Dog	Retriever - Golden	14	Years	Female	60	Pound	Acute onset inappetance, lethargy, polyuria. Diagnosed with kidney failure - acute.
Waggin Train Jerky Tenders	Dog	Chihuahua	4		Male	8	Pound	Purchased Waggin Train Jerky Tenders, UPC #07020 77740 at Concord, CA, Sams Club for trip to Washington State. Gave dogs Jerky Tenders, dogs vomited and had diarrhea; ((b) (6)) blood in stool for 3 days [4/1-4/3], to vet in Salem, OR [4/4], treated, still dried blood in stool Dog started drinking water & mild eating 4/5

Waggin Train western style Chicken Bites Honey Basted	Dog	Boxer (German Boxer)	9	Years	Female	70	Pound	I started giving the dog a new treat Waggin Train chicken bites honey basted UPC#0702077437 from Walmart. The dog started bleeding when trying to poop. I brought her to the Vet after full blood work up had elevated liver and kidney enzymes and was given perscriptions. I fed the dog two bags of these treats as she got worse and died in two weeks. I did not know there was a warning about this prduct.
Waggin Train Chicken Jerkey treats	Dog	Terrier - Yorkshire	9	Years	Male	6	Pound	Apx. October or November 2010 we began to give our dog (b) (6) Waggin Train Chicken Jerkey treats. A short time later he began to loose weight had vomiting and diarrhea and really not feeling well. I took him to our regular vet. He gave him steroids to make him want to eat and changed his diet to a high calorie diet. After blood work he was found to have renal failure. When he was not getting any better we took him to another vet in Falls Village for treatment. We began home dialysis and after a couple months lost him to the disease. (b) (6) was very picky and when he liked these treats we made sure to have them for him. We never understood how such a happy healthy dog became so sick so quick and it baffled the vets also. I saw a report about these treats and it only made sense. The timeline of him starting to eat these treats to getting sick is all there. The sad part is that when he was so sick and getting dialysis we were giving him these treats as a good boy to the painful treatment he got twice a day. On March 2, 2011 he had a prolonged seizure and never really woke fully from it. I rushed him to the vet and had to euthanize him.
Kingdom Pets chicken Jerky-All Natural Ingredients	Dog	Mixed (Dog)	1	Years	Female	52	Pound	Dog started having diarrhea after feeding her Kingdom Pets Chicken Jerky-Made in china
Milo's Chicken Jerky Treats	Dog	Corgi - Welsh Pembroke	9	Years	Male	35	Pound	I gave my dogs the Milo's Chicken Jerky Treats every day. One died of kidney failure, and the other died of kidney failulre 2 months later. Both were healthy dogs, and exercised regularly. (b) (6) started having blood in his urine the past year, gave him antibiotics, but the last time kidneys shut down and he died within a week. A slow painful death, I chose to put him down. My dog was like my kid, he went everywhere with me, he was the most loving animal I ever had. To have that product still on the market is just unbelievable.
Waggin Train Wholesome chicken jerky and tenders	Dog	Terrier - Welsh	6	Years	Female	17	Pound	(b) (6) started having extreme diarhea and throwing up all over the house (which is totally unlike her). She was very lethargic. She didnt eat for a few days and continued to drink a lot of water but threw it all up continuously. After 3 days we decided to take her to the dr bc she was dry heaving constantly, laying around, and had no energy. The veterinarian asked what treats we used and we told them Waggin Train. We still have the leftover bag if you would like to test it. The vet did tests and found increased levels in her urine which were consistent to issues linked to the dog treats. We have the tests if you would like those. The dr was at (b) (6) in Knoxville, TN. The treats were purchased at Target on Ray Mears Rd in Knoxville.
waggin train chicken jerky	Dog	Collie - Border	7	Days	Female	80	Pound	I STARTED GIVING MY 2 DOGS --BORDER COLLIE --AND PUP CHICKEN JERKY BOUGHT FROM SAM'S CLUB AND THE NEXT DAY THEY HAD SEVERE DIAREA
Waggin Trail Jerky Tenders and Chicken Jerky	Dog	Retriever - Golden	7	Years	Female	55	Pound	Have fed the dog Kirkland foods and treats form Costco for her whole life. She had been losing weight drinking water, urinating, started vomiting for about 4 weeks when she started to have no energy and not eating. Took her to the vet and ws told that her kidneys were about 10%. She died that night. Turns out the kirkland chicken tneders form China are suspected of many animal deaths.
Waggin Train Chicken Jerky Tenders Waggin' Train Duck Jerky Tenders	Dog	Shih Tzu	3	Years	Male	12	Pound	My dog has been eating Waggin train chicken and duck treats for about 2 years. I use these as treats when he is a good boy. I do not give him the whole chicken breast, it is broken in pieces so he averages about 1 piece a day. About a month ago Shelby started vomiting every couple of days once a day. Two weeks ago he started with diarrhea along with the vomiting. Last week he vomited and had diarrhea everyday for 3 days and the 3rd day he became lethargic, he was drinking excessively but would vomit after drinking, he would not eat for the 3 days either. I brought him to the vet who put him on medicated food. he would still not eat and the symptoms became worse. I brought him to another vet who x-rayed him, gave him an iv treatment as he was majorly dehydrated and gave him a shot of antibiotics. It has been four days since that treatment and he has finally drank some chicken broth and held it down. I had to force feed him water until today. I heard of the warning this week of the treats from China and think that you need to do more than a warning these must be recalled.
Loving Pet Gourmet All Natural Premium Chicken Breast	Dog	Collie - Border	8	Years	Male	65	Pound	Gave (b) (6) the jerky chicken strips & thought he might have got it caught in his throat as he developed a very harsh cough. Brought him to the vet, & they placed him on an antibiotic - Clavamox 375 mg q12h for 7 days. There was nothing caught in his throat.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Spaniel - Springer English	6	Years	Female	160	Pound	We were feeding (b) (6) the Waggin Tails Chicken Jerky treats regularly (every day) 2-3 a day. She started urinating in the house and seemed to have a bladder infection. We took her to the doctor after several infections and finally changed doctors to have a kidney ultasound. We thought maybe she was having a reaction to the treats so we quit them at that time. The vet said she was in some sort of kidney failure where the kidneys were not producing enough proteins. He put her on a human pill and fish oil pills. He said she would have to be on them the rest of her life and she may not live as long. It could decrease her life span by a year or two. We are thankful we stopped giving her the treats before it was too late.

