

Front



Back



Left



Inside Lid

Getting Started

- Ø1. Have a Detect Hub™ ready and plugged; The Detect Hub is sold separately and required to complete the test.
- Ø2. Use the Detect App™ and for the instructions. The app will the de you through the test with step-by-standideo instructions and help you interpret your est result.
 Follow all instructions in the content of the content

Get the apost detect.com

03. Prepare corfo surface. Ma to use the test within 1

Activation

FO ST ACTIVATION ONL NOT FOR APP DOWNLOAD.

Activation Code

can this QR code when prompted the app, or manually enter the al number below.




AAAA-AAAA-AAAA-AAAA-AAAA

ed help?

9 +1 (855) 322-3692

Detect Covid 19 HOME TEST Bottom



Electronic la stions For Use available Detect App.

PN:21 REV:B



Swab Made in Taiwan Reader Made in Switzerland Dropper Made in the United Kingdom

© 2022 Detect, Inc. All rights reserved. Detect™ and the Detect logo are trademarks of Detect, Inc.


The Detect Covid-19 Test has not been FDA cleared or approved but has been authorized by FDA under Emergency Use Authorization (EUA) only. This product has been authorized only for the detection of nucleic acids from SARS-CoV-2, not for any other viruses or pathogens.

The emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of Covid-19 under Section 564(b)(1) of the Federal Food, Drug and Cosmetic Act, 21 U.S.C. § 360bbb3(b)(1), unless the declaration is terminated or authorization is revoked sooner.

Detect, Inc. 530 Old Whitfield St. Guilford, CT 06437



Detect Covid-19 Instructi



Your Detect Covid-19 Test can be used for serial testing

If you are suspected of Covid-19 (symptomatic or exposed you can use a single test. If you have no reason to suspect Covid-19, you should use the Detect Covid-17 Test and serial test. If your first test result is negative, you must perform a second Detect Covid-19 Test and replaces 24 hours but within 48 hours to ensure an accurate regult.

What is serial testing?

Serial testing involves testing the same person multiple times within a few days. Such thating for covid 3 increases the chances of detecting inflations early reven in people who are not exhibiting any symmetry.

How can the Detect C vid-19 Test be used for serial testing?

If you arest teams negative, you must use a second test at least 24. Car's (and 30 more than 48 hours) from your first test est. If you first or your second test is positive, then you are likely to have a current infection with SARS-CoV-2, the virus that causes Covid-19, and should consult with your healthcare provider, if needed. A second test is not needed if your first rest. It is positive.

First time taking the Detect Covid-19 Test?

Download the Detect App™ from the iOS or Androd app stores to activate your test and follow the step-by step video instructions within the app to take the sest.

Get the app at detect con. op

The Detect Hub™ is sold separately and its required to use the Detect Covid-19 Test

If you have no symptons or other reasons to suspect exposure to Covid-19 and your first Detect Covid-19 Test result is negative, you must perform a second Detect Covid-19 Test within 48 hours to ensure an accurate negative result. Please make sure you have enough tests available to repeat the test in case your first test is possible.

ee assis ace? ontact support@detect.com or (855) 322-3692



Information about the Test

- For in vitro diagnostic use.
- → For use under FDA Emergency Use Authorization only
- This product has not been FDA cleared approved but has been authorized by FDA und an EUA.
- → This product has been authorized on the the detection of nucleic acid from SARS-College of for any other viruses or pathologies.
- The emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of IVDs for defection and/or degnosis of Covid-19 under Section a \$4(b), the Federal Food, Drug and Cosmolis Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is sern, nated, or authorization is revoked at oner.

Read before using

False negative results are possible in individuals who take high dose biotin (vitamin B7) supplements. Please inform your Healthcare Provider if you are taking biotin—a staining supplements and obtained a negative result for the batect Covid-19 Test.

In addition, invalid results may occur if you be using certain nasal sprays used to fight allergies. Yo may with to accuss this with your healthcare providenif you are concerned.

Make sure to wash and rinse your haves well before taking this test. If high amounts moists izing ation or hand soap come into direct contact with the SNab and are introduced into the test reaction the could into fere with your result.



Detect Covid-19 Test Instructions



Please follow these step-by-step instructions carefully as you use the test. If you have not sed the test before, please download and use this setect App for a video tutorial.

ed assistance? Contact support@detect.com or (855) 322-3692

Before you begin

- Have a sealed Detect Covid-19 Test and a Detect Hub (sold separately) ready.
 - Each Detect Test is singleuse, while the Detect Hub is reusable.
- Check the "Use By" date on the test box to ensure the test hasn't expired.
- Set aside time the test takes about an hour.
 - Have a timer available.
- → Use the test on a flat, cean surface.
- Wash your hands hise off any soar completly.
- If performing the test in some tie else, put on glocus and mask if needed.
- → Follow Masse step by-step in Tructions conefully as you use the test.

- Please refer to additional product information available on the detect.come website.
 - Product information a set deteracom/legit/production tion meets
- If you have no syreptoms or other reases to suspect extended to Covid-19 and your first Detect Covid-19. Test esult is negative, you ust perform a second etect Covid-19 Test after at least 24 hours but within 48 hours to ensure an accurate result. Please make sure you have enough tests available.

, WINGS


- The test can be used for individuals 2 years or older. Adults should administer the test for children 13 years old or younger.
- Store and use the test between 59 °F (15 °C) and 86 °F (30 °C).
- Keep away from children and pets small parts can be choking hazards.



01 Set up the Detect Hub

The Detect Hub is sold separately and is required to use the Detect Covid-19 Test.

- Plug the Detect Hub into a wall outlet using the included power adapter.
- A solid green light will indicate that the ⊬ n is ready.




See side the Hub manual - refer to it only if any troubleshooting is needed to operate the Hub.

02 Open the Detect Covid-19 Test


Each test box includes a Prepare Pack, a cardboard divider, and a Result Pack.

Do not open any packaging until instructed to do so.

 The Prepare Pack contains a Swab, a Test Jube, and the Detect Cap™. (Open only when instructed to do so.)




 The Result - ok contains a Dropper and the Reader. (Open only when included to do so.)






03 Set up the Test Tube

- Take out the Prepare Pack and the cardboard divider.
- · Place the cardboard divider on a flat surface.
- · Open the Prepare Pack.
- Take out the Swab, Test Tube, and the pour contining the Detect Cap.
 - Do not remove the Detect Cap from its package yet.
- Open the Test Tube carefully, as it contains a liqui
- · Discard the cap.
- Place the open tube in the carbo



04 Collect Sample with the Swab

- Open the Swab from the end marked "Peel here ▲" without touching the soft tip.
- Insert the Swab in one nostril until just the soft b is completely inside.
 - · For adults insert less than one inch.
 - For younger children insert less than 1/2 inc
- Swab the inside wall of the nostril a circle 5 time
 - The Swab tip should remain in contact with the nost
- Repeat with the other nostril.
- If you are helping someone else the test, follow the same steps to swab their nosts;





05 Stir the Swab in the Test Tube

- Immerse the Swab fully inside the liquid in the Test Tube placed in the cardboard divider.
- Hold onto the tube and stir the Swab vigorous on the liquid for 15 seconds.
- Once done, discard the Swab wrapped it its packaging,



WARNING

• Do not break off the Swab tip and leave it inside the Test Tube.

06 Use the Detect Cap

- Carefully open the Detect Cap package and take out the cap.
 - The small cap can get lost if dropped.
 - You may need to remove the silica packet first.
 - · The cap contains a reagent bead.
 - Screw the Detect Cap tightly onto the st Tub.
 - Ensure the cap is locked so that you cannot up strey k.
 - If you can unscrew it, screw it on again until you can no longuingcrew it.



This step continues on the next page.

- Hold the Test Tube by the cap, turn it upside down, and shake it hard side-to-side for 10 seconds.
 - The tube should remain upside down during the shaking step.
 - . The reagent bead in the cap will dissolve into the sample.



07 Flick the Test Tube

- · Hold the tube right side up with the cap.
- Standing up, forcefully bring down your whole are to collect all the liquid at the bottom of the Test Te.



WARNING

No liquid drops should remain toward the top of the tube.



08 Process the sample

- Place the Test Tube into the well of the Detect Hub that is plugged in and ready.
 - Push the tube all the way in.



- The Wowll beap once, and the green light will art booking.
- This step akes about 55 minutes set a timer.
- The g. In light will stop blinking and the Hub will beep once the Hub processing is complete.

WARNING


• Do not take out the tube from the Hub until processing is complete.

09 Use the Dropper

 Open the Result Pack and take out the Dropper pouch and the Reader.




- Remove the proppe from its pouch.
 - The copper contain. id.




This step continues on the next page.

- Pick up the Dropper by the tip and flick it down to collect all the liquid at the bottom.
- Twist off the tip of the Dropper.
 - Be careful not to spill any of the liquid.
- Insert the Dropper tip into the Reader channey as fains it will go.
- Squeeze the Dropper firmly to dispense the liquit
- · Discard the Dropper.



10 Insert the Test Tube into the Reader

- Remove the Test Tube from the Detect Hub after processing step is complete.
 - Do not open the tube.
- Place the tube into the Reader chimney and using b thumbs, press it down firmly.
 - The tube cap should be flush with the lips of the Acceler chips ey.
 - You may hear a "pop" sound as the tube ottom is a mean-side the chimney, allowing the sample flow grough the header.






11 Watch for liquid flow

- Liquid should be seen flowing through the Reads within 10 seconds.
 - If there is no flow, tap the Reader firmly against a half surrole 3 times until liquid starts flowing.
- Results will be ready in 10 minutes. Sc 4 time



12 Get results

- After 10 minutes, you should see one or two red lines in the Reader window.
 - · Check carefully, as lines may be faint or incomplete.
- Use the guide below to determine the test result ased on lines present next to labels 1 and 2.



Please refer to the Fact Sheet for Individuals available at detect.com.



What do the results mean?

NFGATTVF

A negative test result indicates that your nasal sample as as not contain detectable amounts of viral RNA (the general material from the virus that causes Covid-19). This means you ad unlike to have Covid-19 currently.

If you have no symptoms or reasons to a spect to sid-19 infection and this was your first result, you must collect and test a second sample at least 24 hours a server as a first and within the next 48 hours. If this is your recondity, you are unlikely to have Covid-19 currently.

The Detect Covid-19 Test can only tell ou about your current Covid-19 status. It cannot all you if yo had a previous infection with the virus that call es Co. 1110

If you have s, stoms a Covid-19: Consult a healthcare provider for additional testing. It's, possible your symptoms are a result of any her illness or that you need further molecular testing for Covid-19. By extra vigilant about quarantining, wearing a mask when you must let be your home, and washing your hands.



What do the results mean?

POSITIVE

A positive test result indicates that your nasal sample curtains detectable amounts of viral RNA (the genomic material from the virus that causes Covid-19). This means you are likely to ha Covid-19 currently. Positive results do not rule but by derial infection or co-infection with other virus.

The Detect Covid-19 Test is intended as single test, people who are symptomatic or exposed, at If the seening of people with no reason to suspent Covid-19 infection. Whether this is your first or second set, pleas consist with a healthcare provider immediately. Let hem know, but ested positive and provide them with your Direct test results.

If you have symptoms of Co. Consult a healthcare provider. You may need addition molecular testing to confirm your result. Be extra visillant, suit of arantining, wearing a mask when you must be your home, as washing your hands.



What do the results mean?

TNVAL TD

If the result is invalid, retest. You must use a new Detect Covid-19 Test and a new Swab. Contact Detect commers a sport at support@detect.com or call toll-free at (855) 322-3602 for a replacement test.

Using certain nasal sprays containing flucisolide dexamethasone may lead to an invalid result. Please per to our FAQs for details.

Until you retest, continue to be vision to be ut social distancing, wearing a mask when you must leave our to me, and washing your hands.



Reporting your test results to public health agencies

You have the option to report your Detect Covid-19 Test result to public health agencies as part of the CARES (Coronavirus Aid, Relief, and Economic Security) Act. This information helps there wack the Trus and determine appropriate public health measures and or ideline response to the Covid-19 pandemic.

You can choose to report your results to only the Centers of Disease Control (CDC) in a completely anonying us a You may also choose to report your results along with some into action about you to your local health agencies, if local cate regulation opermit.

Please go to delact. can/p olichealth/reporting

Or scar the QR code beat with your mobile device to access details:



Disposal instructions

- → Put away the reusable Detect Hub.
 - Unplug the Hub and store it for use with any other Detect Tests.
- Dispose of all used test components from the Detect Test box.
 - All components from the test box, including Reader, can be disposed of in the trash.
 - Want to keep a record of your leter Covid-19 Texresult? Take a picture of the Reas of effore usersing it as the lines will fade over the land the result will not be valid.

Detect™



detect.com support@detect.com +1 (855) 322-3692 ENG-MNL-0004 Rev 1 Copyright © Detect, Inc. 2022 All rights reserved.