



Product Name	Specie	Breed	Age	Age UC	Gender	Weig	Weight	Description
Dogswell Vitality Chicken Breast with Flaxseed & Vitamins	Dog	Dachshund - Miniature	3	Years	Male	13	Pound	Both dachshunds were fed approximately 3 strips of the treats each over a period of 3 days, both have become violently ill, one with vomiting and lethargy and the other with diarrhea.
Canyon Creek Ranch Brand YAMS	Dog	Retriever - Labrador	4	Years	Female	104	Pound	Day following being given 1 Canyon Creek Yam treat our dog developed vomiting (3 - 4 times for one day) and diarrhea for 1 week. We immediately began a bland diet until we talked to the vet. We saw our vet 5 days 4 days later and diagnosed as a "sensitivity" to the treat. We began Flagyl (antibiotic) and Imodal (pet imodium). Symptoms seem to have abated now and bowels seem to be working well. I believe we are past our issues at this point.
Waggin'Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	92	Pound	<p>(b) (6) started to have very soft stools on 8/15/12 by next day she has full blown diarrhea. We stopped giving her, and her brother (b) (6), any treats and fed only rice and boiled ground beef / chicken breast. Since (b) (6) had diarrhea before at first we were not very concerned. Our vet had previously suggested to give her small dosage of Immodium that would help to control the problem. However, on 8/18, Saturday, (b) (6) also started to have soft stools and then diarrhea. We still were thinking they must ate something in the backyard that caused the problem. On Sunday, 8/19 when I talked to (b) (6) he mentioned that (b) (6) is starting to have soft stools, we were very concerned and went to pick up (b) (6). (Our friend (b) (6) is paraplegic and has a service dog name (b) (6). Since (b) (6) is on a very limited income, we are assisting (b) (6) to take care of (b) (6) for all medical cares) Now we have three dogs that were lethargy, two have full blown diarrhea and mild symptom of vomiting, one had very soft stools. We took sample of the stool to our vet, (b) (6) (b) (6), on Monday morning, 8/20, and the result was negative for any worms. Our vet then prescribed Fori-Flora Canine FalsH Packet and metrdnidazole 250 mg for all three dogs. As today, 8/22, the diarrhea appeared to have stopped, the stools are still a little soft and the color still a little light but looks healthy enough. Dogs' energy level is coming back. A few more days should be back to normal.</p> <p>Prior to the visit to the vet, we were contemplating what could have happened that would lead to all three dogs being sick the same time, particularly (b) (6) and (b) (6) lives with us while (b) (6) is living with (b) (6). The only item that they have shared is the treat -- Waggin'Train wholesome chicken Jerky tenders. . (When (b) (6) come visit me at work, I will give (b) (6) a few strips of the chicken jerky that came from the same bag as (b) (6) have at our home).</p> <p>During our visit to the vet, we saw a warning from your office in regards to the chicken jerky. Although we have no solid prove that this IS the cause but everything fits. Also, our vet has told us so far the reported symptoms are mostly related to kidney failures but may be most of the dog owners, such as us, will NOT think vomit and diarrhea were related to this type of treat. We would never have suspected the possibility if not because this chicken jerky treat IS the only common tie among three dogs for the past whole month.</p> <p>A final note. (b) (6) have been having Chicken Jerky as treats for the past 1.5 years. Since the lable indicated as real chicken, no additive, we presumed this is a better alternative than some other product on the market. As we think back, (b) (6) had had minor problem with soft stools and small throw up, but not at the same time, since we started to give them the chicken jerky as treats. Because it was minor we did not pay much attention to find out what was the cause. We are just very lucky, or unlucky, to have this most recent episod to make us aware of the problem with the Chicken Jerky.</p>
Waggin'Train Chicken Jerky Tenders - 40oz.	Dog	Puli	13	Years	Female	18	Pound	Started drinking water excessively...pet said she had started developing kidney problems...she passed away November 2010
Milo's Kitchen Chicken Jerky Treats	Dog	Terrier (unspecified)	6	Years	Female	13	Pound	My dog was active, healthy until I gave her Milo's Kitchen dog treats. She developed diharrea so I stopped giving her the treats. I thought they didn't agree with her so I threw the bag out. The diarrhea contined and then she started vomiting and not eating but drinking lots of water. Took to the vet on 8/13/12 for an exam. She was given a shot to bring back her appetite. Took her home and she declined from there. Brought her back to the vet on 8/20/12 where she still is 3 days later. My vet bills have now surpassed \$1,000 and she's still very sick. We may have to put her down if she doesn't improve. She has kidney & liver problems.
VitaLife chicken tenders	Dog	Mixed (Dog)	23	Months	Male	18	Pound	The dog was just fine and we decided to buy these chicken jerky treats as a change. We gave him one a day for about 3 days. The dog started to have diahrreah and vomited/regurgitated a few times. It was very odd. We stopped giving the treats to him after reading about them online. He has been "ok" lately.

Milo's Chicken Jerky	Dog	Retriever - Labrador	4	Years	Female	82	Pound	I gave (b) (6) a Milo's Chicken Jerky treat. The next day she had severe Diarrhea and Vomitting. She had this for approx. 2 days. She had been fine prior to this. My thought was it must be the treats. I did not give her anymore and threw them away. I was on facebook last night and someone had posted about the treats. I can't believe that there has NOT been a recall on this. I got online and saw all the complaints regarding these treats. Please recall these treats. (b) (6) is my baby and I am appalled that there has not been anything done about this.
wagontrain chicken jerky tenders	Dog	Retriever - Golden	4		Male	105		excessive thirst, urination, vomiting, extreme lethargy, kidney failure- same/similiar symptoms found all over the internet on this product yet FDA has a warning and no recall ????
Kingdom Pets All Natural INGredients Chicken Jerky	Dog	Schnauzer - Miniature	2	Years	Male	35	Pound	I have taken my dog as usual everyday at the park, (b) (6) was a very energetic, fun, young, very healthy and all of a sudden he collapsed on the grass. I took him home right away to take him to his bed. After a while he stated throwing up. Soon he started to have trouble breathing and was shaking very hard. So I took him to the emergency vet. He couldn't every walk by himself. I held on to him carrying to rush in as fast as I can. The vet tech's started the procedure and trying to put a I.V. shot but couldn't find a vain after 30 minutes. (b) (6) temperature dropped immediately. Lower than its supposed to be for a normal temperature. The Veterinarian ran test on (b) (6) that most likely he ate something poison, he got kidney and liver failure. After 3 hours of being in the emergency, the Veterinarian told us he was not going to make it. (b) (6) state was too critical that he was having seizures. I walked in the room with my family seeing him barely breathing his last bits of air. After saying good bye to him on the table, petting his head that its going to be okay, (b) (6) passed away.
Waggin' Train Wholesome chicken Jerky Treats	Dog	Greyhound	12	Years	Mixed Populati on of Female and Male	70	Pound	My greyhounds have been on Waggin' Trail Jerky (chicken) Tenders, for a treat, for about 6 months. In this time I noticed them start refusing their regular dog food. Then came n/v/d and very dark urine. They became very dehydrated and weak ! I thought our 12 yo Greyhound, (b) (6) was going to die !! (b) (6) a 6 yo greyhound, was also seriously ill ! After fluids and IV's and nutritious small meals they are recovering, but still crave these, in my opinion, poisonous ?treats? !! Please help dogs, who do not have a VOICE, and have these ?treats? pulled from store shelves.
Waggon Train	Dog	Greyhound - Italian	11	Years	Male	23	Pound	My greyhound eats a slice of chicken Jerky 2 X a day. We noticed that he started drinking and urinating an unusal amount. At first we took him to the vet and thought maybe diabetes. He was tested and does not have that. We have since taken him off the jerky. We had our vet test him and he does not appear to have kidney problems. He seems to have gotten better and does not drink or urinate as much.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	22	Months	Male	24	Pound	Our dog has had four bouts of mucous stool, bloody sometimes, which I am concerned my be tied to this product. Have taken to the vet twice. They prescribed antibiotics, but culture of the stool was negative for bacteria. Most recent was 8/13. Did NOT take to vet this time. We have tried to pay attention to what proceeds the illness. It always seems to follow a period where we have given him jerky treats. We give him one treat, torn into smaller pieces to entice him into his crate. He does not like the crate. He does not get sick each time he is crated, and I've noticed a connection with this treat as opposed to others. The date in the box below is for the most recent incident. Did not go to the vet for this. I am having difficulty with this form. I saved to look for receipt, because I remember I bought it at same time as something else. The form is no longer showing me that part of the entry. I am positive I bought this on June 18th at KMart in Hyattsville, MD 6411 Riggs Road, 20783. I will save the product in case you want it for testing.
Waggin Tail Chicken Jerky treats	Dog	Retriever (unspecified)	4	Months	Male	17	Pound	I gave 2 peices of waggin tail chicken jerky and he threw up all day and night. I didn't give him any more and the vomiting stopped, i took product and returned it. I lost a dog in the dogfood mess a few years ago. So I am very sensitive to foods that make pets sick.

Canyon Creek Ranch Chicken Tenders	Dog	Elkhound - Norwegian Grey	6	Years	Male	45	Pound	Norwegian Elkhound purebred dog was a normal healthy pet, weight was 45- 50 pounds, ate well, slept well with no issues. Within a period of 2- 3 weeks he began regurgitating food, had diahrea and went from 45 - 50 pounds to 35-38 pounds very quickly. Dog was diagnosed with severe, acute kidney failure and had to be put to sleep on July 18, 2012. Three days later I was told of an investigation on several treats which included the ONLY treat I had fed my dog: Canyon Creek Ranch jerky treats purchased at PetSmart in Bainbridge, Ohio. No other changes in diet or circumstances were observed or instituted.
Kingdom Pets Chicken Jerky	Dog	Hovawart	5	Years	Female	55	Pound	Previously very energetic and food motivated dog became first tired and then lost appetite. This period took about four weeks from the time that we had changed the dogs treats to Kingdom Pets Chicken Jerky. Then we noticed diarrhea and even more tiredness. Then came violent vomiting and the dog stopped eating altogether. At this point the dog stopped getting chicken jerky. This period of extreme weakness and vomiting took two weeks. Dog lost 30 pounds of weight. Now the dog is a little better and has started to eat but still urinates and drinks more than usually.
Waggin Train PBJ Biscuits peanut butter flavored biscuits wrapped in chicken jerky.	Dog	Beagle	4	Years	Female	19	Pound	(b) (6) started vomiting, then had diarrhea which turned to blood. She had a fever, was lethargic, wouldn't eat anything or drink anything and constantly shivering. It started quickly, was brought to the Vet, given meds to calm her vomiting. Next day was brought back in, had IV given, x-rays, stayed overnight. She's still there today, she was brought back in this morning. She has anemia per blood work. She's never had a reaction such as this ever. We' praying and hoping she'll recover.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chow Chow	2	Years	Female			On August 14th, 2012, I fed my dog Jade two chicken jerky treats, as stated as the recommended daily feeding amount on the back of the package [Waggin' Train]. Later that night, I found that her stool was runny, like diarrhea, and contained blood. The next two, to three stools were also bloody diarrhea. I thought of the last thing that she ate, and remembered that I had given her the chicken jerky treats. She had never before had this problem prior to eating the treats. I immediately threw away the package of treats. I am continuing to monitor her. She does not appear to be lethargic or in any other way affected, but I am continuing to keep an eye on her for fear that her condition may worsen. Hopefully her bloody stools go back to normal soon.
WAGIN TRAIN JERKI TENDERS	Dog	Hound - Italian	10	Years	Female	21	Pound	LIMP; LISTLESS; DEHYDRATED; DOES NOT WANT TO EAT OR DRINK;NO ENERGY;PAIN CAUSED BY LIGHT TOUCHING.
Waggin Train DUCK Jerky	Dog	Terrier - Yorkshire	12	Years	Female	6	Pound	I started giving (b) (6) Waggin Train DUCK Jerky treats (not chicken because of their allergies). They consumed these treats daily - for about a year. I started giving them this new treat in 2010 when (b) (6) was approx 10 and (b) (6) was approx 9. Then, my sister-in-law sent me a link about the treats from China last year in Sept or Oct 2011 - stating it could cause kidney failure. I had noticed both dogs had started to consume a lot more water. I stopped giving them the treats. Early spring I began to notice (b) (6) was staggering on her back legs - seemed unsteady. I noticed her urine was very clear compared to (b) (6). Then in July, (2012) she went off her food. She was throwing up. I took her to the vet July 18th - blood work indicated Chronic Renal Failure (CRF) and she had lost a pound since February. She was already a small dog (smaller than (b) (6) She weighed 6.0 lbs approx and her normal weight was 7.0 to 7.5. Subcutaneous fluids were administered for six days - blood work indicated her levels were still going up, her eating was sporadic at best. IV fluids for two days - levels still climbing, ate a little, not much. Vet indicated end stage renal failure. I administered subcutaneous fluids at home for two days (July 31-Aug 1 2012) On August 2, her breathing became labored, she couldn't stand. We had to put her to sleep. 2nd dog (to date)(b) (6) had become more lethargic during (b) (6) illness. I thought she was sensing her companion was sick. After (b) (6) was gone, her energy levels seemed to wane even more. I took her to the vet yesterday, August 15th, 2012 - full blood panel done. Chronic Renal Failure - less than a month after (b) (6) diagnosis!! She is currently at the vet on an IV. Her BUN/Creatinine/Phos were all very high. Her prognosis may be a tad better for at least some time left as she is still eating. (b) (6) wasn't eating much when we took her to the vet...

Kingdom Pets Chicken Jerky	Dog	Retriever - Labrador	2	Years	Male	85	Pound	dog given chicken jerky treats for occasional snacks for last 2 weeks. Dog began vomiting, diarrhea with blood. Symptoms continued for 4 days, took dog to vet for treatment. Dog in excellent health, does not associate with other dogs and lives in house and backyard and did not encounter anything that would have caused symptoms. Vet believes Kingdom Pets Chicken Jerky treats were the culprit. Dog receiving medication and appears to be doing better at this point.
Beefeaters Sweet potato Dog Treats	Dog	Retriever - Labrador	6	Years	Male	55	Pound	(b) (6) was given "Beefeater Sweet Potato Treats" and absolutely loved them. We bought them in June. In late June, he started to be a little less energetic but nothing severe so we thought he was just starting to get older. By early July, he was vomiting and having trouble walking. He was diagnosed with full blown kidney disease. (In Decemeber he had blood work done and his kidney function was perfect). (b) (6) also tested positive for Lyme Disease. Two vets said that although kidney disease can be related to Lyme, the onset is more gradual. On August 2nd, (b) (6) was euthanized.
Milo's Kitchen Home-Style Dog Treats	Dog	Mixed (Dog)	11		Male	63	Pound	Dog given "Milo Dog Treats" and became ill with severe diarrhea for over a week. Vet gave medication for a week. Dog got better. Week later gave dog the Milo dog treat brand and diarrhea returned.
Waggin Trail Ham It Up Delicious Ham Slices	Dog	Chinese Crested Dog & Powder Puff with veil coat	20	Months	Male	12	Pound	On August 9, 2012, I gave (b) (6) one piece of Waggin Trail Ham It Up. On August 10, 2012, I noticed that he had not eaten his breakfast and he was very still and lethargic. Again he did not touch a bite of his dinner food. This is a dog that is filled with energy and loves to eat. That night, on the internet, I found a site where a lady had warned everyone not to use the product, that it could make the dogs sick or even death. I immediately discontinued the Waggin Trail Ham It Up treats.
Canyon Creek Ranch Natural Duck Tenders, Waggon Train LLC. Jerky Tenders Duck	Dog	Terrier - Yorkshire	12	Years	Female	7	Pound	She has been getting 1 to 2 pieces of originally chicken jerky and now duck jerky (Canyon Creek Ranch brand and Waggon Train) for at least 2 years. (She is diabetic, but she was diagnosed with this well after she had been eating these treats.) The last three days I have been noticing mainly towards the evening hours loose stools with blood, to the point that I have had to wipe her bottom. I was going to be calling the vet to make an appointment when I noticed posted on their Facebook page a notice about jerky products made in China and adverse reactions that have been occurring. I thought it best I submit a report.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Rottweiler	5	Minutes	Female	33	Pound	Gave single Waggin Train Wholesome Chicken Jerky Tenders treat in the evening. The next morning, (b) (6) did not want to eat or drink or barely move. We immediately took her to the vet where they began immediate IV and told us she was deathly sick and in a lot of abdominal pain. If she did not eat or still had severe pain, the vet assumed she had ingested something. She had fluid in the stomach on x-ray and no gas which is unusual and usually indicates some sort of blockage. The next morning since she was not better, they did surgery, but could not find anything. Thankfully, (b) (6) has recovered (she has staples on her little belly from top to bottom). The vet has concluded in his medical opinion that it was absolutely the treat she was given the night before that made her deathly sick. If we had not taken her to the vet that morning, the vet feels she would have died.

Waggin Train - Wholesome Big Blast Pork Skins with Chicken Liver	Dog	Retriever - Labrador	5	Years	Female	120	Pound	I opened a sealed package of pork skin dog treats filled with Chicken liver, and was about to hand them to my Dogs, when 2 - 3inch long, by 1 inch wide cockroaches fell out of the center of two of the treats. I threw a plate on one of them, and it was smushed beyond saving, but I did manage to spray the other one to save it. It landed on my foot, I have not been able to eat, drink, or sleep since this incident, and I am extremely unsettled by this company. It does come from China, but the main office is in the states. What condition is that plant in to have bugs like THAT? I want that product OFF the shelves and inspected. When you research this company, Waggin Train, they are related to over 100K complaints online, and in forums about their products and causing dog deaths. I am willing to send you what I have, and work with you in anyway that I can. Please let me know how I can help. I will be contacting the Health Department, WalMart, and will try to find an attorney again before I contact the company. Unless you tell me otherwise. I spoke to one attorney, and they told me that they see Dogs as "property"... and not living things, so they were not able to help with consumer law. I will be contacting the ASPCA, HS, and the Any animal rights advocate that I can get a hold of. Please let me know what all you need from me. Thank you!
Healty Hide triple-flavor chews	Dog	Chihuahua	7	Years	Female	14	Pound	Owner purchaed Healty Hide triple-flavor chews (pork, beef and chicken) from Costco Wholestore in Tumwater, WA about a month ago. (b) (6) started having symtoms but owner didn't know what it was caused from. She had no appetite, not normal energy. Se would eat little if owner gave her a new flavor of food. Owner took (b) (6) to vet on August 7 because she stopped eating completely. We noticed a swelling in (b) (6) neck and vet was going to do surgery to see what was going on. Upon doing the pre-op blood work vet found something going on with kidney. She immediately started (b) (6) on antibiotics but she was not responding. (b) (6) kidney numbers were extremely high and vet thought she must have gotten into something toxic. Owner was do a search on internet on kidney failure for dogs and saw the recall information on chicken jerky. At that time owner realized that the treats purchased three weeks prior had this chicken jerky in it made from China. Vet confirmed that this was what was causing (b) (6)symptoms. (b) (6)is currently at home on fluid IV's twice a day by owner and being hand fed by owner so she will eat something. Owner and vet still don't know at this point if (b) (6)will pull through or if she will have to be put to sleep. Tests will be run end of week of August 13
Waggin Train Jerky Tenders	Dog	Shih Tzu	10	Years	Male	22	Pound	He developed liver desease that the Vet said was most likely a result of the Chicken Jerky Treats. He had 2 sonar scans, on pain meds, antibiotics, and probotics. Food was given by syrenge. He did drink water. His state of health was so poor that we all expected him to die. We cared for him, gave him love and nourishment and he started to improve. He is still not 100% but is much better.
canyon creek ranch brand chicken tenders	Dog	Terrier - Jack Russell	20	Months	Female	12	Pound	dog developed franconi type syndrome, elevated kidney and liver function tests. she is ok, and needs to go back for follow up blood work in 6 weeks
Waggin Train Jerky Tenders Natural Chicken Fillets	Dog	Terrier - Yorkshire	5	Years	Female	10	Pound	A lot of vomiting and lethargy off and on recently. I have been giving her Waggin Train chicken jerky treats and I understand they have been making dogs very sick.
Canyon Creek Ranch Chicken Tenders Low Fat	Dog	Siberian Husky	9	Years	Female	65	Pound	She has chronic diarrhea and has been lethargic recently. Have been feeding her Canyon Creek Ranch Chicken Tenders purchased from Petsmart, Nanuet, NY. Label states 2135T027 0101CK1, Best Before May 2014. CA6528, May 2012. Product of China
Milo's Kitchen Home-Style Dog Treats - Chicken Jerky	Dog	Great Dane	2	Years	Female	130	Pound	My name is (b) (6) I reside in the (b) (6) area. I purchased some Milo's Kitchen Chicken Jerky treats on Monday evening (August 6, 2012). I proceeded to give my Great Dane one of the jerky strips. Tuesday came around - I gave her another strip. By Wednesday, she wouldn't eat her food. She didn't eat for a day and a half. Finally, I got her to eat her dog food on Thursday night. By Friday morning - she was having explosive diarrhea. I did some online research to find that numerous consumers have complained about their dogs getting ill - and even dying - from these Chicken Jerky Treats, which are manufactured in China. I have the remaining treats - in their original packaging. I've attached the article I am referring to - for your review. http://newsfeed.time.com/2012/05/23/fda-nearly-1000-pets-sickened-by-china-made-dog-treats
Waggin Train Wholesome chicken ierdy tenders	Dog	Schnauzer - Miniature	14	Years	Female	22	Pound	(b) (6) started vomitting loss of energy no appetite she ended up seeing the vet 2 times and this started immediateley after eattng the chichen treats

Dentley's rawhide sticks wrapped in chicken jerky, Mini Dingo Meat in the Middle! Grill House Bac'n Crisps, Canyon Creek Ranch PBJ peanut butter and chicken jerky	Dog	Chihuahua	2	Years	Female	5.1	Pound	Presented 3/13/12 with 3 day history of vomiting, lethargy and inappetance. Labwork revealed proteinuria and glucosuria, normal BG of 130 and USG of 1.059. On consultation with internist, was asked to question owner about jerky chicken treats from China which the owner had been feeding on a daily basis for months. Patient improved for a few days on supportive care (anti-emetic, antibiotics, fluids, bland diet) then rechecked for recurrence of inappetance and development of PU/PD. She was referred to a specialty hospital where a recheck UA revealed a USG of 1.013, ketonuria, glucosuria, and proteinuria, UPC was 2.4, abdominal ultrasound was unremarkable, and blood pH was 7.2. Patient was diagnosed with proximal renal tubular acidosis following ingestion of jerky treats and hospitalized for two nights for supportive care. Discharged on Cerenia, mirtazapine and potassium supplementation. Recheck a few days later revealed continued isosthenuria and glucosuria. Clinically she was doing better and we discontinued Cerenia and mirtazapine and instituted subcutaneous fluids for the owners to do at home. Recheck a week later revealed the patient to be doing well at home, owners had discontinued all treatments other than bland diet. Bloodwork was unremarkable. UA revealed a USG of 1.048, continued glucosuria and the remainder unremarkable. Urine culture was negative.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Bulldog	6	Years	Female	49	Pound	(b) (6) a 6 year old English Bulldog became sick November 2011 and took her to (b) (6) with what vet said was kidney failure and possible pancreatitis. She was admitted to the hospital for 3 days and then also developed seizures during her hospitalization. She was treated and came home. She never seemed herself after that hospitalization, very listless, decreased appetite and some nausea and vomiting at intervals, but became very ill again in January 2012 with again renal failure and seizures. She stayed in the (b) (6) hospital for 3 days again and was sent home where we gave her intravenous fluids to help her kidneys. She never recovered and we had to have her put to sleep after being home 2 days as she got much worse. I then read about the Waggin Train Chicken Jerky treat concerns after she had already died. Sure enough, I checked my cupboard and there they were. I bought them at I believe Giant Eagle or Walmart and she went through 1 and 1/2 bags between Oct 2011 and January when she died. I still have part of the second bag.
Waggin Train	Dog	Other Canine/dog	9	Years	Male	75	Pound	We gave Milo Waggin Train dog treats for a year several times a day. He was found to have multiple tumors in his bowels and had to be put down. There were no other changes to his diet.
Waggin Train	Dog	Boxer (German Boxer)	7	Months	Male	65	Pound	Gave dogs a new name brand chicken jerky, waggin train, purchased from Target, and within 24 hours 2 of 4 dog became sick, 4 male boxer. 5 year old boxer became lethargic and would stare into space for about a day with no interest or appetite. A few hours later 7 month old boxer had diarrhea with vomiting and the same symptoms as previous boxer. 5 year old seemed to recover and watching 7 month old. He seems a little better. Puppy has not shown any interest or curiosity in anything, even landscapers. definitely not usual. 2 of the 4 boxers seem uninfected.
Waggin Train Jerky Tenders	Dog	Other Canine/dog	10	Months	Female	60	Pound	I noticed that both dogs seemed to intermittently lack energy and acted punky. They are young dogs and normally extremely active have had all thier shots, vet exams, etc. They demonstrated lethargy, lack of appetite, gagging, vomiting, and diarrhea. I feed my dogs a very good diet and have never had any problems with them until I started giving them the occasional dog treats, in the form of Waggin Tails chicken jerky tenders. I thought it might be coincidence that they got better on the days that I didn't give them anything but thier regular food (following the punky episodes). Everytime, I cut back on treats and would get ready to take them to the vet for a check up, within the next day or so, they would be back to their normal activity levels, with increased appetites and normal looking stool. We've been on this cycle for several weeks. I am concerned that this product has caused my dogs to be ill and wonder what damage has been caused by this. Please - recall this product.
Waggin Waggin Tails	Dog	Other Canine/dog	22	Months	Female	70	Pound	I noticed that both dogs seemed to intermittently lack energy and acted punky. They are young dogs and normally extremely active have had all thier shots, vet exams, etc. They demonstrated lethargy, lack of appetite, gagging, vomiting, and diarrhea. I feed my dogs a very good diet and have never had any problems with them until I started giving them the occasional dog treats, in the form of Waggin Tails chicken jerky tenders. I thought it might be coincidence that they got better on the days that I didn't give them anything but thier regular food (following the punky episodes). Everytime, I cut back on treats and would get ready to take them to the vet for a check up, within the next day or so, they would be back to their normal activity levels, with increased appetites and normal looking stool. We've been on this cycle for several weeks. I am concerned that this product has caused my dogs to be ill and wonder what damage has been caused by this. Please - recall this product.
Waggin Train Chicken Jerky, Hartz Crunch and Clean Biscuits	Dog	Chihuahua	6	Years	Male	4	Pound	(b) (6) became ill, had bloody diarrhea, stopped eating and drinking.

Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Akita	3	Years	Female	94	Pound	I gave (b) (6) one chicken jerky treat this morning and later in day she threw up twice. She got so sick she broke a blood vessel in her eye.
Waggin' Train wholesome chicken jerky tenders	Dog	Retriever - Labrador	8	Years	Male	125	Pound	i gave my dog Waggin' Train chicken jerky tenders and for the past couple days he has been sick. He wasn't moving for 2 days, not eating and seemed like he was lost and didn't know what to do (like he was really confused) he also had a fever and a hot dry nose. I saw something about the treats online, about dogs getting sick off them so I stopped giving them to him and now hes getting better.
Wagon' Train by Nestles	Dog	Retriever - Golden	8	Years	Male	75	Pound	Dog was with us at home all day except when we went to neighbors house. Young girl gave him some Waggin" Train chicken treats which had been purchased at Sam's Club in Santa Fe. Our dog was vomiting through out the day and night until there was nothing but yellow bile coming out. Took to his Vet. early next day, and he ended up on an IV all day. Also was given an antacid and anti-biotics. He was in bad shape. Vet was puzzled as we swore he had eaten nothing unusual the day before. After a few days and an \$800 vet bill everything is back to normal. Please do something about this. Thanks, The (b) (6)
waggin'train jerky tenders chicken dog treats	Dog	Shepherd Dog - German	8	Years	Female	84	Pound	Owner purchased and fed the Waggin'Train jerky chicken tenders dog treats on 5/23/2012. (b) (6) become ill with vomiting and diarrhea within the next 2-3 days. Death occured on 5/28/2012. I did not have the oppurtunity to examine or treat (b) (6) prior to or after her demise.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Mountain Dog - Bernese	3	Years	Male	64	Pound	Weight loss noted in April 2012 when a dental cleaning was performed. July 31, 2012 he presented with weight loss of 14.7 pounds, lethargy, inappetance, and foul breath. Bloodwork and urinalysis indicated kidney failure. He was euthanized 2 days after hospitalization with fluid therapy. (b) (6) had been fed Waggin Train Wholesome Chicken Jerky Tenders daily since he was a puppy. He refused to eat them a few weeks prior to July 31.
Waggin Trail Chicken Jerky	Dog	Spaniel - Springer (unspecified)	1		Female	33		Given Waggin Trail Chicken Jerky "treats" has had diarrhea, vomiting and lethargy. Will be having kidney and liver blood panels tomorrow morning. This is a HEALTHY, wonderful rescue baby. She normally has carrots, apples and ONE "Beggin Strip" treat a day. These jerky "treats" were bought as a SPECIAL treat, because of (b) (6) love for her Daddy's beef jerky. Thinking this was a product I could TRUST, since it was bought from the shelf last week, and I checked expiration date, etc. as always, to keep my pet safe; my question is WHY? WHY was I able to buy POISON for my precious animal, off of a store shelf, in AMERICA? Exactly what IS the role of the FDA, if not to protect us? Why is the COMPANY the only one authorized to pull their product from the shelf, when they are KNOWINGLY KILLING PETS? Why exactly do we have an FDA? This is an outrage that this has happened in the USA.
Canyon Creek Ranch Brand Natural Duck Tenders	Dog	Retriever - Labrador	9	Years	Male	80	Pound	On Mother's Day evening we took our dog to the emergency vet because he was very ill. Our regular veterinarian later concluded that our dog had ingested some type of poison due to liver enzyme levels, but we could not determine where the poison came from. It was during this time that I had purchased Canyon Creek Ranch Natural Duck Tenders from our local Petsmart and giving them to my beloved dog. After a few weeks, (b) (6) seemed to improve but never back to his frisky self. A few weeks ago I repurchased the treats and began giving them to him again. Yesterday I rushed him to the vet because he was so lethargic, would not eat or drink and had diarrhea for 4-5 days. They gave him a physical exam and could not determine what would cause his symptoms, but concluded he was dehydrated and pale. Because of our climate in Baton Rouge we thought he was affected by the heat since he goes outside a lot. He came home and 24 hours later does not look any better than he did before. I am VERY convinced that the Canyon Creek dog treats has caused him to be so sick. I strenuously suggest that this matter be looked into.
Waggin Train Chicken Jerky Treat	Dog	Maltese	8	Months	Male	8	Pound	Bllood work was done for neutering. Liver enzymes elevated to a dangerous level. Pet also suffering diarrhea, extreme thirst, moodiness, timidness. Took animal to specialist in Akron, Oh. Vet said not to feed anything from China. Discovered treat I was feeding pets was "Waggin Train Chicken Jerky treats" made in China. Stopped treats. Three weeks later blood level returned to near normal levels. Bowel movements returned to normal.

Waggin Train Jerky Tenders	Dog	Terrier - Yorkshire	2 Months	Female	9 Pound	I would give (b) (6) Waggin' Trains Chicken Jerky Strips as treats. At first there was no problem and she really enjoyed them! Eventually, I started noticing loose stools and she would poop IN the house...I was not aware at that time of what was causing her problem. Eventually, she began vomiting. I was then able to determine what it was that was causing the problem, since one particular night I had to pick up the vomit five different times all over the house off the floor...I immediately stopped feeding her the chicken treats. Her health went back to normal. Normal stools and no more vomiting. I just went to Walmart tonight to pick up some milk bone treats for (b) (6) I just cannot get over all the chicken treats for dogs. These treats are SOOOO dangerous for our pets. Our pets are getting seriously ill and dieing from these treats. These treats need to be pulled off the shelves. They are poisoning our pets (b) (6) I love her like my child. If she would of died from my ignorance for feeding her the poison... There are others like me that weren't so lucky. They have lost their beloved pets...Please, intervene and save these animals lives. We only want to make our pets happy when we give them treats...They don't deserve a death sentence from a treat! And my (b) (6) would vomit from just being fed ONE treat. She would not have eat a lot of them BEFORE she got sick. So, no, it is not from not following the directions of feeding on the package. These treats are truly dangerous to a dogs health...
Waggin Train Chicken jerkey	Dog	Other Canine/dog	8 Years	Male	11 Pound	My dog is a Pomeranian but you don't list that type. I have been feeding him Waggin Train chicken jerky bits as a treat. He has been throwing up and has had high liver numbers. Has spent \$1000's of vet bills. Never thought it was from the treats. Since I have taken him off this treat brand - 2 weeks ago - he is feeling and acting 75% better. I hate it when he is sick! Oh sad is it that I had to continue taking him to the Vets and not finding out why he was sick. If he had died from Waggin Train and the Government knew about China - I would have hated my Government!!! Thank God there are people willing to stick their necks out to tell other fellow Americans, since our very own Government won't protect us or our pets.
Waggin Train Ham it up Delicious Ham Slices	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattedog)	1 Years	Male	50 Pound	We gave the dogs a treat on Sat morning. I gave the smallest dog just a nickle sized portion the other 2 a whole piece. (b) (6) is the middle dog . The other is a Black and tan Coon Hound who weighs about 75 pounds he was not noticeably sick but (b) (6) went into the living room and got sick 2 times with quite large areas it was yellowish liquid with jerky treats in it. He then threw up on the bed. He has a very good appetite and has not touched his food. I do not know if this is from the treats but heard about warnings on the news. My treats were Waggin Train Ham it up lot #1ca6032a exp. 9/26/13.
Canyon creek ranch YAM GOOD duck and yam treats	Dog	Terrier - Australian	12	Female	18	I fed my dogs Canyon Creek Ranch YAM GOOD duck and yam jerky treats on July 17, 2012. I gave each dog one treat and went to work. Wen I returned home there were over 20 vomits all over the house. I immediately threw out the treats knowing that was the ONLY NEW FOOD I HAD INTRODUCED. (b) (6) grew lethargic and sicker. We put her in the vets for a few days where she was observed and xrayed. They found no obstructions. We fed her rice and chicken but her appetite was minimal. Two weeks later she was eating nothing and drinking nothing and vomiting blood. Her lab tests came back with massive kidney failure. Having only one kidney we had to make the decision to put her down. She was a vital member of our family. This is a crime that a food source we trusted can KILL!
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dogs Treats	Dog	Crossbred Canine/dog	4 Years	Male	16 Pound	I purchased Waggin Train Chicken Jerky Tenders, chicken dog treats, at my local Walmart. I fed my dog 1/2 of a jerky on 5 out of 7 days. After 2 consecutive days of eating the treats, he began vomiting each day. After a week my husband and I discussed the vomiting, we determined that these treats were the only thing that had changed in his diet or life. I discontinued feeding the treats to the dog and the vomiting stopped. We also noticed that during the period he was having the treats he often looked as if he were in a daze (a distant stare). This strange behavior also stopped when we discontinued the jerky treats.
Waggin Train Chick Jerky Treats	Dog	Unknown	10 Years	Male	21 Pound	Waggin Train chick treats had just come out and (b) (6) loved his jerky treats. I gave him two or three a day. The day after Labor Day I came home and took him for a walk as usual. We were in the park and I noticed that his pee was very dark. Upon looking closer I saw blood. I brought him home and called the vet. We brought him in the next morning. I received a call that they had given him blood, and he seems to be doing better, but he needed to go to a specialist vet. I took him to the specialist. they kept him overnight. We went to see him the next day. The vet said he hadn't really improved and that with agressive treatment he had a 20% chance of surviving the week. My husband and I both loved (b) (6) very dearly, and did not want him to suffer, so we chose to put him down.

Waggin' Train Chicken Jerky Treats	Dog	Mixed (Dog)	10	Years	Female	42	Pound	Vomiting, loss of appetite and lethargy Regurgitated stomach contents contained undigested pieces of the jerky treats
Canyon Creek Ranch Chicken Yam Good	Dog	Mixed (Dog)	3	Years	Male	10	Pound	After a week of ingesting Canyon Creek Ranch Chicken Yam Good Dog Treats, my dog suffered a seizure. He collapsed on his side and defecated. I called him to me and once again he fell onto his side. When I picked him up, he couldn't hold his head up and started to lose consciousness. After that he began vomiting.
Milo's Kitchen Chicken Jerky treats	Dog	Boxer (German Boxer)	9	Years	Female	63	Pound	I have been giving (b) (6) Milo's Chicken Jerky Treats for the past few months, thinking they were healthy, not realizing they were Chinese made. Since giving her these treats, her BMU and Creatine has increase substantially and she has lost seven pounds in the last five weeks. From five weeks ago when it was last checked, her numbers dupbled and she is now in end stage renal failure. We currently have her in the hospital receiving IV fluids to see if this will pull her through.
Waggin Train Cowboy steaks	Dog	Mixed (Dog)	17	Years	Female	14	Pound	I gave my dog waggin train chicken treats while on a trip to L.A. her health began to decline. Lethargy, loss of appetite, looked depressed, etc. soon dizziness, diarrhea and vomiting-(over all health decline) I feed my dog as usual and then gave her the waggin train chicken treats again when I took them out of my suitcase. Dog began rapid health decline and required immediate emergency hospitalization for days to flush her system, toxins were building up in her body because she was in renal failure and kidneys were shutting down.
waggin train dog bisquits wrapped with chicken	Dog	Terrier - Jack Russell	9	Years	Male	12	Pound	Took to vet and had normal blood tests run and found out there was a liver problem. Vet asked if he was taking any medication or if he had any kind of dog treats. He was not at the time on any kind of medication. Told him that he had Waggin Train dog treats. He let me know then that those where on a recall for liver and other problems. He is saying the treats have caused his liver problem. This was found on 8/1/12.
Milos Kitchen home-style dog treats	Dog	Terrier - Boston	13	Years	Female	35	Pound	(b) (6) started to develop a lot of gas and she looked depressed and uncomfortable. Her excrement got liquidy and very dark and she could not contain it, she also presented episodes of vomit and got very weak to the point that she could hardly walk. I never associated any of this symptoms to the consumption of the chicken jerk since she would only get one every day if so and I kept buying the product for months, all the time I thought everything was related to her age. I stoped giving her the chicken jerk when I watch the report on channel 7 news about it, incredibly my dog has recover a lot since she is not eating this product (Milos Kitchen Chicken Jerk). So sad that by trying to show my dog love I made her suffer.
Milo Kitchen chicken jerky/chicken grillers	Dog	Terrier - Yorkshire	12	Years	Male	12	Pound	(b) (6) gets the runs everytime he eats Milo Kitchen chicken treats. He has always been healthy even at twelve years. Even the vet is suprised at how healthy he was. He hs recently started a hacking cough and having slimy stool with blood. He is completely fine the weeks I dont buy those treats. I never put two and two together until I heard the news. I even tried my own experiment. I stopped giving him the Milo treats for a few months. His hacking stopped no digestion issues. Once I triedthe treats again same symptoms started up again.
Happy Hips Duck Breast, Happy Hips chicken breast	Dog	Dachshund - Miniature	5	Years	Male	12	Pound	My dog began showing symptoms of what seemed to be allergies last year. He began sneezing, excreting ever increasing amounts of mucous from both nostrils, coughing and making what seemed to choking sounds in his throat. The symptoms began last July/Aug 2011 and slowly increased over the past year. We took him to several vets and performed several tests which concluded that he was in good overall health, no viruses, no bacterial infections. Even put a scope camera in his snout. Found nothing. About 2 weeks ago we decided to stop giving him the chicken jerky treats and the change in his health is dramatically improved. It is the only diet change that we have made and can only conclude that the poor health was directly connected.
MILO's Chicken Jerky	Dog	Maltese	8	Years	Male	6	Pound	After eating the chicken jerky for few days the dog stopped eating and did not want to drink water or eat. Was dehydrated and letargic, with nausea and vomiting. Stopped giving the chicken jerky and took him to the emergency room where he was hydrated. No disease found, besides dehydration. Dog started feeling better 8-12 hours after stopping chicken jerky and IV fluids administration. Please, do something with these chicken jerky from China.

Milo's Kitchen Chicken Jerky								I purchase Milo's Kitchen Chicken Jerky 7/29/2012 From Publix near my home. I gave one piece to my dog that evening. The next day I gave about 3 of these treats to her throughout the day. The following morning today 7/31/2012, she acted alittle strange, but I put her in her kennel as I was leaving for work, when I came home from work for my lunch break at 1:30pm, I came home to a horrid site, there was diarrhea looking like black tar all over the entire house (she had broken out of her kennel) which was also full of diarrhea and vomit. She was lying on the floor looking very ill and continuing to vomit. There were about 5 puke spots all over the living room and she continued to vomit 3 times while I was there frantically calling into work to ask for the rest of the day off so I could take her to the vet as this was an emergency she would not stop puking. I rushed her to my vet and they check her vitals which seemed okay they gave her nausea shot, bacteria food supplements and recommended only boiled chicken and rice or their canned food until friday, and if she did not get better to contact them asap. I let the veterinary know the exact product that caused this so hopefully they will get the word out. the vet cost was \$126, also had to immediately rent a rug doctor and disinfectants for all our health totally to about \$100. I'm very upset this one treat caused all this pain to my dog, I have to watch her for the next few days worrying if she will even recovery! but I now see after researching this product online that it has killed dogs with kidney failure, why is this horrible product still on the market! I don't want my family to be hurt anymore my dog is my baby!
Waggin train jerky tenders	Dog	Rottweiler	8	Years	Female	98	Pound	Started having weight loss/decreased muscle mass, thought secondary to aging. Had decreased activity. Elevated creatinine (2.6) found on routine annual exam in March 2012. Creatinine continued to rise (3.7) despite prophylactic antibiotic therapy for pyelonephritis then despite renal diet (4.6). Ultrasounds negative. Workup consistent with protein losing nephropathy of unknown source. Creatinine elevated to 7.7 despite daily infusions of subcutaneous fluid. Continued weight loss, nausea, and lethargy until he refused to eat anything. Euthanized at 86lbs. On June 18, 2012.
Waggin' Train Wholesome Chicken Jerky tenders	Dog	Spaniel (unspecified)	10	Years	Male	28	Pound	I purchased Waggin' Train Chicken Jerky treats for my dog on a Friday, July 20, 2012 from CVS Pharmacy on Main Street Watertown MA. By Saturday morning, he was having a mix of diarrhea and solid bowel movements with blood present. He needed to go out constantly to relieve himself. Sometimes he would only poop out blood. His eyes were dull looking and he was very sluggish and slept. But he still wanted the treats because he was obsessed with them. I fed him on average 2 treats per day which was the recommended amount for his weight of 28 lbs. After 5 days of excessive bowel movements, blood and abnormal behavior I took him to the emergency hospital. They confirmed that they had seen many cases of chicken jerky from China illnesses all exhibiting the same symptoms. They told me to stop giving him the treatments immediately. He received fluids, Metronidazole medication, and dog food. His bill total was \$228.28. I am looking for reimbursement for this amount. After a few days of medication and bland dog food he is beginning to seem more like himself and the excessive tiredness and bleeding have stopped.
Waggin Train Jerky Tenders Dog Treats Chicken, Pet Shoppe Jerky Premium Dog Treats	Dog	Poodle - Standard	8	Years	Male	70	Pound	In May 2012, (b) (6) was being treated for a urinary infection and was on antibiotics. He stopped eating over the course of two weeks altogether. He was dehydrated and hydrated for 24 hours at our vet. He came home and two days later was again not eating and lethargic. I took took him to an emergency animal hospital and was told his was in renal failure. He was in the emergency hospital for 3 days and came home having lost ten pounds.
Loving Pets Vegitopia 100% Natural Vegetable Treats for Dogs Sweet Potato No Additives No Preservatives	Dog	Spaniel - Cocker American	23	Months	Female	17	Pound	I gave my cocker spaniel only two sweet potato treats in the afternoon of July 1. That evening she began vomiting. The next day she had many episodes of diarrhea and vomiting. She was not fed that day. The next day she was vomiting bile and her stool contained traces of blood. At first it did not seem like a huge amount, but as the day progressed the amount and color of the blood increased. My dog was also drinking a lot of water and urinating frequently.
Waggin Train Chicken jerky treats	Dog	Shepherd Dog -	5	Years	Female	85	Pound	Weight loss, vomiting, eating dirt- diagnosis Kidney failure according to blood work.

Dingo DentaSticks (the actual sticks that have chicken in them - red)	Dog	Shepherd Dog - Australian	3 Years	Female	32 Pound	<p>My dog, (b) (6), started to act very tired, wouldn't eat, drank a lot of water, panted excessively, and was very non-energetic. She would even lay down in the street during a walk because she was too exhausted to finish it. She is very young and I was very worried. She then started to eat grass and have spouts of diarrhea. She slept all the time and was very depressed and lethargic. She then stopped eating completely and didn't even want to go out. I started researching online the treats and food I give her and I came across all of these complaints regarding chicken treats made in China. I have always specifically given her DentaSticks made by Dingo, the red and green kinds, and I found out that it is one of the few brands actually MADE in China - NOT DISTRIBUTED.</p> <p>I then found out that I had unknowingly been POISONING MY DOG WITH SALMONELLA BECAUSE OF CHINESE CHICKEN PRODUCTS. It is atrocious that this is happening and that there is no recall. This information is easily accessible and everywhere and all the consumers are told are that the tests were "inconclusive". LET ME SPEAK FOR THOUSANDS OF PEOPLE - THERE IS ABSOLUTELY CONCRETE, CONCLUSIVE PROOF THAT THIS IS A DEADLY ISSUE AND IT SHOULD BE TAKEN AS SUCH.</p> <p>There needs to be a recall IMMEDIATELY for all DINGO Chicken products at the least, if not ALL CHINESE CHICKEN PRODUCTS for DOGS. You are allowing the suffering of these dogs, many DYING, by not putting more attention to this issue and not recalling it. Plausible deniability is UNACCEPTABLE.</p> <p>Please let consumers know of this horrible problem and protect our animals from suffering and death! That is a fiduciary duty that you have for this country, it's consumers, and their pets. Thank you and I hope to see action taken expeditiously.</p> <p>(b) (6)</p>
Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	American Pit Bull Terrier	1 Years	Female		<p>(b) (6) was given two pieces of Milo's Kitchen Chicken Jerky as a treat the night of June 27, 2012. On the morning of June 28, 2012, (b) (6) had a pool of vomit next to her bed. She refused to eat or drink and had a noticeable decrease in energy and engagement. She also had continuous diarrhea throughout the day and wanted to be held (she is 40lbs.). I took her a bath on June 30th and blotches of her golden fur came out in my hand. When I was done rinsing and towel drying, (b) (6) had bold spots on the left side of her body and on her behind. Also her fur turned from golden blond to a sandy blonde color. Her behaviors continued in this pattern over the next several days. I discontinued the jerky treat after the first administration knowing that it was the only new food item that had been introduced to her in the last 6months. To this day, her fur color has not changed back nor has the fur breakage fully repaired itself.</p>
Waggin Train Yam Good Wholesome Chicken Wrapped yams	Dog	Mixed (Dog)	4 Years	Male	20 Pound	<p>Started to loose weight and then developed breathing problems. Took to vet the first time on 07/18/12 and following a thorough exam it was determined that he had "fluid" in his thoracic cavity. A thoracentesis was performed that was grossly bloody with removal of approximately 200mL. He was treated appropriately for poisoning as a precaution with vitamin K1 and started on antibiotics as well. On 07/20/12 he was taken back to the vet due to no improvement. Again chest x-rays were performed that showed no improvement and once again underwent a thoracentesis with removal of approximately the same amount of "bloody fluid" from his thoracic cavity. He was continued on antibiotics, vitamin K1 and now started on Lasix with the hopes of improving his breathing. The following wee, on 07/26/12, he was seen by a second vet who performed an ultrasound of his chest. At this visit it was determined that (b) (6) did not have pericarditis as the pericardium was not dilated and compressing the heart. (b) (6) underwent a third thoracentesis to remove some of the fluid. At this time it was determined that he was no longer actively bleeding in his chest but the "bloody fluid" was clotting and/or clotted. This fluid was sent for cytologic examination; results are pending.</p>
Waggin train wholesome chicken jerky tenders	Dog	Weimaraner	7 Years	Female	75 Pound	<p>Dog has developed kidney disease.</p>
Canyon Creek Ranch Brand Dog Treats	Dog	Great Dane	4 Months	Male	49 Pound	<p>I purchased Canyon Creek Ranch, 4 variety dog treats from PetSmart not quite two weeks ago. Last week, I noted that the dog developed intermittent diarrhea which lasted 3-4 days. Subsequently, all treats were withheld and diarrhea began to decrease. He was then given two or three treats on Saturday, July 28 and developed significant diarrhea within four hours. I also noted that the dog was drinking and urinating excessively. The following day, the dog obedience trainer noted that my puppy had only gained one pound the previous week (his normal weight gain had been around 4 pounds). I told her it was diarrhea caused by some treats that didn't agree with him. With no way of knowing what kind of treats they were, she asked "were they Canyon Creek Ranch brand?" The trainer then informed me that the product was from China and were under FDA investigation. She stated she knew personally of seven dogs in the Kingsport, Tennessee area that had died of kidney failure after consuming these treats. I have not given my puppy any treats since 7/28 and his symptoms have resolved; and I have no doubt that these treats caused his illness. Further, I certain he would either be hospitalized or dead by now if I had continued to give him this tainted product. The product Lot # is 62CA4743A, expiration date 060613</p>

Waggin' Train Dog Treats	Dog	Pug	6	Years	Female	20	Pound	After feeding one Waggin' Train chicken dog treat to my pug per day, after just a few days I started to notice extreme changes in her. Diarrhea, vomiting, extreme lethargy, and a suppressed appetite. I immediately started evaluating what might be wrong. She has had a clean bill of health her entire life and has eaten the same brand of wholesome dog food for most of her life. The ONLY thing we started adding to her diet was one dog treat a day from Waggin' Train. We rushed her to the vet ER once we learned about Waggin' Train and that it could be poisonous and was causing extreme harm and even death in other dogs. We also took a sample of the treat with us. They checked her out and thankfully she was well enough to return home to us later that night. She had only consumed a total of about 6 or 7 treats but I fear what may have happened if she continued to eat these treats. We stopped giving these treats to her immediately and she has been much better ever since.
Kingdom Pets Chicken Jerky	Dog	Poodle (unspecified)	4	Years	Male	21	Pound	W were going camping and my wife just purchased the chicken jerry for Costco. We gave him one piece of jerky that day. with in 4 hours he started he wasn't acting himself. The night before we had just given him Frontline flee & Tick control. So we thought he was have a reaction to that. The next day he seem a little down but he ate his meals. The next day we gave him another treat and he still seemed sluggish and slept a lot. That night he didn't run for his dinner so to perk him up a bit I gave him haff a treat. He did finally eat his dinner. The following morning he didn't eat breakfast. He didn't get any treats except a chew and that evening he ate dinner. He still was sluggish and not acting normaml this went on for aout a week. When we arrived home I gave him a bath and he seemed to be acting a little better. I gave him another half a treat and within an hour he vomitted. After that I stopped giving him any treats and just fed him his regular dog food. He has showed signs of improvement but this AM he didn't eat his morning meal.
Milos Chicken Jerkey	Dog	Crossbred Canine/dog	15	Months	Male	8.6	Pound	Purchased Milos Chicken Jerkey at Petsmart the weekend of April 14. During the next three days (b) (6) ingested 3-4 jerkeys. On the third day (b) (6) began non-stop vomiting. First he vomited food that he had eaten but eventually there was nothing left in his stomach and he began vomiting white foamy liquid. He was very lethargic and would not eat anything we placed in front of him. We took him to the (b) (6) in our city of residence. There he was tested and x-rayed (the vet bill was a total of \$382) for intestinal blockage and parvo virus.
Milo's Kitchen home-style dog treats	Dog	Shepherd Dog - Belgian Groenendael	4	Years	Male	75	Pound	diarrhea for one day after eating one piece of beef jerky from Milo's Kitchen
Milos chicken jerky	Dog	Maltese	9	Years	Female	12	Pound	I took (b) (6) in for a ear infection and I told the vet she is drinking alot and urinating every 2 hours he said watch her and let us know in July how she is doing. She never went in the house prior to this. When I saw the report on the chicken jerky dog treats I send for coupons and purchased a couple bags of Milos dog jerky. We would break small pieces off for both dogs (b) (6) larger. (b) (6) is a Maltese 4.5 lbs but didnt care for hers. (b) (6) gobbled it up. I though a piece got stuck in her throat in june so I stopped giving them to her. I even went to boiled rice and chicken I made to try and help her. She is doing much better since she has been off the treats for 6 weeks but she use to be able to hold her urine 8 hours now its max 4. I would here her panting in the night also and would get up to give her water that has stopped finally. She is stable but not like she use to be. I did not save the bags but I know thats the only one I purchased this year. They normally get small kernals of dog food as treats.
Wagon Train Jerky Tenders	Dog	Schnauzer - Miniature	9	Years	Male	25	Pound	Dog got diarrhea, loss of appetite, constipation, vomiting
Waggin' Train Lassos Pork Skin Chews Wrapped with Chicken Jerky	Dog	Poodle - Miniature	7	Years	Male	18	Pound	My miniature poodle along with toy poodle (neutered female, 6 months old) were given one each of Waggin' Train's Lassos Pork Skin Chews Wrapped with Chicken Jerky. They were chewing them on and off that day and the next morning, both were having a severe diarrhea.

Kingdom Pets Chicken Jerky Premium Dog Treats	Dog	Chihuahua	3 Years	Female	12 Pound	In March of this year a friend of mine gave me a bag of Kingdom Pets chicken jerky dog treats. My dog (b) (6) loved them and usually ate one strip a day as a treat. On April 30, after eating a Kingdom Pets chicken jerky dog treat, (b) (6) became very ill. Within 3-4 hours after consuming the treat she began vomiting multiple times with blood in her vomit. That night she was taken to the vet, had x-rays, and because no obstruction was seen she was given an anti-nausea injection of Cerenia. The days following I returned to the vet for another shot of Cerenia due to her discomfort. She had bloody diarrhea, refused to eat even plain cooked chicken, became extremely lethargic to the point where I had to carry her outside to go to the bathroom and she would have to sit in the grass until she relieved herself because she was too weak to stand. I cannot explain the panic I felt during this time and the distress I felt because the vet couldnt find a cause or explanation. I had never had a pet this sick before and I feared that she was so small she would die. (b) (6) would have bloody diarrhea every hour which lasted for days and all over my home while I was at work. I even took days off of work because I was afraid to leave her alone. Again on May 3, I became extremely alarmed due to her declining health, and took her to an emergency vet again for more x-rays and another injection of Cerenia. She had discomfort for multiple days and had to be treated with Cerenia again on May 6, which at that time I was given multiple doses for her for the following week. During this time she was on a strict diet of boiled chicken and rice(which she did not eat) plain sweet potato (which she did not eat) and even chicken baby food(which she did finally start eating small bites of). Bloody diarrhea and lethargy lasted until May 11. Finally on May 14, two weeks after her initial onset of symptoms, she began to be herself again. I could find nothing around the house or outside to explain what had caused the problem. After slowly getting her back on her regular diet I began treating her with the Kingdom Pets Chicken Jerky dog treats again and have been regularly treating her since that time. After watching the NBC Bay Area News report on Chicken Jerky treats for dogs I have stopped treating her with these treats and decided to file a complaint. All the symptoms indicated were the same as (b) (6) I still have the bag of treats, but will no longer be giving her any kind of jerky treats.
Waggin' Train Country Style Drummettes, Waggin' Train Chik'n Biscuits	Dog	Maltese	5 Years	Male	13 Pound	(b) (6) was being given Waggin Train Chik'n Biscuits and Waggin Train Country Style Drummettes. On January 24, 2012 he fell ill(vomitting, lethargic, tremors, and frequent urination) was taken to the vet and given meds to settle stomach. Was taken to the vet 3 more times after that and recieved more meds for stomach, shot for stomach, meds to increase his appetite, 2 B12 shots in 2 weeks. The whole time he was sick he was still getting these treats because I wasn't aware. The first week in March my son came home from work, said that they recieved a fax at work to pull all (b) (6) treats off the shelf because of sick or dieing dogs due to kidney failure and/or liver failure. I stopped giving them right then. On March 20 he was at death's door so sick and frail. He was in renal failure. He wasn't able to take medication of any sort because he wasn't even eating. He lost 6.8 lbs in 3 weeks. I started feeding him baby food from my fingers and Pedialyte in his water. I then started adding baby food with his food. He is recovering with 9 medications some 2x a day. Will be on them for the rest of his life. And has had numerous vet visits, testing and will have for the rest of his life.
Dogswell Happy Hips Chicken Breast	Dog	Dachshund (unspecified)	4 Minutes	Female	12 Pound	(b) (6) became very sick on 7/22/12. She began having diarrhea and vomiting, which quickly progressed from vomiting food, to vomiting foam, to having vomit and diarrhea containing blood. I had to take her to the emergency veterinarian, where she required intravenous fluids for 24 hours. A definite cause of the illness was not discovered and she was treated symptomatically with de-wormer and an antibiotic/anti-diarrheal medication. She is improving and is nearly fully recovered now (7/29/12).
Waggin Train Chicken jerky treats	Dog	Dachshund - Standard Smooth-haired	20 Months	Female	19 Pound	After feeding the treats for some time, one night she became extremely ill. She was vomiting, diarrhea, urinating, very lethargic, drinking alot and just staring into space. In the morning, she was fine and a week later, these symptoms came back. First thing in the a.m. I called the vet and got her an appt. ASAP. She was diagnosed with high liver enzymes and has been on meds. since. Her #'s keep fluctuating and has to have liver panels checked often.
Waggin Train chicken jerky tenders	Dog	Finnish Lapphund	11 Weeks	Female	20 Pound	(b) (6) developed kidney failure after several months of consuming Walmart's Wagon Train jerky treats. She subsequently perished due to the kidney failure. The vet could find no explanation concerning her development of the disease until we discovered other dogs had had similiar experiences after consuming these products made in China. We strongly believe the FDA is NOT doing enough to warn pet owners of this potential.
Waggin Train Chicken Jerky treats	Dog	Dachshund - Standard Smooth-haired	15 Years	Female	18 Pound	After feeding Waggin Train jerky treats for several months, one day out of nowhere. she started vomiting, diarrhea, urinating everywhere..mostly in the house. She started drinking heavily, was lethargic, and was eating very little. After about a week of these symptoms, one night she went into seizures and never did come out of them. Before we could get out of the house to the emergency vet, she passed away in my girlfriend's arms.

Canyon Creek Ranch Chicken Breast Tenders Snack	Dog	Bolognese	10 Weeks	Male	3 Pound	My puppy was given 1/3 of a small chicken snack treat to chew on for no longer than 1 hour, once per day. Within a couple of hours of getting the jerky treat he would stop eating or playing and only want to sleep. He would urinated almost continuously even while walking or playing or while he was sleeping & started vomiting and having problems with low blood sugar and UTIs. These symptoms have continued even though we stopped giving the treats after we realized they were causing him to act sick whenever he ate them. His health has gotten worse & worse since that first treat was eaten.
Milo's Kitchen Chicken Jerky Treats	Dog	Collie - Border	11 Years	Female	40 Pound	Our dog only like one dog treat. Unfortunately, as an owner I have never seen any warnings about the jerky treats. They sell them in large bulk at Costco and Target and most common stores that the typical dog owner shops at. We gave our dog these jerky treats daily as they are marketed to be good for joints, etc. It wasn't until we had to put our dog down due to kidney failure that I began to research what might have caused her health problem. She had been very healthy until recently. I thought I was giving my dog something healthy. How is the average dog owner suppose to know this is not a good product for dogs?
Canyo Creek Ranch Brand Chicken Tenders	Dog	Spaniel - Springer (unspecified)	12 Years	Female	38 Pound	(b) (6) stopped eating for two days last April and was experiencing diarrhea. I took her to my veterinarian. (b) (6) ordered a blood panel, gave her an injection of Diphenoxatate, and prescribed Mometamax. (b) (6) recovered, but we really didn't know what had caused her symptoms. This week I was in the veterinarian's office again to have (b) (6) groomed and read a notice on his bulletin board about jerky treats made in China that were causing dogs to sicken. As it happens, I've been walking every day with (b) (6) for about a week. When we get home, I give her a treat. She's been experiencing diarrhea again, although her appetite hasn't been affected. Today it discovered that the jerky treats I've been giving (b) (6) are made in China - Canyon Creek Ranch Brand from PetSmart. I suspect that they may be causing (b) (6) symptoms. Of course, I will not give her any more of them.
Milo's Kitchen Chicken Jerky	Dog	Pit Bull	7 Years	Male	75 Pound	I have 2 healthy pitbulls. After giving them Milo's Kitchen Chicken Jerky treats they both became ill. Vomiting and diarrhea. I brought them to the vet and discovered there was and FDA warning about the treats I gave them. Their symptoms have improved since I stopped giving them the treats. I am awaiting their bloodwork results testing their kidney and liver.
Waggin Train Jerky Tenders	Dog	Rottweiler	2 Years	Male	58 Pound	I gave (b) (6) dog one chicken jerky (Waggin Train from Costco) on a Thursday, he was fine. I gave him two more on Saturday (he was fine). Sunday he had two more and he started to get really sick. He had yellow liquid projectile diarrhea, vomiting, no energy, no interest in food (he's usually a total pig where food is concerned) and just seemed really sick. I didn't know it was the treats, I thought maybe he'd eaten something bad out in the woods. but he just stayed that way for four days (didn't eat, yellow diarrhea, vomiting, lethargy). I was getting ready to take him to the vet when it just cleared up and he went back to normal. I never gave him any more of the treats...Then I saw something posted at the grocery store about the jerky treats and it sounded exactly like what happened to boo dog. I threw them away and will never ever buy any chicken jerky again. I thought he was going to die. He doesn't seem to have any long term adverse effects, thankfully.
Milo's Kitchen Chicken Jerky Treats	Dog	Mixed (Dog)	11 Years	Male	30 Pound	(b) (6) was given one chicken jerky strip from a new bag of Milo's Kitchen chicken jerky treats one evening. We had bought the bag at Walmart. The next day around 2:00 I returned home from work to find (b) (6) in his kennel filled with diarrhea and vomit. I opened his kennel door and he ran directly outside to vomit and have more diarrhea for the next hour or so. This chicken jerky was the only thing outside of his normal diet that he was given. He is NEVER fed anything but dog food.
NEW MILO'S KITCHEN HOME STYLE DOG TREATS CHICKEN JERKY 100% REAL	Dog	Spaniel - Cocker American	11 Years	Female	36 Pound	AFTER GIVING CHICKEN JERKEY TREATS, MY DOG VOMITTED FOR A DAY, THEN HAS HAD DIAREAH FOR A WEEK. SHE HAS BEEN TESTED FOR KIDNEY FAILURE AND REALTED PROBLEMS. OTHER THAN THESE TREATS, THERE WAS NO CHANGE AT ALL IN DIET OR TREATS

Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	Corgi - Welsh Pembroke	3	Years	Male	23	Pound	Twelve hours after feeding (b) (6) the Milo's Kitchen Chicken Jerky I noticed that he had urinated on the floor. This is not usual at all. He is completely housetrained. He was not his energetic self. Was having more BMs than usual and they were more soft formed. Also had a minor shake. The following day when I got up he had a loose BM on the floor. Again this is not usual. He is not eating his regular dog food. This is about 32 hours after feeding him the treat. I then called my vet's office, I was unable to talk to my vet due to her being out of the office for the day, but who's vet tech informed me that they have had a "couple dogs come to them with this problem" who had eaten the Milo's Kitchen Chicken Jerky. She told me to monitor him and to bring him in immediately if his condition worsens or changes in anyway. Throughout the day he has been very lethargic and the shakes continue. He also continues to have very loose BMs, and the only food he will eat is a rice and hamburger meal the vet's tech told me to feed him.
Waggin Train - Western Grill	Dog	Schnauzer - Miniature	2	Years	Female	10	Pound	My dog was in perfect health and has always had healthy bowel movements, until I purchased these treats for her. I had purchased similar trats with yam sticks wrapped in a dried jerky. I purchased this product form Wal-Mart as the ingredients appears to be natural with natural preservatives. There was also no indication that anything in this package was manufactured in China. If there was any indication, I would not have fed it to my pet.
waggin train	Dog	Dachshund - Miniature	3	Years	Male	10	Pound	About two months ago purchased (b) (6) the Waggin Train Canyon Creek Yams with chicken jerky wrap. He had some diarrhea and a bit mellow, but he loved them and I didn't think anything of it. I would normally give him baby carrots so for a change on 7/24/12 I picked up more of the Yam Jerky Wrap from Pet Co. Normally I give him half of one once day but yesterday I gave him a hole one which they recommend for his size. The next morning He was vomiting all day. I looked online and found numerous complaints about this is brand from China. I discontinued use and discarded the product. Tonight He did eat his normal food after a while Blue Buffalo which is usually gone instantly. I will keep an eye on him. I hope this helps in your investigation. Regards, (b) (6)
Mellow Mutt	Dog	Dachshund (unspecified)			Male	15	Pound	(b) (6) was diagnosed with kidney failure in May 2012. He was lethargic, not eating, had mucous blood in his stool - always diagnosed as "stress". In May he was diagnosed as having kidney failure. He has been eating these treats for at least four years - started by a friend - He is unable to eat most food - but still eats these treats. A friend was told by her vet that the Vita Kitty treats also made of chicken from China were causing renal problems in her kitten. I immediately informed my vet ((b) (6)).
Waggin Train Wholesome Chicken Jerky Tenders 16oz	Dog	Maltese	4	Years	Mixed Population of Female and Male	10	Pound	Purchases Waggin Train 16oz Wholesome Chicken Jerky Tenders (Lot No: G1CA6114A, SKU 807020444162) from local Walmart on 07/23/12. Gave one treat to each of our four pets - approximately 2-3 hours later one of the dogs vomitted then all proceeded to vomit thereafter (each 2 or more times), two dogs had repeated diarrhea. The packaging of the product states that it only contains Chicken Breast & Vegetable Glycerin but there has to be something else causing this issue. All dogs are still sick two days later and will be taken to the vet if not improved by this afternoon. Please look into this product and there is something causing pet illness.
Waggin' Train Jerky Tenders	Dog	Retriever - Golden			Male			My dog began vomiting and had diarrhea after consuming just 1 large jerky. We had to put him on a chicken (boiled) and rice diet for 10 days before he was better. I did not know about the jerky issue at the time. I am sure there are many other dogs that have reacted as ours did that did not go to the vet. Fortunately for our dog we did not continue to give him the jerky and he is now ok to our knowledge. (dates are approximate as it has been a while)
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	9	Years	Male	60	Pound	Both of our dogs were consuming Waggin Train treats - approximately 3 or 4 treats a week. Following a news report about possible contamination, we stopped feeding them to (b) (6). Approximately 1- 1/2 weeks later - (b) (6) he threw his breakfast and later in the evening, he laid down and died.

Big Blast Wrapped with Chicken	Dog	Shepherd Dog - German	5		Male	69		Wagon Train Rollhide dog treat caused him to vomit more than six times in a 2 day time frame. Lethargic, thirsty, lack of appetite, depressed. This product caused my dog to reaction very poorly.
Waggin Train Jerky Tenders	Dog	Shih Tzu	5	Years	Female	14	Pound	After about a week of eating Waggin Train's Chicken Jerky Treats, (b) (6) became violently ill: vomitting, diarrhea, uncontrolalbe bowels and urine. Luckily, my vet pinpointed the problem (Waggin Train) and I stopped giving them to her. He saved her life.
Milo's Kitchen Chicken Grillers	Dog	Shepherd Dog - Australian	4	Years	Female	25	Pound	Feed the dog (b) (6) Milo's Kitchen Chicken Grillers (which is made by Del Monte). Within two weeks and only giving her 1 (one) treat aday she became sick, vomiting , diarrhea and inactive. She was drinking alot of water and then would vomit it right back up. I took her to the vet first thing in the morining. He ask me if she had eaten chicken treats from China, I said no. I had always checked the label and all others from Milo's were made in the USA so my bad for not looking at the chicken treats. I went home and looked and sure enough made in China took them to the vet and he started treating with iv. She was on this for 2 days. Then on a blan diet for a week and half before retuning to normal food. The company took my complaint and then came to the result that the vet had said this was caused by a diet change and yes it was but their treats were the only diet change she had! They offered me \$160.00 and to sign a release have it notarized and to be amicable and complete resolution of my complaint. I feel this is money so I will not take further action. They should refund my vet bill and take their product off the market. It is dangerous! My dog only eats food which I purchase at the vet's office so I am careful with her food. My mistake for not looking at their label. I trusted the brand which is what they wanted me to do. So I played right into their hands.
Waggin' Train Wholesome Chicken jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	24	Pound	lethargy, wax & wane of appetite, frequent urination, urinating in house, drinking more. Fanconi's Syndrom. patient improved with Iv fluids, and general medical care.
Waggin' Train Wholesome Chicken Jerky*Tenders Chicken Dog Treats	Dog	Mixed (Dog)	4	Years	Male	50	Pound	Two separate times over the past two years (March 2011 and March 2012) (b) (6) became ill with lethargy, vomiting, diarrhea, fever, rapid heart beat, excessive thirst, and the last time severe dehydration. The last time occurred March 23, 2012 and required hospitalization for the dehydration. I am not certain if the first time he became ill (March 2011) was due to the jerky tenders or not, but am convinced this second time (March 2012) is was directly due to the treats.
Purina Waggin Tail chicken jerky treats	Dog	Retriever - Labrador	6	Years	Female	113	Pound	Weight loss of 3 months duration. Started as a gradual measured feeding weight loss program, then suddenly became a rapid weight loss and progressively worse appetite and lethargy. Chronic soft stool. Started after giving Purina Waggin Tail chicken jerky treats. Given the following flavors: Country Steaks-Chicken Jerky; Dried Apple with Chicken Jerky; Yams with Chicken Jerky. Owner started giving the treats 5 weeks before consulting veterinarian about the dog's illness. Owner reports that dog appeared depressed and lethargic after getting the treats. Would recover after several days, then cycle would repeat after getting the treats. Given the treats about once a week. When owner discovered the pattern of illness, they stopped the treats, but the dog continued to deteriorate. Veterinarian called 6/19/2012. Given a history of weght loss of approximately 20 lbs, poor appetite, and lethargy and weakness. Blood tests revealed a BUN 128, creatinine 5.4, Phosporous 12.4, K 5.9, ALP 634. All other chemistries within normal limits. Diagnosis: end stage chronic renal failure.
Waggin Train Wholesome Chicken Jerky Bites	Dog	Mixed (Dog)	8	Months	Male	25	Pound	I fed my dog the Waggin Train Chicken Jerky Bites as a treat for 3 days (about 3-5 treats a day). By the 4th day he began to vomit, became extremely lathargic and wouldn't eat. I brought him to the vet and fortunately, the blood tests showed that he is going to be fine. He is getting better, but is not yet back to his old self. I will most likely so back to vet for more blood tests just to makes sure he is alright.
Waggin Tails--Chicken Jerky	Dog	Mixed (Dog)	6	Years	Female	45	Pound	We have been giving (b) (6) waggin tails ChickenJerky as treats Daily for about 3 months. All of a sudden she seemed to be straining to have a bowel movement. Lasted a few days. Then all of this blood started comming from her anus. we rushed her to the emergency vet here, and she had Colitis they said.

Canyon Creek Ranch Cowboy Steaks-chicken	Dog	Mixed (Dog)	4 Months	Female	4 Pound	<p>The week of June 25th, I purchased these treats for my dogs. I gave the 50 pound dog 3 treats and my 4 pound dog 2 treats. By Friday June 29th, my older dog , 6yr old threw up but I attributed it to the heat or whatever and she seemed to get better. My 4month old puppy got extremely sick with severe diarrhea, lethargy. I started her on fluids through Saturday and by Sunday July 1, 2012 I took her to the ER. They tested her and said that she had colistridium bacteria and sent her home with meds. Monday she was doing worse so I took her to her vet who tested her and said it was parvo. She was placed on IV fluids for 5 days and luckily recovered with a \$900 vet bill. She was so bad that I was thinking of euthanizing her after 4 days of IV.</p> <p>On Sunday July 14, 2012 she was very back to normal, eating, playing and very active, so I gave her one single treat (Canyon Creek Ranch COWboy Steaks-chicken). About 6-7 hours later she was having major diarrhea piles everywhere, running into walls, lethargic, not eating and also drinking a ton of water!!!! Prob about a gallon for her 4 pound body. and continued having diarrhea. I started giving her pedalyte and it finally ran its course all through the next morning and got out of her system.</p> <p>After this second time of giving her these treats it is very apparent that this made her very sick. I took a picture (graphic) of her diarrhea on this day.</p>
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador				All of my dogs began having diarrhea and vomiting, persisted over several days.
Waggin' Train chicken jerky tenders	Dog	Papillon - Spaniel - Continental Toy (with erect ears or				I have been trying to figure out what has been causing my dogs abnormal stool. My dog consumes Waggin' Train chicken jerky tenders, sold by Nestle Purina Pet Care. After almost removing and changing other parts of his diet, this was the only one we did not. After removing this, he began to do a little better. I hope he recovers soon.
Diamond, Waggin Train Jerky Tenders	Dog	Retriever (unspecified)	10 Years	Male	70 Pound	My dogs became sick, throwing up, diarrhea, lethargic, no interest in eating, and dehydration. Came on fast and my oldest dog, (b) (6), was affected fast! He passed away soon after we got him to the vet!! Our vet ran the blood work and tests confirmed kidney failure most likely from ingesting something he ate and because symptoms were from all the animals, highly suggesting it was dog food or treats. We bought a brand new bag of Diamond Pet Foods, chicken & rice, a few days prior to dogs getting sick. The treats they also ate within that time was the Waggin' Train Jerky Tenders! Not sure which one is the possible source of getting all my dogs sick and killing one of them but I'm very upset that my best bud is gone and hopefully I don't lose my other dogs!
Milo's Kitchen Home Style Dog Treats. 100% Real Chicken Jerky	Dog	Pointer (unspecified)	5 Years	Female	48 Pound	<p>My brother was in town and bought her Milo's Chicken Jerky Treats and gave (b) (6) one. She has been throwing up and had diarrhea for 5 days. We are taking her to the vet today. I think she is dehydrated and her overall state is terrible. She is lethargic except for when she has to go out. She runs outside and squats because she is so sick.</p> <p>Just got back from the Vet. (b) (6) is on 3 different types of penicillin to try to correct the bacteria in her intestines. The Vet bill was \$146.73 for the first visit.</p>
Wagon Train Chicken Jerky						On Sunday, March 11, 2012 9 year old Yorkie male started throwing up and then became lethargic. Took him to veterinarian later in the day. He was having kidney failure. They kept him on iv and tried to save him for for days. He was euthanized on Thursday, March 15 due to severe pain, bleeding gums, etc due to kidney failure.
Beefeaters chicken wrapped sweet potatoes	Dog	Other Canine/dog	7 Years	Female	10	My pom had been receiving Beefeaters chicken wrapped sweet potatoes for about a year. She was very lethargic, not eating, vomiting and went into renal failure and had to be euthanized on June 29th. 2012.
Waggin' Train Wholesome Big Blast Pork Skin Twists with Chicken Liver Center	Dog	American Pit Bull Terrier	5 Years	Male	80 Pound	We were giving our dog one 'Waggin' Train Wholesome Big Blast Pork Skin Twists with Chicken Liver Center' every evening. During the next day he would vomit in the house on our carpet and sometimes we noticed that he had diahrea and we could not figure out why. The color of the vomit would be about the same color as the chicken center in the pork twists. I came across some information on the internet about Waggin' Train Chicken Jerky treats that were making dogs sick. We stopped giving the Pork Twists to our dog and he has stopped vomiting and has not had diahrea since. We did not change anything else in his diet so we believe the Twists were the reason he was getting sick. The dates I entered below are only estimates as I am not sure when he started getting sick.

Waggin Train Chicken Jerky	Dog	Dachshund (unspecified)	5	Years	Male	22	Pound	started giving him Waggin train jerky treats that I bought at WalMart and he started losing weight....vomiting and not eating anything. I took him to the vet to see what was wrong with him. Its the only thing new I introduced into his diet. She took a blood sample and said his kidneys were failing. She gave him a shot to stop the vomiting and said to feed him hamburger and rice. Later that week I had to take him to the vet ER to be put on IV because he started vomiting again. It got so bad he was shaking and I was feeding him baby food. As he felt better I gave him another treat that he threw up. I wondered if that was what wasnt making him sick. Then 3 days later I see all this in the papers on chicken jerky treats. I went back to the vet and he is still in kidney failure and Im pissed. Why are these things on the shelves??
Milo's Kitchen Home Style dog treats Chicken Jerky	Dog	Terrier - Jack Russell	18	Months	Male	12	Pound	Feeding "Milo's Kitchen Chicken Jerky" in the morning as a morning treat. The dog started to be not as active as usual. Four days ago he started to have uncontrollable loose stool. Today he had uncontrollable loose stool several times and was throwing up the jerky. He also has not been eating as good as he usually does for the last four days and is very inactive. I just put together what was making him sick this morning when he threw up the jerky. Product number is 2 080HV C, best used by 09/12/13.
Waggin Train Wholesome Chicken Jerky Tenders , Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Retriever - Labrador	11	Years	Male	75	Pound	Dog passed away June 8 2012 due to multiple organ failures, including kidneys. Onset was sudden and had no previous health issues. Dog had been fed routinely WAGON TRAIN WHOLESOME CHICKEN JERKEY, and CANYON CREEK RANCH NATURAL CHICKEN TENDERS.
Waggin Train Fiddlestix	Dog	Dachshund - Standard Smooth-haired	5	Years	Female	23	Pound	(b) (6) loves to chew on rawhides. She particularly loves the Waggin Train Fiddlestix rawhides wrapped with chicken. Unfortunately after eating these over an extended period of time she developed a mystery illness. She began eating grass almost on a daily basis. She then became lethargic and depressed. She eventually began displaying symptoms of nasal discharge, vomiting, diarrhea, increased water consumption, and loss of urine. We took her to the vet and they thought maybe she had parasites. They put her on dewormer. After the deworming she still ate grass on a daily basis and then began a downward spiral. When she began running a fever with chills we took her back to the vet. The vet admitted her and began giving her an IV and treating her with doxycycline. They ran all kinds of tests and they all came back negative. They were stumped as to what caused the illness. They said they might never know but that as long as she improved with the doxycycline we should continue to monitor her and to hope for the best. We took her home and continued the antibiotics. She finished those yesterday, July 18th. She seems to be improving so we thought it was just a fever of unknown origin....until I saw an article that said Waggin Train treats have been making dogs sick. I called my husband and asked him if the treats (b) (6) was eating were manufactured by Waggin Train out of China and he said, "yes." I was shocked and dismayed to learn that this brand is still being sold in this country after making so many dogs sick and that even worse some dogs have died. Fortunately I saw the article and we've stopped the treats. I feel lucky that she is alive, but nervous that she could get sick again and not too happy about the \$1300 vet bill that I incurred because the FDA and this company failed to adequately warn the public about the dangers of these tainted treats manufactured in China.
Milos treats chicken..Waggon trail mix of chicken jerky	Dog	Dachshund - Standard Smooth-	7	Years	Male	32	Pound	(b) (6) started drinking a lot of water about a month ago and urinating a lot..Condition worsened and took to vet as he was throwing up and losing weight (from 32 lbs down to 26 lbs) He spent 11July -14 July 2012 at the vet and died on 14 July 2012 around 0600 in the morning..Had complete organ failure..
Waggin Train Jerky Treats	Dog	Chihuahua	4	Years	Male	13	Pound	I'm sorry maybe I am posting a question to the wrong place. We do feed our animal the snack, however, knowing the problems now we will stop. I saw on MSN that you had conducted a lot of testing on the product and could not find why the animals were getting ill. I am no expert and not even in the medical field. However, I had just read about BPA's being banned in baby bottles and I was wondering if there are BPA's in the plastic packaging that the dog treats come in. I know in my area that the excessive heat could definitely cause problems if the treats were to stay in the packaging in the heat. I do not know the travelling route that the items take going from where they are made to all the destination they are sold, but I was curious if this was a possibility and if this was something that was already tested. I only considered this, as the snack itself was being tested, but if the treat is tested before its put in the packaging or if the treats tested have not been exposed to the heat in the packaging, then maybe the tests would not show this problem. The only other thing I could think of would be the little freshness packets. I don't know if they put them in the treat packaging or not, but sometimes those could contain chemicals. Again, I apologize if this was the wrong place to ask this question or offer this help. Thank you for your time. Warmly, (b) (6)

Waggin' Train Jerky Tenders Freshies Supreme Green dental bones	Dog	American Pit Bull Terrier	10	Years	Female	75	Pound	My dog was given treats of various kind that were manufactured by WAGGIN' TRAIN. She had started to lose weight and was no longer able to hold down food or water, she became listless and no longer wanted to go for walks. The vet did the necessary blood work and like he had expected her Kidney's were failing and gave her 3-5 days to live. So I put her down. I own two other dogs, one her mother and the other her sibling, both of which have never received these treats as that is the only difference in diet and they are both in perfect health.
Wagon Train Chicken Jerky Treats								We had a wonderful healthy male dog that moved with us last May from California to Michigan. We had him checked for his health and well being to make a move from our veterinarian in California. He checked out healthy and had all shots up to date. We arrived in Michigan and in just a couple days he became very ill. Vomiting, diahhera, coughing and made loud sounds of pain. We had been giving him Wagon Train chicken jerky treats that he had been eating for a length of time. I rushed him to the emergency veterinarian facility and when we arrived, it was too late to save him. He had went downhill that fast. No one could imagine or believe knowing (b) (6) that he died that fast. To this day, I still cannot get over my losing him. I cry thinking about it. He had not a chance and it wasn't fair that he was taken from us. I know by reading all the fatalities of other dogs who have died from eating the chicken jerky treats, that is what took my (b) (6).
Waggin Trail Jerky tenders	Dog	Chihuahua	6	Years	Male	7.5	Pound	i am not sure how soon after he started to present symptoms but i noticed it within a day with his stool. it was soft and with mucus. it progresed to vomit and he became lethargic. i became alarmed when his stool presented blood. 6/28 stool watery mucos and blood. vomit took to vet. 6/29 doctor changed to soft food diet only and meds. all is normal. 6/30 meds normal one poop. 7/1 meds poop 1 normal 2 big and normal 3 mucus with a bit of blood. 7/2 food meds poop ok 7/3 meds and poop ok . last day of treatment. 7/4 all ok normal 7/5 all ok gave treat 7/6 all ok gave treat 7/7 pooped yellow mucus with grass and later mucus with blood no treat 7/8 no treat all ok 7/9 no treat all ok 7/10-13 no treats traces of blood in stool hard stool 7/14 no more blood in stool food undigested being thrown up 7/15 all ok 7/16 all ok 7/17 threw up food undigested 7/18-19 al is well.
Canyon Creek Ranch Jerky treats, Milos Chicken Jerky	Dog	Retriever - Golden	12	Years	Male	87	Pound	wouldn't eat. threw up a couple times. had diarrhea. very tired. panting excessively
waggin trail chicken jerky treats	Dog	Terrier - Yorkshire	7	Years	Male	18	Pound	At approximately 4 years of age our dog was given the waggin trail jerky treats daily for approximately 3 years, perhaps longer however it was at least three years. The dog began having bloody stool and was immediately taken to the vet. An X-ray of his liver revealed his liver was twice the normal size it was supposed to be. His diet was changed to a special medicated diet and his treats were terminated. He has not shown the symptoms since the treats were stopped. His records are maintained at the vet in (b) (6) and would welcome any investigative agency to view the records. I am hoping we caught this in time.
milos jerky, waggin tails jerky	Dog	Chihuahua	##	Years	Mixed Population of Female and Male	14	Pound	all 5 of my dogs had vomiting and bloody stools excessive thirst and fevers loss of appetite apathy my dogs are 13 yr old chihuahua 14 lbs, 8 yr old snauzcher 22 lbs, 7 yr old german shepard 144 lbs, 3 yr old mixed breed 49 lbs, and a 2 yr old boston terrier 16 lbs i bought 2 packs per week of various sizes mainly large ones products were waggin tails jerky, milos jerky and one other brand of jerky plus organic dog biscuits now all they get is the dog biscuits and carrots or green beans they had problems with dry purina dog food so now they eat only pedigree dry foods plus petigree canned foods as a weekly treat

Waggin Train Jerky Tenders	Dog	Dachshund - Standard Wire-haired	5	Years	Female	22	Pound	(b) (6) stated acting like she could not get settled at bedtime she pottied on the floor and prowled all night took her to vet that morning and they told me she had eaten something toxic maybe antifreeze. We have no antifreeze anywhere aound our house. Blood work showed her kidneys and liver were shutting down. They started IV's to flush them out and about 5hrs later she was gone. (b) (6) was my baby and this has upset me so bad not knowing what killed her now to think it might have been the treats she loved every morning kills my soul.
Dingo Chicken Wraps	Dog	Terrier - Yorkshire	7	Years	Male	12	Pound	(b) (6) started vomiting and became very listless. I took him to his vet. They started him on IVs. Said he was having a pancreatic attack. He stayed in hospital 3 days and I would visit. 1st day he did look better, second day not. On the third day they called me to come say goodbye. His kidneys were failing and he died within the hour. He had the chicken treat products. The vet said he had gotten too much protein in his diet and that is what caused the pancreatic attack. But he was on his regular diet except for the treats.
Waggin Train Chicken Jerky Tenders	Dog	Collie - Rough-haired	10	Years	Male	109	Pound	In early spring 2011, (b) (6) developed a sore on his lip and gum region. It progressed and we took him to a vet on reference in March 2011. After a biopsy, it was diagnosed as oral cancer. It progressed and we went to our long-time vet in (b) (6). She examined him, did biopsies and when the results came back, the cancer was into the jaw bone and the aggressive surgery recommended would have left him with half a jaw and very debiitated. In May of 2011, we had to put him to sleep. I struggled with what could have been the cause of this; he and our other dog were healthy, happy and well-cared for. When I heard about the complaints of dogs being sick and some dying from the chicken treats by Waggin Train chicken jerky treats, I was totally convinced that was the cause of (b) (6) cancer. That was his favorite treat - usually 2 in the morning and 2 in the evening. Would hope the FDA looks long and hard at the greed that promotes profit over any consideration for safety when it comes to these products. My prayer would be no dog suffer like our (b) (6), and those responsible for such lax practices lose trade privileges....CHINA!
Waggin Train Jerky Tenders	Dog	Griffon - Brussels	3		Female	25	Pound	Waggin Train chicken jerky was her primary treat. Started to see blood in her urine. Took her to (b) (6) for urinalysis and ultra sound. She had numerous kidney stones. Too many to dissolve. She had to have surgery to remove them all. I attribute this kidney problem to the chicken jerky.
WAGGIN TRAIN	Dog	Collie - Border		Months	Female			I had been giving (b) (6) treats from China on a daily basis as she loved them, i.e., the waggin tail stuff, and she went from well to organ failure(vet said kidney failure) and she never recovered though I had her treated, and she died within 90 days. She was not a young pup but she was healthy and went down fast. I knew something had happened, but did not know what. I recommend no treats at all unless one can know exactly what is in them, and I never will buy anything that comes from China EVER AGAIN!!
Waggin Trains	Dog	Shih Tzu	11	Years	Male	17	Pound	I had given my dog Waggin Train duck jerky in this past with no problems. I gave him chicken jerky and within minutes he starting throwing it up then for several hours continued with dry heaves. So I'm thinking...I'll give him Waggin Train duck jerky, no problems with it but ...same thing happened with the duck jerky. To this day, he will no longer eat any thing poultry and it's been 6 months since his upset stomach issues. He's a hearty eater and not picky. I thought he may have developed some type of allergy or problem digesting poultry until I saw reports about Waggin Trains about 4 months ago. I do believe (b) (6) issues are related to Waggin Trails. I now only feed him Blue Buffalo products and hope they are safe.
Wagginç Train chicken jerky tenders	Dog	Mixed (Dog)	3	Years	Male	35	Pound	After eating the dried chicken jerky made by wagon trail-purchased from walmart or hanoford, he became extreamly listless, diareaha and did not want to eat; lower abdomen tender. this lasted approx. 1.5wks to 2.5wks. He had only a couple of pieces and had had this item before without any problem. I immed. stopped any further treats, started treating for the diaherria.
Waggin' Train Chik'n Biscuits	Dog	Boxer (German			Female			Pet Vomiting, lethargic. Blood work shows azotemia-kidney failure.
Waggin' Train Jerky Tenders	Dog	Greyhound - Italian	13	Years	Male	21	Pound	I believe this product contributed to the decline of health (and death) of my Italian Greyhound. He was healthy prior to eating these treats. After he ate these treats for a number of years, he developed cancerous cysts and cancer throughout his body to include: prostate, liver, and bladder. He eventually was euthanized because the cancerous tumors in his bladder and prostate blocked his urethra, prohibiting his ability to urinate. I still have an unopened pack of the treats that I quit giving him when I found out about the issues with the jerky.

Waggin' Train Jerky Tenders	Dog	American Pit Bull Terrier	6	Years	Male	70	Pound	(b) (6) had received chicken jerky treats as a treat periodically up until his unexpected death. Over the period of one day he started acting sick. I took him to the vet and he had to be euthanized because he was in acute kidney failure. Up until this time he had been extremely healthy. His tissue was sent away to rule out antifreeze poisoning since this happened in the winter. The test results came back negative for antifreeze. This occurred in early 2010.
Waggin' Train Jerky Tenders	Dog	Terrier - Rat	8	Years	Male	10	Pound	After giving (b) (6) about 3 bags of Chicken and Duck jerky teats (16 oz size) he began shedding hair a lot and his poop was runny and frequent and he vomited a few times. His energy level was down.
Waggin' Train Chicken Jerky Tenders	Dog	Dachshund (unspecified)	13	Years	Female	20	Pound	Drinking alot of water, bloated at times, decrease in activity, vomitting, diarrhea off and on. Was put on antibiotics for 30 days became weaker, loss hair to her skin over her complete back area. Went to second vet decided to euthanize.
Waggin Trails	Dog	Terrier - Yorkshire	8	Years	Male	6	Pound	(b) (6) was a rescue. He was found with almost no teeth and what he had were abscessed, his hair was thin, and he was definitely malnutrition. I got him in February 2008 and brought him back to health. All teeth were removed, he was neutered, and hair growing back in. His hair was shiny and eyes were bright. Very energetic dog with lots of life. Shortly before getting married he started to loose appetite. I gave him a bland chicken and rice diet, but maintained allowing him to have Waggin Jerky since they were soft and he would eat that. I woke up on November 2, 2009 to him having bloody stools and vomited all over the house. I took him to vet and later found out that he had kidney failure. I opted to have him euthanized. Prior to that he had just had a check up 3 months prior to giving him those treats and was in good health. I wish I knew these treats could have possibly been the cause... I now cook for my dogs.
Waggin Train Jerky Tenders	Dog	Terrier - Yorkshire	11	Years	Male	7	Pound	He got sick on Sunday night Dec. 18th, 2011. Took him to the doctor on the 19th. Had a very high fever, doctor gave him a shot of antibiotics, he passed away at 4am on December 20th.
Waggin Train Jerky Tenders								I am convinced that the Chicken jerky strips from China caused the illness and subsequent death of my 11 year old pit mix, (b) (6). She experienced bloody diarrhea, vomiting and in then end kidney/heart failure. She died June 18, 2010. Of course I no longer buy them for my other dogs...but she was my baby and she suffered terribly. I know the report says they can't find anything significant...but please keep on looking....maybe too many causes something or the way they're processed...
Chuck Wagon Chicken Jerky Treats	Dog	Retriever - Golden	14	Years	Female	85	Pound	She began having blood in her urine, increased urgency to urinate, loose bowel movements with a mucas consistency and very weak. Vet would give antibiotics - problem would clear up for a couple of weeks and then come back. Did tests on urine samples - came back with numerous types of bacteria. After this occurring several times over a 6-8 month period vet sent her to the University of Illinois for further testing. They placed her on antibiotics for 8 weeks thinking she was just not on them for a long enough period of time. This also did not work, as soon as she was off of them for about three weeks smyptoms came back. Began reading articles about the chicken jerky treats causing deaths and illness in other dogs. (b) (6) had been given the Chuck Wagon brand chicken jerky treats for about 9 months. We stopped the treats in February and the difference in her was amazing. She began being more alert and active after the first two days. She had mild smyptoms at the end of March and was given antibiotics for 10 days. She has not had any more problems since.
Waggin Train Jerky Tenders	Dog	Coonhound - Black and Tan	10	Years	Female	85	Pound	Our dog seemed fine although she had been slowing down as she was getting older. We had purchased and given her the Waggin Trail Jerky Treats often and then stopped because she didn't seem to enjoy them like she had in the past. Approximately the beginning of May of 2012 we purchased a bag of the jerky treats from Sam's Club in Onalaska WI and started giving her the treats again. A could days before we left on vacation (May 16th) she didn't seem like herself. After we left our son called us and was very concerned about her. We told him to make an appointment and take her to the Vet. He took her I believe it was on Friday May 18th - she was diagkidney failure, problems with her liver and thyroid and they claimed she had a mass in her abdomen. She completely stopped eating on Thursday May 24th and we had to have her put to sleep on May 29, 2012. I believe the treats could have had everything to do with her sudden illness and early death.
Waggin Train	Dog	Boxer (German Boxer)	3	Years	Female	50	Pound	My dog suffered greatly after eating these treats I purchased at TJ Maxx. My dog experienced severe diarrhea, lose bowel, vomitting, no appetite or desire for water, lethargic (until and (b) (6) I know). It was terrible and she was this way for a week or two.
milos kitchen home style dog treats chicken jerky	Dog	Retriever - Labrador	6	Years	Male	90	Pound	Dog has been throwing up his food for 4 or 5 days

Waggin Trail Jerky Treats (Chicken)	Dog	Schnauzer - Miniature	5	Years	Female	19	Pound	My dog would receive one chicken jerky treat for a day or two and there would be several days before she would have the treat again. There were no side effects. My husband began giving her one treat a day over a week and a half and we noticed that her appetite dropped and she was having diarrhea. We realized the only thing that had changed in her diet was the increase of the Waggin Trail Chicken jerky treats. After we stopped giving her the treats, the diarrhea stopped and her appetite returned.
Milo's Kitchen Chicken Jerky	Dog	Akita	1	Years	Male	80	Pound	I purchased Milo's Kitchen chicken jerky dog treats for my Akita at Target, and after only giving him two treats I noticed that after each time he would throw up, act listless and would not eat. After the second time I looked online at the symptoms and found the details of the Chinese factories making this type of dog treat. I immediately stopped feeding him the treats and after a week he was acting normal again. I did not return the treats to the store, I threw them away.
WAGGIN TRAIN CHICKEN DOG TREATS	Dog	Pug	3	Years	Female	17	Pound	AFTER FEEDING DOG "WAGGIN TRAIN" CHICKEN TENDERS AFTER HER WEEKLY BATH (THE ONLY TIME SHE GETS THAT TREAT) SHE BECAME VERY LETHARGIC AFTER A SHORT TIME. EPOSODE LASTED THAT DAY INTO THE NEXT DAY. SHE SLOWLY GOT BACK TO HER USUAL ENERGETIC SELF ON THE SECOND DAY. THE SITUATION HAPPENED TWICE.
Waggin' Train chicken jerky tenders	Dog	Other Canine/dog	10	Years	Female	14	Pound	I have given my dog small amounts of Waggin' Train chicken jerky tenders, sold by Nestle Purina Pet Care on several occasions over the past year and on each occasion the next day she developed severe diarrhea and became very lethargic for a couple days thereafter. I have since stopped giving these treats to my dog and have discard all the packages.
Waggin Train Jerky Tenders	Dog	Terrier - Irish Soft-coated Wheaten	3	Years	Male	60	Pound	(b) (6) started becoming lethargic and drinking more and then he had diarrhea and began to vomit. He was in extreme abdominal pain and could not lay or sit. This all happened in a matter of days. When we got him in the vet the following morning, he lived through the night but died the next day, Sept of 2011. He had all the signs of bening poisoned. Our vet said he bled to death. My husband and I were always with him. He could not of gotten into anything. I bought the Waggin Train Chicke Jerky Treats at Sam's Club and he really liked them. When I opened the bag he was eating at the time of death I noticed a more potent odor coming from the bag. Those treats don't smell good to start with so I didn't give it much thought. It wasn't until I heard the FDA report in November 2011 that I put 2 and 2 together. We had just gotten a rescue dog and he was eating these treats also. We noticed some diarrhea starting and that day my husband say the article and we stopped feeding the new dog these treats. We now even suspect that our black lab (b) (6) who died in Feb 2010 might have been sickened by these treats. He was allergic to beef, so I he loved the chicken jerky. He has the same symptoms as (b) (6) when he died. Vomiting, Diarrhea and almost stroke like symptoms in about 3 days. (b) (6) was 10 years old and 150 lbs. We just thought it was his time even though he appeared to be very healthy for his age. My husband and I love out pets and treat them like family. (b) (6) death so soon after losing (b) (6) was devastating to both of us. If it was something we fed them that killed our babies, I want to be able to prevent others from going through this pain. It is too much of a coincidence that this happened to both our dogs like this and after reading the reports of others- ours is too similar to the others. Something in the treats has to be causing this.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Shepherd Dog - German	9	Years	Male	88	Pound	Used as treats for dog. After several days dog became listless and stopped eating. We took him to the vet and his temperature was 105 degrees. Vet put him on antibiotics and steroids. He seemed slightly better the next evening but by the following morning he couldn't hardly walk. We left him for a couple of hours planning to take him back to vet that afternoon. When we returned the dog had died.
Waggin' Trails Jerky Treats/Chicken	Dog	Shepherd Dog -	3	Years	Male	110	Pound	A few days after giving (b) (6) one treat daily he started to have severe diahrea and vomiting.
DINGO ORIGINAL RAWHIDE BONE MINIS - 7PK	Dog	Bichon Frise	1	Years	Female	12	Pound	Our dog (b) (6) has been throwing up for two days (started 7/18/12). She is lethagic and will not eat. I purchased a pack of 7 Dingo brand bones at our local Fred Meyer store on 7/15/12. (b) (6) eats a Dingo bone every night (not 7/18/12 as she was too sick). She went to the vet on 7/10/12 and was given a clean bill of health.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Poodle - Miniature			Female			My dogs were fed these treats for the past 2-3 years (b) (6) my oldest dog out of the blue develped a severe kidney infection when she had been in previous excellent health. Every attempt and every medication given to her by my long time vet failed. Even hospitalization and kidney hydration. It resulted in her death 12 days later, March 29th 2012

Waggin Train Chicken Jerky Strips	Dog	Spaniel - Cocker American	12	Years	Male	44	Pound	I had been giving (b) (6) Waggin Train Chicken treats for years. In February of 2012 he suddenly became ill. He had sudden onset diabetes. I do not know if the treats are what caused this but I have read that there are many reports of kidney failure. Maybe that led to his diabetes and ultimate death. I think further investigations should be conducted. I think that vets should have to report what animals die from so that this sort of thing can be tracked. RIP (b) (6)
Waggon Train Chicken Jerky Treats	Dog	Dachshund - Miniature	8	Years	Female	20	Pound	I noticed that my dog began drinking unusual amounts of water. I thought perhaps she was showing signs of diabetes. I began to closely observe her and discovered over a period of three days that whenever she was given Waggon Train chicken jerky treats, she would drink an entire bowl of water at various times during the day. I stopped giving her the jerky treats and within one day she began consuming a normal amount of water. I have another dog, her brother, and he didn't display any signs of excessive thirst. They were both given treats in the same amount and same time. I sent a note to the company to state my observation and returned the bag to Costco, the place of purchase. This occurred early November, 2011.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Pointing Dog Italian	3	Years	Male	85	Pound	Each time I gave him a chicken Jerky treat, which I purchased at Sam's Wholesale, he would vomit and/or have diarrhea.
Waggin Train Jerky Treats	Dog	Beagle	13	Years	Female	32	Pound	Lethargy, vomiting after eating Waggin Train jerky treats 2 x, stopped after discontinuation of feeding
Waggin Train chicken jerky treats	Dog	Chihuahua	5	Years	Female	6	Pound	(b) (6) had become very lethargic, would not play or eat and did not want her favorite treat. We took her to the vet for them to run test on her to be told she was in kidney failure and would probably not survive. We were asked if she had been given grapes the answer was no.
Waggin' Trail Jerky Strips	Dog	Pointing Dog German Short-haired	8	Years	Male	180	Pound	October of 2011 our Dog, (b) (6) had a seizure, it was approx 10:15 pm. He had never had a seizure before. We thought he was choking on something. We rushed him to the animal hospital. They took tests. The outcome showed his liver enzymes are too high. He had 2 more seizures within 3 to 4 hrs apart. It was devastating to see our pet go thru this. We bought a "Household veterinary book" and spent hours looking for a possible cause to why his enzymes are too high. We can seem to control his seizures mostly with P. Bromide.
Waggin Train Chicken Jerky Tenders.	Dog	Spitz - German Pomeranian	9	Years	Male	11	Pound	On November, 2011, I had purchased Waggin Train Chicken Jerky Tenders at Walmart. Had given the treat to my Pomeranian, on November 6, 2011. After that day the dog started to have diarrhea, nausea, shaky, dizziness will not eat or drink anything. On November 7, 2011, I had took the the dog to the Veterinary Hospital. The Vet have ordered and done X-Rays and Blood test on the dog. The results came back showing both kidneys had shut down and the blood test shown there he was poisoned .
Waggin' Train jerky tenders	Dog	Mixed (Dog)	12	Years	Female	113	Pound	Two days after giving my dog Waggin' Train jerky treats, she became violently ill. She had severe diahrea and was vomiting profusely. She was very weak and lethargic. She always had a good appetite but now started leaving her food and would eat very little.
Waggin Train Chicken Treats Waggin Train Chicken Biscuits								Our Jack Russell terrier has been given the Wagon Train Chicken treats for about two years. Over the past six months the dog has had a very bad cough along with trying to "hack" up nothing. He also is very much lithargic and doesnt want to do anything. These treats have always been purchased at WalMart or Sam's Club.
Wagon treats chicken jerky treats								bought wagon train chicken jerky for my great dane. He had been eating them for about a year. suddenly one day he couldn't get up. A vet came to my home, did tests, lab work, x-rays and a checkup of my dog. The next day she called me saying that his blood level was off the charts, and that his kidneys had failed. He was 7 years old, very healthy, and no physcial problems. We had read on the package that these jerkey treats were made in china. My wife and I discussed if we should continue feeding our dog these treats. We continued feeding my dog these treats up until he got very very sick. After we put him down, I did some research on the internet about dogs who have suddenly died from kidney failure. I was shocked to find out that many dogs had died feeding their dogs wagon train chicken jerky made in china. I went to Sams Club and told them of the many problems with wagon train chicken jerky treats. I was given a courtous thank you and they are still selling these treats. In my heart, I believe that these treats were the main reason my Great Dane died. These treats need to be removed from the stores until the FDA has found the problem to these treats. They're a ticking time bomb waiting to happen to pet owners who know nothing about this problem until it's too late and their dog(s) die from these treats.

Waggin Train Chicken Jerky Treats	Dog	Terrier - Jack Russell	8	Years	Mixed Population of Female and Male	20	Pound	I was "dog-sitting" 2 frequent-staying dogs, and gave them Waggin Train chicken jerky treats. Each of the dogs had varying degrees of diarrhea and vomiting, for about 24-36 hours. No other symptoms were noted. My own dog, the Jack Russell Terrier, had the jerky treats on 2 occasions. She had similar symptoms, plus lethargy for 2-3 days. I immediately discarded the treats upon hearing the information, but thought it important to record this info and pass it along.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	9	Years	Female	55	Pound	I gave my dog a Waggin Train Chicken Jerky Treat and she threw up. She threw up a lot! She was subdued and quiet after. I didn't know about the warning at that time or I would have taken her to the vet. I did some research, found out about all the other dogs getting sickened and went back to WalMart in Lihue, Kauai where I bought these treats. They are still being sold there. I spoke with the manager of the store and let him know that dogs are getting sick from the Waggin Train Chicken Jerky Treats and they should not be sold anymore. He said he would look into it. I just don't want any other dogs to get sick or to die.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	13	Years	Male	160	Pound	About 2 years ago I have switched from all other treats to what I thought would be more healthy for both of my dogs, the chicken tenders, which were bought at Costco & Sam's Club (I still have receipts of said purchases.) (b) (6) started having kidney problems and was being tested every half a year but could never find anything more conclusive and the vet costs and the hospital admission/analysis were cost prohibitive. (b) (6) started losing weight and started having seizures so bad that he had to be put down. Vet said it would take about 2 weeks for anti-seizure meds to work and that he would not make it that long. (b) (6) was put down on March 10, 2011. (b) (6), who's was 10 years old, and (b) (6) brother, started losing weight and developed severe nosebleeds. He's lost so much blood, that the ER vet said he would need a transfusion before the testing, during testing and after. Had to be put down.
Waggin Train Chicken Jerky Tenders	Dog	Great Dane	4	Years	Female	150	Pound	3 evenings in a row, and after our nightly walk, we gave (b) (6), 2 apiece, Wagon Train Chicken tenders treat for a good walk. On the 3rd night, (b) (6) began throwing up and had a massive potty accident in the house. (in 4yrs, she's never done that) At that point she became disoriented, drooling uncontrollably, unable to walk without help, no food or water intake for 8 days. We had to force feed water, rice and her meds. She has lost 20 pounds. Blood in her urine and she also lost her voice. 3 emergency trips to the vet, 4 medications, continue to force feed, and just wait and hope for the best. Vet said she was most likely poisoned by something she ate. Our yard is enclosed and (b) (6) only leaves the yard with us, on a leash. She went downhill fast after eating the Wagon Train Chicken treats. Vet says, if she had been smaller, she would of already been dead! Can't these products be pulled from shelves until testing is complete? This issue is certainly not over, far from it. My first concern is, keeping my dog alive, and hopefully with no long term damage to her body or her brain. My second concern, what's going to be done about this? I am fighting mad and hurt for all those pet owners who have already lost their pets or, like myself, struggling to keep mine alive.
Waggin Train -- Chicken Jerky	Dog	Chihuahua	7	Years	Male	10	Pound	Diarrhea and bloody stools, lethargic after eating chicken jerky treats. Stools came out runny and yellow. I purchased these packages from Costco because they offered discounted volume. I've noticed that Dogs had a pattern of getting runny stools after every treat so I stopped giving it to them
Wagon Train Chicken Jerky and Chicken Biscuits	Dog	Lhasa Apso	7	Years	Male	22	Pound	After eating Wagon Train dog treats (Chicken and Biscuits and the Jerky Tenders), my dog became violently ill - vomiting, diarrhea, severe dehydration. The vet had to keep him for several hours, put him on an IV, prescribed En Formula dog food, Metronidazole and Cerenia Tabs. Bill was almost \$500. According to my vet, had I waited to get him there, I would have lost him. Vet asked me at the time if I had changed any of his food or treats. Wagon Train is the only treats I had switched to. I have since taken him off of all Wagon Train dog treats and although he still has occasional bloody urine, he is much better.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	4	Years	Male	24	Pound	Gave him Waggin Train treats approx 1 to 2 times a day--after about 2 weeks, he started having diarrhea during the day.
health promise Waggin Train dog treats	Dog	Retriever - Labrador	5	Years	Female	7	Pound	dogs became sick after eating treats about 1hour. They had upset stomachs throwing up, diarrhea, and exremely dopperie tried and withdrawn. Dogs could not keep water down.

Dingo jerky chewz - chicken chips	Dog	Terrier - West	10	Years	Male	22	Pound	violent diarrhea after eating Dingo chicken jerky
Waggin Train Chicken Jerky	Dog	Terrier - Jack Russell	9	Years	Male	15	Pound	Gave dog Chicken Jerkey from China. Developed kidney failure. Developed brain damage. Developed internal bleeding. Died.
Waggin' Train chicken jerky tenders sold by Nestle Purina Pet	Dog	American Pit Bull Terrier	1		Male	76	Pound	We bought the treats from the local Store. He ate them. The next morning he wouldnt move fast to go outside to void. He didnt play. It continued and then he wouldnt eat, began vomitting and couldnt keep his eyes open. We took him to banfiled (petsmart vet) he was given test and treated. he vomitted several times while in the doctors office and was given antibiotics fluids and meds
waggin train	Dog	Basset - Griffon Vendeen Large	1		Male	40		My Hound Dog (b) (6) become very weak and foaming at mouth... he began to vomit and no longer was eating or drinking after days he seemed lifeless. We took him to the vet and he asked if he gotten into something toxic we found nothing around that he could have gotten into. (b) (6) had to stay for a week on ivs and antibiotics (b) (6) got better and then our second dog reacted in the same exact manner. (b) (6) too went to the vet and had the same treatment.... both dogs did get better however they both are not as active as before. Today i read that the treats i feed my doggies were contaminated toxins.... that was my answer. I have the bag which i had two but threw one away weeks ago. this bag ups # 0702077750
Waggin' train Jerky tenders	Dog	Mixed (Dog)	15	Years	Female	45	Pound	Two days after giving the dog "Waggin" jerky treats, she became violently ill. She had severe black diahrea and was constantly vomiting. She was so weak that could not get up on her feet. She was examined and ex-rayed by the vet and found to have one enlarged kidney. The vet prescribed antibiotics and special canned health food. She would not (or could not) eat the vet supplied food. In fact, she ate absolutely nothing for seven days. All she would do was drink water.
Milo's Kitchen Chicken Jerky Strips Dog Treats	Dog	Mixed (Dog)	17	Years	Female	14	Pound	My wife purchased Milo's Chicken Jerky Treats as she felt it was a more natural, healthy treat given our Dog's age (17). Our Dog was VERY healthy for 17 years old. She had just had a full Blood Screening prior to our going on vacation a week back in April. When we returned our Daughter told us our Dog had been vomiting all week. She had lost 20% of her body weight (3 pounds) in one week. Her diet was the same except she had been eating the Jerky Treats for about a month. Her breath was very bad so we took her to the Vet. As she had Dental issues qwe thought it was that. The Vet pulled 4 "questionable" teeth and did another Blood Screening. Her Kidneys had totally shut down. 3 months prior there were no issues. I googled the issue and saw the FDA warning. The Vet and I decided to give her Kidney Medication (Pills and Powder in her food), Change her Diet to Special KD Food and, of course, stop the Jerky Treats. Within 3 weeks her health, weight and energy improved. The Vet did another Blood Screening and was shocked that, although slightly higher than normal, her Kidneys had recovered 90%. (b) (6) is now a very healthy and happy dog again. I contacted Milo's and sent them the treats, medical reports, Blood Test Results and a report from my Vet stating (b) (6) was in perfect health prior to this incident. Milo's sent me a letter stating they could find no comtaminante in the treats and blamed the Kidney Failure on the Dental Issue and Age. My Vet disagreed stating if that were the issue she would not have fully recovered Kidney function so quickly after the treats were removed from her diet. Also she showed no signs of Kidney issues, or any other issues, in the Blood Screening taken weeks before the treats were introduced into her diet. Milo's offered me reimbursement for the first Vet visit and Blood Screening (\$130.00) if I signed a waiver. They also, at my insistance, reimbursed me \$5.99 for the treats I mailed them.
Waggin train jerky tenders	Dog	Shepherd Dog -	5		Male			(b) (6) would not take treat... other dogs became sick and vomited. stopped giving treat dogs recovered.
Wagon Trail Chicken Jerky Treats	Dog	Poodle (unspecified)	8	Years	Female	30	Pound	Dog has had elevated live enzymes since eating Wagon Trail Chicken Jerky.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier (unspecified)	1	Years	Male	27	Pound	Dog began vomiting, having diarrhea, lethargy, not eating or drinking after 2 weeks of giving him chicken jerky treats made by Waggin Train.
Waggin Train Chicken Jerky Treats	Dog	Retriever - Labrador	8	Years	Female	95	Pound	I fed her the Waggin Train chicken jerky treats. Which caused her to get Fanconi Anemia. She was unable to produce red blood cells. Her bone marrow failed. After several blood transfusions she died of kidney failure.
Kingdom Pets All Natural Ingredients CHICKEN JERKY	Dog	Sheepdog - Shetland	10	Years	Male	37	Pound	Nine year old sheltie was given Kingdom Pets All Natural Chciken Jerky treats, purchased at Costco in Wllmington, NC. Within a few days, he developed diahrrrea on July 5, 2012. Was seen by vet on July 6, returned July 7 for two night stay with IV fluids and antibiotics and released on Monday, July 9. He died that night at home. Eleven year old sheltie developed diahrrrea July 12 and was hospitalized for two days with IV fluids and Antibiotics. Currently stable but still having diahrrrea.

Milo's Kitchen Chicken Jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland cattledog)	2	Years	Mixed Population of Female and Male	93	Pound	After consuming the product, Milo's Kitchen Chicken Jerky, for the first time, my dogs became severely ill. My smaller dog weighs 50 lbs (approx) and is a neutered male. He is refusing to eat his food and has diarrhea. He is also lethargic. My larger female dog weighs 93 lbs (approx). She is also refusing to eat and is extremely lethargic. She has been vomiting since the first day I gave her the treat and on the third day began exhibiting severe diarrhea that has worsened over the fourth day. The diarrhea is watery and explosive and contains blood and mucus. My dogs consumed 3 pieces each over a 3 day period beginning Sunday evening through Tuesday evening. The symptoms started with lethargy and mild vomiting and have progressed through Wednesday morning with severe diarrhea and lethargy and refusal to eat food.
Waggin' Train (wholesome chicken) Jerky Tenders - Chicken Dog Treats	Dog	Retriever - Labrador	10	Years	Female	84	Pound	Dog died euthanized after being diagnosed with total kidney failure by vet visit after about 4 weeks sick after ingesting one treat from a sample treat bag included in her regular Purina Dog Food bag. Except for the date of food purchase, date of vet visit and date of death dates of illness process are approximated.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	1	Years	Male	6	Pound	This dog was given Waggin Train Jerky Tenders, made in China, manufactured for and distributed by Waggin Train ,LLC., Anderson, South Carolina 29623. He became ill, lost weight, began vomiting, and is now in animal hospital with kidney failure.
Waggin tales chicken jerky treats	Dog	Akita	5	Years	Male	100	Pound	(b) (6) began vomiting, some of the vomit was bloody and he was very lethargic . I did not feed him for 24 hours and introduced him back to his food but did not give him anymore of the chicken jerky treats.
waggin tails jerky treats	Dog	Shepherd Dog - German	4		Female	80		(b) (6) first started eating these jerky treats its like she craved them. She stopped eating her own food or wouldnt eat as much. She would beg for these treats. I began to notice that she was having constipation problems and that she was urinating in her sleep, or just sitting. I thought this was odd because We always let her outside to go potty. I also noticed she was throwing up a foam like substance. I just figured maybe she got into something or ate to much. She became excessively thirsty. I took her to the vet office and didnt think of telling them about these treats because at the time I didnt know. They really didnt do much other than say well it could be a bladder infection or from her spay. She never had these issues before these treats. They put her on pills that she will be on for the rest of her life and she will have to have lab work done evrey few months to check her kidney levels. A few weeks after she stopped eating these treats her urinating in her sleep did cut back. She doesnt get sick like she did. I can only imagine what could of happened if I kept feeding her this crap. My cat have had pieces of this and now has seizures.
Purina One Smartblend Chicken & Rice, Milo's Kitchen home-style dog treats	Dog	Spaniel - Cocker American	2	Years	Male	29	Pound	I purchased and fed my dog Milo Jerky dog treats (chicken and beef) which we have never used before. He also ate Purina One dog chicken and rice food. He had never been sick before, but after a few weeks he became really sick with diarrhea and yelping in pain, to the point he was pooping bloody stool that stunk. (Ill for about a week before it got that bad). Took him to the doctors and he had an infection in his stomach that required several medications and I had to make homemade food for him. When he finished his meds after 2 weeks, I tried giving him his treats and regular food again and he got sick...AGAIN with the same problems and ended up on another round of medication. This time I have not given him either the dog food or treats and he has remained well. I STILL HAVE SAMPLES OF BOTH THE DOG FOOD AND THE MILO DOG TREATS.
Canyon Creek Ranch Natural Duck Tenders	Dog	Other Canine/dog	10	Years	Male	75	Pound	(b) (6) (black lab mix) became less active, drank large amounts of water, urinated copiously (inside and out) and died the end of May, 2010 from kidney failure. Recently saw online reports of similar deaths related to consumption of Canyon Creek Ranch jerky treats. Jack loved them and received several a day during the period of his illness.

Waggin' Train Jerky Tenders							Many people have complained to you about the Waggin Train Jerky Tenders. First off, I have no connection with the manufacturers, importers, or resellers of these products. My views are my own personal views. I have been feeding these to my dog for several years. She loves them, and has never had a problem with them. From the reports that I have read, the problem is with the stupid owners who do not know anything about dogs. When they first got the treats, they probably gave the dogs too much at once. They should have given a small amount to see if the dogs had a reaction to it. They probably gave them several of the treats, and it was too much for the dogs. One owner said that when her dog was hurting, she gave it more treats to try and make it happy. If a dog is hurting, the owner should find out what is wrong. Giving the dog more treats was an incredibly stupid thing to do. Those owners killed their own dog, not the food. I read that someone claimed that the treats gave their dog fanconi. NO! Fanconi is generic. A dog gets a susceptibility to it at conception. My own breed, Basenjis, are particularly susceptible to it. The Basenji Club has taken the trouble to identify the DNA marker so that they can test dogs being used for breeding to reduce the likelihood of the disease. You can not catch a DNA marker from eating treats. People should be more careful. Dogs, like people, may be allergic to something, but this does not mean it has to be recalled. I am allergic to eggs. Does this mean that all eggs have to be banned? I urge you to ignore these bleatings of people who know nothing about dogs, and let sensible dog owners continue to give the treats that their dogs love. When I first heard of this stupidity, I bought a very large package of the Jerky Treats to ensure that my dog would continue to be able to enjoy them. Now I realize that more people are complaining, I intend to buy several more large packages to keep my dog happy and healthy.	
Waggin' Train Chicken Drumettes	Dog	Other Canine/dog	9	Years	Male	20	Pound	Waggin Train Chicken Drumettes were my pomeranian's favorite treat and I gave them to him frequently. (b) (6) became seriously ill about 10 days ago with pancreatitis and liver failure and has been hospitalized where he is receiving IV fluids, antibiotics, pain medicine and antacids. I just read about the poison treats from China and I seriously believe this is what has made my little dog ill.
Wagon Train chicken jerky	Dog	Dobermann	7		Female	72		Dog had Kidney failure, was hospitalized for 3 days, now requires 4 medications on an ongoing basis
Milo's Kitchen home style dog treats; Chicken Grillers Chicken recipe with Natural Smoke Flavor No artificial flavors or colors	Dog	Mixed (Dog)	2	Years	Female	17	Pound	After giving the Milo's Kitchen griller treats for less than 2 weeks, both dogs had digestive issues. (b) (6) was admitted to the emergency vet clinic and (b) (6) (1 day later) was treated at our vet. Both dogs only diet change was the treats.
Smokehouse Brand Pet Products Chicken Breast Strips	Dog	Shiba Inu	8	Years	Male	24	Pound	(b) (6) presented on 7/06/2012 for increased thirst and urination and appetite loss of at least 3 days duration. He was also unable to hold his bladder overnight - a problem he never had before. Physical exam was unremarkable. Lab tests (blood and urine) were submitted and showed significant abnormalities. Urine specific gravity was 1.015 and 2+ glucosuria was noted (suspected Fanconi's syndrome). labwork showed mildly elevated liver and kidney enzymes and abnormal electrolytes.
Purina Waggin Jerky Tendera	Dog	Boxer (German)	8	Years	Female	50	Pound	Severe stomach update to include vomiting. Weight loss. Constipation. She now refuses to eat almost everything.
Waggin Train Wholesome Chicken Jerky Strips/Tenders	Dog	Chihuahua	3	Years	Female	5.5	Pound	We began feeding out dogs the Waggin Train chicken strips as a treat, because they were low in fat content, this was the only treat we gave our dogs. Our little (b) (6) a 3 year old female long coat chihuahua, started getting lethargic in January. By February she was completely ill and not eating. She was rushed to the vet on a Saturday morning. The vet, (b) (6), found a bowel obstruction and preformed surgery. During surgery they also found a white plaque on her pancreas and took a sample. She died on Wednesday. She was in perfect health prior to this and was vet checked, including blood tests all the time. She died of severe pancreatitis, our believe it is from the chicken jerky strips. Also it sickened out 2 year (b) (6), a Yorkie Terrier. (b) (6) also died several weeks ago from cancer, which we also believe was related to the Waggin Train chicken jerky strips.
Waggin' Train Jerky Tenders Made from chicken Made in China	Dog	Poodle - Medium size	3	Years	Female	27	Pound	Fed (b) (6) Waggin' Train Jerky Tenders made from chicken in China. Within a span of 1 1/2 hours she was totally paralyzed and unable to lift her head.

Waggin' Tails Chicken Strips	Dog	Spitz - German Pomeranian	7 Years	Female	11 Pound	On the morning of December 14, 2011 owner called in to report dog was refusing to eat and was unable to get thyroid meds in the dog, said the dog would drink water but then vomit it back up. Owner was advised to NPO dog for 12 hrs and then call in the following day with an update. December 15, 2011 owner called in to report no real change in dogs status said has with held food and water. Owner is not going to be home much today so will offer food and water when gets home. When owner did return home offered dog a "hotdog" (dog eats mostly human food not regular dog food) to which she "turned her nose up at" dog also was refusing again to take thyroid meds. Owner states will try to crush thyroid meds and mix with water and syringe it into the dog. Owner called again around 6pm and found dog on the porch just laying there not moving owner thought dog was deceased, when picked up the dog was breathing then about 1/2 hr later dog started vomiting had blood in it and then passed away.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Dobermann	2 Years	Male	68 Pound	(b) (6) stopped eating normally, and acted like everything smelled bad (stomach ache?) and mentioned to vet at check up (shots) and he said he will eat when he gets hungry it could just be a growing thing. Month later, still fighting to get him to eat, occasional diarrhea, then had explosive diarrhea. Took him to the vet again, thought it was something he ate or he ate something poisonous and vet gave some pills for diarrhea and stomach pain along with antibiotics in case it was an infection. Diarrhea subsided with pills, but still no appetite and lethargic. He normally had a few treats a day for the last several months, but this increased when we were doing anything we could to get something in him. Went back to vet, and tried several different types of food. Still won't eat so went to a different vet for second opinion. This vet went through EVERYTHING (b) (6) ate for last few weeks, x-rays and blood tests. He has a poor developed liver (small) and platelets were low, but as soon as she saw the jerky treats she said to stop IMMEDIATELY. Vet had had previous owners with problems and deaths I believe from suspect treats. Treated (b) (6) with more medications, put on prescription food and two weeks later he is just starting to eat again. Over the course of this problem we have spent over a thousand dollars and stressed out over trying to get him to eat daily because he has lost over 10 pounds since it began. Being just a puppy, this stage of development is crucial and to have this affect him and possibly caused liver damage during development, I am extremely upset. We hope stopping the treats was enough and he has eaten the last couple days so hopefully he will get better.
Pet Shope Duck Jerky	Dog	Griffon - Brussels	7 Years	Female	24 Pound	I bought the duck jerky at Walgreens on June 11, 2012. I gave her some when I got home she ate it, but wouldn't eat any more of it. In a few days she couldn't get on the bed and she died on the 19th of June. I had her for six years, but I could not afford to take her to the vet again. I was broke.
Waggin Train Chicken Jerky	Dog	Pinscher - Miniature	11 Years	Female	20 Pound	We own the (b) (6) Costco sold Waggin Train chicken jerky which looked like a great treat to use as a "good bye we are going to work, see you latter in the afternoon!". The bag said once a day was sufficient and that is what we did from the time we saw Costco selling the product until they stopped selling the product. We were upset that it was eliminated from our choice of treats because it worked so well. We had NO idea why it was pulled from the shelves. We had not heard any word at all. As time went on, we had to find another treat. Within some time latter we inherited one of the Sons back. His name is (b) (6) At this time, we were living in San Diego, but in the process of moving to Las Vegas. After we finally settled in, we noticed (b) (6) doing some strange things with a new rug we had bought. Her vulva was enlarged so we brought her to the Vets. They thought she might have an allergy but found an infection in her toe which they wanted to treat with some type of antibiotic but it had to be a specific type. So they did a blood test first. Because of her vulva being enlarged, the Vet thought it would be a good idea to take a urine sample also. When we got the results back we were in shock to find out that (b) (6) had Kidney disease. We immediately put her on medications and Kidney disease food. We had a hard time believing that this was true so we went to another Vet here in Las Vegas to get a second opinion. He tested (b) (6) because we had no reason to believe (b) (6) had this problem. (b) (6) reading came back extremely higher than we expected and (b) (6) did have it too. That was a tear jerker because he was my baby. I have no children and we have had him since he was born. (b) (6) procreatenine ratio was 13 and (b) (6) was 4. This Vet suggested we take them to a clinic testing in San Diego and tried to get us connected to the doctors there. We went back to our Vet and explained what we did and she had no problem with it and knew the doctors doing the clinic testing in San Diego. She got on the phone and talked with them immediately. In the meantime we suggested testing (b) (6) to make sure it was not hereditary. We also called my husband's son who had one of (b) (6) Daughter's to see if she had kidney disease. They had her tested and she was fine. (They did NOT give her chicken jerky as treats.) Our Vet tested (b) (6) and he did not have Kidney Disease so we knew it was not hereditary. That is when our Vet said it could be from chicken jerky. We said what are you talking about? She told us about other people have problems with their dogs and chicken jerky. I never really looked it up or anything until two or three weeks ago when a friend of mine sent me an email about his german shephard. I was going through the whole email and there was a bunch of stuff and then I saw this article about Waggin Train and I remembered that was the product we used to feed the dogs!!!! I tried to contact the people putting in a complaint with Walmart but we didn't buy from Walmart we bought from Costco. Then just this past weekend we were in Costco and low and behold, there was a bag of Waggin Train duck jerky at Costco and I said to my husband "Look, I can't believe this! After all the crap on the internet about chicken jerky made in China and they are still selling this stuff!" That is when we asked to talk to a manager and why I am contacting you guys now. Because Costco has given me your information! I have also talked with Waggin Train and put in an incident report with them.
Canyon Creek Ranch Natural chicken Tenders	Dog	Poodle - Miniature	7 Years	Male	9.5 Pound	Loss of Appetite, Liquid Stool, refused food and water, became dehydrated, Weak, unabale to stand

Waggin' Train Jerky Tenders	Dog	Retriever - Golden	6	Years	Female	80	Pound	(b) (6) experienced nausea, persistent diarrhea, poor appetite, drank excessive amount of water and was very tired all the time. I had given (b) (6) this treat since about late 2005. I researched canine diarrhea on the internet and found articles describing the chicken jerky problem. I immediately stopped giving the treat and saved the remainder in case I might need it to better describe the product I purchased. The diarrhea started and was rather random in it's appearance so it took me a while to realize (b) (6) was having a chronic problem.
MILO JERKY TREATS	Dog	Hound (unspecified)	15	Years	Female	55	Pound	HAVE BEEN GIVING MILO JERKY TREATS THIS WAS FOLLOWED UP WITH SEVERAL DAYS OF NOT EATING AND THROWING-UP.
Waggin' Train Chicken Jerky Treat	Dog	Terrier - Jack Russell	6	Years	Mixed Population of Female and Male			My three Jack Russell terriers (all of which are six years of age) were in perfect health and had no medical record of illness. All of them became violently ill shortly after consuming Waggin' Train chicken jerky treats produced by Nestle Purina. This was the first time any of my three Jack Russell terriers had EVER been sick. None of them had any medical history of EVER being ill before. And just a short time after eating the Waggin Train chicken jerky treats by Nestle Purina they were violently ill. Fortunately I gave them a lot of water and they recovered. I threw out the remainder of the bag of chicken jerky treats. I think the only reason they didn't require emergency medical treatment or die is because I split a single chicken jerky treat between all three dogs so they only consumed a small bit. But the chicken jerky treats must have been poisoned. Let me stress again my dogs have never been sick including one I owned for a full six years (the others for four and three years) and became violently ill for the first time after eating the chicken jerky treats. These treats should be banned from the market. Nestle Purina should cut off its supplier of chicken meat. What if a young child or baby had accidentally handled or eaten the chicken jerky treat? That child or baby would have died.
Waggin Train Chicken Jerky tenders Canyon Creek Ranch Chicken Tenders Milo's Kitchen Chicken Jerky treats	Dog	Havanese	12	Years	Male	11	Pound	I have been giving my dogs these treats (Waggin Train, Milo's kitchen, Canyon Creek) for about 2 years until June 12, 2012. I only gave my dog the recommended amount, (i.e., 1 treat per day based on the size of my dog). Until recently, my dog didn't exhibit obvious signs to me that something was wrong with him. But about 2 months ago, May 7, 2012, my dog suddenly started having diarrhea and wasn't eating or drinking water. It went away after 3 or 4 days (I believe, only because he wasn't eating anything, not the treats or his dog food). About 2 weeks later, after he had resumed eating his dog food and these dog treats, the same thing happened again, but it was worse this time. This time he needed to go relieve himself due to the diarrhea, 5 times in one day. This bout of diarrhea again last 3-4 days. I stayed home with him and was going to take him to the vet if he didn't begin to feel better after 5 days. He did get better. By this time (right around Memorial Day), I had run out of treats and hadn't had the chance to buy more yet. I bought another bag of Waggin train chicken jerky treats on/around June 9, as I had done about every month to every month and a half for the past 2 years. I began giving him a treat/day again, until June 12, 2012. On June 12, 2012, I received an email from a friend of mine (also a dog lover/owner). This email was a video clip from a local news program in Atlanta, GA regarding the death of dogs due to dog jerky treats manufactured in China. I quickly determined that I had been feeding these same treats to my dog and immediately threw out the relatively new bag of treats. I also came to your website and did further research. My research yielded many symptoms that I didn't associate with any one thing at the time, but now I have concluded that those symptoms were directly related to these dog treats that are made in China. The frequent urination, diarrhea, vomiting, some blood in his stool. My dog has experienced all of this. I am thankful and feel quite blessed that my dog has not suffered any more serious health problems as a result of these treats. I also feel guilty that I fed my dog treats that were harming him, although I wasn't aware. Warnings need to be placed on the packaging, or the treats should be recalled. At the very least, people should be made aware of what is going on. Many people still don't use the internet or read all their emails. If it weren't for a close dog lover friend of mine sending me the video and told me to view it, I can't help but wonder if the last part of my story would have turned out drastically different and upsetting. I now feed him either home made chicken jerky treats or treats that are truly all natural and made in America (TriPom Chews) and he is happy, healthy & thriving and I'm so thankful.
Milos chicken treats	Dog	Mixed (Dog)	13	Years	Female	45	Pound	Dog began vomitting and had loose stools. She was not herself so I brought her to (b) (6) on 5/5/12 and they ran some blood work and gave her a chest xray. The doctor put her on a strict diet of bland food and in a few days she felt better. At that time, I threw away the Milos dog treats because I had never given them to her before and thought it was a strong coincidence that she became ill soon after she had them. The doctor's bill was over \$500.00 for the examination, testing and new food.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Tibetan	5	Years	Male	26	Pound	dog became very uncomfortable, vomitting, with bloody diarrhea.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Hound (unspecified)	2	Years	Female	47	Pound	After giving my dog these chicken treats on Tuesday evening she was sick Wednesday and by Wednesday evening had developed into hemorrhagic gastritis. We spent the evening in a ER Vet, she is better after taking medications but is not well yet. The only thing new she had in her diet was these treats. I was asked by the Vet to report it because it's not the first time she had heard of this happening with these treats.
Waggin' Train Wholesome Western Grill Assorted Dog Treats	Dog	Other Canine/dog	9		Male	60		Vomitting
Cadet Gourmet Duck Breast	Dog	Harrier	13	Years	Female	39	Pound	Since we started feeding these treats to our dog (2-4 a day), she has been wetting the bed a few times a day. We took her to the vet and, after her urine was testing, it was discovered that her kidneys are functioning at below 30%. I saw a posting that Waggin' Train Duck Breast treats were suspected of causing renal failure and I've seen other reports that Cadet treats have been linked to renal failure in dogs.
Wagginç Train and Canyon Creek Ranch jerky treats or tenders both produced by Nestle Purina PetCare Co	Dog	Shih Tzu	12	Years	Female	8.8	Pound	In March 2012 (b) (6) started urinating in the house, several times a day, drinking a lot of water and vomiting. On March 28, 2012, I came home to blood all over my house along with vomit. My dog, (b) (6), walked up to me and urinated blood. I immediately picked her up and took her to the vet. She vomited all the way to the vet and urinated blood 3 more times within a half hour. They prescribed medicine (attached) and x-rays. Since that time she has stopped bleeding but is still urinating in the house and drinking a lot of water. I've attached the tests they have run on her. One showed liver disease and they are still doing blood work on her for kidneys.
Chewmasters Chicken strips	Dog	Sheepdog - Shetland	8	Years	Female	37	Pound	Our dog has been given Chewmasters Chicken strip product (Costco) for many years, on average one strip feed per day. Just recently, she had developed her illness. She showed signs or Hypothyroidism, and low level Renal failure in April during an annual blood test/check-up. She was given Thyroid hormone pills to stabilize her levels. On follow up checks, she showed high levels of creatinine in her blood, high protein levels in her urine (tested for bladder infection, which came back negative). The levels did drop down, but then she began tired and rested. Her urination was normal, but then started to become finicky eater, not wanting her normal dog food. She was hospitalized for 3 days, with IV hook-up to flush kidneys, again, she recovered her levels somewaht. When brought back home, she just worsened. She began to vomit, and have diarrhea, was unable to eat, only drinking water. on her last days, she only wanted water, and then she wasn't drinking at all. Our Vet: (b) (6)
Kingdom chicken jerky	Dog	Terrier - Scottish	8	Years	Female	24	Pound	She gradually became listless decreased eating increased drinking water. Her kidneys became tender go the touch. We had her hospitalized her blood pressure rose she was in pain, stopped eating and drinking Her kidney began shutting down and she died within two days. She was poisoned be chicken strips. Her body was attacked by the chemicals On the chicken strips?
Waggin tail and sometimes milo's	Dog	Chihuahua	5	Years	Female	15	Pound	I noticed she was having daily diarrhea and she started turning her nose up when offered the treats. She has gone through bouts of itching and hair loss the vet said she has allergies. This all started with the chicken treats I bought for twenty dollars from stater brothers waggin tail
Milo's Kitchen Chicken Jerky Treats	Dog	Shih Tzu	2	Years	Female	12	Pound	After eating Waggin Tails and Milo treat my dog developed early signs of Kidney failure symptoms showed up right after usage... We stopped the treats immediately and everything is better now.... She used to eat Canyon Country yams Milo's jerky treat and waggin Tails jerky and yams....
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Lhasa Apso	9	Years	Male	29		6/14/12 - Owner brought in (b) (6) for routine annual senior wellness bloodwork. Bloodwork came back with increased liver enzymes: ALP = 396 (10-150), ALT = 310 (5-107); also may have been mildly dehydrated as there were slight increases with: TP = 8.3, BUN = 50, Hgb = 19.1, & Hct = 55.1; 6/28/12 - Owner returned to recheck an ear infection and reported that they had 2 weeks prior to bloodwork started giving (b) (6) Milo's Kitchen Chicken Jerky. Owner was concerned after hearing of a possible problem with Chicken Jerky dog treats that were made in China.

Waggin Train Big Blast Chicken Jerky Wrapped Pork Skin Twists with Chicken Liver Center	Dog	Mixed (Dog)	4	Years	Female	15	Pound	(b) (6) was her normal self on Saturday (June 30, 2012). When we got up on Sunday morning (July 1, 2012), she wouldn't eat. Later that morning she started vomiting. She even vomited water! I called the vet first thing Monday morning (July 2, 2012) and got her in. Vet thought at first it was pancreatitis. (b) (6) didn't get any better, so on July 4, 2012, my vet asked me if she could xray (b) (6). Xray showed that (b) (6) was full of fluid. The vet got some of the fluid out and said it had blood mixed in and then the vet asked me if she could open (b) (6) up to see what was wrong. When she opened her up, the vet said (b) (6) liver was copper colored and had slotches all over it and that her gall bladder was full of a black tar like substance. The vet asked me what kind of treats I had been feeding (b) (6) and where the treats were made. When I told her I had a bag of Waggin Train chicken wraps that were made in China - she said she couldn't be 100% sure, but she thinks that is what killed my dog. She (the vet) sent off some biopsies she took from my little dogs liver. We are waiting on the results.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	11	Years	Male	110	Pound	Softer stools began to occur during the first few days of ingesting Waggin Train chicken jerky tenders. Then stools became looser (diarrhea like) until my dog began to void very thin liquidy stools numerous times during the day on 7-1-12. The stools would blast out of him uncontrollably. He also vomited 4 times in a span of 3 hours and was extremely lethargic on 7-2-12 and was taken to the vet. He was given sodium chloride 0.9% 1000cc, Famotidine 20mg/2cc (injectable), Ondansetron (Zofran) injectable 2mg/cc, and Metronidazole (Flagyl) 500mg 30 tablets. The Waggin Train package had a net weight of 3.5 oz. My dog was given 2 ozs. over the span of a few days. We still have the original package with @ 1.5 ozs. left of the jerky.
Waggin Train chicken jerky treats	Dog	Dobermann	11	Years	Female	70	Pound	I gave my American Eskimo and my Doberman Waggin Train chicken jerky treats I had purchased from Sams club. Within hours of receiving the treats both animals became listless and began have massive diarrhea with bright red blood in it. They both had to be treated for the diarrhea and it was only after talking to friends about how sick my dogs were and they asked me if I had given them anything did I find out about the treats causing many animals to become sick and die from renal failure etc. I am thankful my 2 had an immediate reaction and I had not been giving them the treats for weeks. I returned the product to Sams and printed off information about the problems they were causing and showed the info to the customer service rep at Sams who said she would notify mgmt. My 2 dogs are long dead from cancer..both died within 3 mos of each other and I wonder what other products may have caused problems with them to die so suddenly and within months of each other. There really needs to be something done about treats being manufactured in China and if you can't stop them from being sold, then at least make them come with a warning on their label. These pets are part of our family and should be protected. And btw, Sams still carries waggin train and are causing other animals to become sick and die. Guess all that matters is bottom line to them which is why I no longer buy any dog products from them or Walmart. PLEASE consider banning these products or at least make them have a warning label. Thank you!
Milo's Kitchen home-style dog treats: Chicken Jerky	Dog	Mixed (Dog)	3	Years	Female	65	Pound	Dog is consistently offered dry food and clean water along with a variety of "treats" including rawhide chews, Milk Bones, Beggin' Strips, and Milo's Chicken Jerky. With no obvious change in diet/exposure, dog had bloody diarrhea inside house overnight. Dog showed lethargy and progressed to not eating within 24 hours along with frequent (every 2-3 hours) diarrhea and infrequent (once or twice) vomiting. Dog regained energy and began eating again approximately 24 hours later. Chicken Jerky was given as a treat to entice dog to eat - no other treats were given but dry dog food was offered. Diarrhea persisted. 48 hours after first symptoms inside soiling happened again and dog vomited, progressing rapidly to not eating and extreme lethargy. Took dog to vet -- no parasites in stool and no fever. Given broad spectrum antibiotic (orally) and put on diet of rice and bland wet dog food; no other treatment given. Dog regained energy within 2-4 hours of vet visit and began eating. Diarrhea resolved completely within 48 hours after vet visit. No more chicken jerky has been given (all other treats and food have) and symptoms have not recurred.
Waggin Train Wholesome Chicken Jerky Tenders								Purchased a container (plastic bag) of Waggin Train "Wholesome" Chicken Jerky Tenders, Lot # P1CA3568A, BBD of 061612 (and this was prior to that date), and found an unidentified object in one of the tenders. Ut was a 16 oz (453g) bag with a product code of 8 07020 44416 2. Manufactured for & distribed by Waggin Train, LLC. of Anderson, South Carolina 29623. They claim to be passionate about dogs, but they failed to respond to my complaint about this issue. I emailed them at www.waggintrainbrand.com right after I found this object. This was prior to my learning that this was a repeated offense by them, and that animals were dying due to this. The object appears to be a black and tan piece of matter, about 1/4th of an inch long and 1/8th of an inch wide. I have photographs of this object saved, and still have the actual treat and bag it was in.

Canyon Creek Chicken Tenders Dog Treats	Dog	Schnauzer - Miniature	6	Years	Male	15	Pound	(b) (6) experienced increased urination and thirst. I took him to the vet after seeing his increased thirst and after his being unable to control his bladder, even though he was a housebroken dog. The vet ran a series of tests to determine if he had diabetes, cushings disease and/or urinary tract infections. He also ran ultrasounds All tests proved negative. He ultimately had surgery on a cyst which the vet thought may have been causing the problem but it turned out not to be the case. While undergoing the testing and many trips to the vet I had noticed someone placed a little handwritten notice on the bulletin board at the vet's office about chicken jerky treats being dangerous to pets. I had not heard of any other recall notice or warnings about the treats and offered two or three to each of my dogs each day. I shopped at PetCo and PetSmart on a biweekly basis, and no warning was ever issued, although at PetSmart the tenders were always out of stock. I thought they were popular - not a health hazard to my beloved pet and had to look for alternative treats. It was upon doing this that I noticed my pet no longer had any sign of problem. I hope other families and dogs don't have to go through this. Something should be done. These treats cost almost \$30 per 30 oz bag, and I don't believe they are safe. Furthermore, I know they were the cause of my dog's problems. Thousands of dollars later, I know the reason. How many dogs must lose their lives before something is done about this?
Waggin' Train Jerky Tenders								Waggin' Train Jerky Tenders were supposed to be pulled from shelves months ago, but I just purchased a bag from the walmart in Wadsworth, Ohio on July 3, 2012. Here's the link to the article: http://vitals.msnbc.msn.com/_news/2012/03/13/10657635-3-big-brands-may-be-tied-to-chicken-jerky-illness-in-dogs-fda-records-show?lite I just adopted a puppy 2 months ago, and purchased this treat thinking it would be a nice new thing for her. Luckily I saw this article before I gave her too many.
Cadet Gourmet Duke Breast	Dog	Retriever - Labrador	4	Years	Male	63	Pound	Ingested Cadet Gourmet Duke Breast treats 6/18. episode of vomiting 18th and 19th, tremors 6/19
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	4	Years	Male	70	Pound	We boarded our lab during a family vacation. The kennel we use is the only kennel he has ever been boarded at. This is the 6th time we have boarded and have had no prior incidents of any illness whatsoever. The only difference this time is that we baought a package of Waggin Train chicken jerky treats to be given during the stay. 2 days prior to our return the kennel called to notify us of loose, bloody stool. This continued on our return. We have since taken (b) (6) to the vet who is concerned but cannot cite a specific cause. The vet gave me an article describing all the issues with jerky treats that I was unaware of prior to the purchase of the Waggin Train product.
Waggin Wheel Chicken Jerky Treats	Dog	Terrier - Yorkshire	4	Years	Male	11	Pound	Back in October our dog was given Waggin Train Chicken Jerky treats and got severely sick. He was taken to the animal ER and vet on several occasions and they could not figure out what was wrong with him. We thought he was going to die. After weeks of him suffering with stomach pain, vomiting, not eating or sleeping he finally did improve. Then a few days ago he was given the same jerky treat by my husband and immediately got sick with the same symptoms the very next day. After reading on line several complaints about these treats I believe that he has gotten sick and suffered simply from eating a dog treat. We have spent thousands of dollars to get him well the first time only to have him get sick again. Something needs to be done about this before more animals suffer and die from this so called "healthy" treats.
Dogswell Happy Hip Chicken Breast Glucosamine & Chondroitin	Dog	Dachshund - Standard Smooth-haired	11	Years	Male	15	Pound	Dog vomited about 6 hours after giving him a Happy Hips treat, he had diarrhea, would not eat, and drank excessive amounts of water. The dog was also very lethargic, these symptoms lasted approximately 24 hours.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - Rat	9	Years	Male	17	Pound	(b) (6) became very sick after eating Waggin Train Wholesome Chicken Jerky Tenders purchase from Costco. He started vominiting, refused to eat, drank much more water than usual, frequent urination and lethargy.
Milo's Kitchen Chicken Strips	Dog	Retriever - Chesapeake Bay	2	Years	Male	85	Pound	Seizures began after eating treats. Mild seizures and loss of ability to stand or walk for periods of time. No health issues priod. Seizures have stopped since we discontinued giving our dog the Milo's Kitchen Chicken Strips.

Canyon Creek Ranch Brand Chicken Breast Hip & Joint with Glucosamine and Chondroitin Sulfate Flavored with Ginger Root & Alfalfa Extracts For Adult Dogs Only	Dog	Shepherd Dog - Australian	13	Years	Female	60	Pound	I was running out of Happy Hips, and purchased Canyon Creek Ranch chicken strips for hip & joint with glucosamine and chondroitin sulfate at Petsmart on June 11. I didn't start feeding the dog this product until later in the week. I didn't make the connection with this product until she had experienced two days of loose bowel movements, which I attributed to having given her Meloxicam twice within a 24-hour period on June 15 (at 6 a.m. and 7 p.m.). My son came home for lunch on June 18 and called me to say that our dog had diarrhea, which he partially cleaned up. When I got home, she had relieved herself on her bed and several spots in the house. This is very unusual, even though she's an older dog. The feces were the consistency of yogurt. I didn't give her Meloxicam that evening because I thought her system was reacting to the double dose of Meloxicam. I did give her chicken strips that evening. Overnight, she had two accidents in the house. During the day on June 19, she also relieved herself in the house, despite being let out at midday. I decided that it might be the chicken strips, since that was the only new food I had introduced since she started getting sick. She woke me up four times in early morning on June 20. I called my vet's office and described her symptoms. The diarrhea had worsened but there didn't appear to be any blood or dark stools. She also was eating fairly well. I took a stool sample in that morning. On the morning of June 21, (b) (6), my vet, called to tell me that the test results came back negative for parasites. She suggested some dietary changes and prescribed Diawin to give her for three days. Since she didn't appear to be listless and had an appetite, she recommended that we wait to do further tests. I started the medication on Thursday evening and finished it Sunday morning (dosage was every 12 hours). The dog seemed to at least be able to control her urge to squat on Friday, June 22. Overnight, though, she had very watery diarrhea and soiled much of my carpet upstairs. I kept her downstairs where it's easier to clean up (wood floor) and steam-cleaned the carpet. She continued to have accidents over the weekend (June 23-24) and through midday on June 25. I dropped off another stool sample at my vet's office the morning of June 25. Later that evening, though, she had no further accidents and didn't have the constant discharge she had for the prior 2-3 days. She appeared to be back to normal by Tuesday, but continued to have loose stools. She had an accident in the house on Thursday, June 28, but seems to feel normal. PLEASE NOTE: My vet had a stool sample tested and consulted with me on the phone. She didn't, however, examine my dog.
Waggin'train wholesome chicken jerky tenders	Dog	Shepherd Dog - German	12	Years	Male	66	Pound	(b) (6) had diarrhea that got worse. I took him to the vet. They asked what type of food/treats we were giving him. I told them chicken jerky strips. They said it was probably the jerky strips and to stop feeding them to him. They were unable to take a stool sample as he had no solid feces. They prescribed antibiotics. If he does not improve within the next few days I will take him back for blood tests.
Milo's Homestyle Chicken Jerky Treats	Dog	Mixed (Dog)	12	Years	Female	40	Pound	We lost our dog (b) (6) November 2011. However, we did not know the reason she died until I saw a news story, on Channel 4 Detroit, in March 2012. I would have never bought these treats if I would have been aware of the warning. They shouldn't be on store shelves. I thought they were okay because they are on our store shelves. I had actually contacted Del Monte before she died asking if something was wrong with the product. They told me several things can make a dog sick and never revealed they already had hundreds of complaints. I had no idea and we didn't make the connection until I saw the news story several months later. (b) (6) ate Milo's treats in late September/Early October 2011. She died 11/19/2011 I contacted Del Monte twice in October 2011 asking them to check the treats. I thought something was wrong. They responded once telling me "Several things can make a dog sick like her food." I contacted them again explaining she was on "Nature's Recipe" also made by their company. Del Monte never replied to my second email. We did not know the reason she died. She started to drink more water after eating the treats. That is why I questioned them. Her appetite decreased and she had a couple "accidents" in our home. We took her to the vet. They treated her as if it was a Urinary Tract Infection. A few weeks later she died in my arms in our living room. We had no idea the treats were under investigation until I saw a news story, on Channel 4 Detroit, in March 2012. I would have never bought these if I had known but honestly they shouldn't be on store shelves. I thought they were okay because they are on our store shelves. After seeing the news story in March I contacted Del Monte. Basically, they do not believe me. Said I seemed satisfied with their response back in October and claimed they tried calling me. They did not call my house. They did not respond to my second email. I trusted them. I have since made several complaints to their "consumers affairs" dept. I am finally contacting you because I was hoping this company would do the right thing and voluntarily recall the product. I am fed up and I am very upset the public sees a product on the shelf believing it is safe. This is wrong. I asked Del Monte why they are not making the treats in the USA and not using chickens from the USA? Their answer? "The United States doesn't have enough chickens." Just unbelievable. Filling out this questionnaire you ask if a Vet was consulted. Yes, but we did not have the reason of our visit being the treats. I did not know they were being investigated. So, I am answering the question as Unknown. We did not have accurate information to give our Vet. So, it was treated as a UTI.
Waggin Train chicken jerky tenders	Dog	Weimaraner	4	Years	Male	87	Pound	The pet has been throwing up for 2 days after eating the jerky treats. He was taken to the vet and given two shots alleviate the nausea/ stomach upset

Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	8	Years	Female	70	Pound	Dog had been fed approximately 1 to 2 chicken jerky strips per day for 2 or 3 days. (b) (6) started having severe diarrhea. Her stools were completely liquid explosive stools. She had increased thirst and urination. Both dogs had the same symptoms. Because I had previously purchased this product, I thought perhaps my pets, despite being house dogs, had eaten some cat or possum feces in the backyard. I gave (b) (6) some Metronidazole, thinking she had perhaps contracted giardia. I also stopped giving her any more dog treats and supplemented her food with some rice and plain yogurt. Symptoms resolved after approx. three days. Because I had purchased this product before, I was reticent to blame the chicken jerky treats. Therefore, I again resumed feeding the treats to my two labs this past weekend (June 24/2012). Last night, (b) (6) woke me up. She never defecates inside the house, but she again has come down with severe diarrhea. I noticed her bowel movement yesterday had been very small in size compared to usual. The amount of diarrhea last night was HUGE: likely two cups of pudding-consistency feces in the house. I emailed Milo's Kitchen (Del Monte) this morning and they phoned me back requesting I ship them any remaining product for analysis. My reference number with them is #5438711A.
HARTZ Oinkies Original Pig Skin Twists	Dog	Chihuahua	4	Years	Female	15	Pound	After ingesting the Hartz Pig Skin Twists, my dog (b) (6) vomited bright yellow liquid.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Rottweiler	5	Years	Female	79	Pound	After feeding Waggin Train Wholesome Chicken Jerky Tenders product to (b) (6) for 3 weeks she began to have loose bowel movements which included blood and mucus. She would receive 2-3 pieces every other day. Her stool sample is currently being analyzed at the vet
Waggin' Train Pbj Dog Treats , Waggin' Train Apple & Chicken Wraps Dog Treats	Dog	Terrier - Boston	2	Years	Female	20	Pound	I bought Waggin Train brand apple and chicken wraps and the PBJ. This is what I sent to the manufacturer but it describes EXACTLY what happened. Hello. I have recently purchased your PBJ product and apple chicken wraps. Both times my dog has vomited them up and remained sick all day. All she wants to do is drink water and crap in the back yard. Ive fed my dog every treat in the store and I though your treats looked good. My dog has never gotten sick before and is the picture of health. I had given her ONE treat. At first I thought she might be eating them too fast so I broke them into halves and gave them to her. Same results. Vomiting and diarrhea. The symptoms went away after a day of not feeding her these snacks. Your product made my dog sick and I noticed MANY other similar complaints. You say your product is good for dogs but for one second look at what is happening and try to find out what the exact reason for this problem is! Try making your product in the USA. Its companies like yours that are the reason why people dislike corporations so much. I have never dealt with such an illness ever in my 30 years of dealing with animals. And the moment my poor beloved Boston Terrier ate your snack she became violently ill. I will never buy ANY of your products again. Human or animal. Sorry if I am coming across as rude but my dog is my LIFE and is a member of this family! I hold companies to high standards and would feed my dog the same quality you would feed my son! Same on waggin train!
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Chihuahua	8	Years	Male	4	Pound	I gave the dog a canyon creek jerky treat Saturday night. Sunday morning he had thrown most of it up. Then he started with diarrhea. Fed in bland diet for breakfast. By the afternoon he was having bloody diarrhea and continuing to vomit. Gave him sucrulafate for an upset tummy, again fed a bland diet. By Monday am he was still vomiting, not interested in eating and pooping out straight blood that looked like it had raspberry type gel like mucous. Took him to the vet where he got IV fluids and a cerenea injection.`
canyon creek ranch chicken stix (chicken & rawhide chew)	Dog	Sheepdog - Shetland	8	Months	Male	24	Pound	I purchased a bag of canyon creek ranch "chicken six" from the lake forest, ca pet-smart store. I feed my dog three of this chicken & rawhide chews in a period of three days (thurs,fri,sat) saturday afternoon my dog started acting weird. 1. his energy level dropped, he did not want to play or do anything, his breath started smelling really bad, saliva started to come out of his mouth (that never happened before) and he just looked weak and sick. when I say "he" im refering to my puppy rocky. this morning (06/25/2012) I have to rush him to the vet because he wouldnt even move from his bed, after blood and urine testing the vet told me he has kidney and liver problems. now my 8th month puppy is fighting for his life at the "our pet's vet urgent care" facility because of this product. i do not understand how this product is still sitting on the shelves of pets store such as pet-smart and petco. today i spend \$1063.00 dls just to get him all the exams so i could know whats wrong with him. if my dog dies because of this products i will file a lawsuit against all the involved parties.

Waggin Train Chik'nBiscuits	Dog	Coton de Tuléar	7	Years	Mixed Population of Female and Male	15	Pound	<p>3-12-12 I had bought 5 bags of Waggin Train chik'n Biscuits from our local Wal Mart. I noticed the edges of the biscuits appeared a little "browned on the edges" but thinking it happened in the cooking process, it was not enough to raise any concerns. My dogs eventually completed that bag and I had begun to notice that their stools were loose. Also, my girl was a little more clingy than normal and my boy had gotten a sore on his chin. I went on thinking I would keep an eye on them and hope it would pass. I went to break up the next bag for them to eat and this black powder exploded in the bag after the first hit with a meat tenderizer. I looked at the rest of the bags and they were all in varying conditions of the same. (all from the same lot #/upc: 8 07020 99506 0). I called Waggin train thinking that they would have already gotten complaints from this "lot" and might know what is going on. (I also called PETA to see what I should do but they never returned my calls). The company said that they would send out a postage prepaid envelope for me to send the treats back to them for testing and that I should take the dogs to the Vet to be checked. She said their insurance company would take it from there.</p> <p>Took the dogs to the Vet and she checked their stools and did not find any parasites. She gave me antibiotics, and anti-diarhea medications for both dogs. She said she could test the treats but it would be expensive. I do not have that kind of money and could only afford to get them treated. Slowly, they improved after 2 weeks. Their insurance company rejected the claim as they said it was black sand (as per only a visual inspection) and that my dogs may have eaten something in the yard.</p> <p>My dogs have been feeling and acting better since I have gotten them totally away from ALL of this companies products. I had no idea that they had such a horrible track record until this event led me to google them. Why they are still allowed to sell ANY dog treats in the US amazes me. I have talk to so many vets and pet owners since this event and all of them had stories of the jerky getting stuck in dogs intestines and such. Their insurance company is arrogant and led me to believe that they are untouchable. When I told them all I was asking was for the \$101.16 the Vet visit cost and that I would sue for it if need be, because even the company thought it was worth me taking them to the Vet. They just told me to go ahead and that many have tried and they got them all squashed. I wrote the company and told them that they are getting their monies worth with this company, but are losing a hell of a lot more by losing a customer. Again, I don't know why these people are allowed to poison our animals without any recourse. If you go to their website, they advertise about how important the health of our animals are and how high of a quality their product is. I saved some of their treats if you need them and hope you can help me get this poison off the shelves.</p>
Canyon Creek Ranch Brand Tasty and Delicious Chicken and Apples	Dog	Mixed (Dog)	3	Years	Male	30	Pound	I gave my dogs Canyon Creek Chicken wrapped apple treats. My dog became violently ill with in 2 days of giving him the treat. I took him to the vet 4 straight days in a row and every day he was getting worse. My dog was diagnosed with a fever, diharrea, vomiting, and what we originally thought was a GI issue.
Canyon Creek Ranch brand Yam Good Chicken Fillet Wrapped Yams	Dog	Other Canine/dog	10	Months	Male	65	Pound	My dog got horrible diarrhea that persisted about 2 days following giving him 1 or 2 Canyon Creek Ranch brand Yam Good Chicken Fillet Wrapped Yams. After he got better, and a couple weeks later, I tried another one of the same treats (since I wasn't sure what had caused the diarrhea the first time.) He developed diarrhea again within a few hours of eating the treat. Again, this cleared up again after a day or so of just giving him rice/boiled chicken and water.
Kingdom Pets Chicken Jerky	Dog	Retriever - Labrador	11		Female	60		I usually give the dog and evening treat of Kingdom Pets Chicken Jerky every evening. I opened a new package on 6/20/2012 and gave the dog 1 1/2 chicken jerky strips about 8:00 p.m. she had diarrhea during the night. The next night (6/21/2012) not realizing it might be the Chicken Jerky I gave her another 1 1/2 strips and she again had diarrhea during the night and 7 times during the day they all had bowel movements were very loose with mucous and blood in them. I called a Vet who advised me to keep her without food for 24 hours and introduce her food again on 6/23/2010. On 6/24/2012 her stool was very soft but formed withut noticeable blood. As I am very strict about what is given to my dog to eat and the only new thing in her diet was the Kingdom Pets Chicken Jerky I feel it was caused by the Chicken Jerky. My dog does not swim in any lakes, pools or ponds and not does she visit any dog parks.
Waggin' Train Jerky Tenders Chicken Dog Treats	Dog	Mixed (Dog)	4	Years	Male	28	Pound	In the morning, our dog, (b) (6), had thrown up and had diarreah all over the laundry room. He was also bleeding from his anus. We took him to the vet right away. Our vet had a warning at the front desk about the chicken jerky dog treats that we had been feeding him. The symptoms were exactly as the warning indicated. Thankfully we took him to the vet in time for them to run tests and put him on medication, as this could have led to kidney failure and even death. He was diagnosed with colonitis and a torn anal gland. He has since recovered.

Waggon Train Jerky tenders chicken dog treats and Waggon train Jerky tenders duck dog treats	Dog	Terrier - Rat	11	Years	Female	17	Pound	I have been given both my dogs the Waggon train Chicken jerks treats. I had noticed the dogs would occasional throw up...but I associated it with eating grass. I took my smaller dog (b) (6) to the vet for pre-op blood tests for teeth cleaning and dew claw removal. The test results and exam show she is down two pounds from the weight she has been at her whole adult life and she is in renal failure. I have only ever given her natural products. I call Waggon train about 5 months ago when I heard of other similar products were on recall. they assured me that their product was safe and not on the recall list. I see that they are still not on the list, but my dog is now very ill! Thank god I took her for pre-op testing last week. I am currently waiting on the blood results from more indepth blood work. I dont know what will happen. (b) (6), my larger 80 lbs dog appears to be ok but i have not done the blood work on him yet.
WagonTrain Wholesome chicken Jerky Tenders								Both of our dogs suffered bloody diarrhea and vomiting after consuming the WagonTrain Wholesome Chicken Jerky Tenders, UPC 8-07020777482, Lot# W1CA6023A. 48pz 3lb bag. The treats were purchased from Costco.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Schnauzer - Miniature	6	Years	Male	15	Pound	Loss of appetite,lethargic, and vomiting,drinking excessive water,frequent urination
Canyon Creek Ranch Brand CHICKEN TENDERS	Dog	Terrier - Yorkshire	6	Years	Female	5	Pound	My dog has been a fan of chicken jerky treats forever but this time something happened. I had never heard of a recall and did think to search out recalls until she got so sick this week. But I thought I was losing her, the ER doctor never called me back and her doctor was already closed. I will still take her to ER if she doesnt keep improving or gets worse suddenly and I spoke to her doctors office today. They had no opening for today and will refer me to ER if we need to go but I have been doing the right procedures with her and also scheduled her for Monday morning with them for a Check-up. When I scheduled I had't read the recall info on the internet yet and will inform them by bringing the bag with me on Monday. Now here is what is happening with my family baby girl (b) (6) (b) (6) has not been herself for many days now, not certain if I should take her to the Vet. Started having "accidents" on the floors and then began losing some control. This in the last 24 hours, she had developed, Bloody watery bowel movements with some apparant cramping issues, Vomiting white foam, extreme thirst but the inability to keep the water down making the foam, no appetite for several days, pain and inability to sleep with some pacing unable to get comfortable. I tried last night to feed her boiled chicken with/without rice her favorite, she avoided it completely. As the weather is very nice here I sat outside with her several times last night "cool concrete" until 4 a.m. with cold compresses as she was also hot. Finally she ate about 1 tbsp of boiled chicken and has been resting off and on since then. I was again able to feed her the same amount of white steamed rice and twice as much chicken at approximately noon today. She has been resting, her water consumption has decreased and we are still waiting to see on her bowel habit.

Waggin' Train Wholesome Big Blast Chicken Jerky Wrapped Pork Skin Twists with Chicken Liver Center , Pup-Peroni Lean Beef Flavor	Dog	Terrier - Jack Russell	4	Years	Male	17	Pound	<p>My name is (b) (6) , my wife's name is (b) (6) , our dog was (b) (6) May 10th we purchased Waggin Train raw hide chew wrapped in Chicken from BJ and gave our dog (b) (6) (Shorty Jack Russel-small) and (b) (6) (Mix breed Medium size dog). (b) (6) chewed them and loved spending the evening keeping himself entertained and would eat the entire treat, but (b) (6) would mostly just hide them through out the house or outside (thank God). We again purchased a second bag of Waggin Trail raw hide wrapped with chicken around June 2nd. We did notice changes in (b) (6) but reflecting back realize that this was the start of serious and fatal problems. He started to be less active right after these treats started, and we started noticing him whining while laying flat on his belly over the next few weeks as if he wanted something, he stared at us and at time lay flat in front of us which was very different for a Jack Russel. Over the next weeks we also noticed his lack of interest in his meals and increased water intake. We would find him in the Bathroom laying on the rug away from us which was completed different. I didn't understand that he was sick or in pain, just different and very odd. He was less active and appeared to be gaining some weight, I assumed his inactivity was causing him weight gain. We continued waggin train treats during this time span of nearly 4 weeks. Just prior to his ultimate demise I commented how his stomach seemed harder than normal. The weekend of the 4th of June 2012, I decided to get him out for a Search and Rescue training. Certainly that would cheer him up I thought, and didn't realize that the heat might not be helpful to him. I reward him for task completed and gave him another toxic treat, Pup-ronie as rewards, being so commented to me, he tried to do as requested and happy to comply even though he seemed to be struggling. I looked at him and thought, why are you so quiet, why do you seem different and struggling? I was perplexed but still unable to understand what was wrong with my dog. I was soon to find out how this slow poison was killing my dog. Internal organ break-down for (b) (6) on Friday, June 15th, 2012 which took his life. Our vet cannot tells us truly what happened, On the 6th of June 2012 was an emergency visit due to (b) (6) bloating causing extreme pain in the stomach,swelling in the chest and abdomen, medicine and monitor was advised due to the xray and sent home. June 8th a return to the Vet, he was surgically opened through the abdomen but still with no conclusion of the problem. Nothing major in the stomach according to the vet. We took (b) (6) home the next day, Saturday June 9th. (b) (6) was not (b) (6), but we assumed he was down due to being cut opened and sore. By Sunday night, June 10th (b) (6) was really struggling with intense pain, discomfort, bloating, and lack of sleep with pacing. We brought him back on Monday morning, June 11th, where they monitored and examined him more. The vet opened him a second time and removed his Spleen and part of his ruptured Pancreas. (We have the clinical work-up on (b) (6) if needed.) The vet kept (b) (6) that Monday through Friday with continued decline and extreme pain and finally bleeding from the rectum. We visited (b) (6) twice each and every day to help lift his spirits and see him for our own spirits during his stay. Friday, June 15th (b) (6) took another turn for the worse. The Vet told us he was failing, belly swollen, in a lot of pain (they had removed his IV due to too much fluid retention the day prior: also pain meds through IV) and wanted to open (b) (6) up again. They found 1000ml of fluid in his belly and more Pancreas failure. While opened up he started to bleed out with extreme inflammation. We were told they could stop this and put him back together, but the diagnosis was not good for survival; more pain and suffering for our little boy! So the very traumatic decision was made to let our (b) (6) pass. (b) (6) is presently held in a freezer at a crematory waiting for direction. Just typing this letter causes me such pain an anguish it is indescribable. We poisoned our pet with the help of the government. How does anyone live with themselves after watching a slow painful death of a family member. (b) (6) trusted us to take care of him and we failed and he looked to us to save him and stop the pain. The emotional stress for our (b) (6) and ourselves is to great to express on paper. Not only the void in our lives, we now realize that all our efforts, expense of the surgeries, pain we put (b) (6) through, made no difference to save his life from poisoning. Now we deal with the guilt of not recognizing his symptoms, being uneducated on the fact that China made treats kill animals, and not knowing how to save him. My wife cries every day still with this guilt and visions of him looking to us to save him. He licked her face just before his final surgery and tried to get closer to her as to say, Its ok Mom, I still love you. WE should have taken him home right then and let him be home to die with us. But the desperation to save him took over and couldn't help want another chance to save his life. My wife and I are devastated and angry that these products continue on the market. What does it take to save precious animals. My wife and I are asking for help. Our other pets in our house are asking for help and protection. Pet lovers around the country and the world are asking for help. We have placed our beloved (b) (6) on ice to see if we can find someone, some entity that would be willing to do medical research on him to find out what he truly died from. Are you able to help us in our search and our research? We ask that you inform us either way so that we can possible direct our attention further towards your agency or on to another agency that can help us and our (b) (6). I thank you in advance for your time in reading this and your help, (b) (6)</p>
American Kennel Club Jerky *Made with Real Chicken*	Dog	Pit Bull	13	Weeks	Male	12	Pound	<p>The owner stated that 1 week prior to being seen again at the previous veterinarian (b) (6) he had eaten two bird heads from the backyard. No abnormalities such as vomiting/diarrhea had been noted. The owner had given the chicken jerky treats from the American Kennel Club sometime between eating the bird heads and being seen by the veterinarian for the second time. The owner had also changed (b) (6) food several times over the month that she'd had him. Early one morning (b) (6) had vomited and then vomited a few more times. The owner became concerned and brought him to the (b) (6) where he was estimated to be 10-12% dehydrated, T 101.2F, non-painful abdomen, continued to vomit in the exam room. Parvo test was negative. He was started on IV fluids and antibiotics. Since he was needing further round the clock monitoring he was referred to his current location at (b) (6).</p> <p>Since (b) (6) has been present at the clinic he has had a series of labwork. Initially the only abnormality found in both a CBC and chemistry was a moderate to severe non-regenerative anemia. A Pt/Appt test was performed to rule out the possibility of rat bait poisoning. Pt was normal Appt was mildly prolonged at 119.9 sec (75-105 sec). After the blood draw for the tests (b) (6) started to seizure. These were controlled with phenobarb IV. A urinalysis was ran to rule out ethylene glycole poisoning. Urine was negative for calcium oxalate monohydrate crystals. We were not given the OK to run leptospirosis titres. A barium study was performed to rule out the possibility for a foreign body from the history. There was a suspicious area in the barium pattern that we felt an exploratory needed after he had a blood transfusion since he was so anemic. No foreign bodies or other abnormalities were noted during the exploratory besides intestinal ileus. After the exploratory (b) (6) started to perk up over the next several days on antibiotics, anti-emetics and prokinetics. No vomiting was seen and he was keeping food down. On the 4th day after surgery he started to decline again. Bloodwork was re-run and both BUN and Creatinine levels were significantly elevated BUN >180 (7-25) Creatinine 4.9 (0.3-1.4). Since the newly diagnosed renal failure (b) (6) has been regurgitating so another barium study was ran to rule out megesophagus and none was found. An ACTH stim test was performed today and we are awaiting results. (b) (6) has also started to seizure which had not been a problem since initial presentation to our clinic.</p>
Milo's Chicken Jerky Milo's Sweet Potato Jerky package discarded	Dog	Unknown	14	Years	Male	98		<p>I purchased Milo's Chicken Jerky and Sweet Potato Jerky at a local store in Feb and gave to my dog. Soon after (? days) my dog developed generalized seizures and symptoms of a peripheral neuropathy. Two weeks ago 6/12 he was diagnosed with T-cell lymphoma. I happened to see a warning about chicken jerky from China at the Ohio State U vet hospital 6/12. Although these are not symptoms listed by others, temporally definitely related Breed- Bouvier des Flandres Receiving CHOP Protocol for lymphoma starting 6/12/12 with decreasing lymph nodes.</p>
Waggin' Train, Milo's Kitchen , Canyon Creek Ranch								<p>Dog treats made in China need to be recalled! How can they still be getting sold in stores (without so much as a warning on the packaging) if they are the reason so many dogs have gotten sick or died? It is time that lives become more important than profit!</p>

Kingdom Pets Chicken Jerky Treats	Dog	Mixed (Dog)	12	Years	Male	40	Pound	I have been feeding my dog the Jerky treats one a day as a treat, he became very sick, would not eat, very non responsive. Took him to the vet and he had a very high liver count (normal .9 his was 4.5). Was admitted for 2 days, ran IV's, and antibiotics. He is now recovering. The only thing we can link it to is the treats as he has been eating the same food, Innova for Soniors for the last 5 years. There has been no other change in his diet or routine. I stopped feeding him the treats the same day he became ill and the vet was even amazed at how fast he is recovering.
Milo's chicken jerky	Dog	Mixed (Dog)	2	Years	Male	50	Pound	one dog with diarrhea, and the second dog with bloody diarrhea
canyon creek ranch chicken jerky	Dog	Terrier - Yorkshire	4	Years	Female	10	Pound	She vomited within 1 hour of eating the Canyon Creek Ranch Chicken Jerky treats on 2 occasions (within 1 weeks time).
Milo's Kitchen Chicken Jerky Treats	Dog	Mixed (Dog)	8	Years	Female	16	Pound	I had been giving Chuck Wagon chicken jerky strips to the dog but switched to Milo's Kitchen chicken jerky treats because the Chuck Wagon treats went brittle and hard so quickly. In November 2011 he began drinking excessive amounts of water and having diarrhea. In one week he lost a third of his body weight. My vet gave him antibiotics for 3 weeks. I stopped the treats. He gained back some of his weight but started losing again and received another 5 days of antibiotics. He never completely got well or went back to normal stools. He died in February after beginning to lose weight again. The vet did blood work and thought it was kidneys or gut problems, but after reading about the Milo's Kitchen treats which I was purchasing at Wal Mart in Stockton, California, I feel that is what killed him. He was a very healthy animal upto that point. My vet did a mini atopsy and knows it was not heart worms or gut obstruction. The idea that a monetary value can't be placed on dogs to sue the company that marketed this product is wrong. It is not right for these products to harm animals. The FDA should do their job and make a full disclosure of the facts and what was in these products, who made them and what fine or punishment is the company receiving. My dog was trained to be alert to any problem I would have. He was a security system and a companion.
Dogswell Happy Hips Chicken Breast with Glucosamine and Chondroitin	Dog	Beagle	6	Years	Male	40	Pound	Fed our 3 dogs 2 treats each per day for the last 2 days and all 3 dogs developed bloody diarrhea. (b) (6) - Beagle - 6yrs - 40lbs - neutered (b) (6) - Yellow Lab - 9yrs - 70lbs - spayed (b) (6) - Golden Retriever - 12yrs - 80lbs - spayed (b) (6) also had issues with *excessive* urination having to go nearly hourly for periods of 5 or 6 hours after eating the treats.
Waggin Train Chicken Jerky Treats	Dog	Shepherd Dog - Australian	6	Years	Female	50	Pound	We have taken our dog on walks in hot weather before without any problem. On 6/12/2012, however, we went for a walk on a relatively cool day and the dog suffered heat exhaustion. At 8:00 at night she began convulsing continuously and we rushed her to the emergency vet. While we could not explain why the heat bothered her on that day and not on the hotter days, blood work showed toxicity that also could not be explained. Perhaps the toxins weakened her system. We incurred \$462 in emergency vet bill for that one night of treatment. If the other two dogs were to have bloodwork done, we would surely see the same level of toxicity because all three are given the treats. I am thankful that we only give these to our dogs about once every three days. I would hope the FDA would be able to force a recall on this product. We bought our product at Sam's Club and they have initiated a recall on the product, thank goodness. I wish I had looked this up on the Internet earlier; I gave them another of the Waggin Train chicken jerky treats today so I've been giving my loving, trusting pets a treat that is harmful to them. We consumers need the protection of the FDA.
Waggin' Train Wholesome Chicken Jerky Tenders, Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	8	Years	Male	43	Pound	Took my dog to the vet to have teeth cleaned. The liver values were high so they performed an x-ray. (b) (6) liver is 1/3 the size of a normal liver. He had Waggin' Train chicken jerky's in the past that we purchased at Sam's Club. Due to the problems other dogs are having with Waggin' Train, I suspect that is what has caused my dog's liver problems.
Milo's Kitchen Home-style dog treats 100% real wholesome & delicious - Chicken Jerky	Dog	Shih Tzu	5	Years	Female	25	Pound	(b) (6) started to be quiet, not wanted to eat the way she normally did - she was drinking a lot of water and had to urinate constantly - it was obvious that something had changed overnight.... Monday morning I took her to the vet to see what was going on and they performed an exam, did blood work and an urine analysis. The next morning (b) (6) phoned first thing with the results, (b) (6) had some results that were off and he was concerned - during the conversation he said, "by chance have you given her chicken jerky" - I replied "yes" - he said "let me call you back the FDA is researching an issue with chicken jerky" - I was shocked! I immediately looked on the internet and was shocked to see what I read.... how could I have given my "baby" something that might have made her so ill!!!! (b) (6) called me back within an hour and asked if I could bring (b) (6) into his office for additional testing including an ultrasound of her abdomen - I immediately took (b) (6) to the office for the testing and she was sent home later that evening with IV fluids that I had to give her twice a day and antibiotics twice a day as well. This visit was followed by more testing by (b) (6) and then it was decided to contact University of Pennsylvania Vet Program and (b) (6) test results and a urine sample were sent via overnight express for review and analysis and the results confirmed that (b) (6) issues are the result of tainted Milo's chicken jerky treats. My heart is broken... (b) (6) has had numerous amounts of testing/ultrasound/etc done to try to find out what was going on - and it all comes back to the chicken jerky.

Kingdom Pets all natural ingredients Chicken Jerky	Dog	Catahoula Leopard Dog	5 Years	Female	45 Pound	Became very lethargic and was hiding and not moving. Cried out in pain when trying to go up stairs or jump into car. Vet determined that she has kidney failure. We are waiting now to see if any kidney function returns. Brand of chicken jerky: Kingdom Pets Lot No, AKKPCO3B353 sold by Costco
Waggin' Train Jerky Tenders	Dog	Terrier (unspecified)	14 Years	Female	30 Pound	My dog, (b) (6) has been eating Waggin' Train Jerky Tenders for years. I buy them from Sam's Club. About a month ago, (b) (6) wasn't acting like her usual self. She was lethargic, had no interest in food, started drinking a lot more water, and she had some diarrhea. After about 2 weeks with no improvement, my son took her to the vet. The vet noticed that her belly was tight and he checked her stool for parasites. His discovery was that she had a bacterial overgrowth in her stool because of some sort of animal protein not breaking down. When my son told the vet what our dog eats, he mentioned the jerky tenders and the vet said to stop feeding them to (b) (6) immediately. (b) (6) was put on antibiotics and, although she's much better, she still doesn't eat like she used to and is not eating enough. By process of elimination, it was obviously the jerky tenders making her ill. The good news (if you can call it that) is that I believe that I may have enough "proof", if you will, for the FDA to do much more testing. I have four bags of the Waggin' Train Jerky Tenders that have been bought over the past 6 months (approximately) during different trips to Sam's Club. Three of the bags have been opened and the fourth one is still sealed. The bag that is sealed has the same lot number as the opened bag which contained the contaminated treats that I believe made my dog sick. The other two bags still have a few smaller pieces in them. I have a habit of saving the almost empty bags with the smaller pieces of jerky in case I see a stray animal or come up with an idea on how to use the smaller pieces so they don't go to waste. Here is what I have that I can provide to the FDA or anyone who would be interested in doing more research: Four bags of the Waggin' Train Jerky Tenders bought at different intervals at Sam's Club. Two of them have the same lot number - one is sealed and the other is not, the other two bags have different lot numbers and still have some jerky pieces in them. I also have the paperwork from the vet visit where he notes that some sort of animal protein was not getting broken down in (b) (6) system. Please contact me if you want to pursue. Thank you, (b) (6) (b) (6)
Waggin' Train Jerky Tenders						I bought Waggin' Train Jerky Treats in March, 2012 and gave my dog, (b) (6) 2 pieces to eat. She became ill approximately 3 days afterwards. (b) (6) began staggering and having trouble walking. She was unable to stand and she refused to eat. She died a week later.
waggin train big blast chicken jerky wrapped pork skin twists with chicken liver center and waggin train chicken stix chicken & rawhide snack	Dog	Poodle - Miniature	2 Years	Female	8 Pound	Gave my daughters 2 poodles, and my lasa poo, a chicken jerky treat. (b) (6) started acting funny after she ate hers and she stole my dogs. She gave birth to 7 puppies which 3 have died and one will not make it through today. (b) (6) also has been pooping every where and not acting right. (and she never did that in the past). She has been nursing the puppies. My dog vomited after she ate a small one. I thought these treats were pulled off the store shelves, and am upset that these dogs are suffering because they have not been forced to pull the product. A web site says that 500 dogs have died, and now there is 4 more added so far. What do we need to do to get these pulled off the shelves? I feel horrible that my daughter is losing her puppies and possible the mother because I gave her a treat.
Waggin Train Wholesome Big Blast Chicken Jerky Wrapped Pork skin Twist with Chicken Liver Centers Chicken fillet wrapped Treats	Dog	Beagle	7 Months	Male	20 Pound	Thursday June 7th, 2012 we purchased a package of Waggin Train BIG BLAST Dog Treats for our two dogs. We gave each dog a Treat (Chicken Jerky Wrapped Pork Skin Twist with Chicken Liver Center). The Younger Male dog took the Treat away from the older Female dog and began to chew on both of them. Friday Morning I noticed the male dogs Stool was beginning to get very loose. Friday The male dog drank a lot of water and urinated quite often, but I thought it was from the amount of water he drank He had also developed Gas. Saturday Morning His Stool was now like water and had a very bad smell. His appetite had decreased and he was acting like he didn't feel good, When I check his temp, he wasn't running a high Temp. Saturday night he wouldn't eat his supper and wasn't playful at all. Me and my wife had remembered that we had had a problem with Chicken Jerky with the female dog before so I removed both Chew sticks and tossed them in the trash. Sunday Morning he woke me up vomiting. This continued every 30 minutes for the next 6 hours, He couldn't control his body functions now and was urinating on himself and bed, plus was having to defecate a lot, He had become very weak and refused to eat at all, I was having to force feed him water and any food I made him eat he vomited back up. I took him outside to see if he would eat some grass, He ate a little grass but mostly just laid around. I contacted a friend that has a pet rescue company and she told me about the illnesses related to Chicken Jerky and a web site to check. That's when I found out the Brand Waggin Train was one of the three on the report and that the treats we gave our dogs was from this company. I quickly threw the remaining Treats and package in the Trash. Monday Our male dog was feeling a lot better by Monday Night he was 100% better His Stool had returned to a solid state and he ate his supper and chewed up my shoe!!!

Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	8 Years	Male	23 Pound	<p>(b) (6) was an 8-year-old mixed breed dog, weighing approximately 23 pounds, and in excellent health. He ran approximately 20 miles a week with me, and received excellent veterinary care his entire life, including dental treatments, regular checkups, blood work, etc.</p> <p>On December 11, 2011, I purchased from Costco the Kingdom Pets Chicken Jerky, and fed him a strip as a treat a few times a week. (b) (6) was never given more than 1-3 strips of chicken jerky in one WEEK, which is much less than the feeding recommendation on the bag of 2 per DAY for pets 11-25 pounds.</p> <p>The weekend of March 17-18, 2012, (b) (6) began to act lethargic, and on March 19, 2012, he stopped eating. I immediately took him to his regular veterinarian ("vet") at (b) (6) on the same day (March 19, 2012). The vet ran various tests and evaluations, including blood work and an ultrasound. Over the next 2 days, March 20-21, 2012, he became worse, and still wouldn't eat and began vomiting, so I took him back to the vet each day. On March 21st, the (b) (6) vet determined he needed a specialist to evaluate him and required 24-hour care in a hospital. He was sent to (b) (6) where he was admitted to 24-hour care in their ICU. He had tests, evaluations and treatment attempting to save his life. However, he succumbed to renal failure and died on March 28, 2012.</p> <p>I had not introduced anything different into (b) (6) diet in years besides the chicken jerky treats. Then the warnings about the chicken jerky from China came out a few months later, I investigated and found out that the Kingdom Pets that I had purchased at Costco was indeed from China. I then contacted the treating vets from his illness and death. The vets all agree that it is of their reasonable medical opinion that (b) (6) renal failure and subsequent death were the result of the Kingdom Pets Chicken Jerky.</p>
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	7 Years	Female	80 Pound	On 6/8/12 started coughing and "acting different" according to the owner. Was also twitching and looked confused from time to time. Vomited once and has increased thirst.
Wagon train chicken jerky	Dog	Other Canine/dog	6 Years	Female	14 Pound	Diaherra from eating wagon train chicken jerky dog treats.
Waggin Train	Dog	Shih Tzu	6 Years	Female	14 Pound	I gave (b) (6) the treats and then I went out. When I came back home she was bleeding rectaly and there was blood all over the living room. She was on the floor and could not get up. I called the vet imm. he came to the house I thought she was dying and she was when the vet arrived an hour later. I contacted the manufacturer and the place where the treats were purchase Dollar General and the treats are still there for sale and also at CVS (b) (6) is sick for the rest of her life and can only eat a prepscribed diest or she get sick and bleeds again. She has gastrointestinal disorders. Please recall these products. .
Beefeaters BBQ's	Dog	Terrier - Cairn	9 Years	Male	25 Pound	On Monday evening, June 4th, (b) (6) was active and playful. He had a chicken fillet from the Beefeaters BBQs package prior to going to sleep. The next morning, June 5th, he was a bit slow and refused to eat his food. We took him to (b) (6) at 7:00pm because he was drinking excessively, vomiting, standing with his head down and tail tucked in, refusing all food, and inactive. Extensive blood work was done, showing slightly elevated liver counts, and extremely low thyroid levels. An x-ray of his body was also done, showing some intestinal inflammation but nothing else remarkable. We were sent home with instructions to monitor him and call if he didn't improve. The next evening, June 6th, we returned and (b) (6) was examined by (b) (6). Pancreatic blood work was done, showing nothing remarkable. He was given some contrast to monitor his GI tract with x-rays the following morning, which seemed to be moving okay. On Friday morning, June 8th, we were told at 8am that he had eaten a bit of food, urinated and defecated, and was improving slightly. However, a call a few hours later from (b) (6) reported that there was now neurological impact, with (b) (6) being unable to stand, tilting his head to the left, unable to put his left paw down because of severe pain in his left fore shoulder. He also developed an ulcer in his left eye. Different antibiotics were given. Several hours later, he had worsened to where he was in respiratory distress, having trouble breathing. After consulting with the vet about the extreme pain and suffering (b) (6) was in and the outlook was so bad, we decided to have (b) (6) euthanized.
Milo's Kitchen home-style dog treats - chicken jerky	Dog	Retriever - Golden	3 Years	Male	60 Pound	First we noticed him scratching and itching heavily, he's never had skin problems before. Then his skin looked red and raw, not sure if it counts as a rash or it was self inflicted. Again, we've never had a problem like this before. Today he threw up a great deal, had diarrhea, ate little or nothing but drank a great deal of water, and is slow and lethargic and not like himself at all. We narrowed it down to these treats, we just recently decided to try them and only started giving them to him this past week, and when we gave one last one to him today, he threw it back up and seemed worse. That's why we're convinced it these treats.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	11 Years	Male	15 Pound	Pet was bleeding rectally, had a high temp (104), shaking, diarrhea - took him to the vet at 8:00 am on Saturday, June 9, 2012. Vet gave him fluids, antibiotics and kept him for observation - told us to look for clues for possible ingestion of mice poison or bad meat - we do not eat meat at home, do not have a problem with mice or rats - only change in pet's diet was addition of Waggin Train Chicken Jerky Tenders -
Dogswell Vitality Minis chicken breast	Dog	Other Canine/dog	10 Years	Female	14 Pound	Fanconi syndrome

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	14	Years	Male	20	Pound	After eating Waggin' Train chicken jerky tenders, my dog became very ill. He seemed to have extreme stomach pain and yelped in pain when he was touched in his stomach area. After about three days, he seemed to recover. I did not, at the time, connect his eating of the jerky tenders to his illness until a few weeks later when I fed him the jerky tenders and he reacted in the same way. I have also noted that he has developed incontinence, drinks excessive amounts of water, and needs to urinate frequently.
waggintrain chicken jerky treats								My puppy became very ill and ended up at the Veterinarians office, after eating chicken jerky treats by Waggintrain , Made in CHINA. I thought he was going to die! Vomiting and diarrhea, he had to get an antibiotic shot and one to stop the vomiting. It cost me out of pocket \$105.00 . He also had to take antibiotics for the next 5 days twice daily. I even wrote the company, filing a complaint and a claim to which they would not pay. They said until their product is recalled by the F.D.A. they will not pay!!!
EverPet real chicken Chicken Poppers	Dog	Terrier (unspecified)	8	Years	Female	20	Pound	The last two weeks (b) (6) has been listless and has been vomiting on and off. I remarked to my husband how unusual this was and I couldn't think of a reason why. This morning I clicked on the "Animal Rescue Site" and it had a warning about chicken treats from China. I realized for the last couple of weeks I had been giving (b) (6) EverPet Brand real chicken Chicken Poppers. They were indeed made in China.
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	5	Years	Female	12	Pound	Chicken Jerky was given occasionally as a treat. Strip were cut in half. In the last week se has become less active, sleeps alot, and is eating and drinking less. Her breath gotten a terrible odor. She was seen by our vet today, found to be slightly dehydrated. Blood tests were done with no apparent problem showing up. He prescribed an antibiotic in case she has inflammation in her digestive tract. He did state that the breath odor could indicate a kidney problem. At this time she is still lethargic.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Mixed (Dog)	7	Years	Male	10	Pound	Based on his size, I fed my pet less than the recommended treat serving of "Waggin' Train" chicken dog treats over a 3 week period, about every other day. My dog began drinking more water than usual and throwing up vomit mixed with tinges of blood. He only eats a good brand of dry dog food and one other natural treat besides the jerky. Since he was near the end of the food bag and had been eating the other treats for a while and not getting sick, I suspected the jerky. After I stopped giving him the jerky he stopped throwing up and has drank less water. I reported the incident to "Waggin'Train, LLC, the manufacturer in So. Carolina and they noted my complaint and sent me a refund. Now I see nothing but complaints about these treats, which are made in China per the label. Many dogs have died or become very, very sick, so I feel fortunate to have discovered the source of my dogs illness fairly quickly. The "Waggin' Train" Jerky Tenders lot number is B1CA5498A, the expiration is 06 17 13, and the package size is 24 oz, purchased at Target. Waggin' Train, LLC Anderson, South Carolina 29623 866-283-2923 info@waggintrainbrand.com
Petshoppe chicken jerky premium chicken dog treats	Dog	Chihuahua	10	Years	Female	12	Pound	I purchased my first dog treats, Petshoppe Chicken Jerky Treats, from Walgreens on Saturday May 19, 2012. My dog ate them that night and within a short time she started vomiting and having diarrhea until Monday. On Sunday, her vets office was closed so I was taking her in a Monday. On Monday her vomiting and diarrhea stopped but would not eat or play just stayed in her bed. I saw an article from my vet on Tuesday about Chicken Jerky Treats being recalled and making dogs sick. I took (b) (6) in on Wednesday morning. Her vet (b) (6) ran some tests and came to the conclusion it was the treats that made her sick.
Canyon Creek Ranch Brand Yams	Dog	Terrier (unspecified)	15	Years	Male	30	Pound	(b) (6) was given some yam treats and a few hours later he was gravely ill. He went outside and vomitted up the yams, partially intact. He became lethargic and refused food and water. I took him to an emergency vet the next morning. They performed xrays, ultrasound, and lab tests for poisoning. They did find a spot on his liver and he had a fever, they suspected he had cancer in his liver and prognosis was hermangiosarcoma and 3 months to live. He was given antibiotics and was better in two days. I followed up another verterinarian who performed laproscopic surgery to check for cancer or liver abnormality. He was found to have a healthy liver and no abnormalities. He refused to eat the treats afterwards. He has not been sick since then, that was two months ago. He does not appear to have cancer. I took him to my primary vet and he said the first emergency vet probably misdiagnosed him.

waggin train chicken jerky treats	Dog	Northern Inuit	11	Years	Female	65	Pound	dog was fed daily treats of chicken jerky. various brands, mostly from costco. she became ill, lethargic, refused to eat, vomited. was taken to vet & diagnosed with kidney failure for unknown reason. she ultimately died.
Waggin Train Jerky Tenders	Dog	Chihuahua	7	Years	Male	9	Pound	On several occasions I had given (b) (6) Wagging train Chicken Jerky treats and realized it caused severe diarrhea and lethargy, one time severe vomiting. When I realized that it was only after I gave him the treat that he had these issues I immediately stopped, soon after I started seeing on TV that people where complaining about these. So I just wanted to inform someone of our experience they need to get these treats pulled from the market.
Waggin Trails	Dog	Terrier - Boston	7	Years	Male	17	Pound	Given product from China Waggin Train Chicken Jerky treats Developed diarrhea and facial rash
Waggin Train Wholesome chicken Jerky Tenders	Dog	Poodle - Miniature	2	Years	Male	10	Pound	Dog became lethargic and would not eat. he was typically very playful and hyper, jumping all over the place. He began having bloody stools within hours and we took him to the vet. he died during the night after being given IV fluids. The vet said he died of pancreatitis, and probably ate something that killed him. He was an inside pet. Specific date unknown, records at VET
Waggin' Train Jerky Tenders	Dog	Basset - Artesian Norman	4	Years	Female	55	Pound	After eating Waggin Train Wholesome Chicken Jerky Tenders, (b) (6) became quiet, inactive and began throwing up, having diarrhea and bleeding from the rectum. We took her to the vet but she died on the table. Two weeks later, our other Basset Hound stopped eating, became inactive, having diarrhea and started throwing up. We have him at the vets now. Blood tests show dehydration, increased kidney enzymes and urine dilution. Doctor is not hopeful.
Waggin Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Schnauzer - Miniature	11	Months	Female	18	Pound	Started vomiting every few days for the last three weeks. Noticed blood in her stool today and non stop vomiting. She is very lethargic today and going to the vet in the AM. I was told to keep her hydrated. I saw a report today on the Waggin Train Brand and called the vet right away.
Ol' Roy Dog Treats Grilled Strips	Dog	Retriever - Labrador	2	Years	Male	101	Pound	Patient has been vomiting bile since starting with the treats from ol' Roy Grilled strips dog treats(exp 10/23/13 2115(or s)tp220327) patient also has had diarrhea for the past four days, he is lethargic and has been lame in back legs
Waggin Train Wholesome Chicken Jerky Tenders - Chicken Dog Treats	Dog	Other Canine/dog	15	Years	Male	12	Pound	after purchasing and administering appropriate serving size of Waggin Train Chicken Jerky Tenders, symptoms presented as follows: 1) Increased and Frequent Urination: Incontinence: when awake, not able to hold urine until he reaches outside when sleeping: wakes up having urinated in sleep. Amount of Expelled Urine: excessive - twice as much as normal Increased & Frequent Water Intake - constantly drinking water Sleeps 18 to 22 hours a day, inactive, lethargic.
Waggin Train Duck Jerky Treats	Dog	Mixed (Dog)	5	Years	Female	11	Pound	I have fed the Waggin Train duck jerky treats and the Waggin Train cowboy steaks to my 3 small indoor pets. Until the past approx. 2yrs. I never had a problem. (b) (6) contracted a UTI(urinary tract infection) I did not think much of it, until it became a regular occurrence. We practically live at the vets office. Kidney infections and UTI's are seemingly constant. Now she is having bloating, tiredness, excessive thirst, and elevated liver enzymes. Last week we had to place her on methocel for her liver health. My other 2 dogs had vomit and bloody gel-like runny stools, and some fatigue but they appear to have recovered. She is the smallest of the 3 dogs. She is a chihuahua/toy poodle mix. Her weight was normally approx.10Lbs but due to her health problems with the kidneys/liver she has the bloating/fluid retention which has her weight approx 11-12Lbs depending upon how bad the bloat is on that particular day at the vets office.
Waggin Train Chicken Jerky Treats	Dog	Hound - Basset	13	Years	Female	80	Pound	Our dog threw up after eating Waggin Train Jerky Treats
Dogs Well Happy Hips	Dog	Poodle - Standard	3	Years	Female	55	Pound	I purchased Dogs Well Happy Hips Chicken Jerky Made In China (which were returned back to the store, Agway Norwich CT) and within 24 hours my dog was violently ill with diahhrea and throwing up. It was the only new product given to her within this time frame. She is walked on a leash to take care of her business and is inside while I am at work. I am very intune with what she eats and have no doubts that this product made her sick.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Terrier - West Highland White	5	Years	Male	20	Pound	May 3 I gave my three westies small pieces of waggin train chicken jerky treats and my (b) (6) had vomiting and diarrhea with bloody stool the next day. I took him to the vet and he received two prescriptions. My other two westies had more mild symptoms. I did not connect this event to the treats, until the second time it happened two weeks later. Veterinary intervention with medications again, brought the symptoms under control with (b) (6). The other two dogs experienced mild symptoms and I gave them some of the same medication, which brought it under control again, however, (b) (6) stool wasn't fully normal until 2 weeks later. My vet asked if I had given them any "new" treats. I answered to the negative as I didn't think of these as new since I'd had the bag in the kitchen cabinet for about a month before feeding them out of it. So my vet was unaware I was feeding chicken jerky treats. When I asked my groomer if she'd heard about any illness going around, she showed me a report from ABC news about chicken jerky treats made in China. I went home and read the article further, and found the treats I had been unknowingly feeding my dogs were the #1 culprit in dog sickness and death from chicken jerky treats. I ask the FDA to please have these products removed from the shelves. When China produced tainted baby food and childrens toys, those products were recalled. Far more pets have been affected and died from these tainted product issues and our pets products deserve no less than the same recalls.
Waggon Train chicken strips	Dog	Poodle - Medium size	7		Female	20		After feeding my dog Waggon Train chicken strips she became very ill and almost died. Please see news story at link below. http://www.whdh.com/features/articles/carmelcase/MI95293/#.T8igzyxiZnw .email or go to wsvn7news, special reports, carmel on the case, treat problems.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Labrador	7	Years	Male	75	Pound	After giving Waggin' Train chicken jerky, within 24 hours both dogs had diarrhea. (b) (6) 75 lbs) had vomiting, decreased appetite, profuse diarrhea, increased urination, profuse water consumption, lethargy, no appetite. I withheld food for 24 hours and stopped giving the treats and encouraged consumption of water. Vet gave empiric treatment with an antibiotic and took a stool sample. I have contacted him and reported use of this product and will follow up on Monday to see if bloodwork is recommended.
Pet Shoppe Duck Jerky premium duck dog treats	Dog	Terrier - Jack Russell	7	Years	Male	9	Pound	He was bitten by another dog in the neighborhood on his chest. we took him to vet and had it drained and put on pain, antibiotics. We drained the wound for 2 weeks and it healed well. a few weeks later, he started to noticeably lose weight. At the time of the bite, he was 11 lb (died at 9lb), which was a little light. On a Monday, he started to have the diarrhea, vomiting and urinating 4-5 times/ a day, which was unusual. By Wed, he stopped eating all together (caesars wet food), other treats, small bites of american cheese. by Thursday, he wouldn't even move, I had to carry him everywhere. took him to the vet on Friday afternoon (circumstances did not allow me to take him in on Thurs). He was given a sub Q. Blood, stool samples were taken. by 2 pm on Sat, he was euthanized. The blood work is attached. he was given about 5-7 small pieces of the jerky, he travels in the car alot with me so I was giving them to him. The vet could not pin point exactly what he died from, but not the bite. She asked if he got into any trash, rich, non dog food, poison anything. We could not think of anything. We decided to do some research on the internet, and came across a previously report about chicken jerky. We are not 100% sure what he died from.
Kingdom Pets Chicken Jerky	Dog	Bulldog - French	1	Years	Male	25	Pound	I gave my dog, (b) (6), the chicken jerky and within 8 hours he was lethargic, bloody diarrhea, vomiting. Took him to the hospital and it was immediately admitted to the ICU and was critical. I was told if he had not come he would have died by the following day. He was in ICU for over 24 hours with iv fluid and antibiotics, xrays and tests done to find out what was wrong. Only thing he consumed was the treat and they found nothing else that could have caused it. Over \$3,000 and recommendation to not give anymore treats he was released and given gentle stomach diet for 10 days and is now recovered.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Alaskan Malamute	7	Years	Male	85	Pound	My 7 year old Alusky got sick on a Monday and died on Friday with what the vet said was an auto-immune disease. His cell count was completely off and he spent his last week of life at the animal hospital receiving IV's all day for hydration & antibiotics. After all the articles I've read I truly believe that Waggin' Train Wholesome Chicken Jerky Tenders by Nestle Purina were the cause of my dog's death. (b) (6) consumed Waggin' Train Wholesome Chicken Jerky Tenders at least twice a day.
Cadet Gourmet Chicken and Spinach chips								6 yo shitzu pekinese mix canine suddenly became ill and died within 6 hours of cardiac arrest on 6/1/12. Notable signs and symptoms were lethargy, hypothermia, hyperventilation, dehydration. Pertinent labs included hyperglycemia, increased ALT, mildly elevated renal parameters. The canine was warmed and hydrated to no avail. The dog had been fed liberal amounts of Cadet Gourmet Chicken and Spinach chips made in China during the day of the incident.

Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats 97% Fat Free	Dog	Shepherd Dog - German	8	Years	Female	80	Pound	I fed my dog two Waggin' Train jerky tenders chicken dog treats and within a few days she became very ill: vomiting, diarrhea, anorexia, weight loss, lethargy, excessive thirst. She became very ill on Friday, May 26, 2012 and on Monday, May 28, 2012 she died. I believe the Waggin' Train product was unsafe to feed to my dog and it killed her.
Waggin' Train chicken jerky treats	Dog	Other Canine/dog	13	Years	Female	28	Pound	After having to have (b) (6) put down, I was worried about her. We were both mourning his death. I kept a close eye on her and decided to take her to the vet. The vet did blood work. They gave her a shot and some fluids and we went home. They called me the next day and said that (b) (6) levels - of everything were WAY up and that she was in kidney failure. That was a Friday, I had to have her put to sleep on Monday.
Waggin' Train Chicken Jerky Tenders	Dog	Spaniel - Cocker American	13		Male	28	Pound	He was fine in the morning, being his usual goofy self, then all of a sudden he started acting strange. Not walking right, not looking right, not wanting to eat but being very thirsty. I called the vet and she said his kidney's had failed and he had to be put down.
Milo's Kitchen home style dog treats Chicken Jerky	Dog	Lhasa Apso	1	Years	Male	20	Pound	vomiting and diarrhea
Waggin Train Pork Skin Twist with Liver Center, Canyon Creek Ranch Chicken Tenders, Canyon Creek Ranch Brand Yams	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland)	8	Years	Female	40	Pound	Patient began vomiting and continued for 5 days; also became extremely dehydrated with constipation
Waggin' Train chicken jerky treats	Dog	Spaniel - Boykin	2	Years	Female	26	Pound	I fed her Waggin' Train chicken jerky treats one a day for approximately three days and she began vomiting and peeing in the house and excessive thirst. I took her to the vet that same day on March 29 and she had high levels in her urine with struvite crystals and an infection. He suggested I do bloodwork since this was a suspected poisoning in the treats. Those tests came back fine, I believe since I caught it early. He put her on antibiotics. I then brought in a urine specimen 2 weeks later on April 12 and still crystals. She was put on a special diet and was told to bring another specimen in a month. I brought that one in on May 23 and she was put back on antibiotics. As of today, she just finished those and I will be taking back another specimen in 2 weeks. Still on special diet too. This was the only change in her diet and I cook homemade food for her since birth so no possibility of another product involved.
Canyon Ranch	Dog	Great Dane	6	Years	Male	170	Pound	3 bladder infections over a 4 month period when taking Canyon Ranch Jerky treats.
Waggin' Train Jerky Tenders , Waggin' Train Yam Good	Dog	Beagle	10	Years	Female	29	Pound	<p>This has been going on since Oct 2011. There has been no realization that these incidents could be related so not reported until now. My dog has been eating these jerky treats for 6 months. She has had numerous episodes of diarrhea, lethargy, anal gland problems from the diarrhea and the most recent projectile vomiting. I had suspected her dog treats were the cause before but just because she is sensitive. She has been on and off numerous antibiotics for this problem that always improves her and then when the antibiotic is stopped, she returned to poor health, loose stools and gagging.</p> <p>This memorial day weekend on she got 2 yam treats and a jerky treat. By Monday she had diarrhea all over the house and projectile vomited across the living room floor in front of me with out even getting up from her bed. (She is obsessively housebroken, so for her to do anything in the house is a huge sign) She was still hungry but could not hold anything down. It looked to a lay person, like the stomach flu. I had seen all this numerous times before except for the projectile vomiting. That was a worse symptom. I again called my vet who stated that I could pick up another prescription for antibiotic because she must have gotten into something again that upset her stomach. I told the vet I had been watching her like a hawk and I didn't understand why this kept happening.</p> <p>Then I watched the news. When the specific treats I give my beagle were mentioned I was horrified. She did improve in her history while on antibiotic but also when she was "sick" I always stopped all treats and gave her bland food so I realized there has always been a correlation, Always. Obviously I will NEVER give her the treats again and hope that I have not done permanent damage to my sweet (b) (6). She starts the antibiotic tomorrow when I am sure she can hold down the medicine.</p>

WAGGIN TRAIN JERKY TENDERS	Dog	Other Canine/dog	5	Years	Female	35	Pound	I bought Waggin train Chicken Jerky treats in July 2011. After giving her one I noticed she was acting strangely, I wasn't sure what it was, it was a prayer position type of stance. At first I thought she was being cute until after 4 more days and 2 more treats..(SO 3 TREATS TOTAL IN ONE WEEK PERIOD.) She looked uncomfortable trying to pee every 2 seconds, then she moved he bowels and it was very stringy and a lot of blood came out. I thought at first maybe the treats weren't digesting and cutting up her intestines. I stopped giving the WAGGIN TRAIN TREATS to her and returned them to Hannaford supermarket and told them what happened. SHE was seeming to feel better the next few days as I fed her organic home made diet and watched her closely. It wasn't till months later when I saw on the news they were causing renal failure and death in some dogs. I was very upset and contacted Waggin Train. Where they denied anything wrong with their products. Since then I see and hear many reports of dogs dying. Which confirmed my original suspicions that those Toxic treats was to blame for my Dogs suffering. I am filing the complaint and pleading with you to take these things off the shelves. I was recovering from cancer treatments and If i had lost my best friend to a dog treat I would have been devastated. Now I see so many beloved pet owners losing their pets, some complaintating eating the treats themselves so as maybe it the suffering will stop... PLEASE PLEASE SAVE OUT PETS.. THERE ARE FAR TOO MANY UNWANTED DOGS SUFFERING AND DYING. WHY SHOULD ANOTHER HEALTHY LOVED PET DIE AT THE HANDS OF THEIR LOVING OWNERS..
Chicken Tenders	Dog	Terrier - Irish Soft-coated Wheaten	1	Years	Male	37	Pound	In December of 2011 (December 10th). My dog suddenly ill. Around midnight he began vomiting blood and having bloody stools. He was taken to the emegency vet clinic the same day. The vet informed me his chance for survival was not likely given his vital signs. He underwent two plasma transfusions along with other treatments. In the course of a week, he stablized and was fully recovered with in a month. After numerous and exhasive tests - the vet concluded that the most likely cuase of illness was related to something that was ingested as a part of the pet's diet. Their were no toxins / harmful viruses detected. One change that we had made in his diet a couple of months before the illness was adding Chicken Jerky Treats manufactured by Canyon Creek Ranch. I was not aware this pet food was packaged in China or any of the other issues that have been reported from similar products until recently.
Milos Kitchen dog treats								Bought Milo's Kitchen dog treats on the weekend for my dog and now she isn't eating and seems to have stomach upset. I then was sent an email from a friend about problems with Milos Kitchen (made in China). I read email and it said that there have been problems first reported in 2007. What gives, why isn't there a recall on these products.
Waggin' Train Wholesome Chicken Tenders	Dog	Pointing Dog German Wire-haired	7	Years	Male	90	Pound	had an episode of vomiting, excessive drooling and lethargy in early April, 2012. I took him to the vet and he had blood and urine tested and was put on a course of antibiotics. He improved after a few days. Then again about 10 days ago, he had the same symptoms, but seemed much worse. He would not eat or drink, and began to stagger as he walked. I happened to look on the internet at work, saw a headline about dog treats from China harming and killing dogs and printed it out to check the brand we had at home that I had been giving him occassionally for the past 2 months. Sure enough, we had that brand. I took him to the emergency vet right away that evening, and the vet ran blood and urine tests and found that his white blood count and enzymes were elevated. He felt that the dog chicken jerky treats had been the cause.
waggin train jerky tenders chicken dog treats	Dog	Shih Tzu	2	Years	Female	10	Pound	Exteme diarrhea with bright red blood in stool
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	4	Months	Male			After eating Milo's Kitchen Chicken Jerky, my puppy became whiny and while walking and sitting would fall over. He also developed muscle tremors.
Milo's Kitchen Homestyle Dog Treats - Chicken Jerky	Dog	Boxer (German Boxer)	6	Years	Male	90	Pound	My dog (b) (6)- who is a boxador (boxer/ black labrador retriever mix) was in perfect health and we kept him active everyday. He has been the best dog we have owned and we have always had multiple dogs at the time. My mom bought "Milo's Kitchen Homestyle Dog Treats - Chicken Jerky" a week ago and started feeding them to my dog (b) (6) one every other day, since this has started (b) (6) has not been able to eat anything, and he has lost close to 15 lbs. He has been drinking a lot of water though and urinating frequently. He is very weak and seems to get shaking like symptoms very frequently which he used to only get when he was very nervous prior to the treats. We have ceased the Chicken Jerky as treats and (b) (6) seems to be doing a little better he still has yet to eat though. I want to warn everyone prior to shopping for these treats I know my dog he is my best friend and he is not right right now. I hope he can break this illness and get better, but consumer need to be aware of this fatal treat.
Waggin Train wholesome chicken jerky tenders	Dog	Mixed (Dog)	13	Years	Male	75	Pound	I buy all natural dog food for my dog and thought these were the same health standard, and had been buying these for a while. My dog gotten into the cabinet while I was outside and ate several, which I will usually only give him one at a time, two or three times a day. Several hours later, he experienced severe (foamy) diarrhea, uncontrollable vomiting for several days. I didn't think he would make it. After several days of a diet strictly of boiled whole chicken and rice he seemed to come around, but has not completely come back to where he was, his overall health has declined significantly in the last month since this occurred.

Canyon Creek Ranch Brand Natural Chicken Tenders								I bought my dog the Canyon Creek Ranch chicken treats for Christmas because they were on sale and figured I'd try something new for him. Shortly after giving them to him he became having a lot of issues with diarrhea. We gave him a bland diet, eliminated treats. Once we started giving him the treats again he had diarrhea again. They were the only new thing we were giving him. He's had tons of treats before and eats a ton of food and has never had any stomach issues. I know the chicken treats were the ones making him sick. I know it was not because of anything specific with my dog but because there is something wrong with the treats.
Wagon Train jerky tenders chicken dog treats								Our puppy has been fine since we got him. Then today, 5/26/2012 we gave him a small piece of the wagon train chicken jerky and after a few hours he has explosive diarrhea.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Spaniel - Cocker American	11	Years	Female	23	Pound	(b) (6) began having severe diaherra and dehydration 1 day after eating Waggin Train Wholesome Chicken Jerky Treats. Then while being treated at VETS it was determined she was in renal failure. Still critically ill.
Milos Kitchen chicken meatballs	Dog	Terrier - Yorkshire	1	Years	Female	4	Pound	Vomited for 24 hours until she dry heaved, diarrhea
Waggin' Train Jerky Tenders	Dog	Spaniel - King Charles Cavalier	3	Years	Female	21	Pound	Shortly after (b) (6) being diagnosed with diabetes, she started to get sick in middle of November. Her blood sugars were still being monitored. Her diabetes was started to be in control. However after she had the Waggin Trail Chicken Jerky, she stopped eating. (b) (6) became very sick, very quickly. She went off food completely, and had to be admitted to the clinic. She was started on IVs, medications, and monitored. She never ate again (b) (6) passed away December 10th from kidney failure. Her renal test kept getting worst, she had extreme fatigue, would not walk, and was in pain every time you would pick her up. (b) (6) was put to rest on December 10th. She was not eating I never thought the Waggin Trail Chicken Jerky would kill my loved puppy. If I knew this çtreatç was going to kill her kidneys, she would have never received the chicken.
Pet Center Inc. Chicken Nibbles	Dog	Samoyed	5	Years	Female	72	Pound	we noticed our dog was vomiting a few times a month but could not identify any food triggers that may be causing the incidents. Since we had heard about the problems with chicken jerky from China people were reporting, we were monitoring our dog's reaction to Pet Center Inc's chicken nibbles we had gotten her a few months back. We got the 2 1/2 pound jar and giving it to the dog on an irregular basis (not daily). Last week, our dog upon eating a chicken nibble ran for the door needing to vomit. Part of us still suspected something else since she had been fed chicken nibbles for the last few months. However two days in a row this week she had the same reaction. Immediately after eating a chicken nibble, she ran outside to vomit twice. That solidified our suspicion that something about the chicken nibble was causing the vomiting. Besides the vomiting, the other symptoms have been excessive drinking and lethargy. Since she is a long haired dog, we thought the drinking and lethargy were tied to the warming weather, however are taking her to the vet since those symptoms developed in conjunction with the vomiting.
waggin train jerky tenders chicken dog treats	Dog	Terrier - Australian	9	Years	Male	25	Pound	i normally give (b) (6) dog jerky as a treat for him, well this last batch i noticed him acting different laying on the floor not wanting to do anything, he started eating less and drinking more i even tried to give him a pc of jerky and he didnt even want it and he never turned down some jerky next thing i notice he was throwing up for two days , just liquid . i also notice he smelt like poop so i gave him a bath and he didnt act like he normaly does, i dried him off and he still smelled we took him to the vet and he started having seizures and was having them at home but i couldnt tell. they did blood work , urine and exrays they said his kidneys and liver were failing and inlarged and there was nothing we could do. i brought him home he kept having seizures and was throwing up his bouls and we had him put down all of this within 2days. (b) (6) was a great dog and very healthy loved to play and take walks . he passed so sudden we had no warning . he was to young and did not deserve this, i miss him dearly and took this really hard i ended up taking 2 days off from work because i was having a break down. something needs to be done there are multiple reports out there with the same symtoms. kim
Canyon Creek Ranch Chicken Tenders	Dog	Shepherd Dog -	7	Years	Female	85	Pound	Dog is having Diarrhea that will not stop
Canyon Creek Chicken Tenders	Dog	American Pit Bull Terrier	15	Months	Male	70	Pound	We had been purchasing the Canyon Creek Chicken Treats for about 4 months (4 purchases). We started to notice that our dogs coat was covered in hives and his appetite had dramatically declined.(b) (6) bowl movements became extremely loose and he had several accident in the house where his stomach would cause an "exploding" effect when released. We witnessed and heard the sound and his loose stool several times. We at first believed it was his food (Pedigree) and gradually switch him over to Blue Buffalo. When we didn't notice a change, we brought him to the vet to be tested for everything. Everything came back negative. It wasn't until we ran out of the treats, and had not purchased them for the past month, that we noticed an improvement in his coat as well as bowl movements. Today (5/22/12) we were watching Fox 5 News and saw the story on Canyon Creek Treats causing illnesses in dogs. It was obvious that the treats were most likely the cause of our dogs problems.
Canyon Creek Ranch Brand Chicken Tenders	Dog	Shih Tzu	13	Years	Female	18	Pound	Really bad case of Diarrhea that just wont stop.

WAGGIN TRAIN JERKY TENDERS DUCK DOG TREATS	Dog	Siberian Husky	6	Years	Male	55	Pound	MY DOG (b) (6) WAS HEALTHY AND ENERGETIC AND WAS VERY YOUNG, ONLY LIVED HALF HIS LIFE. ALL OF A SUDDEN HE BECAME LETHARGIC/DRANK WATER EXCESSIVELY/DIARRHEA/. I TOOK HIM IN TO ER WHERE THEY GAVE SUBCUE FLUIDS AND ANTIBIOTICS IN CASE OF GIARDIA AND FOR DIARRHEA. A WEEK LATER HE WAS WORSE, I TOOK HIM TO ER AGAIN WHERE THEY DID AN ULTRASOUND AND THOUGHT THERE TO BE A MATERIAL OBSTRUCTION, SO THEY DID ABDOMINAL SURGERY TO FIND THERE WAS NOT FOREIGN MATERIAL, DID A BIOPSY WITH RESULTS OF MODERATE-SEVERE INFLAMMATORY BOWEL DISEASE. HOWEVER, THEY DID FIND ILEUS WHICH IS A MOTILITY DISORDER, AT THE TIME IT WASN'T AS BAD, WAS SENT HOME WITH MEDS AND A FEW DAYS LATER TOOK HIM IN AGAIN TO ER AND THEY FOUND A BLEEDING ULCER (GOING BY VOMIT SYMPTOMS AND BLOOD IN THE GI), WAS GIVEN MEDS AND AT THIS POINT MOTILITY STILL WASN'T PRESENT AND LOOPS OF BOWEL WERE GETTING WORSE, WAS GIVEN A MORE PROGRESSIVE MED TREATMENT TO RESTORE MOTILITY WHICH NEVER HAPPENED, AND TODAY HE DIED. I FOUND WAGGIN TRAIN DUCK TREATS THAT I HAD BOUGHT SEVERAL MONTHS AGO WITH MOST OF THE BAG EMPTY. ALTHOUGH HE DIDN'T HAVE LIVER OR KIDNEY FAILURE AS MOST REPORT, HE DID HAVE AN EXTREME NUMBER OF ISSUES THAT NO ONE COULD SAY FOR SURE HOW THEY UNEXPECTEDLY CAME ABOUT.
Waggin' Train Jerky Tenders	Dog	Shepherd Dog - German	4	Years	Male	75	Pound	For the last week, my dog has been getting 2-6 chicken dog treats per day (Waggin' Train Jerky Tenders). He has shown signs of great dehydration; I've been refilling his 44oz drinking bowl 3-4 times a day. He's begun eating grass and having a hard time keeping any food down. Also new is burping. In the four years he's been with me, I've never heard him burp so much. Not to mention a decline in overall energy. All of these symptoms begun late last week, May 19, 2012. The only change in diet, routine, etc.. for the last 3-4 months was the recent change in treats to Waggin' Train's Jerky Tenders. I've not given him any Jerky Tenders for two days now and his vomiting has slightly decreased however, eating and burping problems, eating grass, and loss of energy still persists. If helpful for investigative purposes, the lot # printed on the bag of Waggin' Train Jerky Tenders we purchased is; J4CA5645B.
Waggin' Train wholesome chicken Jerky Tenders Chicken Dog Treats	Dog	Pug	3	Years	Female	12	Pound	GI upset (vomiting and diarrhea) plus dehydration; no appetite.
Waggin" Train Wholesome Chicken Jerky Tenders	Dog	Pug	11	Years	Female	26	Pound	She became listless, extremely thirsty, and pooped blood. Her stool was loose and runny.
Smokehouse Brand Pet Products Beef Rib Bone	Dog	Shepherd Dog - Australian	5	Years	Male	31	Pound	May9 2012 owner called reported (b) (6) had vomited 3 times that AM, when owner returned home from work in the early afternoon he noticed blood in stool and (b) (6) was not interested in eating or drinking. Owner brought in for exam, bloodwork and x-rays, initial bloodwork showed slightly decreased RBC, no significant findings, sent home on Cerenia SID and Metronidazole 150mg BID. Returned to hospital on May 10 2012, stil not eating, more vomiting episodes, Barium study, repeat Electrolytes, Pancreatic Lipase test positive, IV catheter placed and fluids administered, continued fluid therapy thru May 11 2012, released to owner overnight, no further vomiting, IV catheter removed. Owner mentioned illness began 2 days after he gave a Smokehouse brand Beef Rib Bone.
Wagon Train Chicken Jerky	Dog	Other Canine/dog	7		Male	18		Kidney failure and pancreatitis, treated for two weeks.
Milo's Kitchen home-style dog treats chicken jerky	Dog	Bulldog - French	4	Years	Female	14	Pound	Our 4-year-old French Bulldog, (b) (6) was given one Milo's Chicken Jerky treat on November 17, 2011. That evening, she began having diarrhea, which continued on and off during the night. I washed her and made sure she had sufficient water and offered her food (which she refused) during the night. I last checked on her at 7:00 AM on Friday, November 18, 2011 and she was sleeping but alert and looked at me when I came into the room. At 8:00 AM (when out vet's office opened) I went into the room where she was sleeping and she had passed away. The only difference in her day-to-day diet was the one Milo's Chicken Jerky treat that she had on Thursday, November 18, 2011. This treat caused her illness and sudden death.

Canyon Creek Ranch Brand: Natural Chicken Tenders	Dog	Dachshund - Miniature	2	Years	Male	15	Pound	<p>(b) (6) ingested the Canyon Creek Ranch treats daily. I know that he ingested them for atleast 6 months. During his routine check up, the vet found that his liver levels were off the charts. The vet believed that he had ingested something and had a bacteria for which they gave him antibiotics. Upon his follow up vists, he levels had not gotten any better. They sent us to get an ultra sound which was basically inconclusive. We were referred to a specialist at this point. This all happened around March 10, 2011 between that time and 4/10/11, (b) (6) became more lethargic at home. He was not eating very well, or at all, he lost close to 2 lbs.</p> <p>The specialist found that he was sicker than we knew, and he had to be put on fluids immediately. The date of admission to the specialist was 4/10/11. He never came home. From 4/10-4/20/11 he was was a patient at the vet. He was on constant fluids. We did an exploratory liver surgery, as they were unable to pinpoint the problem. When they performed the surgery they realized that his liver was too far deteriorated for them to do anything. Their hopes were that it would begin to repair itself. It didn't. He became jaundice, and was not eating or drinking. We were basically keeping him going through the fluids. Our last ditch effort to save him was a blood transusion, it was unsuccessful. On 4/20/11, we made the decision that we could no longer put him through these life saving measures. We knew he would be unable to come home unless his levels imporved, and they just weren't getting any better. We also used up all of our resources and more (we spent around \$8,000.00 trying to save him).</p> <p>So, he spend the last week and a half of his life in a strange place, undergoing a very invasive surgery, a blood transfusion, and being on a constant IV for fluids.</p> <p>Again, the Canyon Creek treats were his favorite, he ate atleast 1-2 daily. Please please please investigate to see if this was the cause, if there is any chance that this could happen to another dog and another family, it should be worth it.</p>
Waggin Train Brand Chik'n biscuit	Dog	Chihuahua	12	Years	Female	7	Pound	<p>(b) (6) loved her treats, and had 1-2 a day. The treats were the Waggin Train chicken biscuits. She ate them for 6-8 months. (b) (6) developed kidney failure and died within a week of onset. In hindsight, she had developed an extreme thirst, and may have been suffering from kidney failure for a few months prior to the extreme symptoms and death. She had no other health issues and was a fun spunky little love who was one of my children. These treats should not be sold. I think the other dogs in the family weren't affected due to their body weight. They are all larger dogs 60 lbs and up. I believe these treats are a death sentence to small and tiny breeds. It's heartbreaking.</p>
Milo's Kitchen home-style dog treats chicken jerky	Dog	Terrier - Yorkshire	3	Years	Female	7	Pound	<p>(b) (6) exhibited lethargy, increased thirst, loose stools, vomiting, and lack of appetite after we gave her Milo's Kitchen Home style Treats. After seeing a news report on these dog treats we ceased giving her these treats and purchased a brand we had given her previously. The difference in behavior was remarkable. After only one day her appetite is improving and her energy level is greatly increased.</p>
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Dachshund - Miniature	7	Years	Mixed Population of Female and Male	9	Pound	<p>I have been giving one of my two dog these treats every weekend. For the last two weeks she had been having loose watery stool for three day after The treats have been giving. I relized it was the treats doing this when I gave my male one of the chicken Jerky sticks and he had the same reaction. I normaly give him a natrual raw hide instead as he will chew on that longer.</p>
Milo's Kitchen Chicken Jerky Treats all natural	Dog	Poodle - Miniature	2	Years	Female	12	Pound	<p>My parents were dog-sitting (b) (6) for the weekend and bought her Milo's Kitchen Chicken Jerky treats. When she returned home, she was violently ill...up most of the night vomiting, what appeared to be blood. She recovered in a day and I figured she ate something, but wasn't sure what. Two weeks passed and she was fine. But then she again went to my parents house for two days...and they gave her more of the same chicken jerky treats. She again came home and was sick...this time vomiting and with diarrhea. Then today my babysitter informed me that her 3-year-old Pomeranian died this week after eating Milo's Kitchen chicken jerky treats and choking on her own vomit. I double checked with my parents and they had been giving our dog, (b) (6), the same treats when she visited their home.</p>
Waggin Train Chicken Jerky Treats	Dog	Shih Tzu	13	Years	Male	20	Pound	<p>He became lethargic one day and not being himself, I took him to his vet. She was not able to find exactly his problem except that it was an abdominal problem. She gave him something to ease him stomach pain and if he was not better the next day, we were to run blood test. That night he was laying in the kitchen with me. He went to raise up and gave a horrible yelp and fell over dead.</p> <p>A friend of mine was also giving her pet the same treats and her dog died exactly the same way.</p>

Waggin' Train Chicken Jerky Treats	Dog	Chihuahua	2	Years	Male	9	Ounce	<p>Suddenly one evening, (b) (6) began to vomit frequently, drink water excessively, shake, appear lethargic, and appear in significant abdominal distress. We took him to the emergency veterinarian, who ran a series of tests. The tests showed significant dehydration, elevated kidney values, and abnormal appearance. (b) (6) stayed overnight at the emergency vet (the local VRCC at a cost of over \$1000). The next day we took (b) (6) to his regular veterinarian, where it was suggested he stay for the day. After 24 hours of administering fluids and monitoring, he was declared well enough to go home.</p> <p>No immediate cause of illness could be found, so the vet suggested we consider dietary possibilities. We had previously been giving (b) (6) Waggin Train' Train Chicken Jerky treats purchased from a local Walgreen's store. We didn't even think of this at the time, so eventually as (b) (6) appeared better we began giving these treats again. The symptoms immediately returned, at which time we stopped giving the treats. We then pursued more research in conjunction with our vet and found that other dogs had taken ill with the exact same symptoms after having ingested these treats.</p>
Waggin' Tails Rawhide Chicken and Duck	Dog	Retriever - Labrador	6	Years	Female	72	Pound	<p>In March of this year, (b) (6) woke up in the middle of the night every night for several nights and ran downstairs to vomit. She almost never vomits so we were mildly concerned but thought maybe she ate something she should not have. A week later she started to urinate all over, on our bed, on our couch, and on the floor. She never has had accidents except when she was a puppy. At the same time she was drinking constantly. She could not get enough to drink. We automatically assumed UTI and called the vet. We took in a urine sample and it came back negative. The vet wanted to do bloodwork to rule out renal failure or parasites or liver damage, etc. At the same time a friend told us about these Waggin' Tail treats and that they have been causing a lot of problems in dogs including his and his brother's dog. Since that is what we have been giving (b) (6) we stopped them right away. Now we are trying to determine how much kidney damage (b) (6) may have. She is still drinking all the time and is having many accidents in the house. We would like to know what caused this because prior to this she was very healthy.</p>
Waggin train jerky tenders chicken	Dog	Poodle - Medium size	12	Years		20	Pound	<p>Not sure if the chicken jerky caused his death but he got sicker after chicken h Jerky was eaten d Thought it was due to old age but now I wonder if it was due to jerky T</p>
Kingdom pets all natural ingredients Chicken jerky	Dog	Pekingese	12		Female	10	Pound	<p>vomiting; diahreea; blood in vomit and stool</p>
Milo's Homestyle Chicken Balls	Dog	Chihuahua	13	Years	Female	11	Pound	<p>She suddenly became ill in 2011 and was taken to vet.....she said began taking medicine for heart problems. Then suddenly the week of May14th she suddenly begin not eating and drinking and was taken to vet on Wednesday ans she said she was in kidney failure and died on Friday. I had been giving those Milo's homestyle treat to her for that time.</p>
Waggin Train Chik'nBiscuits	Dog	Other Canine/dog	3	Years	Female	17	Pound	<p>Dog became ill one evening, vomiting, lethargic, had eaten dog treats that afternoon. Took to ER Vet Hospital next day, found blood in urine & fever, diagnosed with UTI, was givevn a shot for nausea & sent home on oral antibiotics. 5 days still not eating. Called regular vet & was told to feed boiled chicken & rice which she still would not eat. Took to vet 3 days later & was found to have extremely high liver enzymes & bilirubin levels, was admitted on IV fluids and po medications to reverse the liver damage. Was in the hospital from Monday 5/21/12 thru 5/24/12. Enzymes still high on 5/24, but ok to be discharged home. Still on oral medication and will need follow up liver function studies. I was not aware of the possible adverse affects of the treats until today by a friend, so I never mentioned to either vet that I had given these treats to my dog. I have 1/2 of a bag left</p>
Canyon Creek Ranch Pork Skin Big Blast with chicken liver center	Dog	Great Pyrenees	3	Years	Male	110	Pound	<p>We gave him a pork skin treat on May 8th. Later that day he regurgitated all of his food from the day including parts of the treat (we could see undigested pork skin in the mess). Two days later he regurgitated his food again, and I took him to the vet. She noted that he didn't have abdominal pain so she gave him fluids and a few injections to settle his stomach and help him get better. We also started him on a bland diet of rice and chicken. Two days after that (may 12) he regurgitated food again, and vomited on the morning of May 13. We took him back to the vet. She took X-rays to see if he had any blockages (he didn't) and gave him a couple more injections. She changed his diet to Prescription Diet l/d canine gastrointestinal health. He had diarrhea for a few days after starting that food but finally started getting better. It wasn't until last weekend (May 19/20) that he seemed to be back to normal.</p>
Milo's Kitchen Chicken Jerky	Dog	Chihuahua	6	Months	Female	7	Pound	<p>Daily vomitting (she has one treat per day)</p>

Waggin Train Western Grill	Dog	Mixed (Dog)	9 Years	Female	45 Pound	After recovering from Cruciata surgery and beginning normal exercise I felt I could once again start to treat her with out having her gain weight. I opened a new bag of chicken strips and gave her one. It was around noon. By the next morning she was slow to eat her food. Her dinner that night was half consumed and she began to vomit during the night/early morning. She refused breakfast so I took her to the doctor. Her liver values were way off. She was in the hospital and on fluids for two days---getting worse with each passing hour. Two days later she was transfered to the speciality hospital for tests, biopsys and ultrasounds. Through the summer she would get a little better and then relaps several times. She was consistantly blood tested, ultrasounded, x-rayed and stayed on meds from April 2011 until February 2012 when she lost her battle and had to be euthanized. No reason for her illness could be found. Her pre-cruciata surgery bloodwork showed a perfectly working livera nd kidney, with all other values normal, 7 weeks later she was healthy, happy and energetic and the day after her first treat she was on the long, expensive, painful road to death.
DOGSWELL VITALITY CHICKEN BREAST	Dog	Retriever - Golden	4 Years	Female	80 Pound	GI COMPLICATIONS INCLUDING DIARRHEA
Waggin Train Chicken Strips	Dog	Terrier - Jack Russell	7	Male	24	About a year ago as something different for him as a treat I gave him Chicken Jerky Strips from Waggin Train I bought them at walmart. We didnt know what happened, but he acted funny and acted sick and layed around. Jack russells are dogs with energy and they like to play. I was gone till early evening and my wife called me and said we have to take duke to the hospital/doctor he cant even walk from outside now. So I met them at the doctors and we had to carry him in, he couldnt even walk. They ran test on him and took blood, they said his kidneys were infected and he had to go on 3 kinds of med's. two pills and one liquid. They were some of the stongest antibiotics they had. It cost about 350.00 to make him well again.
Sweet Potato Treats And Chicken Jerky Treats	Dog	Mixed (Dog)	8 Years	Female	30 Pound	Dog contracted bladder stones and nearly died from a blocked urethra. The vet ran labs and determined the cause was these sweet potato treats and chicken jerky treats coming from China that have harmful chemicals in them. TAKE THESE OFF OUR SHELVES!
Canyon Creek Ranch Natural Duck Tenders	Dog	Terrier - Rat	6 Years	Male	19 Pound	Shortly after purchasing 2 bags of Canyon Creek jerky, one of our three dogs became very lethargic. Still have unopened bag of jerky. After many visits, overnight stays withmore than one Vet, dogs health has improved with special diet and medication.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Golden	8 Years	Male	65 Pound	Dog has diarrreeh that has gotten worse. Mucous in feces. Drinking a lot of water
Milo's Kitchen Chicken Jerky Strips	Dog	Beagle	3 Years	Female	28 Pound	Both Beagles (b) (6) - 2years, 33 pounds) and (b) (6) - 3years, 28 pounds) were given Milo's Kitchen Chicken Jerky Strips two days prior to becoming ill. First (b) (6) experienced vomiting, diarrhea. (b) (6) began having tremors the following day. Both went to the vet for blood work/x-rays and nothing was found. On day 3 after ingestion (b) (6) began having tremors as well and (b) (6) began having Seizures. Took both dogs to the vet again on day three and they had high fevers, rapid respirations and irregular heart rates. The vet decided it was some sort of poison and treated them with Charcoal to absorb whatever toxin was in their system. Gave valium to control the tremors. By that evening they were on the upswing and I brought them home. I was not sure what they got into because they are indoor dogs that go on walks and are in our site at all times. I didn't think about the treats until the recent notice of possible contamination of these specific products.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Rottweiler	6 Years	Male	100 Pound	Dog was given more than usual amount of Waggin' Train chicken jerky treat at bedtime, lot no. W1NJ127A, bought at Costco, Hackensack, NJ. In the morning the dog was lethargic, aggressive, refused food. This persisted for 13 days. The dog continued to refuse food and on 23 January expired. During this time the dog was severely constipated. Owners took a stool sample to a veterinarian's office but no problem was found. A veterinarian visited twice and prescribed antibiotics. Yesterday I received an email from Vitals on MSNBC.com mentioning 600 dog deaths from this and related products. Symptoms described by pet owners coincide with Anax's.
Waggin Train Jerky Tenders	Dog	Maltese	11 Years	Male	12 Pound	He stopped eating his food and when he did eat he would throw it up minutes later! He drunk more water than usual and was constantly begging us to take him outside minutes after he had just returned. These are all signs of kidney failure per the report.

Waggin Train	Dog	Chihuahua		Years	Mixed Population of Female and Male		Pound	My dogs were happy and healthy ,I decided to get some treats for them I bought Waggin Train Cowboy steaks which they loved .withing the next month the female started to have seizures ,the male bloody diarrhea and vomiting also both were getting larthargic? This is not the nature to be ? I took to my vet many times and this had him stumped Put the female on a med for seizures .treated the male with different meds? they both passed a month apart 5/15/10 and 7/17/10 I had male put to sleep could not stand seeing him suffering so the female had a horrible death.This was heartbreaking to me still is .They were my babies and constant companions
Kingdom Pets All Natural Ingredients Chicken & Sweet Potato	Dog	Other Canine/dog	2	Years	Female	12	Pound	Over the past month (b) (6) has been eating less and less food. In the beginning of this issue she would eat once a day about 1/3 cup, then 2 weeks ago she didnt eat for 2 days. I put a bit of peanut butter in her food and she only licked the peanut butter. Went to the Natural pet food store and asked to help pick a different food because I thought she was not liking her current food. The only thing she would eat was the Chicken & Sweet Potatoe treats from Kingdom Pets purchased at Costco. I read the report from our local TV station about chicken jerky treats killing dogs and (b) (6) has the first couple of symptoms. Today is the first day she hasnt had any of these treats.
Milo's Kitchen Chicken Jerky	Dog	Retriever - Labrador	12	Years	Male	70	Pound	(b) (6) became very ill with vomiting, diarrhea, blood in stool, lethargic.
Waggin trails chickn' biscuits	Dog	Mixed (Dog)	2	Years	Mixed Population of Female and Male	40	Pound	they began having loose stools and terrible gas as soon as we discontinued the treats they were fine
Milo's Kitchen Home-style Dog Chicken Jerky Treats	Dog	Mixed (Dog)	6	Years	Male	55	Pound	shortly after starting to give these treats (b) (6) slowed down his food consumption, then slowed down his activity level sleeping more. the anorexia got a little worse as did the lethargy. he started to drink less water. then he started to have difficulty walking on linoleum floor here at home, like the floor was slippery, (b) (6) looked like bambi on the ice. about 2 weeks ago he started to cower at loud voices, sounds and the sudden sounds.
Pet 'n Shape Chik 'n Skewers Dog Treats	Dog	Terrier - West Highland	3	Years	Female	21	Pound	Three different times in a two week period, (b) (6) vomited, involuntarily urinated on the floor and markedly increased her water consumption. Each of these three times was preceded several hours by her ingestion of a Pet 'n Shape Chik 'n Skewer.
Waggin train chicken jerky treats	Dog	Chow Chow	12	Years	Male	55	Pound	Last thanksgiving (11-24-2011) my dog (b) (6) died of kidney failure, i had been feeding him waggin train dog treats for most his life. I believe due to the recent media attention that the dog treats made by nestle-purina were responsible. (b) (6) was always a very active and healthy dog he never in his whole life had any illnesses except for the kidney failure which killed him (very horribly i might add) I stopped giving him the treats as soon as the vet told me that he had kidney problems, but it was too late. Now my other younger pet Mojo has kidney problems because i gave him the same treats for many years.
Canyon Creek Ranch Brand Chicken Strips	Dog	Chihuahua	1	Years	Female	5	Pound	She got very sick throwing up no energy no drinking water
Wagon Train Jerky Tenders - Chicken Dog Treats	Dog	Dobermann	6	Years	Male	77	Pound	(b) (6) had recently been given chicken jerky treats by Waggin Train. (b) (6) then experienced extreme diarrhea and vomiting for 36+ hours. We took (b) (6) to the vet where they ran tests and determined that he had a bacteria infection in his GI tract and suggested we no longer give him the treats. He is currently on a variety of medicines to help with his stomach issues -- we are now in day 3 and he is still have very loose stools. I cannot believe that so many dog owners have had the same/very similar experiences with these treats and there isn't a warning or a recall!

Waggin Train Chicken Jerky	Dog	Mountain Cur	5 Years	Male	27 Pound	(b) (6) was my dog, and he became by parents dog when I went to college. He was always a very happy and healthy dog. My parents purchased Waggin Train chicken jerky, as well as a few other chicken related treats of theirs such as the chicken biscuits and yam and chicken treats. (b) (6) absolutely loved the chicken jerky and would get 1-2 pieces daily for almost his entire life. We never had any reason to believe that these treats were unsafe, quite the contrary, because they were real chicken it seemed like they were very healthy and were better than many other treats on the market. Around Sept 2011 (b) (6) was scheduled for a dental and his vet found some abnormal results in his pre-surgery blood work. At first it seemed that he was anemic, a condition that he had never had before this date. His vet put him on some medicine, hopeful that would correct the problem. Upon more blood work, it was found out that the medicine was not having any effect on this issue and more tests were done. Then it was seen that his kidney function was starting to decline. He was put on purina vet diet NF, a food that is made specifically for dogs with kidney trouble. This food made no difference and he began to go downhill rapidly. In the span of a few months he went from a happy healthy dog that loved everyone and loved being outside to a dog that had no strength or energy and hardly ate or drank and barely left his crate. The vet said that the only treatment option left was to leave him at the vet and keep him on constant fluid and dialysis and hope that his kidney function started to increase, but that is very expensive, and very stressful on the dog, and there was no guarantee that he would even be strong enough to survive that much less that it would actually work. My parents elected to keep trying the very expensive speciality food and hope for some improvement and some indication as to what was causing these issues. I live 4.5 hours from my parents and work full time at a dog boarding kennel. Because of the nature of this job, I am not able to travel much, and I work every holiday so I rarely get to see my parents or my beloved (b) (6). Christmas 2011 was the first holiday I had off in the 4 years I have worked there. So I was so excited to get to go home and see my family and my dog who I hadn't seen in almost a year and spend some quality time there, even if it was only for barely 2 days. Instead of having a happy wonderful relaxing holiday with my family, I spent my time literally laying inside of his crate with him cuddling up with him because he was so weak. He could barely wag his tail anymore and no matter what I did he wouldn't eat anything and would barely drink. He was euthanized on Dec 26th 2011. I will never be able to go through another Christmas without feeling this pain. And I am reminded of this every day at work while i am surrounded by other people's healthy dogs and wishing that (b) (6) was still with us. After I went to college, he pretty much became my dads therapy dog. My dad has been very sick almost my entire life, and (b) (6) was his companion. He was a great dog would guard my dad, and lay with him when he wasn't feeling good, and always stayed with him while my mother was at work. He is absolutely irreplaceable. If we had any warning of how unsafe these treats were, we NEVER would have given them to him. It is a decision myself and my parents have regretted every day since this happened. I want the people who are responsible for this to be brought to justice. No one else's innocent dog should get sick or die from this negligence on their part. If this affected humans directly, it would have been pulled off the shelves at the first sign of a problem, but just because it affects dogs doesn't mean its ok and can be ignored. I spread the word daily to every customer I come in contact with that these treats are harmful and I hope that every person whose pet has become sick or died because of this is able to get closure by the comp
Dogswell - Happy Hips Chicken Breast with Glucosamine & Chondroitin	Dog	Mixed (Dog)	6	Female	48 Pound	(b) (6) is an extraordinarily healthy 6.5 year old fox terrier/cattle dog/scrappy McRascal mix. I started to give her "Dogswell's Happy Hips" with Glucosamine & Chondroitin about 2 - 2.5 weeks ago. Witin about 2 days (or thereabouts) I noticed she started to have terrible diarrhea...I did my usual treaments for this - soupy rice and Purina's FortiFlora - she seemed to be doing a bit better, but the diarrhea never fully cleared up and and she also has started having terrible, smelly gas...something very unusal for her...I was forwarded a report about chicken treat products from China and immediately pulled out the bag of her chicken treats..they are distributed by Authur Dogswell, LLC. 1964 Westwood Blvd. Ste 350 Los Angeles, CA 90025, but Made in China...I will be notifying this distributor and will be happy to send in the remaining bag of treats for study. I obviously will no longer give her these treats, and I will be monitoring her carefully over the course of the next few days to see if the problems clear up. I certainly hope so.
Waggin Train PBJ	Dog	Hound (unspecified)	6 Years	Female	57 Pound	I bought Waggin Train treats and gave my dog 2 on sunday night. Monday (I left at 9 am and I could hear her stomach making digestive noises) when I came home from work at around 5pm the house looked like a murder scene, she had pooped all over the house and our bed (b) (6) has never once pooped in our house) there was a lot of blood, so much we had to get rid of our sheets, mattress cover, and throw.(b) (6) had not eaten all day and when I got home I took her food from her so she couldnt eat. I took her to the vet the next morning. I could not leave her because they were concerned she was contagious. They ran some tests and gave her a bag of fluids the vet tested for something introgas related (I dont know the technical term). Her tests came up negative, the doctor was confused and gave her atibiotics and some kind of dewormer (even though she came up neg for worms) ther was no definite diagnosis. Since, (b) (6) has still been lethargic and is only able to eat plain Chicken and Rice, she also still has black mucus like bloody stool. I am certian that the new treat Waggin Train we gave her on Sunday was the cause of this. I have notifed the company, our vet and all of my family and friends with dogs, to keep this from happening to anyone else. I just hope she gets better soon and doesnt have any long term effects from this incident. But I am so thankful I didnt lose her like so many others have. ALSO I THREW THE REMAING TREATS AWAY SO THAT NO ONE ELSE IN THE HOUSE GAVE ANY TO HER. I DID SAVE THE BAG THOUGH.
Waggin Train Country Style Drumettes (Tasty Dental Bone) made in China	Dog	Chihuahua	4 Years	Male	6 Pound	We had been giving (b) (6) the treats on and off for the past 1yr and half. He had to go to the vet. a few times, also ER for vomiting. The vets. could never find pinpoint anything specific, so they always just gave him nausea medication. The last time he got sick we took him to the vet and dropped him off because vet. wanted to run more test since he had been getting sick more frequently. Vet. ran lab and said his glucose was elevated, hgb was a little low, and there were 2 other test related to his kidneys but they showed slight elevation but the vet. could not pinpoint. The vet. also found a very faint heart murmur, which had not been heard before. Vet also did a CT and they saw fluid but unsure of cause, also was running a temp. They gave him shot of nausea med., lasix to remove fluid and a shot of antibiotics. The next day very lethargic, wouldnt do much at all. Took back to the Vet. Vet. said he should not be like this from the meds we were giving him. 2 days later his system shut completely down and we had to put our little baby down. he was a healthy little 4 yr. old chihuahua and we will miss him. Please someone do something about this product...

WholeCare Pet	Dog	Retriever - Labrador	12	Years	Female	69	Pound	Gave (b) (6) a Chicken Jerky strip on a Sunday, on Monday thru Wednesday she would not eat, and was lethargic, also drinking excessive amounts of water. She was taken to the veterinarian on Friday, all symptoms have passed except the excessive drinking of water. Nine days after given the treat, now her water consumption is normal.
Waggin' Tail Chicken Jerky Treats	Dog	Hound - Italian Short-haired	2	Years	Female	15	Pound	Dog exhibited lethargy, loss of appetite, unable to walk. Brought to local vet and specialists with no confirmed cause of problem.
Waggin' Train Wholesome Chicken Jerky Tenders-Chicken Dog Treats	Dog	Retriever - Labrador	1	Years	Female	85	Pound	On Thursday May 17, 2012 I purchased Waggin' Train Chicken Jerky Tenders from a Tractor Supply located in Tilton, NH. My labrador retriever may have received 4-5 of these treats and by Saturday she was lethargic, not eating and not going to the bathroom. As of Tuesday May 22, 2012 she still had not eaten hardly any food, not even her favorite dog bones. I just happened to notice on my MSN homepage on the internet a news headline that said "Nearly 1,000 dogs now sick from jerky treats" I clicked on the article and noticed the cause of the investigation was the exact same product I had fed my own dog just days prior. I immediately called my vet and made an emergency appointment. When we arrived at the vet's office the doctor did a full exam, took blood, took her temperature (103 deg.), and gave us some medication to start her on (Ammoxicillin and FortiFlora). The vet also gave us some canned food to hopefully get her appetite going. The entire visit cost over \$212. He promised to call us later last night with the lab results. When we got the message from the vet we were completely shocked. He told us she had been "poisoned" by whatever she had eaten. Her labwork showed extensive liver damage and this is very serious. He encouraged us to call the office first thing this morning to discuss her next steps. When I spoke with his office this morning they asked that I stop in and pick up another herbal medication (\$30) to give to her in addition to the medications we had started her on last night. She is still not eating normally and not accepting any of her favorite foods. We have been told to call the vet and give a daily report on her condition and we will have to return to that office in 5-7 days for more labwork. I did contact the Tractor Supply store where the treats had been purchased and spoke twice with the store manager, (b) (6) about this situation and he made no mention of pulling this product from the shelves but appreciated me letting him know. Our dog is like a child to us. We waited many years before purchasing just the right dog. She has become a part of our family and we are all very upset at this situation. We would appreciate a response soon. Thank you.
Meijer Main Choice for Dogs	Dog	Retriever - Golden	9	Years	Female	90	Pound	Our vet suggested that we attempt to distract (b) (6) from licking her paws by getting her a Kong toy and filling it with treats. We purchased said toy as well as Meijer brand Chicken and Sweet Potato jerky treats that we would put inside of the Kong. This appeared to keep her from licking her feet. After about a week of treatment, (b) (6) refused to eat and would not take her medication in the Pill Pocket. She drank little water, ate NO food and had NO energy for play or even going the bathroom. She would attempt to eat grass when outside, indicating she was experiencing nausea. During this time, we tried to feed her canned dog food (which she wouldn't eat), dry dog food, her medication. She wouldn't eat at all. We had stopped filling her Kong with the treats and giving her anything but a little banana and a little peanut butter. Over the course of a week, her appetite began to return. We are STILL not giving her chicken jerky treats and have since changed her food to Innova vPRIME Grain Free Chicken & Turkey Formula. She is eating better and her energy level is returning.
Happy Hips...Chicken flavored jerky treats	Dog	Retriever - Labrador	11	Years	Female	68	Pound	She became lethargic, vomiting and diarrhea. Until my husband saw a story online about the chinese jerky treats. I let the store and my vet know and they are all aware of it. The FDA needs to recall all the Chinese jerky treats! The brand we had been using is Healthy (ha) Hips.
Waggin Train Chicken Jerky	Dog	Poodle - Toy	8	Years	Female	15	Pound	After she ate the treats she became lethargic and could barely walk. She also started vomiting. It was 3-4 days before she was back to herself again.
Waggin' Train Wholesome Chichen Jerky Tenders	Dog	Shepherd Dog - Australian	12	Years	Male	50	Pound	After consuming about 3 treats over the course of an evening, my dog started pacing which meant he had to go out (we live in an apartment). This was around 1:30 am after his last walk of the evening (around midnight). I had to take him out many times during the night (a little after 3 am, at 4:20 am, again at 5:15 am and then at 7:30 am). At first it was a loose bowel movement, then it was a thick loose bowel-colored fluid, the next two times was liquid and the last time, he kept assuming the position, but only dribbles came out.
Costco Kindom Chicken Jerky Treats from China	Dog	Shepherd Dog - Australian	2	Years	Female	25	Pound	Dog was given numerous pieces of the jerky by caregiver while owner was away on vacation for several days in a row. Dog was refusing to eat anything except the treats. We did not know at the time that these treats were toxic and that the FDA had actually issued an alert even back then. Dog went into kidney failure and died 6/22/08 before we could even get her to the vet. One other dog became sick but recovered after \$1,000 bill at an emergency vet clinic.

wagging trail chicken jerky treats	Dog	Beagle	4	Years	Male	35	Pound	<p>I have a beagle/cocker mix and began feeding him the chicken treats on 5/5/12. His first diarrhea movement seemed normal to me. By day 2, the diarrhea was out of control, the dog would barely eat anything at all and when he did; he would pass it right out in about 5 - 10 minutes. He moved his bowls so often that his anal area was a pinky-red color and it hurt him. The stool was watery and now it went from a brown (im not too worried) colour, to this black, look like bile or when the vet clears the anal sac. The dog was always nostalgic, it broke my heart. By day 4 I decided to take him to the vet on Saturday and on the Wednesday night I decided to stop giving him the treats because it had occurred to me that this was the only thing he was eating from since sat/sun when the runs started. I would now limit his intake to the boiled chicken & rice the vet suggested (for gastro issues). By the Friday night the dog had some life back in him and the stool had a mixed consistency. It was at that point that my heart began to beat again. My hear bleeds for anyone who was lost a pet this form of irresponsibleness but something must be done. Not because they have four leg & are not human should their cries or the cries of their owners fall on deaf ears. He is not 100% but the stool is becoming back solid again</p> <p>I didn't report anything as yet due to the fact that this episode just happened last week and my dad day the issue talked about on channel 2 news yesterday, so I began doing research this morning. My next stop after this will be to send a strongly worded letter to the manufacturer</p>
Milo's chicken jerky								<p>After eating Milo's chicken jerky treats earlier this year, my Bichon Frise got terribly sick and I thought he was going to die. When I took him to the vet, they put him on anti-biotics, probiotics, and various other things to help him get well. He became sick after eating Milo's chicken jerky. After he finally recovered and I paid the vet bill, and stopped giving him the treats, he was much better. I wrote to Fred Meyers (Kroger) about the problem and told them that I had seen an article on line about the dog treats and that the FDA was getting reports of dogs getting sick and even dying. They did nothing about removing the product from their store. I wrote them and even sent them the articles warning about the treats. You would think that they wouldn't want to risk a law suit by carrying this specific treat.</p>
Wagon Train Jerky Tenders chicken Dog treats	Dog	Bulldog - French	2	Years	Female	21	Pound	<p>I went to Costco and purchased Waggin Train brand chicken jerky strip treats for my French Bulldog^{(b) (6)} for the first time. I fed them to her over a series of weeks, at times feeding her one -two per day because she loved them. She developed gas but Frenchies are known to have that problem. She was also constipated with an occasional bout of diarrhea. On the evening of May 3 she threw up after a car ride which has happened before (she gets car sick). On Friday morning, May 4, she began throwing up bright yellow bile. I brought her to the vet who gave her subcutaneous fluids and brought her home that afternoon. By Friday evening she was throwing up non-stop over the course of the night. I returned to the vet whereafter she was placed on an IV and her bloodwork was taken. The vet sent her home with me that evening as they has no overnight facility. The IV was left in her arm in case of emergency, where I was directed to go to the 24 hour emergency room. Once I got her home, she began throwing up and having diarrhea at the same time. I rushed to the ER where she remained for 4 more nights. She was diagnosed with Pancreatitis. According to the vet, they don't know what causes this but it could be due to anything from fatty food to stress to poison. My vet bill cost approximately \$8,000 for the acute, 24 hour medical care she required in the ER. Today I read that the FDA has been warning pet owners about this product!</p>
Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	14	Years	Male	13	Pound	<p>He started vomiting and had diarrhea shortly after consuming a piece of Kingdom Pets Chicken Jerky bought at Costco in Portland, OR. Whenever he ate it, those symptoms returned, and he eventually refused to eat it though he used to love this product (it used to be made in the U.S., as I recall). Since I stopped giving him the product, he's been doing fine.</p>

Unknown - package thrown out in October 2010	Dog	Spaniel - Springer English	2 Years	Mixed Population of Female and Male	60 Pound	From 6 months of age, these dogs were given Waggin Train Chicken Strips purchased at Costco. We also fed them to our 12 year old springer. The puppies started having severe bouts of diahrea and vomiting which I originally attributed to puppy behavior of eating foreign objects, grass, etc. We started monitoring their behavior and found that they were not eating anything other than their dog kibble (Taste of the Wild) and the aforementioned chicken strips. After reading about the adverse reactions and problems associated with chicken strips manufactured in China, I checked my product and immediately stopped feeding them to my dogs. Almost immediately they stopped exhibiting the symptoms. (b) (6) also had had what appeared to be urinary tract infections which also resolved. I have checked every pet food store in my area including Costco, Petco, PetSmart, Pet Supplies and the Feed Barn. Every single package of chicken strips in all of the stores was manufactured in China. I have spoken with the store managers questioning why they do not offer a single product manufactured in the USA. It is a deplorable situation and it is time that people make the effort to speak up and speak out making it clear that it is unacceptable to us and we will not purchase such products. Surely they can be safely manufactured in the United States. As a consumer, I am demanding higher standards. Apparently they are not interested in hearing this directly but I can assure you that they are interested in the bottom line and losing \$\$\$\$. I am very vocal about this issue and have spread the word with friends and family. My veterinarian concurs. Another issue is the fact that American produced dog foods outsource ingredients from China too. Deplorable since they do not adhere to acceptable standards. Americans beware - China is oblivious to our standards and the FDA is too overtaxed and overburdened to deal with the imported product lines. If ever legislation was needed to protect our pets it is now.
Milo's Kitchen Home-style dog treats	Dog	Terrier - Boston	2 Years	Female	20 Pound	I have fed (b) (6) the Milo's Kitchen home-style chicken strips. after an hour she would start vomiting. I thought it was she was just inhaling them too fast, but she would vomit a few times then shake and go lay down.
WAGON TRAIN YAM GOOD WHOLESOME CHICKEN WRAPPED YAMS	Budge rigar		5 Years	Female	65	Our Old English Sheepdog and Bichon Frisse are violently ill right now.... diarrhea and vomiting ... its serious. and im sacared and we just learned about this ... we have been giving them wagon train yam chicken treats for about 2 months now... We Didnt know there are dogs dying since last summer from this.. This product should be taken off the market.. Our dogs are part of our heart and family. They dont seem to be improving. .. we are going on three days of vomit and diarrhea.. its frightening.
Canyon Creek Ranch Brand Natural Chicken Tenders, Waggin' Train Wholesome Chicken Jerky Tenders, Canyon Creek Ranch Brand Banana and Chicken Wraps	Dog	Boxer (German Boxer)	1 Years	Male	60 Pound	Over a period of time, (b) (6) was given the following chicken jerky treats: Canyon Creek Ranch Brand - Natural Chicken Tenders; Canyon Creek Ranch Brand - Banana and Chicken Wraps; Waggin Train Brand - Wholesome Chicken Jerky Tenders. (b) (6) was in perfect health. From day one, we have fed (b) (6) a great diet including chicken, rice, eggs, beef, etc., and everything was great until we noticed three weeks ago (b) (6) wasnt acting himself. He would sleep all day, not want to go on a walk (which is seriously odd with (b) (6), he loves walks), he wouldnt even eat his food. We would put his food down, and he would smell it, then run over to me and hide like he was afraid. The vet said put him on a bland food diet. After a week, we gave (b) (6) only chicken and rice, also a few chicken jerky treats from the above brands. (b) (6) began to have both solid and loose stools, with blood in it, as well as very dark brown/black looking colors in it as well. Blood was definitely present in his stool, along with the very dark colored mass. (b) (6) also vomited 11 or 12 times over the week. He would go outside, eat grass for 15-20 minutes at a time. He wouldnt eat food, only grass and the chicken jerky treats. Back to the vet, they said (b) (6) seems to have stomach irritation, stay on the bland food diet, and also gave him antibiotics. We discontinued all treats, especially anything from China. Its too early to tell, but I wanted to report the same issue that I have read has been occurring in hundreds of pets across the country. As of now, (b) (6) hasnt gotten any better.
BIG BLAST PORK SKIN TWIST WITH CHICKEN LIVER CENTER - Made by Waggin' Train						(b) (6) started to mope around on Saturday, February 11, 2012. I thought she was just not feeling well. She didn't eat anything that day. One Sunday, she was, again, not herself. Sunday night I noticed blood in her urine. I called the vet first thing on Monday morning. Took her in and he told me that she was very sick, that he would have to take some blood and have it tested, and he would call me first thing Tuesday morning. Tuesday morning, (b) (6) was really bad. She couldn't walk and the vet called to tell me take her for a blood transfusion in Akron, Ohio. We got there but she passed away before anything could be done.
Waggin Trails	Dog	Terrier - Yorkshire	12 Years	Male	8 Pound	After a few months of giving (b) (6) 1 treat every few days, he began losing weight. the vet couldn't find anything wrong and a few weeks later, he passed away. He had been fed Hills Science Diet dry food for all of his life and was in great health prior to giving him the Waggin Trails chicken jerky treats.
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Mixed (Dog)	7 Months	Female	45 Pound	Pt add Milo's Kitchen Chicken Jerky as a snack/treat over the course of 3-4 days then developed diarrhea

Smoked Porkhide twists wrapped in chicken jerky	Dog	Shih Tzu	3 Years	Male	12 Pound	Days preceding the event, rasputin was energetic, had a healthy appetite and solid bowel movements. Was given AKC smoked porkhide twists wrapped in chicken jerky treats and has since fallen ill. His symptoms include listlessness, diarrhea, and increased water intake.
Waggin Train Chicken Jerky Tenders	Dog	Mixed (Dog)	5 Years	Male	40 Pound	When given a treat, the dog develops bloody diarrhea that lasts 2-3 days.
Milo's Kitchen Chicken Jerky	Dog	Chihuahua	1 Years	Female	8 Pound	My dog started vomitting after eating the Milo's Kitchen chicken strip dog treats.
CAnyon Creek Ranch Brand Chicken Breast	Dog	Corgi - Welsh Cardigan	16	Male	48	(b) (6) died.
Waggin Train Jerky Tenders Chicken Dog Treats	Dog	Dachshund - Miniature	7 Years	Male	15 Pound	Later in the day,after eating Waggin Train Chicken Jerky treats (b) (6) experienced stomach discomfort and threw up. This happened on several different occasions as we were not sure that the treats were what was causing the pooblem. The other dog is a pitbull mix and she experienced the same symptoms.
Waggin Train PBJ Peanut butter and Chicken Jerky	Dog	Shih Tzu	5 Years	Female	15 Pound	Both dogs were given the chicken jerky treats prior to bedtime. They both woke us in the middle of the night with vomiting and diarrhea. the symptoms passed in 24 hrs after two bouts of sickness each.
Dogswells Brand Happy Hips Chicken Breast Glucosamine & Chondroitin Treats for Adult Dogs	Dog	Collie - Border	3 Years	Female	40 Pound	Severe diarrhea the day after eating Dogswell Brand Happy Hips Chicken Breast Treats. This happened on 2 occasions. First time on 5/13/2012 had diarrhea on 5/14/2012. The second time was on 5/21/2012 had diarrhea on 5/22/2012. On the second occasion (5/21/2012) I also gave a treat to my friend's dog (b) (6) (pit bull mix) who also had severe diarrhea the day after eating the treat
Cadet-IMS Trading Co. Woodridge NJ Gourmet Chicken Sausages	Dog	Retriever - Labrador	4 Weeks	Female	40 Pound	This is the second report-refer to first-same incident Nausea, diarrhea for 4 days-blood in stool
Milo's Kitchen chicken jerky treats						After giving our dog, (b) (6) (Border collie) a treat for the night on Saturday evening (May 19th), during the night she became violently ill, lost all control of her bowls and vomited in her pen. Normally we would hear her whine if she needed anything during the night but she was too ill to even whine. The next day, every time she would go outside to urinate, she had the runs. We gave her a baby aspirin and that seemed to help. The culprit was Milo's Kitchen chicken jerky treat.
Milo's Kitchen Chicken Jerky	Dog	Great Dane	14 Months	Male	120 Pound	Over the past 6 months our 13 month old Great Dane has lost about 20 lbs, lost his appetite, will not eat and his behavior has become very lax. Aproximately 5 days ago I received a call from my neighbor saying that my dog was unresponsive in his crate, would not get up or lift his head, felt hot and was not responding. I arrived home from work and found that he had 104.7 fever, discharge from his eyes and nose, labored breathing. When I was able to get him to stand he urinated a very dark brown colored urine, almost blood colored and had extreme diarehea. I brought him to the er vet and when they ran blood work his white and red cell counts were off the charts. They were unable to spin the color out of his urine and thought perhaps he was having kidney failure or showing signs of immune deficiency (which is no where in his blood lines). I left with no answers and antibiotics. The following day he was worse with still a very high fever. I took him to his reglar vet and he was put on fluids, given steroids, shots of antibiotic and more medicine to take home, along with Hills Prescription dog food, hich was over \$50.00 for the case. Now \$1000.00 in vet bills and we still can not properly diagnose him. I have to bring him to a specialist next week for further testing. The treats I give to him are Milos Kitchen Chicken Jerky and when I came across the recall ingformation I was stunned. I called the Petco I purchased them from to make them aware as well as Del Monte, but have heard nothing back.
Milo Kitchen Treats	Dog	Beagle	10 Years	Male	38 Pound	(b) (6) suddenly started throwing up, quit drinking his water and became increasingly uncomfortable. Lost five pounds quickly. Wanted to sleep all the time. The Vet could not explain cause or disease. In a matter of days a healthy outgoing dog became very ill. He was so ill he was put down. No apparent reason. No toxins within his reach or exotic yard growth. Our other, beagle, (b) (6) displayed the same symptoms 11 months earlier and also had to be put down. 2 dogs within 11 months is questionable. My other two beagles lived in the same environment for almost 18 years. The common factor with my two last dogs was they both ate Milo Kitchen Treats. My first two did not.
Priority Total Pet Care Chicken Breast Jerky	Dog	Sheepdog - Shetland	6 Years	Female	30 Pound	She became very ill, vomiting; diarrhea for two days after consuming chicken treats.

Banana & Chicken Wraps Canyon Creek Ranch Brand	Dog	Terrier - Rat	9	Years	Male	9	Pound	every so often I noticed the dog would experience a loss of control over his hind quarters with his left or right hind leg being contracted up into his body as if he had a cramp. No sound of any kind would be heard but the dog would shiver as he normally would when he would suffer from some minor maliady. Within about 5 minutes or less of comforting the animal he would start to act normally. His leg would relax so that he could stand easily. Then business as usual until the next incident. I never associated the treats with this until I red the article. He would only get those treats if he pooped, usually that was twice daily. The ones I used had chicken wrapped around a slice of banana. I have a third of a bag left if you want them to test.
Mellow Mut Chicken Breast , Veggie Life Vitality Chicken w/ Sweet Potato, Veggie Happy Hips Chicken & Banana								I had purchased the Mellow Mut Chicken Breast, the Veggie Life Chicken with Sweet Potato, and the Happy Hips Chicken with Banana all for Dogswell for my Border Collie. She is 16 years old so I was looking for treats that had added vitamins,etc. in them. I started giving them to her and 3 days later she began vomiting uncontrollably. I took her to her vet. He had to give her a shot of cerenia and fluids through an IV. We are still waiting until tomorrow to see how she is going to be. At her age, I am terrified that we are going to lose her.
Waggin Train Brand Freshies	Dog	Mixed (Dog)	9	Years	Male	45	Pound	We gave him half a Waggin Train Chicken Freshie, and about 24 hours later he was lethargic, withdrawn, and appeared very dehydrated.
Waggen Train Chicken Jerky	Dog	Unknown	9		Male	40	Pound	after taking Chicken Jerky treats The dog became sick showing signs of kidney and heart congestive heart failure. X-rays and blood test could not find anything. We had to finally put him down due to excessive water around the heart. We stopped giving our other dog the treats and is doing fine despite being diabetic.
Milo's Kitchen home-style dog treats Chicken Meatballs	Dog	Terrier - Yorkshire	14	Years	Female	6	Pound	For a 14-year-old Yorkie, (b) (6) has been basically healthy other than requiring 1 pill a day for hypothyroidism. She eats, drinks, plays, walks, runs and sleeps like a healthy, normal housepet. That is, until 5/14/12 when my husband had to take her to her vet because for several days she had been having diarrhea, not eating, barely drinking, and vomiting. She became so weak that the night before taking her to the vet that I had to carry her outside to use the bathroom because she would barely walk, much less climb down the one step to get outside. My husband called me shortly after seeing the vet on 5/14/12 to tell me that she needed to stay there all day so they could give her IV fluids, antibiotics, an enema, etc. She was a VERY sick little dog, but thanks to her caring vet, she survived the trauma of that day and we were able to bring her home to continue antibiotics twice a day for the next 8 days. She lost a pound from being sick, which is quite alot for an 7.5 pound dog, and it took several days before we noticed her beginning to feel better. Today I read the report on MSN about dogs getting sick from treats, and it dawned on my husband and I that the only change in (b) (6) eating habits had been the Milo's Kitchen Chicken Meatballs I had bought for and began feeding her approximately the week before her day at the vet's office. She loved them at first, but since becoming sick she refuses to eat them! We have at least half of the bag left in the cabinet. Her trip to the vet's office that day cost us \$218.48, but it's not about the money; I would have paid 10 times that amount to help her get better. My real motivation for reporting this is because I am deeply concerned that these little meatballs are what made (b) (6) sick, and if so, I feel it is my obligation to do something so no other dog owner has to watch their beloved pet become so ill that you fear they may not get better.
Waggin Train Chicken treats	Dog	Mixed (Dog)	15	Years	Female	20	Pound	After giving my dog Waggin Train treats, our dog became ill and had four days of diarrhea. She could barely eat. We changed her diet for a week, when she was better, we gave her the treats again, and it happened again. We threw the treats out.
waggin train country crunch	Dog	Crossbred Canine/dog	10	Years	Male	65	Pound	Gave him treats from a bag of wagon trail country crunch over a 2 week period. Slowly noticed a weaker, lethargic dog. Recently noticed his diareah, vomit and today he is just lazy and sick looking taking him to VET wednesday. Totally messed up. I spluged on this bag because I had some extra cash. NOT CHEAP bag of treats and this happens??? I love my dog. That company should be sued.
Kingdom Pets Chicken Jerky	Dog	Mixed (Dog)	14	Years	Female	85	Pound	She ate Kingdom Pets Chicken Jerky made in China. She had two per day for about 6 months. In that time she went from vibrant, healthy and active to severe kidney failure. I had to have her put down.
Canyon Creek Ranch Brand - Natural Chicken Tenders	Dog	Dobermann	5	Months	Male	60	Pound	After giving (b) (6) two pieces of the Canyon Creek Ranch treats, he proceeded to have diarrhea (over the course of 5 hours) and was vomiting.

Milo chicken jerky and chicken strips	Dog	Terrier (unspecified)	15	Years	Female	41	Pound	Gave Milo's Chicken Jerky treats for the first time along with some new Milk Bone granola Biscuits. After my dog chewed the biscuits I noticed they could have some sharp and jagged pieces. So when my dog developed bloody diarrhea I blamed the biscuits. I took her to the vet and she was given some meds. And put on a bland diet. About a month later she seemed better and I gave her the jerky treats again not knowing about the problem with the treats from China. Again she got sick with bloody diarrhea. It was the same time that I heard about the warning and looked to see that the treats were made in China. Both times she had the treats she developed bloody diarrhea.
Waggin' Train Wholesome chicken jerky tenders low fat	Dog	Spaniel (unspecified)	7	Years	Male	25	Pound	My dog has a very healthy appetite. About a week ago he started picking at his food and not finishing it. Then he stopped eating it completely. He also has become very thirsty. He will drink an entire bowl of water non stop until it is gone. The only change in his diet is that we started giving him the Waggin Train dog treats (chicken jerky) a week ago when we purchased them at Costco. We have never used this product before. I saw an article today regarding sick dogs and realized it was the same product I was giving my dog. We have only given him one or two treats a day since we purchased them, so we still have a full bag. I will keep the treats in case anyone wants to test them.
Wagon Train Chicken Jerky	Dog	Chihuahua	4	Years	Female	8	Pound	I am not sure that the product itself is the cause, but I looked on the internet because the change was so drastic after just a few days of giving her 1 treat/day. She is distended and in visible and audible pain. I checked her belly with my hand and slight pressure caused her to yelp and retreat. She was also vomiting a clear yellow liquid last night. If her condition is not significantly improved by this evening I will take her in. I don't know that it was this product, but it appears similar to what caused a recall in 2011. Also, after checking the bag this morning, there is a very foul smell associated with these treats, it may just be the nature of the product but it seems excessive.
Kingdom Pets Premium Dog Treats Chicken & Sweet Potato Jerky Twists 48-Ounce Bag	Dog	Boxer (German Boxer)	7	Years	Female	49	Pound	My dog started (fairly suddenly) drinking 90-260 oz of water per day and having accidents in the house. My regular vet tested her for a UTI (negative) and blood work showed liver dysfunction (elevated liver enzymes; esp ALP). She had an abdominal ultrasound which came back normal. I was referred to an internal medicine vet to explore other differential diagnoses (Cushings, diabetes, etc). After consulting with 3 different vets and ruling things out clinically, contaminated (?) chicken jerky treats topped the list of possible causes of my dog's sudden onset PUPD.
Waggin Train	Dog	Rottweiler	8	Years	Female	120	Pound	Started feeding my first dog (b) (6) chicken treats (Waggin Train brand) around the year 2000. In 2005 one Sunday morning she was unable to rise so I took her to emergency vet care. She was diagnosed with a growth on her spleen. After surgery it was confirmed as cancer and she died two months later on March 28, 2005. Three months later I adopted another Rothweiler named (b) (6). I had to put her down on March 28, 2012. She was also diagnosed with a growth on her spleen and we had an autopsy and it was also confirmed to be cancerous. Both dogs were given chicken treats primarily for good behavior. Kinda strange both died from cancer of the spleen. I have adopted another dog, but you can be sure he will never taste a chicken treat from Waggin or Milo's. You need to do something beyond which you usually do like sweeping this problem under a rug because it is a pet food. Believe me compared to a politician either Democrat or Republican I woul rather own a dog. I expect to see a follow up on these treats. Thank You
Milo's Chicken jerky meatballs	Dog	Poodle (unspecified)	30	Months	Female	20	Pound	Vomiting, diarrhea, lethargic, not eating. Drinking large quantities of water.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Shepherd Dog - German	6	Years	Male	100	Pound	Within 8 hours of consuming the Canyon Creek Ranch Chicken Jerky dog treats, my dog began having slight digestional upset. By the next morning he started having diarrhea. Within hours the diarrhea was so severe it was only in liquid form, I had to put him outside because he unable to hold it in and make it outside. He also had some vomiting and a general malaise and was very lethargic. He was consuming large amounts of water as well. Today is day 3 and he is recovering but is not yet 100%.
Waggin Train Chicken Jerky	Dog	Boxer (German Boxer)	3	Years	Male	65	Pound	After giving my dog Waggin Train chicken jerky he came down with a bad case of diarrhea and was sick for a few days. After he got better I gave him more of the treat (not know about the problem) and he became sick again. I read this morning that there is now a problem with this product.

Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Mixed (Dog)	1	Years	Male	18	Pound	This dog has had two instances of becoming sick with vomiting and diarrhea after eating chicken jerky treats. In December, i spent \$450 at the vet for vomiting and diarrhea - the vet could not identify a source of the sickness. At that time, I threw away a bag of Canyon Creek Chicken Jerky treats which I had bought at Petsmart because I read about several pets being sickened from this. I purchased Milo's Kitchen chicken jerky treats since feeding him this, he has had several instances of vomiting and diarrhea. Last week he again became sick with the same symptoms, so, in an effort to isolate what was causing the problem, I stopped giving him these treats. Since I stopped feeding him these treats, his symptoms of illness have stopped. I read about the possible connection with these treats today. As a consumer, I would encourage you to investigate the potential problem with these products.
Kingdom Pets All natural Chicken Jerky	Dog	Boxer (German Boxer)	6	Years	Female	85	Pound	Dog has been vomiting and yelping in pain. Took in to the vet and they ran variety of test and blood test. She is having problems with her Kidney and Liver. Her condition is still unstable and we are monitoring her and have to take her back to vet for a ultrasound.
Waggin' Train Chicken Jerky Treats	Dog	Schnauzer - Miniature	8	Years	Female	21	Pound	I started buying Waggin Train Jerky treats about one year ago when our local Walgreen's had them on sale. In November, my oldest schnauzer became violently ill. We took her to her vet who told us that she had liver failure, possibly cancer and would not live much longer. I was determine to find out why a perfectly healthy dog suddenly became sick. I thought someone might have poisoned her but she is a household pet. I took her to a specialist who performed an abdominal ultrasound, blood work, etc. He determined that her liver function was terrible, gave her a shot and antibiotics, put her on a high energy prescription dog food to help her improve her liver function. We removed all treats from the house because she was being monitored closely and she soon showed a vast improvement. One month later, her lab work was almost back to normal. During that time I read about the treats and wondered if they made her sick. I can't come up with any other explanation. I also don't know why my other dog wasn't deathly ill. Maybe it's possible that she is a bit larger and younger so I guess they didn't harm her as much. I just know they both seem much healthier now that I have switched to a treat that is produced in the U.S and is of natural substance. I hope that my story helps you to figure out what is causing the animal deaths. Most people cherish their dogs and are heartbroken when something is wrong. I spent about \$1500.00 on my dog to get her well but I don't regret it. I do regret giving her those treats that might have made her sick.
Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	2	Years	Male	29	Pound	My pet had diarrhea and overall sluggishness. He ate the treats for about 1.5 weeks before I realized it was the treats that caused the problems.
wagon trail chicken jerky strips	Dog	Maltese	7	Years	Male	9	Pound	(b) (6) had diarrhea and vomiting and had to be admitted into the emergency hospital for several days. his kidneys and liver were suffering and he had extreme dehydration. he had to be put on intravenous drip and medications. he almost didn't live. this is because he ate the chicken jerky treats from wagon trail sold at costco. olivers vets bills exceeded \$1500.00
anyon Creek Ranch Chicked Tenders	Dog	Collie - Border	2	Years	Female	50	Pound	Dog had diarrea two days after ingesting a new packge Canyon Creek dried chicken. Fed it t her before before without a problem.
Kingdom Pets chicken jerky	Dog	Hound (unspecified)	13	Years	Female	43	Pound	Was feeding chicken treats for about 3 weeks. Dog began to lose weight, had anorexia, began vomiting. Bloodwork indicated acute renal failure.
Waggin' Train Chicken Jerky Treats	Dog	Chihuahua	5	Years	Female	7	Pound	I purchased Waggin' Train Chicken Jerky Treats for my Chihuahua in July 2011. She began having diarrhea and her stomach would make absolutely terrible noises. She had never had an accident in the house prior to me buying these treats. She was visibly sick looking. Her health improved 100% once I discontinued giving her these treats. I truly believe that there was a link between her illness and these treats. I have a second dog- a 45 lb beagle. I gave her a Waggin' Train Chicken Jerky Treat in her cage once. She vomited in her cage after eating it. She has never had an accident in her cage before.
Waggin Treats - sold by Sams Club	Dog	Retriever - Labrador	6	Years	Female	80	Pound	(b) (6) had suregery on a fiberous external tumor which was determined to be malignant. She has since developed internal tumors as well and is not expected to live.
Milo's Kitchen Homestyle Dog Treats Chicken Jerky	Dog	Shih Tzu	14		Female	18		My dog has been sick on and off for about a year, vomiting diahrrea and just plain lethargic. I put two and two together and realized these things started to occur after she was given the Milo's brand chicken Jerky treats. Earlier reports said that the treats from China were causing sickness in dogs. However the Milo's brand did not have made in China on the bags so I continued to by them thinking they were ok and wouldn't cause any ill effects. I figured her high liver lipids were due to something else. She has been to the vet for meds, and seems to be doing better she does not get the treats anymore. I hope she will continue to improve

Canyon creek ranch brand natural chicken tenders	Dog	Mixed (Dog)	1	Years	Male	47	Pound	Canyon river chicken jerky treats: 1) crystals found in urine 2) blood found in urine 3) puss on tip of penis 4) frequent urination 5) vet bill totally about \$1000 5) had to be on two courses of antibiotics (1 month on antibiotics)
Waggin' Train Chicken Breast jerky strips and chicken strip/yam combos.	Dog	Bichon Frise	10	Years	Female	23	Pound	<p>I had been feeding my dog two of the Waggin' Train chicken jerky strips per day (or, occasionally, the chicken strip/yam treats), as rewards or treats, for the past few years. Within that time, my dog had been experiencing occasional episodes of lethargy, urinary urgency and incontinence, with bloody urine, and the episodes were always treated by the vet as urinary tract infections, with a round of antibiotics. She was found, in November of 2011, to have developed bladder stones, one of which was blocking her urethra, making it impossible for her to urinate. She had surgery on November 30th, 2011, to remove the stones, and then was on antibiotics for 10 days, post-op, for a bladder infection. After she finished the antibiotics, she CONTINUED to have problems with lethargy, urinary urgency, frequency, and incontinence with bloody urine for over TWO MONTHS post-op, which the surgeon said was not normal. He had us take her back in to see him, for a repeat ultrasound and urinalysis, in February of 2012, to check for more stones, and it showed "inflammation" in the bladder, but no stones, and no infection per the urinalysis at that time. However, he decided to prescribe an anti-inflammatory med, and another round of antibiotics, "in case we're missing a lingering infection that just isn't showing up on our test." He also recommended that I switch her to special type of dog food (I was already feeding her ÷Wellness,÷ which is a quality dog food).</p> <p>I came home from the vet's office that same day, and happened to see the article on the internet, on the Waggin' Train chicken jerky treats, (it was the first time I had read about this). I became worried that the treats might have been having something to do with her problems, so I completely stopped giving them to her. I NEVER started her on the antibiotic, NOR on the anti-inflammatory med that the vet had prescribed, and I also had not yet bought the new dog food that the vet had recommended, because I had to work for the next three nights, and didn't make it to the pet store. In other words, NOTHING changed EXCEPT the withdrawal of the jerky treats from her diet. In JUST THREE DAYS, her symptoms of lethargy and urinary urgency, frequency, and hematuria, were GONE, and she was running around the house, doing her "Bichon buzz." To this day, almost 3 months after I stopped giving her the Waggin' Train treats, she has had NO more difficulty or adverse symptoms. I have to believe that the treats had something to do with her problem, so I returned the remainder of the treats to the store from where I'd purchased them.</p>
Milo's Kitchen Chicken Jerky Treats	Dog	Shih Tzu	4	Years	Female	12	Pound	After a few days of giving (b) (6) treats, she started feeling sick. I could tell because she became very inactive and would just lay around. Before she would be all excited when I would get home from work dancing and jumping all around until I would take her for her walk. After about the third day she had no energy and would just lay around. When I took her for a walk, we would walk from the front door to the street and she would lay down like she was just too tired to move. The only thing I had done differently was give her those treats so I looked them up on the internet. When I read that they were making dogs sick but not recalling the product, I threw the bag of treats in the trash. I was not going to take any chances with my dog. After a couple of days she got back to normal and I have not give them to her since. I wish they would remove them from the stores. She loved those treats but its just not worth risking her life for them.
Waggin' Train Jerky Tenders	Dog	Spitz - American Eskimo Dog	3	Years	Female	18	Pound	Dog has had loss of appetite and has thrown up bile on several different days. I have been concerned and then came across an article today about the jerky treats from China. I just happened to buy jerky treats for the first time a few weeks ago and had recently given her some. I went to check the brand, and sure enough, it was the Waggin' Train Jerky Tenders made in China.
Waggin Train Jerky	Dog	Retriever - Labrador	4	Years	Male	85	Pound	I was giving my dogs Waggin Train Jerky Treats and he would throw up sometimes after eating the treats. I thought maybe it was because the treats were so dry. He seem to love them so much. About 6 months ago I stopped giving them to him and he does not throw up any more. Wish I could be more help and solve why. I now do not buy any treats made in China. DO NOT TRUST THEM. He maybe just a dog to some, but to me he is my best buddy.
Purina chicken jerky for dog's								<p>I am a pet owner, specifically dog's. I have read that at least 1,000.0 complaints have been made over the chicken jerky for dog's.</p> <p>If you had 50 complaints like ths over a human being that would have been enough to do a recal on the product.</p> <p>I do not even understand why the pet products are made in china in the first place, never the less this is out of control.</p> <p>I am very concerned & do not want to learn that mpre dog's are dying or getting sick over this huge problem with dog treats.</p> <p>Thank you, Concerned pet owner</p>

Dogswell Happy Hips Chicken Jerky	Dog	Collie - Border	12	Years	Female	54	Pound	Our border collie mix was diagnosed with renal failure in the fall of 2011. The only treats she ate were Dogswell Chicken Jerky. She stopped eating and died on Christmas eve at age 12 after several trips to the vet. Nothing we could do toward the end would get her to eat. I had read about chicken jerky recalls earlier in the summer of 2011 but Dogswell claimed to be "safe". Eventually I stopped giving her the treats. Now I am left wondering whether her death was at least partially a result of the treats....heartbreaking.
wagon train chicken jerky	Dog	Mixed (Dog)	12	Years	Male	85	Pound	dog was vomiting, having diarrhea repeatedly. i saw article online about wagon train chicken jerky, which he loved. i had just opened a \$25 bag but threw them away since there was no recall. a week later he seemed better so i bought some from milos and the same reaction started again. this happened about 2-3 months ago. glad to say monty is better, no more jerky! just wanted to confirm what hell other pet owners have gone through is not their imagination. my dog because of his weight probably, was able to survive.
Milo's kitchen Chicken Treats	Dog	Terrier - Jack Russell	10	Years	Female	13		<p>In the early fall of 2011 (b) (6) (JRT) was diagnosed with a UTI and was given Clavamox. The fevers continued and she lost her appetite. At thanksgiving dinner she walked away from a plate of Turkey - this is not typical behavior. We returned to the vet.</p> <ol style="list-style-type: none"> 1. She was first diagnosed with GB sludge build up and prescribed Batryl, Ursadyl and Flagyl. She had an ultrasound of the liver and an asperite. Both inconclusive as to the cause. Fevers continued, vomiting, decreased appetite. 2. Then, approx 2-3 months of several visits to the vet and tests and liver values increasing, and penny still getting worse, she was diagnosed with chronic hepatitis. She had an asperite of the liver, and no infection (virus or bacteria) was noted. Her liver values kept increasing. She had an aspirate of the liver, which did not ID any bacteria or virus. It did identify Lepto tiders, but she was vaccinated for Lepto 1 year prior. She was given doxycyclene as a precaution. Liver values continued to increase. 3. At the end of January 2012, she had an endoscopic liver biopsy because the vet still could not find out the cause of her fevers and lack of appetite, and the results were inconclusive, no infection and no virus found. Her copper levels were normal. 4. She then had a neurological event approx. 4 days after surgery, possible hepatic encephalopathy (files of this are too large to send but can fax if necessary) 4. Curently, She is recovering, but she almost died from the inflammation of the liver and the fluid in her belly she was experiencing. Now her liver values are currently in the 1000s range. <p>We believe she was poisoned from the Milo's Chicken Treats we gave her, starting in June of 2011. Possible contamination, mycotoxin, etc. We bought several large bags from Cosco. Currently (b) (6) is currently taking a steroid to control the liver inflammation and Denamarin. This was a perfectly healthy dog before she was fed the chicken treats. We have spent over \$10,000 on tests that have come back with no conclusion as to what is actually irritating her liver. I have all lab results, blood tests, and vet notes from when this started to the present, but the system limits the number of attachments. I can send all records at anytime. (b) (6) has never had liver or health problems prior to eating Milo's chicken treats, which we believe were poisoned. (b) (6) has been through so much, and almost died. Please call me / email me for more lab reports, hospital visits, blood, clotting, ammonia, copper and bile acids tests.</p>
Waggin Train Jerky Tenders	Dog	Retriever - Labrador	11	Years	Female	100	Pound	A few hours after eating Waggin Train Chicken Jerky Treats (b) (6) had uncontrollable vomiting which was yellow and foamy. I took her to the vet right away & the vet thought it was "something she had eaten." He gave her an injection and prescribed Charcoal Kaopectate. After that the vomiting subsided.
Canyon Creek Ranch Chicken Tenders	Dog	Other Canine/dog	8		Female	25	Pound	Stopped eating and laying around
Boots & Barkley Chicken Wrapped Rawhide twists, Milo's Kitchen Chicken Grillers, Waggin Train Jerky Tenders	Dog	Chihuahua	2	Years	Female	3	Pound	Both dogs became very lethargic and began vomiting and had severe diarrhea

WAGGIN' TRAIN PBJ - PEANUT BUTTER BISCUIT WRAPPED WITH CHICKEN JERKY	Dog	Ridgeback - Rhodesian	10	Years	Male	90	Pound	I received a package of "Waggin' Train PBJ" dog treats from a neighbor whose little dog would not eat them... chicken jerky wrapped around a small peanut butter flavored biscuit. Each of my two dogs received 2 or 3 treats (and I have one left). Early on May 16th, "(b) (6)" had explosive diarrhea early on May 16th. This evolved into a brownish mucous-like diarrhea which persisted and became more frequent. By Friday, the dog was passing small amounts of blood and mucous every 60 to 90 minutes. He was treated by our veterinarian on Saturday, May 19th, diagnosed as "colitis" and placed on Endosorb and 250 mg Metronidazole - Flagyl (4/dy) for 7 days, and a bland diet of boiled chicken and rice or noodles for 4 days. He seemed to recover rapidly and is pretty much normal now, on 22 May. I just learned of the problem with the chicken jerky made in China today, have notified my vet, and will be taking him back in for blood work to check for liver and kidney damage. The other canine in the house does not appear to have suffered any illness, but we will be watching his stools closely.
Waggin Train Big Blast pork skins with chicken center	Dog	Beagle	5	Years	Male	51	Pound	My dog started vomitting, having diarrhea and not eating. I thought he had a reaction to something and had to take him to the vet. They gave him some shots and it has started to help but he is still sluggish. I just saw the report on Milo's Kitchen and Waggin Trail treats and I have two empty bags of treats he just finished.
Canyon Creek Ranch Chicken Jerky	Dog	Shepherd Dog - Australian	3	Years	Male	90	Pound	We bought some Chicken jerky treats and started giving them to our dogs as a treat in the morning before leaving for work each day. With in a few days each dog got very dark red diarrhea. We stopped giving the treats and 2 of the 3 seemed to get better. We took the 3rd dog to the vet and at that time they asked up if we had been giving the dogs chicken jerky treat and we verified that we had. She then explained there had been an issue with dogs getting sick after eating those treats. She had to prescribe some antibiotics and anti-diarrhea medicine for the dog that was still sick. After a few more days he was doing better. Since we stopped giving those treats noto neof our dogs have had the same problem.
Milos Kitchen home style dog treats beef jerky	Dog	Poodle - Miniature	1	Years	Male	10	Pound	(b) (6) was feeling very sick after giving him these treats. He had diarrhea, constipation and wouldnt eat or drink. He was not acting his normal self and the next day slept most of the day.
wagon trail chicken jerky	Dog	Spaniel - Cocker	7	Years	Female	10	Pound	she went into kidney failure and died
Milo Chicken Jerky	Dog	Brittany	7	Years	Female	65	Pound	I was giving (b) (6) Milo's Chicken Jerky thinking that it would be less fattening than dog biscuits. (b) (6) started to become sluggish and acted like she wanted to vomit. I discontinued the use, and then read up on the problems that were being noticed with others. I brought my packages back to Wal-Mart along with the internet information. Wal-Mart's took it back with no problems but would not pull from their shelves as there was not a mandatory recall. Since the discontinuation, (b) (6) has gained some of her stamina back, but still pants more than she had. I don't recall when she had tried them, but she was only given some over a month period of time. I guessing that it was about Feb or March timeframe.
Happy Hips	Dog	Weimaraner	##	Years	Mixed Population of Female and Male	90	Pound	The male was older and had hip problem, but suddenly became ill, drinking alot of water, stopped eating about 3 days before dying. Female was in perfect health and developed rare bladder cancer. Both animals ate the chicken strips, first from Happy Hips, then from BJ's, as their treats, for 5+years.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Mixed (Dog)	3	Years	Male	35	Pound	After beginning to take the treats (1 per day) (b) (6) began eating less and was very lethargic. He began consuming large quantities of grass when outside. He was taken to the vet and diagnosed with collitis of the stomach and given pills and placed on a special diet.
Wagginç Train and Canyon Creek Ranch Chicken Jerky	Dog	Mixed (Dog)	9	Years	Female	18	Pound	(b) (6) has been eating Chicken Jerky for several years purchased from our local Petsmart & Kroger stores. We have stopped since finding write up's about both brands - Wagginç Train and Canyon Creek Ranch made in China - and having her diagnosed with kidney & cushings problems since March of 2010
Wagon Train Chicken JERKY, Milos Kitchen Cicken Jerky								Internet connection failure

Waggin' Train chicken jerky treats	Dog	Mixed (Dog)	13	Years	Female	40	Pound	While trying to feed my dogs a nutritious treat, I purchased Wagon Train chicken jerky treats. I gave these to the dogs for about two years when I read about dogs having adverse reactions. Unfortunately, it was two late; both dogs died from kidney failure. They were both sick for about 6 months each.
Milo's Kitchen	Dog	Shepherd Dog -	4	Years	Female	70	Pound	She is being treated with antibiotics for a urinary tract infection. Her symptoms have not improved over the course of a week of treatment.
Milo Kitchen Chicken Jerky Strips PetCare Chicken Jerky and the Waggin Trails Chicken Jerky								I had to euthanize my poodle of 13 years. About 2-3 months ago, I started feeding my dogs the Milo and Waggin Trails and PetCare chicken Jerky treats because they loved them. I did not know about any of this and all of my dogs were healthy. Anyway all 4 of my dogs got really and violently sick they all seemed to recover except my oldest dog (b) (6) who continued to go down hill, to where he lost his sight, hearing and got very dehydrated and organ failure this was a dog that was very health 3 months ago. The other dogs seem to be okay but not quite the same they do not eat their ordinary food just the jerky I give them as treats. now I am concerned I am killing my other dogs too, I will stop today because of this problem with the chicken jerky, but what if there are long term affect on my other dogs. They are only 2 years, 8 years and 9 years old and small. Help me please. I could not handle putting another one of my family down.
Waggin Train Chicken Jerky	Dog	Retriever - Labrador	4	Years	Male	60	Pound	(b) (6) was given Waggin Train chicken jerky over a period of a month . Coincidentally,it so happened that he was scheduled for a checkup at the end of the month and the labratory report found very high levels of creatinin in the kidneys showing a malfunction of the organ.He was immediately put on a diet which excluded the treat. After a months he was retested and the Kidney function had improved. The vet was certain that teh jerky was responsible and said that the short duration of ingestion may have prevented a more serious complication.
Waggin Train Chicken Jerky Treats	Dog	Beagle	4	Years	Male	28	Pound	After 3 days of giving (b) (6) Waggin Train Chicken Jerky Strips (1 full strip per day, broken into 2 smaller pieces), his Stool Turned Black and he was less active. It was at the same time I read an article on msnbc.com about the reported problems. I verified the my treats were the same as the ones being reported. I stopped giving the treats and returned the unused portion to Vons/Pavillions. within a couple of days his stool and health went back to normal. His diet is extremely consistent and he is a very healthy and active dog. I cannot find any other reason other than these chicken jerky strips being defective. I did notice that the Moisture Control Packet that you normally see in Human Jerky, was the powder inside was a brownish material that looked like a spice or seasoning. My dog did not eat any of that powder but have you tested that powder?
Waggin' Train Chicken Jerky	Dog	Retriever - Golden			Female			Had given her the product before. But this time, severe impact suddenly, appetite lost, then ability to navigate. Last two days, started convulsing. Working with the vet, ended up having her put to sleep. Took sample to Costco for testing, I don't think they ever did - no report back to me was provided.
MILOS CHICKEN MEATBALL TREATS	Dog	Pekingese	5		Female	4		Both 1 year old Bengal Cat as well as dog had week long bout of diaharrea, dog diaharrea had blood present.
Milo's Kitchen® Chicken Jerky	Dog	Beagle	10	Years	Female	27	Gram	Severe Diarrhea, throwing up. Eating grass constantly.
Waggin Train Wholesome Big Blast	Dog	Akita	1	Years	Male	90	Pound	We have noticed his stool being loose. We have been giving him two types of treats from Waggin Train for a few months. Just saw the articl on the internet about 900+ dogs sick from these products. Did take him to the Vet last week and she didn't tell us about that this loose stool could be related to these treats? He has been on an antibioic and probiotic since the Vet visit.
Cadet Gourmet Real Meat Chicken Snacks	Dog	Retriever - Labrador	4	Years	Female	40		My dog ate Cadet Gourmet real meat chicken snacks. They were purchased at Brookdale Shop-Rite in Bloomfield, NJ. They say Made in China-irradiated on the package. I wrote down the UPC, if you want it. The dog vomited and had diarreaaha for 4 days. The diarreaaha was bloody and red for 3 days and completly liquid for 4 days-on the third day her breathing was rapid-panting. She is recovering now and is almost back to normal, but I think she could have died.

Wagon Train Chicken Jerky Treat	Dog	Terrier - Manchester	8	Years	Female	15	Pound	My dog was unusually throwing. I heard about the jerky treats being harmful on the radio and went home and threw them away. Since then my dog (b) (6) has been much better.
Waggin'Tails Chicken Jerky Teats	Dog	Sheepdog (unspecified)	9	Years	Male	65	Pound	violently sick, diarrhea, bloody stool...
Milo's Kitchen Chicken Jerky Treats	Dog	Saint Bernard Dog	4	Years	Male	155	Pound	On April 30, 2012, I went to Walmart and bought some Milo's Chicken Jerky treats for my dogs. I'd been hearing about the Waggon Tail's treats and won't buy them. I gave my dog several treats that night and a few more the next day. He had a max of 6-8 treats. He began to have diarrhea almost right away but I didn't realize it. I had to go out of town for the day and my neighbor was letting my dogs out. She came over and texted me that one of the animals was sick. She had cleaned up some vomit and lots of diarrhea. When I came home there was two further diarrhea stools and some vomit. He continued to have diarrhea during the night while I slept, at least two further stools. He would not eat any of his food that night. He did drink some water. I took him to the vet. I immediately told them about the jerky treats and had found out that all jerky treats from China were in question. They started him on IV fluids, giving him 2 1/2 liters of fluids. He wouldn't eat for them either. He was there all day. Once I brought him home he continued to have diarrhea and refuse to eat. I called the next day to report this. They started him on flagyl. After several doses the diarrhea subsided and he started to eat. He was sick with the diarrhea for four days total. I spent around \$400. I used (b) (6) (b) (6) to varify. I will ask for a copy of his invoice if needed.
waggin train chicken treats	Dog	Retriever - Labrador	5	Months	Male	45	Pound	diahrea
Milo's Kitchen Homemade Meatballs	Dog	Poodle - Toy		Years	Male	24	Pound	In October 2010 I took over care for my grandmother's dog when she moved to an assisted living facility. (b) (6) has always been particular about what he will eat so we weren't surprised as we would go through stages of him being extremely picky. He also had anal gland issues from time to time (this issue did not develop until he was 14) so we sometimes attributed his lack of appetite to these bouts with anal gland issues. Often he only showed an interest in human foods. Considering his age, our veterinarian agreed it would be okay for (b) (6) to eat human foods such as rice, sandwich meats, cheese, and bread. In addition I tried Milo's Homemade Meatballs and (b) (6) loved them. He never passed up a meatball and he would do anything for one. I tried not to overfeed him these, limiting him to usually no more than 5 a day. I felt they were a good product and he was actually eating dog food so it must be a good thing. Periodic appetite problems began to occur more frequently and our vet felt his symptoms were indicative of Kidney issues. Blood tests showed (b) (6) kidneys were okay. On October 24, 2011 I woke up to find (b) (6) quivering and extremely weak. He would not eat or drink at all. He could not stand on his own. Overnight his condition drastically changed. Given his age and his obvious discomfort, my mom and I felt we had to put him to sleep. I didn't feel this was reversible. Shortly after his passing I started seeing the complaints about chicken jerky treats and I can't help but make the correlation with the Milo's Homemade Meatball Chicken Jerky treats we gave him so many of. I question if his sudden turn was Kidney failure.
Waggin Train Chicken Dog Treats	Dog	Mixed (Dog)	8	Years	Male	65	Pound	He was throwing up and had diaerrhea. Had to take him to the vet for a shot to calm his stomach.
Canyon Creek Ranch Brand Cowboy Style Drumettes	Dog	Dalmatian	9	Years	Female	40	Pound	Animal vomited about 2 hours after consuming treat
Waggin Train Chicken Strips	Dog	Chihuahua	12	Years	Female	8	Pound	All dogs became lethargic, began to lose appetite. Coats became dull and all pets started looking ill. I quit feeding my dogs the chicken treats, and after about a week I saw improvement. I was informed by the cashier that there had been a report against the Chicken treats on the news when I went back to buy more because they were being sold much less than normal. I know the strips were detereorating my pets health so I quit feeding them the treats...threw all bags that I ahd purchased in the garbage can and will NEVER buy them again. I also tell anyone and everyone that I know that these treats are bad for pets. I will continue to spread the word about the dog treats that come from China. They ARE putting something in them that is BAD for our pets. The FDA needs to be proactive with this and find out what it is or BAN the treats from coming into the USA.
waggin train jerky strips	Dog	Mixed (Dog)	11	Years	Mixed Population of Female and Male	65	Pound	both dogs have gotten sick and refused to eat anymore of the chicken jerky strips.. I AM RETURNING THESE STRIPS TO THE STORE WHERE PURCHASED.. WALMART IN GAYLORD. MI. I am also returning the jerky Duck Strips .
Waggin Train Jerky Treats	Dog	Boxer (German Boxer)	8	Years	Female	75	Pound	Boxer became lethargic after ingesting chicken jerky treats and was taken to animal hospital where she was diagnosed as having kidney failure. Boxer died within two weeks of diagnosis.

Wagon train chicken jerkey treats	Dog	Shepherd Dog - Australian	10		Female			i have all medical records regarding condition. dog had a physical 1 month prior to onset of condition and death. Extact date of death on paperwork.
Waggin Trails	Dog	Mixed (Dog)	11	Years	Male	67	Pound	My dog slowly began losing weight, didn't want to eat...ended up at vet had infection, had lost 18lbs was down to 49 pounds. gave him antibiotics and antiinflammatory drugs and now he has gained back all weight and is doing much better. i am convinced it was from the Waggin Train chews with chicken liver-which i gave him for a few months and were purchased at walgreens
Milo's Kitchen Home style dog treats Beef Jerky	Dog	Terrier - Australian	7	Years	Male	18	Pound	I gave Milo's Kitchen Beef Jerky (bag states made in USA) to my Mini Schnauzer and Australian Terrier, my Schnauzer had no reaction, but my Terrier was walking around the room for hours, this happened twice and then he could not urinate for a whole day and then urinated on the floor a very large amount and then that happened again he urinated on the floor the next morning a large amount, he is very well trained and would normally not ever urinate in the house, this just happened last night and today 5/22/12 not sure if he is OK yet, luckily I only gave them very small amounts of the treat and it was broken into less than half inch pieces (numbers on bottom of bag are 20462f 20482f 5 01:03) I will throw the treats out and save the bag, I just happened to see the report on MSN and a I am very upset that I bought this treat and gave it to my pets
Milo's Chicken Jerky	Dog	Spaniel - Cocker American	9	Years	Male	50	Pound	He developed changes to his health after eating Milo's Chicken Jerky treats. Increased water consumption and inability to hold it in until I returned from work. Lethargy and malaise.
Olde Roy Chicken Jerky Treats	Dog	Retriever - Golden	6		Male	90		I gave my pet Olde Roy chicken jerky treats and shortly afterwards was sick to his stomach, had diarrhea and was lethargic for 2-3 days following. I waited 2-3 weeks before giving him another of the same treat and noticed similar symptoms right away. I have not given him any since and he's doing fine.
Wagon Train Chicken Jerkey Treats from China	Dog	Schipperke	7	Years	Female	18	Pound	Out of nowhere my dog got sick. At first the vet looked for abdominal obstructions, and finding none prescribed nausea meds, but the next two days my dog didn't improve and when we went back to the vet, blood work revealed EXTREME kidney failure. We tried to do all we could for her, but she was slowly dying and suffering and I ultimately made the decision to say goodbye to put her out of her misery. There was seemingly no explanation for the sudden on-set of kidney failure -- until I read with dismay that the jerky treats I was feeding both my dogs were sickening and killing other dogs -- particularly smaller breeds like mine. I don't care what the GOP says, we need the FDA to step up and step in to end this! She was a Pom/Schipperke mix.
Wagg'n tails	Dog	Boxer (German Boxer)	3	Years	Male	70	Pound	(b) (6) experienced kidney failure and died two months after initial vet visit. He was treated at two veterinary hospitals and was prescribed various medications . Charts are available. He was given chicken treats in the belief that it would be easily digestible. Our other dogs were not fed this treat regularly like (b) (6) was.
Waggin tails chicken jerky treats	Dog	Shar Pei	10	Years	Male	45	Pound	After giving (b) (6) Waggin tails chicken jerky treats he developed diarrhea.
Waggin Tails chicken jerky	Dog	Retriever - Labrador	2	Years	Male	55	Pound	after eating the Waggin Tail jerky treats the dog would become ill and would vomit - this went on for 2 days before I stopped giving him the treats. Since this treat is not being used anymore, the dog has been fine
Wagon Train Chicken Jerky Treats	Dog	Terrier - Cairn	9	Years	Female	16	Pound	After several months of giving our dog Waggin Trail jerky treats she became very ill. The vet diagnosed her as diabetic at that point, but insulin never completely solved the problem. There was still issues with excessive water and urination, also occasional vomiting and changes to muscle and bones. After reading many articles on the issues that have come up due to these treats we believe she may actually have Fanconi syndrome, based on the symptoms. We have quit feeding her the treats as of now, but the problems still persist. Based on her age and condition we do not want to put her thru the multitude of tests required to verify Fanconi, but would still like for others to know of the problems with these treats.
Milo's Chicken treats	Dog	Unknown	3	Years	Male	45	Pound	Dog became comatose-taken to vet. Blood test showed extremely high hemoglobin and dehydration. IV started and he stayed at vet office for 2 1/2 days until blood test back to normal. He had eaten Milo's chicken treats prior to this, and vet suggested that may be the problem.

Waggin Train Chicken Jerky Treats	Dog	Pit Bull	18 Months	Male	40 Pound	Waggin Train chicken jerky treats were given to my dog for about 2 weeks. I noticed that (b) (6) got lethargic and sensitive to touching his abdomen. He then began to have horrible diarrhea and vomiting. We took all food and treats away except water and ice. I started adding dry Gravy Train first then added Alpo canned food back to his diet. I happened to read an article on the internet about the chicken jerky treats causing issues in dogs. We then threw away all of them. His diarrhea and vomiting cleared after 3 days.
Waggin-Train Meat Blast Duck Jerky Wrapped Pork Skin Twists with Chicken Liver Centers	Dog	Other Canine/dog	9 Years	Male	70 Pound	On Christmas Day, 2011, I gave my two Lab-Mix dogs a Waggin-Train meat blast, duck wrapped pork skin twist, with chicken liver center. That very night, (b) (6) began to vomit. I felt really bad because I never gave them those kinds of treats, but wanted to give them something special for Christmas. Over the next three weeks, he got sicker and sicker. Our vet thought it might be a blockage from the rawhide, so she did xray's and an MRI. There was no sign of blockage. She did blood tests and hospitalized him several times. He was given IV's, and all kinds of medications. She was unable to find the cause of his illness. We had to force feed him most of the time, and even so, he lost 15 pounds in 3 weeks. Thanks to prednisone, he had one good week with us before he crashed. On January 15th, I finally had to take him to be euthanized. He was almost nine years old, and we'd had him since he was a puppy. It was the worst thing I've ever had to do. Today I saw the article about Waggin-Train. I just cried, knowing that I killed him by giving him that rawhide.
Dingo Wag'n Wraps with Chicken in the middle	Dog	Shepherd Dog - German	7 Years	Female	98 Pound	I purchased a 3 pack Dingo Wag'n Wraps Chicken and rawhide Chews on April, 5, 2012. I purchased these from the local Walmart in Grafton WV. I gave (b) (6) one of the chews on April 6, 2012. Com the next day Saturday April 7, 2012 (b) (6) could not get up as it was like no movement in Hips. She was acting very sick. I tried to feed her along with making her drink water. Then the following day on Easter Sunday, She woke me up crying and moaning with pain. Her eyes were extremely glassy. (b) (6) has always been a very high spirited Dog. I rushed her a Vet in (b) (6) which was going to meet me for emergency Treatment. Well He informed me that she was Septic? He did blood work along with all the checks including xrays. He then medicated her and said it was questionable if she would survive??? Well he said he had to leave and he would check back on her a little later and then call me. He called about 3 hours later and told me she had passed. Not good. The vet bill was almost \$400 and he said that he was puzzled by what killeed her.
Milo's Kitchen Chicken Jerky	Dog	Terrier - Border	6 Months	Female	12 Pound	After ingesting the jerky treat, became lethargic and experienced diarrhea for several days.
Waggin Train Chicken Jerky Treats	Dog	Terrier - Boston	12 Years	Male	22 Pound	Dog became very ill with kidney failure. Had to take him to emergency vet clinic. After 4 days in ICU, took him home and had to do subcutaneous fluids 2 times a day with several other medications. Within 19 days, he was dead. He was my best friend and the most healthy dog I've ever owned. Second dog, (b) (6) became ill 5 days later and died within 4 days of syptoms. She was a perfectly healthy 5 year old Boston Terrier Mix. She was the biological daughter of (b) (6). Have two other dogs that were not given these treats. They are fine.
Waggin Chicken Jerky treats						there was plastic infused within one of the chicken jerky strips.
Waggin Train Chicken Jerky Tenders Dog Treats	Dog	Dachshund - Standard Smooth-haired	13 Years	Female	20 Pound	One strip daily of Waggin Train chicken jerky strips. After several weeks, became lethargic, vomiting, kidneys shut down. Veterinarian diagnosed some form of poisoning. Kept at veterinarian clinic for a week with IVs, other efforts to save. Finally passed away from kidney failure. Two days later veterinarian notified us of problem with Waggin Train chicken and strongly suggested this product was the cause of poisoning, sickness and death.
waggon trail ckicken jerky						My dog was 7 years old, completely healthy. He had about 3 treats per day and was suddenly dead in my livingroom floor with no prior signs of sickness.
Waggin Trail (Train??)	Dog	Pekingese	Years	Male		I want to correct my dog breed (I couldn't find it in your list He is a Peek A Poo, not pekinese.) He became very ill after eating Waggin Train treats. I had to rush him to the doctor. He is recovering. I mentioned to the Publix Suprmermarket that I thought the treats they were selling from China were contaminated but they said they had not heard anything about it
Waggin' Train Chicken Jerky Treats	Dog	Beagle	3 Years	Female	25 Pound	I gave both my dogs Waggin' Train chicken jerky treats. Both became ill with diarrhea, but recovered in a few days. I had bought two packages at Kroger. I returned the unopened package to Kroger and they gave me a refund for it, after much argument. I still have the treats from the opened package, although they are not in the original package. The date of the event was late November or early December, 2011.

Waggin' Train Western Grill Assorted Dog Treats & Chews Waggin' Train Chicken Jerky Tenders Dog Treats	Dog	Shepherd Dog - German	12		Female			I started buying my dog the wagon tail treats back in October or November. I was buying them from walmart. In December my dog started losing bladder control which is something she never did. I woke up one morning to find her bed all soaked. She would be walking and she would start to urinate as she was walking! Concerned she had a kidney or bladder infection I took her to the vet on 12/21/2011. She was also having some discharge so the vet thought that maybe she had a uterus infection and gave her medication for that. Someone told me about month later that they had heard not to buy dog treats from China because they make your dog sick, but they didnt know how. So I quit buying them for her. Thankfully she had been on medication during that time, which was \$150. Since I quit feeding her the treats she has not had anymore urinating problems. Now I just read an article about the treats that I was feeding her and how they affect the kidneys and it seems like it is no coincidence that she had the problems she did as I was feeding her those treats. I am so thankful someone told me to quit feeding her those treats even though I didn't know why at the time. Now I see that if I had not stopped I probably would have lost my dog!
Waggin Train Chicken Jerky Treats	Dog	Pit Bull	2	Years	Female	55	Pound	Friends came to visit and brought ^{(b) (6)} a Waggin Train chicken jerky treat. She had eaten them before, but this particular time she was lethargic within hours. She developed horrible diahrrea and vomiting in the middle of the night. She continued with the symptoms the entire next day. We took her to the vet within 2 days because her symptoms had not improved. The vet put her on special food and medication to correct the symptoms.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	8	Years	Female	58	Pound	After eating Waggin Train Chicken Jerky treats for several months, our dog became seriously ill. She was drinking excessively and was listless. We took her to the vet for several tests and when they couldn't diagnose an illness had us take her to an internal medicine specialist. After several more tests and medicines, costing more than \$2000, they were still unable to find a cause, but her liver did not seem to be functioning normally. When we ran out of treats she seemed to improve after a month or so and now that we have been giving her them again, she is drinking excessively again and is listless.
Milo Chicken Jerky Treats	Dog	Crossbred Canine/dog	3		Male	15		^{(b) (6)} experienced lethargy, loss of appetite. After I read article describing how chicken jerky treats were making some dogs sick I immediately threw them away. Within a week ^{(b) (6)} was much more active and his appetite picked up. I believe that the treats were making him sick. We used to give him 2 or 3 a day.
Waggin' Train Wholesome Chicken Jerkey Tenders Chicken Dog Treats	Dog	Shih Tzu	5	Years	Male	14	Pound	Vomitting and diarrhea
I don't recall	Dog	Shiba Inu	11	Years	Male	28	Pound	In early, 2010 I purchased a bag of chicken jerky as a new type of treat for my dog. I continued to give him these treats on a regular basis. By April, he was tired and listless and rapidly losing weight. Our vet said that he was suffering from kidney failure. By May I had to have him euthanized as he was no longer able to stand and was in great pain.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Foxhound - American	8	Years	Male	84	Pound	After giving our dog the Waggin Train jerky treats, his symptoms started with diahrrea, which got progressively worse, then vomiting, then refusing to eat. He spent two nights in the hospital, which he had previously never had to be under vet care other than for wellness visits. Shortly after he came home, we saw the article on the jerky treats, and realized we had been giving them to him. I have kept them in case any testing needed to be done on the treats or his condition got worse.
Canyon Creek Ranch Chicken Jerky Treats	Dog	Spaniel - King Charles Cavalier	1	Years	Female	15	Pound	She inexplicably started having digestive issues. She would have constant diarrhea that lasted for a couple weeks. Additionally, her stool had a opaque slime that coated it. We called the veterinarian to make an appointment for her to be seen. The vet made a suggestion of feeding her steamed rice and boiled chicken for a few days along with giving her gatorade. Within a day, her bowel movements returned to normal. As soon as we allowed her to have the chicken jerky treats, her diarrhea returned. We decided that the jerky treats were the only new food in Lady's diet, so we stopped giving them to her. The issue disappeared.
Waggin Train Chicken Jerky Tenders	Dog	Retriever - Labrador	7	Years	Male	68	Pound	Waggin' Train Chicken Jerky Treats purchased in April, usually 1-2 pieces given several times per week as treats caused dog to vomit and have severe diarrhea. It took a couple weeks to pinpoint the cause as he also gets other treats, but by elimination we figured it out.
Chicken jerky treats	Dog	Terrier - Cairn	12	Years	Male	20	Pound	We had purchased some chicken jerky treats at our local Big Lots. Our dog had diarrhea, dehydration, etc. He was initially diagnosed with pancreatitis and then had to be hospitalized with kidney failure. Our vet notified us of the link with the chicken jerky treats and we provided her with the bag of treats we had given to Joey. We have spent over \$3,000 on his illness and recovery and would like to see that reimbursed by the manufacturer of the treats.

Waggin Train Jerky Tenders	Dog	Boxer (German Boxer)	9	Years	Female	60	Pound	My dog started becoming lethargic after she started consuming Wggin Train Chicken Jerky. She started to drag her foot. She became incontinent and was throwing up. She was also drinking excessively.
Good'n'Fun Triple flavor wings, Beefeaters chicken fillets	Dog	Terrier - Jack Russell	8	Years	Male	20	Pound	According to owner by phone May 9 2012, Harley was doing very well with his aggression problem until 4 days ago when his behavior worsened and it was clear he didn't feel well May 8, so the owner took Harley to his regular vet. Blood work was done and increased BUN(36) and creatinine (2.3) was noted. UA normal. I asked the owner what treats she was using and she had been giving chicken jerky treats. I had the owner stop the treats and keep the remainder. Date problem started is an estimate based on conversation with owner. Date of recovery is also an estimate, phone conversation May 21, 2012 the owner said he was back to his old self and had been for several days.
Kingdom Pets Chicken Jerkey								On Sunday, May 20, 2012, I purchased a .48 oz bag of Kingdom Pets Chicken Jerky (UPC 8471300020, Item code 169728, Lot #AKKPCKO3B356) for dogs at Costco located at 9691 Waterstone Blvd, Cincinnati, OH. When I arrived home, I opened the bag and pulled out 3 pieces, for each of my dogs. I noticed blue plastic sticking out of the end of one piece. I did not give them to my dogs, but checked on the website for any recalls. I did not find any, but did learn that China is putting plastic in animal chicken jerky, which this product is made in China. I also learned that this material can cause illness and even death of an animal. I contacted Costco this morning to advise them of the problem. I also contacted the distributor Globalinx Pet, LLC, Newport Beach, CA, 888-565-7387 and left a message advising them of this issue. I ask that you investigate this issue and trust that you will place a recall for this product. Also, as a former Safety and Environmental Manager at a plastics manufacturing company in Ohio, can you explain to me (or direct me to the appropriate department) as to how manufacturers in the US are held to the strictest standards and imports from China are not?
Waggin' Train Wholesome chicken Jerky Tenders	Dog	Retriever - Labrador	7	Months	Female	50	Pound	I was out of the treats and everything was normal with Luna, then on Saturday I purchased the Waggin' Train 22oz "Natural Chicken Fillets" and she ate 2 chicken fillets and all Saturday night she had diarrhea ALL night long with blood mixed into the poop.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Spaniel - King Charles Cavalier	3	Years	Male	18	Pound	My sister-in-law had bought the treats at SAMs club on May 5th, she had given (b) (6) a treat a few days. On May 9th she gave him 2 treats, he ate one (I was not home at the time she gave them to him.) after eating one she said he went inside his dog house and started acting as though he was having a seizure and he began to vomit and also diarrhea/bloody. I came home and went to give him his food, and I noticed him sitting on top of his dog house, looking like death...it was horrible. I went to check him, and I saw a treat. I grabbed the treat and asked my sister-in-law if she was giving this to him? Because I had seen the warnings the week before about these treats. I had no idea she had bought these and feeding them to him. (b) (6) was dying. He was dead before we could get him to a vet. He was ice cold/inside his mouth was like ice. I knew I was loosing my baby boy. I cannot believe these treats are still on the store shelves. Had these been pulled my dog would still be here. I also did research and I saw the packets in the product the deoxidizers are poisonous/contain iron I did take a picture of the packet stuck to a magnet. I wonder if this is what is making the dogs die/sick Iron Toxicity? Or is it the Irradation being done?
Gourmet Sweet Potato & Chicken Wraps , Milo's Kitchen Home Style Dog Treats, Mini Dingo Chip Mix	Dog	Shih Tzu	2	Years	Male	31	Pound	This dog was presented to me because of being lethargic, depressed appetite, and frequent urination. exam was essentially normal. Abnormalities found with lab work were; elevated WBC count (17500) due to neutrophils (12,430) and eosinophils (850). high blood creatinine (2.0 mg/dl), high urine blood content (++), high urine protein (++), high urine leukocytes (++). The urine specific gravity was 10.40 and urine PH was 8. On urine culture staph aureus was isolated.
Wagon Train Dog Treats & Milo's Kitchen Treats	Dog	Other Canine/dog	3	Years	Male	8	Pound	Started vomiting profusely, some diarrhea, lethargic. Took him to the vet and they done blood work and gave him an IV due to dehydration. His blood work showed he had severe pancreatitis. The vet stated he had never seen numbers so high! He was a very sick dog. The vet inserted a port so I could give him an IV daily for a week with some medication in it and he improved after several days. He ate lots of doggie treats, all chicken products, made by Wagon Train and Milo's prior to his illness. We no longer give him these. I felt his illness had something to do with his treats but could not be totally sure. But he now eats what he did before but no treats and he is doing great.

canyon creek ranch	Dog	Great Dane	7 Months	Female	80	Pound	I got a healthy puppy and started training her using exclusively canyon creek treats. All of a sudden she has immense Diarhea and vomitting. She was no longer excited and happy..... I blamed her dog food or the fact that she may have gotten into something. I quarentined her but kept giving her the treats..... It wasnt till I gave her a bland diet that everythign went away... Once I reintroduced the treats her symptoms came back. I have spent close to \$500 on test and medications trying to figure out why a 7 month old puppy got so ill.
Waggin Train Wholesome Chicken Jerky Treats	Dog	Shih Tzu	3 Years	Female	13	Pound	My pet at Waggin Trail chicken jerky treats and developed vomiting, bloody diarrhea, lethargy, would not eat or drink. She is presently in the hospital (admitted 5/17/2012). Vet confirmed diagnosis with concurrent use of treats. I don't understand why these have not been taken off the market. There have been many complaints made against these. I did not know this until today.
Waggin Train Duck Fillets	Dog	Dachshund - Miniature	10 Years	Male	24	Pound	5/5 (b) (6) gave her dog two duck fillet treats before leaving for work at approx. 9 am. When she returned home around 7 pm (b) (6) was unresponsive and cold on the floor in a small puddle of mucus and saliva. Lock jaw, black eyes, labored breathing, the dog was in process of defecating himself when the owner arrived. (b) (6) gave him small amounts of water by dripping them into his mouth and held him. He vomited more than 12 times. He gradually became more responsive. He wouldn't eat or drink anything. He eventually after several hours of watching him and talking to him passed a bloody stool of mucus and blood. 5/6 Took animal to veterinary clinic where he was given medication and an IV of fluids. Because of financial incapability we were forced to take him home and nurse him there. The nurse said he was in the process of liver failure or so it seemed. 5/6-5/9 bloody stool. liquid diet of Gatorade diluted and water and ice. And a diet if baby food beef and chicken rice and cottage cheese. Gradually he began to have more normal stools. 5/11 he passed his first blood free solid bowl movement. (b) (6) is a victim of Domestic Violence and her dog is her best friend. She had to take off time from work and the vet bill and he still needs to go back to the vet and we cannot afford to pay for that.
Waggin Train - Jerky Tenders	Dog	Terrier - Yorkshire	4 Years	Male	6	Pound	Received blood and urine report back. Detected high levels of Creatine and Nitrogen levels in the urine. Urine is extremely yellow (which is good), but indicates dehydration or potential other issues. We just found out about this, but we have been using Waggon Train Chicken Jerky treats for years and it appears that they could be part of the cause of his condition. We have removed these from his diet while at the same time we have introduced more water as well as a food with less protein content.
Waggin' Train Jerky Tenders	Dog	Terrier - Silky	6 Years	Male	12	Pound	I have been purchasing this brand of chicken jerky from Costco for years and feed my dog small pieces throughout the day as a treat (totaling approximately 3/4 of a strip per day). He has recently been diagnosed with liver failure upon taking him to an emergency vet hospital which was very shocking to the doctors since he is not very old in age. 1 month prior to his diagnosis he would vomit the chicken jerky shortly after eating it. The doctors have given him days or weeks to live.
Waggin Train Chicken Strips	Dog	Terrier - Jack Russell	13 Years	Female	14	Pound	(b) (6) was a very healthy dog. She got the Chicken strips and a while later got very sick but seemed to come out of it. She wouldn't eat so we switched to canned dog food. She kept getting weaker and eventually her kidneys failed. The vet bills war almost a thousand dollars.
Milo's Kitchen Home-Style Dog Treats Chicken Jerky	Dog	Hound - Italian	7 Years	Male	14	Pound	After being fed Milo's Kitchen Chicken Jerky consistently and excessively for over six months, two of our three dogs began showing symptoms of illness and possible kidney failure including vomiting, loss of appetite, excessive urination, and excessive water drinking. The one dog out of three not affected by the chicken jerky was being given Ursodiol to clear out liver and gal bladder as part of a post-Chemotherapy treatment. Given that he was not affected by the chicken jerky and the other two dogs were, it could be assumed that the Ursodiol may have prevented the symptoms. (b) (6) (the aforementioned dog has shown the worst symptoms of the chicken jerky consumption).

Rich in Omega 3 & 6 Wild Alaskan Salmon Treats Layered with Cod & Sweet Potatoes	Dog	Pekingese	7	Years	Female	10	Pound	I purchased Wild Alaskan Salmon Treats from Costco approximately 2 weeks ago. I gave (b) (6) the treats on two different occasions. She didn't like them, so I didn't give her more. I also gave the other dog (b) (6) the treats one time. She didn't like them and didn't all of what I gave her. I noticed a few days later that (b) (6) wasn't eating. She was drinking alot of water, and I noticed urnine accidents in the house. After several days of her not eating I took her to the animal hospital. This was last Monday, May 7th. Multiple tests were done, after one came back negative another was done. This went on until Friday when I took her back. She was seen by a new doctor. She asked if I had given her anything different to eat. I told her about the dog treats. She had be check right away to see if they were made in China. They were. We pulled up all of the information regarding symptoms related to dogs getting sick with foods from China. She has all of the symptoms. She immediately started her on daily IV treatments to flush her kidneys. She will probably need another 2 weeks of this treatment. As of now all of the tests coming back confirm it was the dog treats.
Pet Pride® Chicken Breast Jerky Treats for Dogs	Dog	Shepherd Dog -	8	Years	Female	40	Pound	Diarrhea on the day following consumption of a chicken jerky treat.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Poodle - Standard	4	Years	Male	58	Pound	On or about August of 2009 I notice my male was scratching horribly. He scratched all the hair and most of the skin off his neck and the top of his head by Oct. Which was when he was first seen by my vet. Soon after My female who is 6 months younger started with the same signs. The itching and scratching became uncontrollable. My vet was treating them with steriods to help calm the reaction. By Feb of 2010 I had to take my female to an allergist who did extensive testing for allergies. She came back postive on some, but none that were very conclusive. on May 10th of last year, my female had a litter of puppies. I kept one male out of the litter, and dontcha know it at approximately 8 moinths of age, he started with the itching and scratching as his mom and my male. The scratching and itching has continued to date, We have been able to finally control it enough to get hair back on them with some scaring . I started working with my holistic vet, and still I could get no releif for these dogs for the itching. I had no pests on them, I use NO chemicals in my house to clean, it is all done with steam and vinegar and water. On April 5th, 2012I was researching online for dog foods, and reading information on them, and came across the issues that the chicken jerky treats have been causing. And I thought that this was the only thing that has remained consistent over the past 3 or so years. I had changed thier diet to the raw diet, approximately 3 yrs ago, because of the skin issues ,with no additives. The only treats they have gotten has been the jerky treats, because I figured how can you go wrong with just "dried chicken" . I immediately stopped the treats, and unfortunately threw them out, but kept the bag. I noticed within weeks the puppy had reduced the itching drastically, and my older males skin was great improved, no weeping feet and elbows, no flaming red skin and he wasnt hot to the touch . And he was playing again , My female has reduced her itching drastically as well. I contacted both my Reg. Vet and my Holistic Vet and told them what was going on and they both agreed that it was the treats. I made an appt with my reg. Vet to see my male, and he was thrilled to see the changes in him and has recorded them as being major improvements.
Alpo Purina Cuts, Wagon Trail wholesome Chicken Jerky Tenders	Dog	Collie - Border	10	Years	Female	45	Pound	(b) (6) began to be uninterested in food, throwing up, brought her to the vet and they tested her blood for illnesses, she had acute kidney failure and her blood tests revealed no deseases or apparant chronic condition, kidney failure was thought to be the result of poison...death resulted.
Waggin Train Chicken Jerky Treats Waggin Train Ham Slices	Dog	Spitz - American Eskimo Dog	9	Years	Female	23	Pound	We was feeding other treats over the years but did not start experiencing any problems until we started feeding Waggin train Chicken Jerky Treats, and ham slices also made from Waggin Train. Within a few days, we noticed (b) (6) having upset stomach and not wanting to eat. When she would finally eat, she would vomit the food and treats up. We took her to the vet and was diagnosed with Pancreatitis. She was treated with antibiotics. within the next week, she continued to deteriate to where she could not eat at all, she would lay around the water dish and drink lots of water. she would not be able to keep the water down at all as well. On the following Monday I took her back to the vet and she was left for further treatment. On the next day I was informed that he believed that she may have Liver failure going on, and didn't look like she was going to make it. I went in and seen her for the last time. She was put to sleep in my arms on 3-16-12. Hardest thing I ever did.
Waggin Train Chicken Jerky Treats.	Dog	Unknown	6	Years	Female	44	Pound	Abrupt and severe renal failure. (b) (6) was presented with a very diminished appetite, weight loss, vomiting and gl upset. Blood work revealed azotemia, eleveted creatinine and phosphate, anemic, glucosuria, proteinuria. Despite intensive intravenous fluid therapy and supportive care, her condition rapidly declined and she was humanely euthanized.
WAGGIN TRAIN CHIKN BISCUITS, WAGGIN TRAIN WHOLESOME JERKY TENDERS	Dog	Chihuahua	4	Years	Male	3	Pound	Severe vomit and diarrhea, blood in stool, bowel pain, extreme illness. kidney, liver issues. The other dog (b) (6) began symptoms shortly after.

Waggin Train Apple & Chicken Wraps	Dog	Terrier (unspecified)	5	Years	Male	23	Pound	Purchased Waggin Trail, LLC Apple & Chicken Wraps. Gave our Dogs 1 piece per day before work by the end of the weekend I noticed (b) (6) was not himself. Lethargic, Labored breathing and recently, peeing blood. Took him to vet, The vet noticed right off that he was anemic, gums white, temp at 103.8. Drew blood to confirm anemic but also noticed that Creatine and Tbil was also off the charts. Daily blood test and he's not getting better but he's not worse. The only difference was these treats, the foods the same, their normal treats, Beggin Strips never did this. This is the only change. These Waggin Train treats are made with Chicken breast in China and the lot number is: G1CA3503A.
milo's kitchen chicken jerky treats	Dog	Chihuahua	12	Years	Female	15	Pound	on thursday may 3, 2012 my wife and i went to walmart to purchase pet products for our pets 1 dog and 1 cat. we decided to buy our dog a bag of milo's kitchen chickewn jerky treats and we gave her ne and the next day there was diarrea all over our house, we contacted our vet which instructed us to just feed our dog white boiled chicken with white rice for three days. we have been following our vets instructions and now it is a week later and our dog can still not eat regular dog food due to having diarrea. we thought something was wrong with our dog until i found out online about a recall for these treats, now my dog is very sick and can only eat boiled chicken and rice. i am very upset and very angry about this , these treats should not be on the shelves of stores if they are not good!!!!!!
Canyon Creek Ranch Brand Chicken Tenders	Dog	Alaskan Malamute	5	Years	Male	25	Pound	Renal failure diagnosed 5/12/2012
Waggin'TrainWholesome Chicken Jerky Tenders	Dog	Terrier - Jack Russell	11	Years	Female	11	Pound	Dog was listless with appetite for a few days(3-4) during which we tried different dog foods and gave her a Waggin Train chicken Jerky art eat daily (a large one) since that was all she was eating. She vomited once (that we knew of) and noticed she was eating grass. Also noted she was drinking more than normal. This all began approximately 5/7/12. While buying some different dog food store owner mentioned Chicken Treat issue.Pending her condition will take to vet today (5/10), though she did eat some food on 5/09.
Waggin' Train Chik'n Biscuits	Dog	Mixed (Dog)	9	Months	Male	10	Pound	I gave my dog a Waggin' Trails dog treat Chik'n Biscuits, at 11am yesterday. 5 hours later, at 4 pm he started to experience soft stools. Then 2 times throughout the night he experience mucus-y diarrhea
Milos Kitchen chicken jerky	Dog	Siberian Husky	11	Years	Female	65	Pound	Gave her a Milos Kitchen chicken jerky treat and 4 1/2 hours later she became lethargic, drinking lots of water, would not eat, diarrhea.
Smokehouse Chicken Breast Strips	Dog	Other Canine/dog	3	Years	Male	100	Pound	Fed the newly purchased chicken treat to (b) (6)(a Golden Retriever) ... shortly thereafter he had diarrhea, then vomitting, then lethargy ... I took him to the vet before 24 hrs. had passed. She gave me a print-out about the FDA warning on chicken treats from China because she believed that was the source of the problem since it was the only thing in his diet that had changed. The vet bill (with cytology, examination, and two meds) came to \$158.21 ... a rather expensive dog treat, don't you think? By the way ... how can you NOT have Golden Retriever on your pull-down list of dogs?!?
MILO'S KITCHEN CHICKEN JERKY TREATS, WAGON TRAIN CHICKEN JERKY TREATS	Dog	Shar Pei	6	Years	Female	45	Pound	(b) (6) my 6 year old Shar-pei started having symptoms in January. I found this out when I took her for a dental. The vet noticed she was urinating frequently, did a blood test and found her BUN - CREATNINE levels were elevated. He put her on antibiotics thinking it was an infection. She was eating normally but drinking excessive water. In March she was pregnant and started to throw up her food after she ate. I took her to the vet before her puppies were born and the blood test again showed high BUN-CREATNINE levels.The vet thought the throwing up was due to the puppies being under her ribs. She only had 2 puppies. She delivered the puppies on Monday March 26. On March 27 the 1st puppy died. The kidneys had begun to shut down and turned her milk toxic. That night she started to breathe heavy and every time she drank water or ate food she would throw up. I took her to the vet the next day and she gave her a shot for nausea and IV for dehydration. By Wednesday she was much worse. I took her to the vet and was told her kidneys were not working. We had no choice but to put her to sleep. She ate the Wagon Train Jerky treats every day and loved them. I used to purchase them at Sam's club. During February I tried 2 bags of "Milo's kitchen" Jerky treats which I bought at Wal-Mart. (b) (6) was a very healthy dog with a good appetite even at the end she was still eating. I was not aware of the Jerky treat problems until my friend told me about it after (b) (6) death. She had no health issues prior to this and was a very strong dog. It broke my heart that this has happened. I will no longer feed my dogs any treats from China and I think they should be taken off the shelves.
PCI Duck Quakers	Dog	Maltese	4	Years	Female	6	Pound	Increase thirst and urination. Glucosuria but no hyperglycemia. Resolved when she stopped feeding duck treats.

Milo's Kitchen Chicken Jerky	Dog	Beagle	6 Years	Male	46 Pound	On March 10, 2012 I purchased Milo's Chicken Jerky for my dog. By March 28, 2012, he had diarrhea with blood in his stool, vomiting, was not eating, and very lethargic. He was admitted to my veterinarian for 2 days, put on a prescription dog food, given antibiotics and permitted to return home. At that time his illness was not connected to the Chicken Jerky. On April 30, 2012, I purchased the same treats. On May 1, I noticed the same symptoms reoccurring. He was straining to move his bowels although it was diarrhea, tired and wouldn't eat. On May 2, 2012, I saw an 11 p.m. newscast with the FDA "caution" of the Chicken Jerky. I immediately stopped giving the treats, and contacted my vet on May 3. He was seen by my vet on May 5. My vet prescribed laxatives to "clean out" his system and was again put on a strict diet.
Waggin Train Chicken Jerky Treats	Dog	Mixed (Dog)	7 Years	Female	65 Pound	I started giving my dog Waggin' Trail Chicken Jerky treats because they were supposed to be healthier. Within 2 weeks of eating she became very lethargic. I took her to the vet, they ran some blood tests and I was told her liver enzymes were elevated. We started her on meds and she seemed to be doing better. Several days later she was lethargic again and I took her back to the vet. While at the vet she was very weak and they wanted to keep her and run some more tests. I left to go home and within 10 mins of leaving I received a call from the vet telling me that she had suffered a massive heart attack and she was gone. Up until this point she was a healthy dog that had not had anything wrong. Now I don't have my sweet baby anymore and Nestle is still selling this poison to other people who will also lose their babies. Please put a stop to this
natural duck tenders, roasted chicken flavor training reward, big blast with chicken liver center, the original smart treat greenies, yam good chicken fillet wrapped yams, natural chicken tenders, Natural choice small bites lamb meal and rice formula, crunchy and delicious chicken poppers, pork skin big blast with chicken liver center	Dog	Corgi (unspecified)	7 Years	Male	23 Pound	For the past 2 years my dog has been to the vet for vomiting, being very tired and sleeping a lot as well as loose very smelly stool. I have had to give him antibiotics as well as medication after the vet found him to have a fever. The vet also gave a shot of medication to him.
Waggin Train Chicken Jerky	Dog	Maltese	5 Years	Male	8 Pound	I fed my dog the treats because he loves them. For two days he developed diarrhea with lots of blood. Immediately stopped giving him the treats. It was HORRIBLE! I was in fear for him!
Waggin Train Wholesome Duck Jerky Tenders	Dog	Unknown	22 Months	Male	16 Pound	dog threw up a yellow bile, twice after consuming Waggin Train Wholesome Duck Jerky tenders, was lethargic for an entire day and wouldn't eat any food. The product was purchased at Lowes Home Improvement store and the lot number is mostly legible 1CA5728A the sku was 07020 33016 Best Buy date was 080613.
Shep CHICKEN chips SELECT Premium Dog Snack	Dog	Shepherd Dog - Australian	3 Years	Female	30 Pound	I had noticed occasional bouts of diarrhea, and had discontinued all treats and was adding them back one at a time. One day after eating Aldi's "Shep" brand Chicken Chips select premium dog snacks, (b) (6) threw up and had bloody diarrhea. She seems in good health other than that.
milo's kitchen treats	Dog	Poodle (unspecified)	2 Years	Female	7 Pound	I gave her 1 piece of milo's chicken jerky treat and within 15 mins she vomitted up a pile the size of a softball the another the size of a golf ball after I picked up the mess I found her on the bathroom floor gasping for air I checked her gums they were pale her tongue was already purplish I called the vet after hours and he referred me to a emergency vet. after giving her medication by injection and fluids we got to bring her home under close watch. we still have to keep an eye on her to see if the toxin affected her kidneys or liver
Waggin Train Jerky Tenders	Dog	Boxer (German Boxer)	5 Years	Male	100 Pound	Both my dog and my mother's dog were experiencing uncontrollable diarrhea. The problems started about two weeks ago after buying Waggin Train Jerky Tenders from our local Sams Club. Both dogs are inside dogs in a controlled environment but reside at different homes. This behavior is without a doubt linked to the Waggin Train treats we bought at Sams. The fact that both dogs started having the same issues at the same time is a strong sign the treats are to blame. Once we stopped giving them the treats the diarrhea stopped. Something needs to be done to stop the treats from coming to market. We are both concerned dog owners that just want the best for our dogs. The fact the FDA has not recalled these treats already is a reminder the food chain is too large for the FDA to police and we consumers must fend for ourselves. Please do something about this issue before you lose all credibility.

WAGGIN TRain jerky tenders	Dog	Terrier - Bull Staffordshire	13	Years	Male	65	Pound	(b) (6) WAS DOING FINE UNTIL ABOUT 5 YEARS WHEN THE VET SAID HIS KIDNEY LEVELS WERE ELEVATED. HE WAS STARTED ON AZODYL DOSAGE 2AM AND ONE PM. ALSO DOG FOOD CHANGED TO SCIENCE DIET K/D . MY VETERINARIAN IS (b) (6) (b) (6) . HE WAS GETTING WAGGIN TRAIN CHICKEN JERKY TENDERS AS TREATS ALL THIS TIME. WE JUST WERE MADE AWARE OF THE PROBLEM WITH THESE TREATS WHICH ARE MADE IN CHINA AND THAT THERE HAS BEEN PROBLEMS REPORTED CONCERNING THEM. AS OF 5/4/12 WE ARE DISCONTINUING THESE TREATS BUT WE WANT TO REPORT THAT (b) (6) PROBLEMS COULD HAVE BEEN CAUSED BY THE TREATS
Waggin Train Jerky treat	Dog	Sheepdog - Shetland	9	Years	Female	28		in 2010, she was diagnosed with kidney failure in a routine wellnes check. At the time, I wondered if there was a cause. There is no history of renal disease in her line. One change had been the introduction of Waggin Train jerky treats to her diet. Her initial symptom was a seizure. Vet check indicated advancing renal failure. She was treated by specialist. Progressively got worse and had to be put down in Feb 2012. May not have been caused by the jerky treats, but I thought it a possibility at the time.
Canyon Creek Ranch Brand Duck Wrapped Big Blast Pork Skin with Liver Center Treats	Dog	Retriever - Labrador	2	Years	Female	50	Pound	(b) (6) ingested one Canyon Creek Ranch Brand Duck Wrapped Big Blast Pork Skin with Liver Center treat around 3pm on May 2, 2012. About 10 minutes later she began whining and pacing around. She had diarrhea multiple times in the house, then laid on the floor and smelled very gassy. She started pacing again about 90 minutes later and had diarrhea and urinated outside. She continued to have diarrhea approximately every 2 - 2 1/2 hours overnight and vomited twice. In the morning she was lethargic and she has not had an appetite since eating the treat.
Kingdom Pets Chicken Jerky								I bought two bags from Costco(Kennewick, Wa) of that chicken jerky strips made by "KINGDOM PETS" from Newport Beach, Ca. My dogs had runs and vomited within an hour an half , 3 dogs, 90 lbs. ,60 lbs. and 15 lbs dog. Definitely something wrong with that food. I have called Costco and informed their store manager (b) (6) he said he will talk to their buyers. Someone should do something before it goes to bad. I have been feeding my dogs this chicken for 4 days and could not tell what was wrong. Just found this article by accident this morning. Something like this needs little more publicity. Thank you !
Waggin Train Jerky Tenders	Dog	Shih Tzu	6	Months	Female	10	Pound	(b) (6) presented for a routine spay on 3-8-2012. Pre-anesthetic bloodwork showed BUN 39 (7-29) and ALT 258 (8-75) both quite elevated, so surgery was delayed. She presented for recheck bloodwork on 5-2-12 and BUN was 72 and ALT was 570. Further discussion with the owner revealed that this dog was eating chicken jerky treats (Waggin Train brand) daily. Bella is drinking and urinating more often per owner. We recommended immediately discontinuing these treats as there has been FDA warnings about them.
Canyon creek ranch Yam Good chicken filet wrapped yams	Dog	Other Canine/dog	16	Weeks	Female	16	Pound	Fed (b) (6) a 16 week old Spanish Water dog, 1 Yam Good Canyon creek ranch chicken filet wrapped yam treat to dog on April 15th without incident. Fed a second treat on April 18th and approximately 24 hours later, dog vomitted twice, experienced decreased appetite; decreased activity;diarrhea without blood; and increased urination. Took (b) (6) to the vet on April 19th. Given subcutaneous fluids and bowel rest with nothing to eat or drink x 16 hours. Started Hills gastrointestinal ID canned dog food along with hamburger rice x 2 days with resolution of lethargy after 1 day, vomiting after 1 day, diarrhea after 3 days. Fed another treat. Approximately 15 hours later (b) (6) experienced recurrence of diarrhea. Again bland diet of hamburger rice and gastrointestinal health canned dog food x 3 days with resolution of diarrhea. Again fed 1 treat. Again recurrence of diarrhea with resolution after 1.5 day. (b) (6) symptomatically recovered but have not had blood work done to test for kidney problems.
WAGGIN TRAIN CHICKEN	Dog	Spitz (unspecified)	5	Years	Male	16	Pound	The first two dogs were about 15 years old. So, when they had kidney failure I associated it with their age. Then about a month ago, our 5 year old had kidney failure and died. About a week after his death, I was informed that WAGGIN TRAIN CHICKEN TREATS causes kidney failure. Each of our dogs were given about 1 or 2 of them a day for every day that we had them as a treat. I sincerely believe that these treats caused their deaths.
Waggin Train Chickn Bisquits	Dog	Retriever - Labrador	2	Years	Female	101	Pound	Gave my two dogs Waggin Train Chickn Bisquits treats starting Saturday April 28th. By Sunday night, (b) (6) had diarrhea and vomiting. I also noticed that she was urinating frequently. It continued, and I took her to the vets on Tuesday morning (May1). They said she has all the symptoms of Salmonella poisoning. They sent stool samples out to the lab. She is currently on medication to stop the diarrhea.

Kingdom Pets Chicken Jerky	Dog	Unknown	4 Years	Female	50 Pound	I fed each of my dogs a half of a Kingdom Pets Chicken Jerky 2 days ago. Beginning yesterday morning, (b) (6) started having diarrhea. I was unaware of the fact that this product has been reported to be problematic, so I gave her another half a strip yesterday afternoon. After reading the reports, I have stopped giving my dogs the Chicken Strips and decided to file this report.
Waggin train beggin strips	Dog	Italian Volpino	8 Years	Mixed Population of Female and Male	17 Pound	I have been feeding my dogs the waggin train treats consistntly for 4 years. Just got some blood work done at the vet- kidney failure. My dogs only eat human food otherwise. Boiled chicken and steamed vegetables- same as myself. These treats give them terrible gas, as well as kidney failure. I dont trust ANY brand of dog food/treats. Now i only serve them what i can prepare. Instead of canned food, they getvorganic chicken & rice soup. Someone needs to regulate this. I just spent \$1000 to make my sick dogs better. Breed standard lifetime: 18-23 years (italian greyhound)
Milo's Chicken Homestyle Dog treats. Chicken Jerky *No artificial flavors or colors* 100% REAL wholesome and Delicious	Dog	Retriever - Flat-coated	5 Years	Female	66 Pound	Vomiting and not eating for duration of 7 days. Previous weight was 70 #. She eats the Chicken Jerky Milo's Kitchen every day. Bloodwork shows elevated alt, total bilirubin (liver) and elevated bun and creatinine (kidney) . She is 8 % dehydrated and reacts to abdomen palpation as if tender. She is normally very active and difficult to keep still but today is very depressed.
Waggin Tails Chicken Jerky Treats	Dog	Pinscher - Miniature	6 Years	Female	8 Pound	(b) (6) was given these treats on and off for several days. At midnight on 4/ 11/2012 she vomited a large amount. The day progressed and she grew more and more lethargic. By the time I brought her to the vet at 3:00 PM on 4/11/2012, she was so sick that she needed to be euthanized.
waggintrain chicken jerky dog treats	Dog	Retriever - Labrador	11 Years	Male	85 Pound	Fed treats in the morning, dog messed in house 3x while I was at work (very unusual); BMs progressed to softer movements until no control of bowels and dog was vomiting. Took dog to animal hospital, admitted into intensive care, is home now and recovering.
Waggin Train	Dog	Mixed (Dog)	15 Years	Female	12 Pound	My dog (b) (6) who was a Pomeranian which by the way is not listed above has been getting these Waggin Train treats for two years, she developed an intence thirst, unable to eat and vomiting and excessive urination, much like the problems I have been reading about on the interenet. Her problems became so severe that I had to take her to the vets and she had to be Euthanized. My other female Pom (b) (6) has been showing the same signs and I have stopped giving her these treats but is still not recovered.
Milo's Kitchen Homestyle Chicken Jerky	Dog	Shepherd Dog - German	7 Years	Male	134 Pound	Weakness, nausea, loss of appetite; Took to vet cost was over \$200 unable to detect issue thru blood and urine tests. Was given several medications. Was not aware of the issue with the Chicken Jerky because they were still on the grocer's shelves. Until today, the issues have begun again, and noted that the jerky was a product of china, so I did the research and found that there have been other related issues reported. This item needs to be removed from the grocer's shelves immediately...
Wagon Trail Chicken Jerky Tenders	Dog	Retriever - Labrador	6 Years	Male	95 Pound	(b) (6) was rushed to the emergency hospital with a temperature of 105, edema, polyarthritis and was in the hospital for three days, given antibiotics and fluids. He is presently home and attempting to recover. There were no health issues prior to this incident. The tests given by the vet did not show any significant levels of Lymes, Rocky Mountain SPotted Fever, or lupus. Cultures done showed no presence of bacteria. I gave (b) (6) a couple of the CHinese Wagon Trail strips every day. Now he is fighting for his life. Please take these off the shelves. I do not wish for anyone or any pet to go through this type of pain.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	5 Years	Male	14 Pound	(b) (6) began having diarrhea and uncontrollable, violent vomiting. He was hypersalivating and clearly in pain. I rushed him to the vet's office where he was diagnosed with acute pancreatitis. He was later transferred to an overnight facility where he was kept for treatment. Follow up tests confirm the initial diagnosis and other potential contributing factors were ruled out.

Waggin Train Chicken & Duck Jerky								I have a Siberian Husky, and for 2-3 years, I've been feeding him treats from the Waggin Train Line, specifically the Chicken and Duck Jerky treats. A few months ago, I noticed he wasn't well, leaking urine, etc. I took him to his Vet and after several tests, it came back that he had Chronic Kidney Disease/Failure. The vet said we can either 1. put him down or 2. control the disease. Since he has been apart of our family for many years and we love him like a child, and despite the huge medical bills we were going to be faced with, we opted for option 2. Nakiska (our dog's name) went through 2 days of Kidney Dialysis and was sent home, on a strict diet of special pet food, supplements and drugs. It costs us thousands of dollars since, but worth every penny if it meant saving his life. I didn't know about the damaging effects of these pet treats until a friend sent me a link about your investigation. If there is anything I can do to prevent this from happening to anyone else's beloved pet, I would like to help. Thank you. Nicole Budden
Waggin Train Jerky Tenders	Dog	Beagle	5 Years	Female	35 Pound			We were feeding our dogs chicken jerky treats as they were supposedly all natural. Three of the dogs have died, two with confirmed kidney problems. I wish I had known these treats were a problem.
savory Prime Chicken Chip - a - roos	Dog	Treeing Feist	18 Months	Female	28 Pound			Dog presented with sporadic, moderate diarrhea.
Savory Prime Chicken Chip - a - roos	Dog	Treeing Feist	2 Years	Female	30 Pound			Dog had severe sudden onset illness. She was normal at 7:00 AM. At 4:00 PM she was critical. She initially presented with severe diarrhea, vomiting, lethargy, blood clotting issues and shock. She was immediately taken to local veterinarian. Ultra sound, xray, blood tests were inconclusive. She had major organ system involvement. She was stabilized after approximately 2 hours and sent to an Emergency Vet. Hospital and was cared for by an internal Medicine Specialist. She spent 2 nights admitted to Vet. Hospital where she steadily improved. Unfortunately, the diagnosis was unknown. However, there was a strong suspicion of some type of poisoning. All the normal agents seen in accidental poisonings, such as rodenticide, household cleaners, antifreeze etc. were ruled out by staff at Vet. clinic. After being released from the hospital, the dog was slowly put back on a normal diet. Although there was not a repeat of this severe illness, she and another dog in the household, did have periods of intermittent diarrhea and vomiting. During this entire time, the dog was sporadically fed the treats in question. Finally, the dog was taken off all commercial food and every 2 weeks a new food type was added. The dog has been normal for one month since the chicken treats have been eliminated from the dog's diet.
Wagon Train Chicken Jerky	Dog	Terrier - Boston	9 Years	Male	26			Mr reports lethargy and decrease appetite. Bloodwork revealed severe anemia
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Retriever - Chesapeake Bay	8 Years	Female	56 Pound			we fed her chicken jerky by Waggin Train. She became very thirsty, lethargic and urinated a lot more than usual. She was eating less as well. Unfortunately, she swallowed a ball, and it got stuck in her stomach. She vomited for 2 days and we took her to the vet who then did an xray - which is how we discovered the ball and also blood tests. The blood tests showed her liver, pancreas, and kidneys to all be failing. She then had surgery to remove the ball and her pancreas is healing. Right now the creatinin is still high and we are treating her blood glucose which is also high. this dog has never been sick. She swims 45 minutes every day with me. She is friendly, outgoing and healthy. Now she is tired and slow. She is slowly getting better, but we are not sure of her kidneys will ever get completely better. We have her on fluids, at first we did it intravenously, and now we do it with a needle through the skin once a day. She take 1/2 bag of fluids every day. We hope and pray she can get through this. Our vet told us it is a miracle that she is alive today as bad as her system was when we took her in to them.
Milo's Chicken Jerky Treats	Dog	Boxer (German Boxer)	5 Years	Female	66 Pound			diarrhea started Mon. night, slept a lot Tuesday, perked up yesterday, eating and drinking ok, just noticed the blood in stool today. no vomiting, unable to bring sample has not gone since made appt. this morning. Acting normal. No change in diet or treats. Does not feed table food and nothing could get into outside as in confined area outside per owner. Feeds Purina Dog Chow. Has been feeding Milo's Chicken Jerky Treats.
Waggin Train Brand Country Ham, Beefeaters Brand Chicken Fillets	Dog	Mixed (Dog)	8 Years	Male	10 Kilogram			Patient developed acute onset vomiting, diarrhea and anorexia around Wednesday, April 18, 2012 and was presented to (b) (6) on Thursday, April 19, 2012. The housemate was presented just prior and diagnosed with pancreatitis. Both dogs had been fed Waggin Train Country Ham 28oz bag Lot#W1CA4752A while (b) (6) also ate Beefeaters Brand Chicken Fillets Lot# YAD0038/F132B1E3, both were not expired. (b) (6) has been hospitalized since and treated for pancreatitis, renal tubular acidosis, acute kidney failure, disseminated intravascular coagulopathy, aspiration pneumonia and possible acute lung injury.

Canyon Creek Ranch Crunchy and Delicious Poppers, Canyon Creek Ranch Chicken Tenders	Dog	Ridgeback - Rhodesian	1	Years	Female	100	Pound	(b) (6) ate her dinner then had 3 different dog treats. Within 30 minutes she started having full body muscle tremors. She did not lose consciousness. (b) (6) continued to have tremors for 5-6 hours. Medical care was sought immediately. Medical treatment included: Induction of vomiting, gastric lavage, activated charcoal administration, intravenous fluid therapy, anti-spasmodics: Diazepam and methocarbamol IV prn control the tremors then oral methocarbamol for 2-3 days.
Dried Chicken treats waggin train and others	Dog	Lhasa Apso	3	Years	Male	19	Pound	I can't believe what I am reading about Chicken jerky treats just today. 2 years ago, we have waggin train chicken jerky (and other brands) to our baby, (b) (6) every day in the afternoon. We could not figure out what was making him so sick. He had terrible diarrhea, all over the place, went to the vet, did all kinds of tests, changed all kinds of food, did everything known and spent a lot of money-which is fine. NEVER did we think the Chicken jerky treats were the problem and we kept giving them to him. We thought it was just dehydrated chicken. It didn't stop. It is a miracle that it didn't kill him. One day, I thought maybe we should stop giving him the chicken jerky. He loved it too. We quit giving it to him and he has never had any of the symptoms again, the horrible diarrhea, increased urination and thirst. I read this today and couldn't believe it. All along it was the chicken jerky and now some dogs have died. People who love their dogs, have them and treat them as their babies and best friends. We don't want them to be sick or die. The FDA should be responsible for stopping bad food for people and our animals. If it is from China or anywhere, ban it already. America needs to stop being cheap and buying anything from China. That is what has hurt our economy in the first place. A lot of dog food is not good for our dogs because of the byproducts they are allowed to be put in it, is just as awful. Help the animals already. Forget who is making the money and protect our babies. Someone needs to stand up. When (b) (6) had this problem, I researched dog food and could have a PhD in it by now. I even buy (b) (6) dog food from a company in New Zealand because of the purity. Some people may just buy Oley's dog food, but they should at least be informed by a rating system if it has unsavory items in the food. At least warn people, we can have a warning for music but not for the food we feed our animals. I think most people would rather pay more for their animals' food. If they only knew what I now know, they would never feed their animals the products that they are using right now. It is terrible what can be in dog food, it isn't right and it needs to be regulated. I have a Sheltie that died in vain due to kidney failure because I didn't know the food I was feeding her was terrible for her. Please help all of us that love our cats and dogs. Thank God my baby didn't die.
Waggin Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Greyhound - Italian	11		Female	15		Gave both of my dogs Waggin Train Jerky Tenders Chicken Dog Treats. Both started having bloody stools within 36 hours and 1 began vomiting
Waggin Train Wholesome Big Blasts	Dog	Weimaraner	10	Years	Male	68	Pound	After giving my dogs the treats both dogs developed diarrhea. The day before I had purchased the treats, a fecal exam was performed as part of their annual check up and results came back as healthy stools. Not suspecting the dog treats immediately I gave them again, for four days. Once I noticed the correlation, I stopped giving the treats. My older dog, (b) (6) does not go to the dog park or have any other issues but since is now on his second set of medicines in an attempt to stop his chronic diarrhea. Metronidazole usually fixes his stomach issue and that made no difference. He's on an anti-diarrhea medicine to circumvent the uncontrollable liquid feces. Hopefully the current round of medicines works.
Waggin' Train Jerky Tenders - Chicken Dog Treats	Dog	Boxer (German Boxer)	7	Years	Male	66	Pound	After giving approximately 2 bags over the course of 2 months my dogs became lethargic and one lost weight (boxer lost 10 pounds). They both had diarrhea, vomiting, lack of appetite, gas, and abnormal amounts of drool. Their stomachs made horrible gurgling noises and they were in obvious pain.
Waggin Train Wholesome Chicken Jerky Tenders - Low Fat	Dog	Mixed (Dog)	9	Years	Female	56	Pound	(b) (6) (6 yr MN Bluetick Coonhound 74 pounds / healthy prior) ate an estimated 7/8 of a 40 oz bag of Waggin Train Wholesome Chicken Jerky Tenders-lowfat the morning of 4/20/2012 while the owner was away from the house. When the owner returned in 3 to 6 hours the pets were drinking large amounts of water. They presented to our hospital and had elevated BUN and creatinine levels (3 x higher than previous routine lab tests). They were treated with IV fluids for the next 3 days and the kidney values had returned to normal at that time (4/23/2012). They are scheduled for further testing on 4/26/2012.
Waggin Train Cowboy Steaks	Dog	Chihuahua	5	Years	Female	7	Pound	My dog has had problems with vomiting and diarrhea on and off for several months and it seems to be related to the waggin train pet treats. I opened a new bag yesterday and she was up all night.

Waggin Train Wholesome Chicken Jerky Tenders	Dog	Shepherd Dog - Australian	11	Years	Female	35	Pound	My dog was getting one Waggin Tails chicken jerky treat after her night walk until I used up the whole pound bag I had bought. That was from about mid Feb to mid March. She started drinking a lot more and peeing a lot more with accidents in the house beginning after she started having the treats. It seemed she got better when I ran out of treats. Then I bought some when my check came the beginning of April. I had only fed her a couple when she became very lethargic and had trouble breathing. My daughter told me she had just heard that the treats I was giving her caused these symptoms, so I stopped giving them to her and took her to the vet. She did not improve with treatment and on April 7, 2012 I took her back to the vet thinking she had to be put down. He gave her medication and sent her home with me to see if she could try and improve. She died that afternoon.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Chihuahua	2	Years	Female	11	Pound	(b) (6) woke up Sunday, vomiting clear liquid. As the day progressed she continued to vomit and refused food. By the evening the fluid turned a bright yellow. There had been not change in diet. Her favorite treats are "Waggin Train Chicken jerky treats. She was given one treat per day as recommended on the product label. On Sunday night I called the emergency vet in our area who did not seemed overly concerned since was still active and consuming water. By Monday the condition had not improved so I scheduled an appointment with her regular vet. She was given a full blood panel, physical and x-rays. There were no blockages and her abdominal exam was normal. We are still waiting on the results of the blood testing. (b) (6) was given fluids and 2 anti-nausea medications and sent home with a special diet and more anti-nausea medication. It was the vet who alerted me to the concerns with chicken jerky treats. It is a little suspicious since I had just opened a new bag purchased at Sam's Club with only 2 servings used.
Waggin' Train Wholesome Western Grill Assorted Dog Treats	Dog	Dachshund - Standard Smooth-haired	10	Years	Male	25	Pound	(b) (6) ate 8 treats. I took him to the vet the next day and he was diagnosed with trouble breathing, and water on the lungs, and the vet prescribed him Aminophyline 200mg. (1/2 tablet twice daily) as well as Lasix 12.5mg (1 tablet twice daily). I was unaware of any warnings about the chicken treats and continued to feed them to him. He continues to see the vet on a regular basis, and his medications are Lasix 12.5mg (1 tablet twice daily), Aminophyline 100mg (1/2 tablet twice daily), Enalapril 5mg (1 tablet daily). As of April 18, 2012 I am no longer allowing him to eat the chicken treats. My other dog wouldn't eat them at all.
waggin train chicken strips?	Dog	Mixed (Dog)	12	Years	Female	75	Pound	(b) (6) had the waggin trail dog treats chicken strips two days before i noticed diarrhea. She does not usually have these treats. She had diarrhea in the morning. when i arrived home from work i found diarrhea mixed with quite a bit of blood on the kitchen floor. i called my vet (b) (6) at (b) (6). I was told to bring the dog right in. she was diagnosed with a bacterial infection which the dr felt was from the treats. She was given an anitbiotic shot and sent home on two meds. she is a senior dog and this was very upsetting because she has always been in good health and is treated like a member of the family. I was not aware of the warnings about this dog treat. I do limit the type of treats she gets and check for made in usa. I feel this company should recall these treats. If riley had been a smaller dog or in poor health the out come may have been worse. So far the vet bill has been \$230.
Waggin Train Jerky Tenders	Dog	Mixed (Dog)	11	Years	Female	85	Pound	Kidney problems, blood in urine, cancer
Smokehouse Brand Pizzle Stix. 6 pack medium	Dog	Terrier - Toy Fox	8	Years	Female	17	Pound	I fed one, 3 inch Pizzle stick to each dog from a new package made by Smokehouse on Saturday, April 14th. 24 hours later both dogs became ill, with diarrhea and vomiting. (b) (6) symptoms were much worst. I took (b) (6) to the vet and upon returning home, within 10 minutes she had blood in her diarrhea and I took her to the emergency. Both dogs had to have fluids, anti-nausea shots and pills and antiboe negative. They are indoor dogs on a controlled diet and my vet and I are convinced that the pizzle sticks are the cause. I believed that my one dog was going to die, she was that sick. Please get this recalled! I make a point to by made in the USA so this should not have happened. My vet diagnosed them with food poisoning.
VitaLife Chicken Tenders	Dog	Terrier - Boston	21	Months	Female	11	Kilograms	(b) (6) was presented to the clinic with symptoms of vomiting. There was glucose in her urine but not apparent on bloodwork (Fanconi syndrome).
Dogswell Breathies chicken breast with mint and parsley	Dog	Mixed (Dog)	3	Years	Male	18	Pound	Routine annual blood test shows alanine aminotransferase over 800 -- should be under 180. Further testing of liver enzymes show all are extremely elevated.
Milo's Kitchen home-style dog treats Chicken jerky	Dog	Other Canine/dog	8	Years	Male			Hx of patient developed vomiting with seizures/tremors that occurred every few minutes beginning in the morning of 4/20. Was seen at our office that morning. Bloodwork/fluids/seizures meds were initiated. Patient is doing well now, still taking seizure meds. Had received product in question several times in the week preceding the event.

Waggin Train Chicken Jerky, American Kennel Club Chicken Jerky	Dog	Spitz - American Eskimo Dog	2	Years	Female	18	Pound	I got some Wagon Trail Chicken Jerkey, She loved so I got 9 bags of AKC chicken Jerkey and 1 bag of Duck Jerkey. (b) (6) had not ate much all week and I still gave her a Jerkey every day before I left for work for the whole week. She had went to the bathroom on the floor which she had done that in a long time. The next day I came home from work and she had diarrhea all over the floor and she was in need of a bath. She woke me up several times in the night to go out and when she came in she needed a bath. The next day I left town and my daughter had her and (b) (6) was very sick for the next 4 days. She didn't eat anything and still had very bad diarrhea every time she went out which was alot. Saturday morning she started vomiting. My daughter did not give her any Jerkey because (b) (6) was so sick. When I got home (b) (6) did eat some rice and boiled chicken and she kept that down. This is Sunday night and my sister came over and she noticed the Jerkey in (b) (6) treat basket. She told me about it making dogs sick so here I am telling you what happened to my dog. I will be calling the vet in the morning. Thank you
Waggin Train Wholesome Jerky Tenders Chicken Dog Treats	Dog	Collie - Border	3	Years	Female	33	Pound	Upon giving the dog the chicken treats, two at a time, the first evening she started behaving differently. She was lethargic and didn't move much. The following evening I gave her two more, and I noticed the next day, she had zero bowel movements. She was drinking more, and again was lethargic. I remember placing the treats in the refrigerator, because I was short on shelf space. I forgot about the treats for a few nights, and upon giving her two more three days later, her behavior changed once again. She began eating grass, not eating, and not making any bowel movements. I failed to correlate the "Waggin train" jerky tenders with her symptoms. The next evening I gave her two more. The following morning she laid in the grass and would not move; she ate the grass, was extremely lethargic, and her energy levels had diminished. Today, I found, on cnn.com, indications that owners were having problems with tainted products. I checked in my refrigerator, and there it was - the exact same package, manufacturer, product name and "Made in China," label. I have not changed my dog's diet, and thankfully the cats seems to not have consumed any pieces she might have left behind. This Waggin Treats Chicken Dog Treats bag is labeled as a 24 ounce bag, and presently contains more than 90% of the original packaged product. It is sitting in my refrigerator, and will remain closed. My dog is currently resting on a chair next to the window, and will be brought to the Veterinarian on Monday. She is not showing signs of renal failure, but her glucose levels are way-off. Based on the veterinarian journals, textbooks and websites, she is stable, and will not be consuming any more of this product.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Other Canine/dog	5	Years	Female	13	Pound	Severe vomiting and diarrhea this morning...took the dog to the vet. Vet asked if anything had changed in her diet in the past day or so...the only change was that our groomer gave (b) (6) Waggin Train chicken jerky treats the day prior. After multiple tests...and \$500 later...we contacted the groomer and had her send us a picture of the treat package. We then went on line to research if anything was posted regarding concerns with this particular product. Came to realize there is a lot of concern regarding chicken jerky dog treats from China...of which Waggin Train is one of the three leading brands. We have a follow up in the morning with the vet.
Petshoppe chicken jerky premium chicken dog treats	Dog	Shih Tzu	8		Male	18		Started having diarrhea on 4/19/2012, couple episodes 4/20/2012, had chicken jerky treat 4/21, around 7pm started with bloody diarrhea.....stopped treats, increasing water....
Wagon Train Jerky Tenders	Dog	Dachshund - Standard	12	Years	Male	18	Pound	Vomiting
Waggin Train Jerky Tenders chicken dog treats	Dog	American Pit Bull Terrier	4	Months	Male	31	Pound	Given a partial Wagon Train Chicken Tender @ approx. 2am on 04/21/2012. At 5:30am puppy began crying to go outside to go to the bathroom - had a soft BM. At approx. 8:30am the puppy started having lethargy, vomiting and loose stools. By 10:45am he vomited four to five time and had a liquid, bloody stool. He was taken to the vet and tested negative for parvo virus. He is still lethargic and under obsrvation at home. After checking online I found the recall regarding the Wagon Train Chicken Tender treats, and I am concerned because his symptoms are consistent with the online reports. I do still have the treats and will keep them in case they need testing.
Waggin' Train Apple and Chicken Wraps, Waggin' Train Cowboy Steaks	Dog	Beagle	8	Years	Male	52	Pound	On Monday 4-16-2012 I purchased Waggin Train Apple and Chicken wraps and Cowboy Steaks at Target. That evening my dog was given each treat. On Tuesday he was given more of each treat. Tuesday evening he had violent vomiting several times in the house which he rarely does. Wednesday morning there were more piles of vomit from over night. I have never purchased this brand of treats before, so I stopped giving them to him in case they were upsetting his stomach. I also noticed that he drinks a lot more water that usual.

Waggin trail chicken jerky and Canyon Creek chicken jerky	Dog	Poodle - Standard	15 Months	Female	51 Pound	(b) (6) became sick vomiting bloody diarrhea, would not eat drink became lethargic, this all started early morning by 11 am I took her in to vet where they immediately put an IV in as she was dehydrated, she spent the day there and I picked her up at 700 pm she had to wear a diaper for 2 days as she continued to have blood squirting from rectum. She was given high doses of antibiotics and worming meds and 2 days of holding her in my arms. We were unsure of the cause until I realized I had given her new treats I had never given her before. they were Canyon Creek AND waggin train chicken jerky that I had purchased from the Cedar Lake Dollar store. (b) (6) was on Science diet prescription dogfood for a week. she is doing better but continues to have tummy problem.
Waggin' Train Wholesome Chicken Jerky Tenders, Waggin' Train Wholesome Duck Jerky Tenders, Cadet Gourmet Chicken Breast, Waggin' Train Country Ham, Milo's Kitchen Chicken Jerky	Dog	Mixed (Dog)	5 Years	Male	53 Pound	On 3/15/12 (b) (6) presented to an emergency clinic due to a 2 day history of lethargy, a 1 day history of poor appetite, and an episode of collapse. The only significant finding on initial work-up was anemia (Hct 26%) of unknown origin. A subsequent abdominal ultrasound was normal. (b) (6) was deemed stable and released on 3/16/12, then was presented to me on 3/17/12 for follow-up. It was at this point the owners mentioned that (b) (6) did have some chicken jerky treat products that had originated in China. I started (b) (6) on steroids for the anemia, and his anemia is slowly resolving. His last PCV was 35% on 4/12/12.
Canyon Creek Ranch Brand Chicken Stix						The owner of this standard poodle (Male-castrated; 8 years old), had brought his pet into us in February 2012. The pet was diagnosed with renal failure. The pet's health declined rapidly, so the owners had elected euthanizing the pet. During that time the owner was looking around online, and saw complaints/concerns about chicken jerky treats being associated with renal issues. The owner had recently been feeding his dog Canyon Creek Ranch Brands of Chicken Stix(rawhide stick wrapped in chicken jerky). The owner had purchased the product from a local Petsmart, in January 2012, and about 2-3 weeks after buying the product and feeding it to his pet, the pet began to show these symptoms. The clinical signs that appeared at the initial visit was weakness, lethargy, nausea, and anorexia. Owner was concerned that these treats may have been a factor in what caused his pet's health to decline so rapidly.
waggin train jerky tender	Dog	Mixed (Dog)	11	Male	90 Pound	dog was diagnosed with kidney disease and failure after he had consumed these treats for a few months, had to have medication, fluid injections and many tests and other meds
BEEFEATERS Chicken Tops rawhide with real chicken	Dog	Retriever - Golden	12 Years	Male	85 Pound	approximately 8 hours after I gave him 2 pieces of Beefeaters Chicken Tops jerky he had severe diarrhea and lethargy. This lasted three days. He did not eat and seemed very thirsty.
Milo's Kitchen Chicken Jerky	Dog	Maltese	8 Months	Male	9 Pound	Dog was fed chicken jerky product. Amount given was within mfg. recommendations for weight. Within a couple of hours of feeding, dog started showing signs of diarrhea followed shortly thereafter by severe diarrhea (with traces of blood) and vomiting. Symptoms continued for about 12 hours until treated by a veterinarian.
waggin train						My dogs started throwing up. The throw up was in the yellow color and some diarrhea also. I didn't see blood in their stools. I removed the treats from their food anyway and since then they stopped throwing up and their stool is much better. The brand we were giving our dogs is the Waggin train chicken treats.
Waggin' train dog treats chicken jerky tenders						I had a 1 year old registered English Bulldog female. After eating Waggin' train dog treats, chicken jerky tenders she started getting sick. With vomiting, diarrhea, very lethargic. We took her to the vet and he checked for pericites and/or bacteria and found nothing. No fever either. He gave us medication to help calm her stomach. We went home with her. Several days went by with no improvement and I called my vet again because she was still vomiting (could seem to keep anything down). He told us to bring her in but on the way she died. We had an autopsy done and her stomach was empty but ofcourse as the vet said he expected no food because she hadn't eaten to speak of for days and with the diarrhea and vomiting there wouldn't be any food but he also could not find any reason for her being sick like that. She was perfectly healthy. She was my best friend, and now she is gone. She died on December 9, 2011. I am just now reporting because I never thought of the treats until I seen something on KOTV Channel 6 website.
Beefeater Sweet Potatoe Sticks. Milo Meatball treats.	Dog	Terrier - Yorkshire	9	Female	8 Pound	Dog was urinating and not knowing it. Had it checked and glucose was in her urine but not her blood work. Pending ongoing assessment suspect acquired Fanconi like syndrome with renal failure. kidney failure from dog treats - Beefeater Sweet Potatoe Sticks.
Waggon Train chicken and sweet potato bones Waggon Train Jerky Tenders	Dog	Shih Tzu	5 Years	Male	23 Pound	After several days of receiving Waggon Train sweet potato & chicken treats and Waggon Train chicken tender treats, all the dogs became lethargic, had diarrhea, and vomiting. One dog several so for several days.

Waggin' Train Jerky Tenders	Dog	Pekingese	9 Months	Male	11 Pound	This dog is given Waggin' Train chicken jerky tenders now and then. One day, he vomitted throughout the night and had bloody diarrhea and was taken to a vet. The vet did extensive blood tests and suspected pancreatic infection. No infection was found but observed to have high glycerides and very dehydrated. The vet is (b) (6) who will have a detailed report.
Waggin Train Jerky Tenders	Dog	Rottweiler	13 Years	Male	85 Pound	He consumed 1-1/2 (40oz) bags of the Waggin Train Chicken Jerky Tenders, over a 1 month period. He stopped eating his kibble. I tried several other soft kibble food to get him to eat something. Would eat very few other treats. Very lethargic, struggled to get him up when I get home. He drank less water. He always drank a lot of water. Had diarrhea several times over several days. I stopped feeding him the Jerky Tenders about 4 days ago. He has been more alert and active, as well as eating better. Purchased the Jerky Tenders at Sam's Club in Anderson on 3-12-12 & 4-4-12.
Milos Kitchen Chicken Jerky Treats	Dog	Havanese	18 Months		12	Was giving Milos Chicken Jerky treats from Publix. (b) (6) stopped eating completely not even mcdonalds or wendys food, just wouldn't eat, urinating excessively, vomiting. Took her to vet and had spaded thinking that would help, had run out of treats, started slowly getting better. Bought more treats and gave treats again, dog stopped eating again, urinating excessively again, vomiting again. Finally got it, quit the treats, she started eating again in 3 days. Still urinating a lot, been 2 weeks, but not more vomiting and is eating like normal, playing, being happy. I think she may have been permanently harmed, but at least she is eating again. I will never give her treats again from CHINA! She almost died, and I hope she is out of trouble.
Waggin' Train chicken jerky	Dog	Cattle Dog - Australian (blue heeler, red heeler, Queensland)	10 Years	Male	65 Pound	Sluggish with vomiting a few days before he had a seizure. Veterinarian couldn't control seizure with valium so used phenobarbitol. Seized for at least 45 minutes
Waggin Train Chicken jerky Tenders	Dog	Lhasa Apso	2 Years	Male	33 Pound	Fed Waggin Train Chicken jerky from a new bag on Wednesday. On thursday (b) (6) has some shaking and was not eating. He was drinking alot of water all day. During the night on Thursday 2 of the dogs became ill and I woke to vomiting. The younger male, (b) (6) continued to vomit all day. (b) (6), the 4 yr old female stopped by afternoon. (b) (6) was taken to the vet Sat AM because he was very unwell. Xray showed he had not ingested a forgein body. Blood was drawn and sent to the lab. The vet kept him for a few hours. He was given in injected and sent home with meds to stop the vomiting which worked. he was able to keep a small amount of water down every 15 minutes. He didn't eat, didn't move but wanted to lay on the cold tile floor and would walk back to it every time I moved him. In the morning the vet called with test results. She said I had to bring him in, he was critical. His kidneys, liver and pancreas will shutting down. I elected to take him to our old vet that had an overnight attendant since he was to be kept overnight. The vet said he was very critical and not to expect a good outcome. Before I was able to reach my house after leaving him there, he had died. THIS IS A SECOND REPORT BECAUSE NO ONE HAS BEEN ABLE TO LOCATE THE FIRST ONE
Canyon Creek Ranch Natural Duck tenders	Dog	Shepherd (unspecified)	3 Years	Female	95 Pound	(b) (6) had a laceration on her leg. When I took her in for stitches a urinalysis was done & the results came back with elevated creatinine level. Several months later, I took her back and the level was still elevated, but even higher. I had (b) (6) tested during a checkup and her creatinine level was also elevated. With both girls having elevated creatinine levels, I I evaluated their diet & stopped giving the jerky treats. I had been giving them a jerky treat every night & also used them for training & while showing them. Since I've stopped giving the treats, (b) (6) level is now back to the 'high normal' range and (b) (6) is still elevated but not as high as before.

Waggin Train Chicken Jerky, Kingdom Pets Chicken Jerky	Dog	Dalmatian	14	Years	Female	45	Pound	(b) (6) had a seizure on 10/29/11. My husband was with her at the time and thought she was dying. I came home and my husband told me what happened. I am very experienced with canine diabetes ((b) (6) littermate (b) (6) had diabetes and I took care of her for 7 years) so I suspected low blood sugar since my husband forgot to feed her that morning. I feed her right away and then measured her blood sugar using a OneTouch Ultra Mini device. It came back 60 mg/dL. I knew this was much to low so I continued to feed her. I watched her closely over the next 2 days and she seemed to be recovered. I was surprised because (b) (6) had been very healthy her whole life. I suspected she was developing diabetes in her older years but I tested her blood periodically after that and it was in normal range, sometimes on the low end of normal. I just figured that as people/dogs get older they have to be more careful about eating at regular intervals. In the months that followed I did notice increased thirst, unexplained weight loss and infrequent vomiting(bile). Again I attribute this to her having an empty stomach or her older age. Feeding her more frequently seemed to help. I did take her to the Vet for what appeared to be arthritis as she was having trouble walking. Her blood work came back in normal range (March 2012) and her xrays showed spondylosis of spine. Between her back problems and other symptoms that were obviously causing her to suffer, we had her euthanized on 4/1/2012. Anyway, it may just be that she was having symptoms of old age, but in hindsight I find it hard to accept that prior to 10/29/11 she was in excellent health and then just out of the blue had a seizure. Both my dogs ate chicken jerky sold at Costco (current brand they sell is Kingdom Pets). Of course my pet (b) (6) had diabetes so I never suspected anything other than that. (b) (6) died in Nov 2010. On occasion I would run out of jerky treats from costco and would pick up a smaller sized bag from a store closer to me, until I could get to Costco again. The other brand they occasionally ate was Waggin' Train Chicken Jerky.
Kingdom Pets Duck Jerky	Dog	Terrier - Yorkshire	5	Years	Male	3	Pound	House sitting for a month while parents while on a cruise. They had bought a large bag of jerky treats from Costco before leaving to give to the dogs each day. My dog (b) (6), Yorkshire Terrier, and their dog (b) (6), Belgium Malinois, got a treat each day. Because of (b) (6) size I tore off a small piece, maybe an inch at most, from (b) (6) jerky strip. This was the first time I gave (b) (6) any type of jerky dog treat. I was very particular as to what he was allowed to eat. I figured since my parents had been given them to their new dog and no ill effects had occurred it would be alright. Within the first two weeks I noticed a change in (b) (6) He seemed very quiet but I figured it was just because we were not at home. He also had a few unexpected accidents (urine) which was very uncommon for him. Again, figured it was a different environment for him. Then after another few weeks more changes. More accidents began to happen and not much energy or barking and he started pacing. I was starting to wonder what was going on with him. It just didn't seem like (b) (6). I decided to leave as soon as my parents returned because on this day he was not barking at all, pacing and going in circles to the left only. I took him to the after returning home on the following Tuesday when he did not return to his normal self. The vet could not figure out what was wrong as it he seemed to have unusual symptoms that just did not fit together. They did blood & urine work ups as well as putting him under for x-rays and to check his ear for a foreign object. Still a mystery. I took him a few more times and then to the Pet ER after 4 month and going down hill faster. Still a mystery but both vets talked about neurological issues. The ER vet referred me to UC Davis who I spoke with and made an appointment. Being a 3 hour drive and the appointment for April 2nd but being over a week away I ended up canceling the appointment as he was really bad and there was no point now. I had to euthanize him on April 10th since he had no quality of life and was suffering so badly.
Waggin Train	Dog	Unknown	1	Years	Male	9	Pound	Within days of receiving Waggin Train treats, developed severe acute renal failure characterized by azotemia, hypoalbuminemia, hypertension, development of peritoneal effusion, severe hemorrhaging of the proximal GI tract. Testing for infectious disease was negative. Able to stabilize with IV fluids but ultimately was euthanized due to progression of disease. Necropsy was performed and tissue samples submitted to TN Dept of Agriculture Laboratory (KORD): kidney: nephrosis and acute tubular necrosis, liver:steroid-induce hepatopathy, mesenteric steatitis.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Basset - Griffon	3	Months	Male	23	Pound	These are normal, routine preventives used for all puppies
Freebirds Chicken Apple Wedges	Dog	Retriever - Golden	12	Years	Female			I purchased a bag of Freebirds Chicken and Apple Wedges from Costco in early April 2012. The package lists the ingredients as just chicken and apple, states that the product is free of all additives, hormones, melanmine, etc. I began feeding my dog 2 or 3 treats per day. After about 3 days, she began having blood in her urine and vomiting. I called the vet for an antibiotic thinking she had a bladder infection. At this point, my children and I left for a week's vacation, and my husband did not feed her any of the apple chicken treats and all of the symptoms went away. She finished her antibiotic and we thought that was the end of the problem. I returned from my trip on Saturday, April 14, 2012. On Sunday at about 12 pm, I fed my dog three of the apple chicken treats. At 4 pm, she began panting heavily and pacing, and then vomited the treats. I took her outside and she now has blood in her urine again.

Milo's Kitchen	Dog	Mixed (Dog)	14	Years	Female	50	Pound	(b) (6) was eating a variety of canned and dry foods, I had not given much thought to her food. The one thing she consistently eaten from April until November was Milos Kitchen dried chicken jerky. I am certain of these dates because we brought a younger dog into our home in April. The younger dog started obedience training and was given Milos kitchen sausage treats to motivate her to pay attention. A friend told me about the chicken jerky warning, I immediately discontinued feeding and discarded these treats. However my dog had begun declining in health during this time. She was becoming increasingly lethargic, and began vomiting in February. I took her to the vet when the vomiting began and was shocked to hear how much weight she had lost. The vet took blood tests and confirmed that her liver was failing. She had to be euthanized within 3 days of this discovery.
Milo's Kitchen home-style dog treats Chicken Jerky	Dog	Mixed (Dog)	13		Female	60		Dog was taken to vet on 3/7/12 and treated with antibiotics. A tick carried disease was suspected. In a few days the dog was much better. About two weeks into the antibiotic treatment (Doxycycline tablets) Milo dog treats were given to the dog. Dog was given "Milo's Kitchen home-style dog treats Chicken Jerky....Best if used by 05 18 13 package #: 1328HV A. The dog became very ill, lethargic, vomiting and blood in urine. On 3/26/12, the dog was taken to the vet. The dog was treated with Carafate tablets, amoxicillin tablets, Famotidine tablets, a Prednisone injection and a special diet of CNM K-9 dog food was started. A link was not made to the Milo treats at that time. In a few days the dogs health improved. On 4/12/12, the dog was taken to the vet for a follow-up examination. The dog now appears to be back in good health. A potential link to the Milo treats was discussed at that time.
Waggin Train wholesome Western Grill assorted dog treats	Dog	Mixed (Dog)	6	Years	Male	76	Pound	(b) (6) started having loose bowels on trip. We assumed it was change of water. We purchased water filters and were drinking same water as he was and we were fine. Being we were traveling we wanted to spoil him so purchased Waggin train wholesome western grill assorted dog treat. We rationed them as he was only used to no wheat, no soy or corn biscuits. He became lethargic, out of breath, severe diahrea. Took him to a vet in FL.Kept all empty packages to show what food etc that he has been on. Out vet faxed his records to them. They were very concerned that he had these treats. they treated him but has never resumed normal bowels. they it could be past disease and possible both could be responsible.He has loose bowels every time, sometimes green,flemy,gross. At this point we do not know if biscuit were the culprit as can't prove it and do not have resources to do so. We are cutting trip short to have him put down as he appears to be in pain. Out vet at home did say this could happen. (b) (6) does not gobble his food nor does he eat strange things. He only eats what is in his dish. So bottom line is we are not sure what is going on without have \$1,000 or more. we have already done so much testing since we adopted him. He has been falling on stairs both up & down, breathing gets labored. He crys /whines off and on. We do not want to see him suffer.
Waggin' Train Wholesome Chicken Jerky Tenders Chicken Dog Treats	Dog	Retriever (unspecified)	8	Years	Female	50	Pound	Within 2 hours of eating 1 piece of Waggin' Train Chicken Jerky Tenders (made in China) that was purchased at Costco Wholesale store, (b) (6) had a major seizure during which she defecated and vomited. This lasted just under 10 minutes. Finally, after half an hour, the residual effects of the seizure ended and her condition returned to normal, but she was exhausted. She has eaten this product for the last 2 years. There are no other dietary changes involved. (b) (6) has never had seizures before. Our veterinarian observed the last 2 minutes of her seizure episode. His recommendation was to keep her under constant observation since she was back to normal--there was nothing he could treat her with after the fact.
Milo's Kitchen home-style dog treats. Chicken Jerky	Dog	Basset - Fawn Brittany	4	Years	Male	14	Pound	I gave my dog 2 Milo's Kitchen Chicken Jerky treats and within the hour following he vomited and had a seizure. This also occurred after having waggin trail chicken jerky two weeks ago.
Waggin Train jerky tenders	Dog	Mixed (Dog)	13	Years	Female	10	Pound	Peanut had three episodes of diarrhea followed by multiple episodes of vomiting. The dried chicken tenders were given that morning before she became ill.
Waggin train wholesome chicken jerky tenders	Dog	Retriever - Labrador	5	Years	Female	65	Pound	dog vomiting large pieces of jerky several hours after consuming treat. (b) (6) has been eating these for more than one year, only we have just recently noticed a corelation to the consumption of these treats and her vomiting. We have decided to discontinue allowing her to eat these treats.
Waggin' Tails Wholesome Chicken Jerky Tenders	Dog	Boxer (German Boxer)	2	Years	Male	65	Pound	We gave our boxer two strips of the Waggin Tails Chicken Jerky strips. He vomited violently shortly afterwards. We restricted his diet for two days afterwards and gave an additional jerky treat on day four. He again vomited and remained lethargic and with a gurgling stomach for the next 24 hours.
Dogswell Chicken Jerky, Milo's Kitchen Chicken Jerky, Waggin' Train Chicken Jerky Tenders	Dog	Mastiff	6		Male	165	Pound	(b) (6) sole treats for the last 3 1/2 years have been chicken jerky as I thought they were all natural based on the ingredients and advertised by the various manufacturers. In September 2010 he suddenly became ill with non stop vomiting and diarrhea which went on for months and created other problems and after several hundred dollars worth of meds and another several hundred in vet and vet specialty visits no answers were found. Once I stopped giving (b) (6) the jerky his symptoms eased but he is not the same...anxiety and fecal incontinence are the outcome. I am beyond upset about this. These "treats" lead you to believe they are made in the USA only in small print it says chicken is a product of China. Please advise what assistance you can provide. Thank you.

Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Shih Tzu	16	Years	Female	15	Pound	(b) (6) has been consuming the Waggin' Train Wholesome Chicken Jerky Tenders (produced by Waggin' Train LLC) for 3 or more months. When the owners are out of town, the housekeeper takes care of (b) (6) and has been reported to have given (b) (6) these chicken jerky treats on a frequent basis. She has exhibited increased water consumption and urination for 2-3 months with no discernible inciting cause (no increase in a medication, nuatraceutical, food, or other that would cause this). She had a negative urine culture and UA showing dilute urine On 3/4/12, but no other concerning abnormality in her urine. LAVS has done more recent urine and blood testing. Along with her ongoing PU/PD (with no known reason why it occurring along with reduced or discontinued Budesonide), she has been showing anorexia for a variety of human and pet foods. On 4/1/12, I was at the owner's house to give (b) (6) an Adequan injection (every 2-3 week frequency), the owner showed me that (b) (6) has been consuming the chicken jerky treats that have been reported to be one of three known to have caused dogs to get sick. I immediately recommended discontinuing these treats. She had also been reported to be eating Bill Jak moist treats, which were used to entice her to eat.
Waggin' Train Wholesome Big Blast Duck Jerky Wrapped Pork skin Twists with Chicken Liver Center	Dog	Corgi (unspecified)	5	Years	Female	34	Pound	Gave my dog one of these treats, the next morning she had severe diarrhea (sometimes with blood) and vomiting. This has persisted for nearly 48 hours now. She is not allergic to anything in these treats.
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Poodle (unspecified)	16	Months	Male	14	Pound	My dog, (b) (6) has been ill 4 times since November 20,2011. Each time he has taken longer to recover. Each time his symptoms have been repeatedly lethargy, loss of appetite, increased urination, no interest in eating or drinking. He has been seen by 4 different veterinarians. After multiple blood tests and urinalysis to try and find a reason for his illnesses, nothing was ever found to be out of the normal range. He has been checked for intestinal parasites and valley fever. The latest urinalysis showed that the urine was concentrated with traces of blood. He has been treated with Sub Q fluids and PrednisolONE. We saw the FDA warning about the Chicken Jerky Treats from CHINA, and we realized that we have been giving him these treats daily since about the time his illnesses began. We stopped giving him the treats immediately and informed our most recent veterinarian of this issue. Since we have stopped giving these treats he seems to be gradually improving.
Waggin Train Chicken Jerky Tenders	Dog	Dobermann	1	Years	Male	67	Pound	Purchased the Waggin Trains Jerky for a month or two now from Sam's Club. Our 1 year old Doberman suddenly started waking us up to go out in the middle of the night. This was odd behavior that he's not done since he was 14 weeks old. I saw a link on Facebook reporting issues with this treat and it causing kidney failire. We immediately threw the treats away and stopped giving them. Within a few days he was back to normal and did not wake us up to go pee in the middle of the night. It horrify's me to learn I was treating my 4 legged friend to kidney failure. Sams club advise me that the product has not been recalled YET and will continue to sell it.
Waggin' Train Chicken Jerky Tenders	Dog	Shepherd Dog - German	11	Years	Male	90	Pound	I had been feeding the dog Waggin' Train Chicken Jerky Tenders as a treat. His regular food was Exceed, purchased from Sam's Club. The Waggin' Train treats were also purchased from Sam's Club. The dog was a trained protection dog and was an indoor dog, except for relieving himself. I maintained all required vaccinations for the dog from our local veterinary. I had been feeding the Waggin' Train treats to my dog for about a year. Around August 2011, the dog became semi-lethergic and seemed to be in pain in the kidney area. He did not eat much and only wanted to sleep. I took him into the veterinary's clinic and it was thought to be an infection. I was given antibiotics to give to the dog along with a pain suppresent. He responded well and within three days appeared to be normal. However, after the dosage of antibiotics ceased, he rapidly became ill and unable to control his bowel movements. His coat of hair was losing it's luster and he could barely walk. I returned to the veterinary in September 2011. Within the one month time span from his August visit, he unexplainably developed a tumor that was nearly the size of a softball. The tumor was the direct cause of his rapid decline. There was no viable option except to put the dog down to relieve his pain and suffering. I attribute the illness and rapid development of the tumor to the tainted Waggin' Train treats, but I have no way of proving it.
Waggin Train Jerky Tenders	Dog	Beagle	10	Years	Female	38	Pound	Presented for weight loss, poluria, polydypsia, vomniting and diarrhea. bloodwork revealed azotemia and proteniuria with decreased urine specific gravity. Negative leptospirosis titers, negative urine culture. Recently started feeding Waggin Train Treats.

Canyon Creek Ranch - chicken tenders	Dog	Mixed (Dog)	11	Years	Male	20	Pound	We always bought our chicken strips at Costco but they did not carry that brand that we usually bought last fall and we bought the Canyon Creek Ranch ones instead. He had about 3 per week and we noticed changes in him in February but did not associate it with the strips. By early March he was drinking much more water and this was very noticeable to the point that we were concerned. On March 5th our dog became very lethargic, had diarrhea and definitely not himself and we took him to the vet - while we were there she noted that his gums and tongue went very pale and she panicked and ran some tests on him and we left him there all day. The next day we had to bring in a urine sample and he had an ultrasound. We took him home and the vet kept in touch with us. He was ordered prednisone and flagyl and a week later our little darling dog went anemic in an instant, lost control of his kidneys three times in less than 10 minutes and then his breathing became labored and he passed away in our arms. He was only 11 and healthy as a horse until early this year. We then heard from a friend who told us about the Canyon Creek Ranch strips and we are very concerned that our dog's health may have been a result of eating these strips so we are submitting a complaint regarding this product.
Waggin Train Apple & Chicken Wraps	Dog	Schnauzer - Miniature	9	Years	Male	30	Pound	My dog became less alert, no energy, lethargic then woke up in the middle of the night and had urinated on his bed an extreme amount for his size. I took him to our veterinarian as soon as they opened, they did blood work and said it showed signs of kidney failure. His kidney enzymes were elevated and there was trace blood in the urine. He has been with the vet for 3 days now and must stay 1 more day to have his kidneys totally flushed with IVs. Upon researching I found an FDA caution on Chicken Jerky products online and when checking his treats found some Wagon Trail treats made in China.
Canyon Creek Ranch Brand Natural Chicken Tenders	Dog	Newfoundland	9	Years	Male	130	Pound	(b) (6) started excessive and frequent pukings. The pukings were not associated with his eating nor any other specific activity or time of day. The puke was an extremely viscous clear mucus and not stomach bile or some other known internal bodily fluid. The problem got progressively worse through December into the new year with the episodes of puking increasing to a regular 3-4 times per day with some days as many as 12 episodes in 24 hours. Our basset hound was also affected, but in a different manner. At this same time he started experiencing severe bloating which our vet prescribed to food reactions and moved us to a prescription food. This food has had NO effect and this dog has eaten nothing but this food since.
DINGOS RAWHIDE TREATS WITH MEAT FILLING, Canyon Creek jerk chicken	Dog	Retriever - Labrador	6	Years	Female	85	Pound	My dog lost her appetite and started to vomit after dinner. We were giving her DINGOS and Canyon Creek chicken strips made in China I took her to the vet and went over what we were feeding. Stopped giving her the treats made in China and the vomiting went away Since then we have given her only treats made in USA and she has not had a problem
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Weimaraner	4	Years	Male	82	Pound	(b) (6) was diagnosed with lymphoma on 6/9/11. He had been eating Waggin' Train chicken jerky treats as twice-daily treat for approximately 3 years.
Waggin Train Big Blast	Dog	Chihuahua	9	Years	Female	20	Pound	(b) (6) had been frequently given treats implicated in suspected tainted treats manufactured in China, specifically "Waggin Train". She developed acute kidney failure and pancreatitis.
Waggin' Train Jerky Tenders	Dog	Mixed (Dog)	10	Years	Female	39	Pound	Pet had been eating jerky treats well- Waggin Train treats and they were unavailable so owner went to new store and purchased these treats to use for pet. After 1 week approximately of initiating this new bag of treats pet's appetite waned and disappeared. Urinations became more and drinking more.
Milo's Kitchen Beef Jerky, Nilo's Kitchen Beef Sausage Slices, Kingdom Pets, Milo's Kitchen Chicken Meatballs	Dog	Terrier (unspecified)	5		Female	15		On March 1, 2012 (b) (6) began vomiting up most of the food she ate. After a few days we took her to the vet and she had blood tests done. There was no elevated white blood cell count, however, her liver enzymes were extremely elevated. We put her on a diet of mostly human baby food and a small amount of dry food. (We stopped giving her all dog treat products as soon as she became ill.) She continued to sporadically vomit for four weeks and after a few weeks her liver enzymes did decrease, but were still extremely high. An ultrasound showed no abnormalities in her liver. She continues on a very limited diet and hasn't vomited for over a week. We are waiting for the results of more recent blood work.

Milos Kitchen Chicken jerky treats	Dog	Beagle	6 Years	Female	35 Pound	<p>I purchased Milos Kitchen chicken jerky strips at my local Walmart and Stater Bros as a treat for my (b) (6)... These were the same jerky treats that I found out were made in China and should not have been on the shelves for consumers to purchase. I did some research on the internet regarding this treat and the news I read was horrifying. It seems that some animals that were given these treats became very ill shortly after eating them. The diagnosis that I got from my vet was Kidney disease and he couldn't explain why she was so sick...well I told him she had been given this as a treat. The vet said he heard about this but this was the first case ever brought to him with my suspicions of her becoming ill from these treats and he couldn't rule the possibility out that she may have become ill from them!</p> <p>The vet ran many tests and she was given a weeks course of IV to try and flush her kidneys and to stabilize her condition. We spent \$\$\$\$ for (b) (6) but we got the news from the vet that there is nothing more than could be done for her and the only option is to put her down.</p> <p>I am furious and heartbroken. There is a warning and recall, why are these treats still on store shelves? Do you have any idea how heartsick we are to have to watch our beloved Kona die because of something we gave her as a treat..unknowingly poisoning our dog with this trash? I know it won't help my beloved (b) (6) but please do something so these treats are taken off the shelves.</p> <p>I don't want another dog lover to go through this pain and suffering.</p> <p>I feel we are entitled to some sort of compensation for this tragic series of events and the pain and suffering of our beloved (b) (6) and our family has had to endure for the past 2 weeks. It is horrific knowing that had you not purchased this trash and fed it to your dog they would still be healthy today. Nothing will bring her back to us. It sickens me...I am angry... some may feel that oh well this is just a dog but NO (b) (6) is our famliy and I resent anyone saying that.</p> <p>PLEASE take this off the shelves.....</p> <p>Regards (b) (6)</p>
Waggon Train Chicken Jerky "all natural" Jerky Tenders	Dog	Shih Tzu	2 Years	Male	11 Pound	<p>acute kidney failure with BUN >120 and creatnine near 60...this is severe . This happened in October 2010. Vet didn't understand why an otherwise healthy pup became so ill. He had been given Waggon Trail "all natural" chicken jerky for treats. He received 3-4 pieces per day for several weeks.</p> <p>he lost 5 pounds (essentially 1/2 body weight) and spent multiple days at vet receiving fluids and emetics and other meds. He came close to dying...at only 2 years old.</p> <p>It took about 3 months to recover activity and appetite. he seems healthy, but I have not done follow up lab work to evaluate current renal function</p>
Waggin Train Wholesome Chicken Jerkey Tenders	Dog	Shepherd Dog - German	5 Years	Male	89 Pound	<p>I had been feeding my dog (b) (6) Waggin Train Chicken jerkey treats in mid November 2011. My dog loved them. In Mid February i noticed he was not himself. He was throwing up, not eating, couldnt walk, wouldnt respond to anything we were trying to help him with. He was very dehydrated and shaky to the point he couldnt stand. He also lost 22lbs. He was taken to the vet and i was told his kidneys were shutting down and there was nothing they could do to save him. Our veterinarian asked what he got into, was he drinking out of puddles or in anything that could of poisoned him. I said no not to my knowledge.</p> <p>2 weeks ago i found out that these 2 brands i was giving him are killing dogs with kidney failure.</p> <p>The Waggin Train Facebook account is COVERED in complains from HUNDREDDDDS of people suffering because their dogs died from these poisonous treats.</p> <p>My dog was euthanized with no other choice on February 24th 2012. I'm beating myself up every day because i handed my beloved angel poison to eat daily! I would like something done about this immediately. These products are killing animals and i dont know what more it will take for the FDA to see that.</p>
Waggin Train chicken Jerky Tenders	Dog	Shepherd Dog - Belgian Malinois	10 Years	Mixed Population of Female and Male	65 Pound	<p>(b) (6) had a UTI then tumors in her chest. Died 2 weeks later (b) (6) has been off his food, drinking more water and urinating more. He also has had loose stools.</p>
Kingdom Pets All Natural Ingredients Chicken Jerky	Dog	Terrier - Cairn	9 Years	Male	26 Pound	<p>(b) (6) was on a strict diet of Science Diet WD dry and wet food. We gave him 2 -3 chicken jerky treats a day that we purchased from Costco. On Thursday evening (March 29) (b) (6) was fine and went to bed following our normal routine. On Friday morning (March 30), (b) (6) acted very peculiar and we took him to the vet where he was diagnosed as severely dehydrated. They ran lots of blood tests and saw that his liver enzymes were very high and they also suspected a urinary tract infection. He was given fluids and antibiotics. We brought him home that evening where he would not eat or drink. He sought out dark spaces as if he were ready to die. We took him to the emergency clinic early Saturday morning where they did additional blood work and abdominal X-rays. They observed that his liver was extremely enlarged. They kept him overnight and he showed no improvement and continued to refuse to eat. We visited him on Sunday afternoon and he seemed to not even know us. We realized he was in significant pain just breathing as he grunt with each breath. After consulting with the vet it was determined that something catastrophic had happened internally and we made the decision to euthanize him.</p>

Waggin Train Chik'n Biscuits	Dog	Poodle - Toy	5	Years	Male	11	Pound	I gave (b) (6) a Waggin Train Treat at bedtime, next morning he did not eat and when I came home from work he had bloody urine, bloody diarrhea and was very sick. I was not aware of issues with products as I work full time and rarely read on line info. Did not see any stories on the news or would never have bought this product.
Waggin' Train Wholesome Chicken Jerky Tenders	Dog	Maltese	10	Years	Male	11	Pound	Kidney Failure results showed after blood test. Increased levels of urea nitrogen and creatinine levels in the blood. Diarrhea and disorientation of (b) (6) at night. Increased drinking of water and urination.
petshoppe chicken jerky premium dog treats	Dog	Chihuahua	12	Years	Female	9	Pound	I have 5 dogs they are all current on vaccinations and in excellent health I bought the treats at Walgreens gave the each one the next day one by one they had diarrhea and vomiting also they had excessive thirst the only thing they had besides their regular dog food was these treats when I realized that is the only thing they all had I did some research and found a report about jerky treats made in china i looked on the package and these were made in china I don't think this is a coincidence and even though my dogs are better they will be examined by the vet Monday and get blood test if needed. I do not have time to report each dog so here are the others affected (b) (6) 10 year old Pomeranian, (b) (6) 9 year old Pomeranian/Chihuahua mix, (b) (6) 2 year old Chihuahua, and (b) (6) 8Month old Pomeranian
Waggins Trails chicken jerky	Dog	Other Canine/dog	6	Years	Male	6	Pound	I purchase some treats call WAGGIN TREATS from PURINA Foods he started to have severe cramps then had massy poops with blood in it and seen to be really thirsty took him to vet and they put him on IV'S and catheterize him he died with in 48 hrs after eating then.
Waggin Train Chicken Jerky Treats	Dog	Dachshund - Miniature	14	Years	Male	13	Pound	Waggin Train Chick Jerky Treats were given at the end of Feb. 2012 for 2 weeks. (b) (6) started to show signs of unknown illness. Bloodwork was performed 2 weeks after treats were given with no abnormalities and then 1 month later Bloodwork was performed again (April 2012) which showed severe fulminant kidney failure.
Kingdom Pets Chicken Jerky (Item 169728 next to UPC Code)	Dog	Terrier - Tibetan	2	Years	Male	25		About a week after opening a new bag of Kingdom Pets Chicken Jerky treats and occasionally feeding to the dogs, both dogs became extremely anxious and even paranoid. Both panted heavily if in a car whereas previously they simply curled up and slept or looked out the window when in a car. After a week of use, one of them became paranoid within minutes after receiving a treat. He would slink around the house with tail down and wanted to hide in closets or under desks and tables. If he wasn't under something he would slink around looking at the ceiling like he was afraid it would fall on him. All this was completely abnormal behavior that we had never seen before. His symptoms would lessen after a few hours but then resurfaced within minutes of feeding even a small piece of the jerky. We're not certain but it seemed as if they drank more water when they were acting anxious. We finally concluded it might be the jerky and stopped feeding it. We have seen no evidence of anxiety or paranoid behavior since. Both dogs seem to be mostly back to normal after about a week on non-use.
Waggin' Train	Dog	Dachshund (unspecified)	5	Years	Mixed Population of Female and Male	10	Pound	I am reporting on behalf of many dog owners who have lost their dog or went through extreme medical measures to save their dogs from what appears to be poisoning from the Waggin' Train dog treats sold at Costco and WalMart stores. This should be investigated immediately. There has been media coverage of these horrible tragedies.
Waggin' Train WHOLESOME CHICKEN JERKY TENDERS	Dog	Pit Bull	2	Years	Male	60	Pound	These treats made my Pit bull (b) (6) so sick.. Pits are an extremely hearty breed but these treats brought him to his knees. I noticed within hours of feeding him these treats that he started having diarrhea I could not figure out at first what was causing it I thought he must have eaten something crazy but would not have thought it was his "treats" that were making him sick but I stopped feeding him the treats right away because I didn't know what it was that was making him sick so I made sure to only feed him his regular dog food mixed with rice to try and get him back to normal. It took about two days for him to get back to normal. Still not realizing it was the treats that had made him sick, we ran through a bunch of the tricks he does and I rewarded him with these Chicken Jerky treats within an hour he was vomiting and having diarrhea again at that point I knew it had to be the treats. I still have the bag, I was so pissed I almost threw them in the trash, but then I realized that I should get them tested and have them incase I need to be able to prove that it was the treats that were making him sick. I hope this helps and that whoever reads this does so before it is to late as it is now obvious to me that many dogs have died from eating these poisonous treats.
DogsWell Happy Hips Chicken Breast	Dog	Retriever - Labrador	4	Years	Female	77	Pound	3-4 days after starting treats, diarrhea began. within 3 days progressed to hemorrhagic vomiting and diarrhea. no kidney values elevated on serum chemistry, but SNAP Pancreatic Lipase activity increased
Dogswell Vitality Chicken Breast treats	Dog	Retriever - Golden	10	Years	Male	87	Pound	Became lethargic, depressed, was not finishing his food, vomited repeatedly

Waggin Train wholesome chicken jerky tenders	Dog	Retriever - Golden	3	Years	Male	45	Pound	I bought a new bag of Waggin Train chicken Jerky Tenders at Sams Club in Scottsdale , Az a few weeks ago. I gave a couple treats to my dog from the bag for the first time a couple days ago and the next day he vomited and refused to eat. I didn't connect it with the Jerky at the time. Yesterday I gave him a couple more and today he again vomited. One of my friends mentioned there is a problem with this product coming out of china and to check it out and report it. I have kept the remining product if anyone wants to analyze it.
canyon creek ranch brand chicken tenders								pet dog ((b) (6)) has been acting lethargic and sleepy lately
Waggin Train Chicken Jerky Treats also duck tenders	Dog	Dachshund - Miniature	13	Years	Female	10	Pound	I fed my dog these treats for months and noticed things I thought were just age related. There was extreme thirst and urination. At the end she was vomiting blood tinged vomit, no appetite, extremely lethargic and urine output had stopped. She was euthanized that very day when vomiting of even water was uncontrollable and urination ceased.
Waggin Trails Chicken Jerky Treats	Dog	Retriever - Labrador	14	Years	Female	64	Pound	I gave 3-4 Waggin Trails Chicken Jerky treats to my dog fresh out of a new bag purchased from Walgreens. She became extremely ill, with symptoms of food poisoning, by the end of the day. She had extreme vomitting and diarrhea. Her symptoms were so severe she was put in the care of her veterinarian for a full week. I immediately suspected the chicken jerky treats and threw out the rest of the bag. She eventually recovered from the vomitting / diarrhea after a week, but her health rapidly declined in the next month. She was suddenly no longer able to control her bowel movements as well. This event happened in 2005, and I have been haunted ever since by the decision to put her to sleep. I recall that at the time I contacted the FDA and made a report, but do not have record of it. I am absolutely horrified to learn that this particular brand / treat is making headlines today for killing many other dogs. What is the pouint of reporting a problem if nothing is done about it? I am refiling my report so that you can understand that this product has been killing dogs for over five years now and still it is available in the stores. The company should be helds accountable.
Chicken Jerky Treats from BJ's and Cosco	Dog	Other Canine/dog	2	Years	Male	10	Pound	The dogs are Pomeranian's, the little one, ((b) (6)) is dying from kidney failure due to toxic poisoning from Chicken Jerky Treats. He has been given 2 days to 2 weeks.
Waggin Train Chicken Jerky	Dog	Sheepdog - Shetland	6	Years	Female	23	Pound	I purchased Waggin train chicken jerky aprox, mid to the end of January within a couple days of eaten the jerky she began to have diarrhea this went on and off for prox the month of february, aprox mid february she started to refuse meals, then aprox february 28th 2012, she began vomitting on march 1st I took her to the vet ((b) (6)) at that time they thought she had a infection and gave her fluids and Rimadyl 25mg. I took her home the next day she seemed worse so I returned to the hospital with her on 3/2/12 again she had fluids and sulcalfate suspension 1g/10ml and was told to give her pepcid 2 x aday she then seemed better for a couple days but on 3/8/12 she had gotten much worse and i then brought her to ((b) (6)) were they did bllood work and xrays and told me her kidneys were failing at that time they had sent out a blood test to check for reasons why.. I then started IV therapy on Friday Saturday the 10th and on sunday 3/11/12 i gave her IV fluids under the skin at home on Monday 3/12/12 I dropped her off for IV therapy at 8am at 9:30 am they Hospital called and said she stopped breathing and they lost her heart beat she pass away on 3/12/12 one week later on 3/19/12 I went to pick up her ashes and at that time the vet told me the blood results that she had died likely due to a toxin ingestion I asked at the time about the Chicken jerky she had aten and the vet said that that was a very strong possibility ... I then filed a claim with purina and mailed the vet records into segwicks that was aprox 2 weeks ago
California Natural lamb and rice dog food dry, Cadet real chicken treat gourmet sweet potato & chicken wraps, Dogswell Vitality Minis, Dogswell Vitality chicken breast with flaxseed and vitamins, PCI brand 100% Natural Chicken Nibbles	Dog	Retriever - Golden	14	Years	Female	60	Pound	Acute onset inappetance, lethargy, polyuria. Diagnosed with kidney failure - acute.
Waggin Train Jerky Tenders	Dog	Chihuahua	4		Male	8	Pound	Purchased Waggin Train Jerky Tenders, UPC #07020 77740 at Concord, CA, Sams Club for trip to Washington State. Gave dogs Jerky Tenders, dogs vomited and had diarrhea; ((b) (6)) blood in stool for 3 days [4/1-4/3], to vet in Salem, OR [4/4], treated, still dried blood in stool Dog started drinking water & mild eating 4/5

Waggin Train western style Chicken Bites Honey Basted	Dog	Boxer (German Boxer)	9	Years	Female	70	Pound	I started giving the dog a new treat Waggin Train chicken bites honey basted UPC#0702077437 from Walmart. The dog started bleeding when trying to poop. I brought her to the Vet after full blood work up had elevated liver and kidney enzymes and was given perscriptions. I fed the dog two bags of these treats as she got worse and died in two weeks. I did not know there was a warning about this prduct.
Waggin Train Chicken Jerkey treats	Dog	Terrier - Yorkshire	9	Years	Male	6	Pound	Apx. October or November 2010 we began to give our dog (b) (6) Waggin Train Chicken Jerkey treats. A short time later he began to loose weight had vomiting and diarrhea and really not feeling well. I took him to our regular vet. He gave him steroids to make him want to eat and changed his diet to a high calorie diet. After blood work he was found to have renal failure. When he was not getting any better we took him to another vet in Falls Village for treatment. We began home dialysis and after a couple months lost him to the disease. (b) (6) was very picky and when he liked these treats we made sure to have them for him. We never understood how such a happy healthy dog became so sick so quick and it baffled the vets also. I saw a report about these treats and it only made sense. The timeline of him starting to eat these treats to getting sick is all there. The sad part is that when he was so sick and getting dialysis we were giving him these treats as a good boy to the painful treatment he got twice a day. On March 2, 2011 he had a prolonged seizure and never really woke fully from it. I rushed him to the vet and had to euthanize him.
Kingdom Pets chicken Jerky-All Natural Ingredients	Dog	Mixed (Dog)	1	Years	Female	52	Pound	Dog started having diarrhea after feeding her Kingdom Pets Chicken Jerky-Made in china
Milo's Chicken Jerky Treats	Dog	Corgi - Welsh Pembroke	9	Years	Male	35	Pound	I gave my dogs the Milo's Chicken Jerky Treats every day. One died of kidney failure, and the other died of kidney failulre 2 months later. Both were healthy dogs, and exercised regularly. (b) (6) started having blood in his urine the past year, gave him antibiotics, but the last time kidneys shut down and he died within a week. A slow painful death, I chose to put him down. My dog was like my kid, he went everywhere with me, he was the most loving animal I ever had. To have that product still on the market is just unbelievable.
Waggin Train Wholesome chicken jerky and tenders	Dog	Terrier - Welsh	6	Years	Female	17	Pound	(b) (6) started having extreme diarhea and throwing up all over the house (which is totally unlike her). She was very lethargic. She didnt eat for a few days and continued to drink a lot of water but threw it all up continuously. After 3 days we decided to take her to the dr bc she was dry heaving constantly, laying around, and had no energy. The veterinarian asked what treats we used and we told them Waggin Train. We still have the leftover bag if you would like to test it. The vet did tests and found increased levels in her urine which were consistent to issues linked to the dog treats. We have the tests if you would like those. The dr was at (b) (6) in Knoxville, TN. The treats were purchased at Target on Ray Mears Rd in Knoxville.
waggin train chicken jerky	Dog	Collie - Border	7	Days	Female	80	Pound	I STARTED GIVING MY 2 DOGS --BORDER COLLIE --AND PUP CHICKEN JERKY BOUGHT FROM SAM'S CLUB AND THE NEXT DAY THEY HAD SEVERE DIAREA
Waggin Trail Jerky Tenders and Chicken Jerky	Dog	Retriever - Golden	7	Years	Female	55	Pound	Have fed the dog Kirkland foods and treats form Costco for her whole life. She had been losing weight drinking water, urinating, started vomiting for about 4 weeks when she started to have no energy and not eating. Took her to the vet and ws told that her kidneys were about 10%. She died that night. Turns out the kirkland chicken tneders form China are suspected of many animal deaths.
Waggin Train Chicken Jerky Tenders Waggin' Train Duck Jerky Tenders	Dog	Shih Tzu	3	Years	Male	12	Pound	My dog has been eating Waggin train chicken and duck treats for about 2 years. I use these as treats when he is a good boy. I do not give him the whole chicken breast, it is broken in pieces so he averages about 1 piece a day. About a month ago Shelby started vomiting every couple of days once a day. Two weeks ago he started with diarrhea along with the vomiting. Last week he vomited and had diarrhea everyday for 3 days and the 3rd day he became lethargic, he was drinking excessively but would vomit after drinking, he would not eat for the 3 days either. I brought him to the vet who put him on medicated food. he would still not eat and the symptoms became worse. I brought him to another vet who x-rayed him, gave him an iv treatment as he was majorly dehydrated and gave him a shot of antibiotics. It has been four days since that treatment and he has finally drank some chicken broth and held it down. I had to force feed him water until today. I heard of the warning this week of the treats from China and think that you need to do more than a warning these must be recalled.
Loving Pet Gourmet All Natural Premium Chicken Breast	Dog	Collie - Border	8	Years	Male	65	Pound	Gave (b) (6) the jerky chicken strips & thought he might have got it caught in his throat as he developed a very harsh cough. Brought him to the vet, & they placed him on an antibiotic - Clavamox 375 mg q12h for 7 days. There was nothing caught in his throat.
Waggin Train Wholesome Chicken Jerky Tenders	Dog	Spaniel - Springer English	6	Years	Female	160	Pound	We were feeding (b) (6) the Waggin Tails Chicken Jerky treats regularly (every day) 2-3 a day. She started urinating in the house and seemed to have a bladder infection. We took her to the doctor after several infections and finally changed doctors to have a kidney ultasound. We thought maybe she was having a reaction to the treats so we quit them at that time. The vet said she was in some sort of kidney failure where the kidneys were not producing enough proteins. He put her on a human pill and fish oil pills. He said she would have to be on them the rest of her life and she may not live as long. It could decrease her life span by a year or two. We are thankful we stopped giving her the treats before it was too late.

